(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 4 January 2001 (04.01.2001)

(51) International Patent Classification7:

PCT

199 42 088.2

C12N 15/31,

(10) International Publication Number WO 01/00842 A2

3 September 1999 (03.09.1999)

15/52, 9/00, C07K 14/34 (21) International Application Number: PCT/IB00/00911 (22) International Filing Date: 23 June 2000 (23.06.2000) (25) Filing Language: English (26) Publication Language: English (30) Priority Data: 25 June 1999 (25.06.1999) 60/141,031 US 199 31 636.8 8 July 1999 (08.07.1999) DE 199 32 125.6 9 July 1999 (09.07.1999) DE 9 July 1999 (09.07.1999) DE 199 32 126.4 199 32 127.2 9 July 1999 (09.07.1999) DE 199 32 128.0 9 July 1999 (09.07.1999) DE 199 32 129.9 9 July 1999 (09.07.1999) DE 199 32 226.0 9 July 1999 (09.07.1999) DE 199 32 920.6 14 July 1999 (14.07.1999) DE 14 July 1999 (14.07.1999) 199 32 922.2 DE 199 32 924.9 14 July 1999 (14.07.1999) DE 199 32 928.1 14 July 1999 (14.07.1999) DE 199 32 930.3 14 July 1999 (14.07.1999) DE 14 July 1999 (14.07.1999) 199 32 933.8 DE 199 32 935.4 14 July 1999 (14.07.1999) DE 199 32 973.7 14 July 1999 (14.07.1999) DE 199 33 002.6 14 July 1999 (14.07.1999) DE 199 33 003.4 14 July 1999 (14.07.1999) DE 199 33 005.0 14 July 1999 (14.07.1999) DE 199 33 006.9 14 July 1999 (14.07.1999) DE 199 41 378.9 31 August 1999 (31.08.1999) DE 199 41 379.7 31 August 1999 (31.08.1999) DE 199 41 390.8 31 August 1999 (31.08.1999) DE

31 August 1999 (31.08.1999)

(71) Applicant: BASF AKTIENGESELLSCHAFT [DE/DE]; D-67056 Ludwigshafen (DE).

(72) Inventors: POMPEJUS, Markus; Wenjenstrasse 21, D-67251 Freinsheim (DE). KRÖGER, Burkhard; Im Waldhof 1, D-67117 Limburgerhof (DE). SCHRÖDER, Hartwig; Goethestrasse 5, D-69226 Nussloch (DE). ZELDER, Oskar; Rossmarktstrasse 27, D-67346 Speyer (DE). HABERHAUER, Gregor; Moselstrasse 42, D-67117 Limburgerhof (DE).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

 Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A2

(54) Title: CORYNEBACTERIUM GLUTAMICUM GENES ENCODING PROTEINS INVOLVED IN HOMEOSTASIS AND ADAPTATION

DE

(57) Abstract: Isolated nucleic acid molecules, designated HA nucleic acid molecules, which encode novel HA proteins from Corynebacterium glutamicum are described. The invention also provides antisense nucleic acid molecules, recombinant expression vectors containing HA nucleic acid molecules, and host cells into which the expression vectors have been introduced. The invention still further provides isolated HA proteins, mutated HA proteins, fusion proteins, antigenic peptides and methods for the improvement of production of a desired compound from C. glutamicum based on genetic engineering of HA genes in this organism.

199 41 391.6

CORYNEBACTERIUM GLUTAMICUM GENES ENCODING PROTEINS INVOLVED IN HOMEOSTASIS AND ADAPTATION

Related Applications

5 This application claims priority to prior filed U.S. Provisional Patent Application Serial No. 60/141031, filed June 25, 1999. This application also claims priority to prior filed German Patent Application No. 19931636.8, filed July 8, 1999, German Patent Application No. 19932125.6, filed July 9, 1999, German Patent Application No. 19932126.4, filed July 9, 1999, German Patent Application No. 19932127.2, filed July 9, 1999, German Patent Application No. 19932128.0, filed July 9, 1999, German Patent Application No. 19932129.9, filed July 9, 1999, German Patent Application No. 19932226.0, filed July 9, 1999, German Patent Application No. 19932920.6, filed July 14, 1999, German Patent Application No. 19932922.2, filed July 14, 1999, German Patent Application No. 19932924.9, filed July 14, 1999, German Patent Application No. 19932928.1, filed July 14, 1999, German Patent Application No. 19932930.3, filed July 14, 1999, German Patent Application No. 19932933.8, filed July 14, 1999, German Patent Application No. 19932935.4, filed July 14, 1999, German Patent Application No. 19932973.7, filed July 14, 1999, German Patent Application No. 19933002.6, filed July 14, 1999, German Patent Application No. 19933003.4, filed July 14, 1999, German 20 Patent Application No. 19933005.0, filed July 14, 1999, German Patent Application No. 19933006.9, filed July 14, 1999, German Patent Application No. 19941378.9, filed August 31, 1999, German Patent Application No. 19941379.7, filed August 31, 1999, German Patent Application No. 19941390.8, filed August 31, 1999, German Patent Application No. 19941391.6, filed August 31, 1999, and German Patent Application No. 19942088.2, filed September 3, 1999. The entire contents of all of the aforementioned applications are hereby expressly incorporated herein by this reference.

Background of the Invention

Certain products and by-products of naturally-occurring metabolic processes in cells have utility in a wide array of industries, including the food, feed, cosmetics, and pharmaceutical industries. These molecules, collectively termed 'fine chemicals', include organic acids, both proteinogenic and non-proteinogenic amino acids,

nucleotides and nucleosides, lipids and fatty acids, diols, carbohydrates, aromatic compounds, vitamins and cofactors, and enzymes. Their production is most conveniently performed through the large-scale culture of bacteria developed to produce and secrete large quantities of one or more desired molecules. One particularly useful organism for this purpose is *Corynebacterium glutamicum*, a gram positive, nonpathogenic bacterium. Through strain selection, a number of mutant strains have been developed which produce an array of desirable compounds. However, selection of strains improved for the production of a particular molecule is a time-consuming and difficult process.

10

15

25

Summary of the Invention

The invention provides novel bacterial nucleic acid molecules which have a variety of uses. These uses include the identification of microorganisms which can be used to produce fine chemicals, the modulation of fine chemical production in *C. glutamicum* or related bacteria, the typing or identification of *C. glutamicum* or related bacteria, as reference points for mapping the *C. glutamicum* genome, and as markers for transformation. These novel nucleic acid molecules encode proteins, referred to herein as homeostasis and adaptation (HA) proteins.

C. glutamicum is a gram positive, aerobic bacterium which is commonly used in industry for the large-scale production of a variety of fine chemicals, and also for the degradation of hydrocarbons (such as in petroleum spills) and for the oxidation of terpenoids. The HA nucleic acid molecules of the invention, therefore, can be used to identify microorganisms which can be used to produce fine chemicals, e.g., by fermentation processes. Modulation of the expression of the HA nucleic acids of the invention, or modification of the sequence of the HA nucleic acid molecules of the invention, can be used to modulate the production of one or more fine chemicals from a microorganism (e.g., to improve the yield or production of one or more fine chemicals from a Corynebacterium or Brevibacterium species).

The HA nucleic acids of the invention may also be used to identify an organism as being Corynebacterium glutamicum or a close relative thereof, or to identify the presence of C. glutamicum or a relative thereof in a mixed population of microorganisms. The invention provides the nucleic acid sequences of a number of C.

30

glutamicum genes; by probing the extracted genomic DNA of a culture of a unique or mixed population of microorganisms under stringent conditions with a probe spanning a region of a C. glutamicum gene which is unique to this organism, one can ascertain whether this organism is present. Although Corynebacterium glutamicum itself is nonpathogenic, it is related to species pathogenic in humans, such as Corynebacterium diphtheriae (the causative agent of diphtheria); the detection of such organisms is of significant clinical relevance.

The HA nucleic acid molecules of the invention may also serve as reference points for mapping of the *C. glutamicum* genome, or of genomes of related organisms. Similarly, these molecules, or variants or portions thereof, may serve as markers for genetically engineered Corynebacterium or Brevibacterium species.

The HA proteins encoded by the novel nucleic acid molecules of the invention are capable of, for example, performing a function involved in the maintenance of homeostasis in C. glutamicum, or in the ability of this microorganism to adapt to different environmental conditions. Given the availability of cloning vectors for use in Corynebacterium glutamicum, such as those disclosed in Sinskey et al., U.S. Patent No. 4,649,119, and techniques for genetic manipulation of C. glutamicum and the related Brevibacterium species (e.g., lactofermentum) (Yoshihama et al, J. Bacteriol. 162: 591-597 (1985); Katsumata et al., J. Bacteriol. 159: 306-311 (1984); and Santamaria et al., J. Gen. Microbiol. 130: 2237-2246 (1984)), the nucleic acid molecules of the invention may be utilized in the genetic engineering of this organism to make it a better or more efficient producer of one or more fine chemicals. This improved production or efficiency of production of a fine chemical may be due to a direct effect of manipulation of a gene of the invention, or it may be due to an indirect effect of such manipulation.

There are a number of mechanisms by which the alteration of an HA protein of the invention may directly affect the yield, production, and/or efficiency of production of a fine chemical from a *C. glutamicum* strain incorporating such an altered protein. For example, by engineering enzymes which modify or degrade aromatic or aliphatic compounds such that these enzymes are increased or decreased in activity or number, it may be possible to modulate the production of one or more fine chemicals which are the modification or degradation products of these compounds. Similarly, enzymes involved in the metabolism of inorganic compounds provide key molecules (e.g. phosphorous,

20

25

30

sulfur, and nitrogen molecules) for the biosynthesis of such fine chemicals as amino acids, vitamins, and nucleic acids. By altering the activity or number of these enzymes in *C. glutamicum*, it may be possible to increase the conversion of these inorganic compounds (or to use alternate inorganic compounds) to thus permit improved rates of incorporation of inorganic atoms into these fine chemicals. Genetic engineering of *C. glutamicum* enzymes involved in general cellular processes may also directly improve fine chemical production, since many of these enzymes directly modify fine chemicals (*e.g.*, amino acids) or the enzymes which are involved in fine chemical synthesis or secretion. Modulation of the activity or number of cellular proteases may also have a direct effect on fine chemical production, since many proteases may degrade fine chemicals or enzymes involved in fine chemical production or breakdown.

Further, the aforementioned enzymes which participate in aromatic/aliphatic compound modification or degradation, general biocatalysis, inorganic compound metabolism or proteolysis are each themselves fine chemicals, desirable for their activity in various *in vitro* industrial applications. By altering the number of copies of the gene for one or more of these enzymes in *C. glutamicum* it may be possible to increase the number of these proteins produced by the cell, thereby increasing the potential yield or efficiency of production of these proteins from large-scale *C. glutamicum* or related bacterial cultures.

The alteration of an HA protein of the invention may also indirectly affect the yield, production, and/or efficiency of production of a fine chemical from a C. glutamicum strain incorporating such an altered protein. For example, by modulating the activity and/or number of those proteins involved in the construction or rearrangement of the cell wall, it may be possible to modify the structure of the cell wall itself such that the cell is able to better withstand the mechanical and other stresses present during large-scale fermentative culture. Also, large-scale growth of C. glutamicum requires significant cell wall production. Modulation of the activity or number of cell wall biosynthetic or degradative enzymes may allow more rapid rates of cell wall biosynthesis, which in turn may permit increased growth rates of this microorganism in culture and thereby increase the number of cells producing the desired fine chemical.

By modifying the HA enzymes of the invention, one may also indirectly impact the yield, production, or efficiency of production of one or more fine chemicals from C. glutamicum. For example, many of the general enzymes in C. glutamicum may have a significant impact on global cellular processes (e.g., regulatory processes) which in turn have a significant effect on fine chemical metabolism. Similarly, proteases, enzymes which modify or degrade possibly toxic aromatic or aliphatic compounds, and enzymes which promote the metabolism of inorganic compounds all serve to increase the viability of C. glutamicum. The proteases aid in the selective removal of misfolded or misregulated proteins, such as those that might occur under the relatively stressful environmental conditions encountered during large-scale fermentor culture. By altering these proteins, it may be possible to further enhance this activity and to improve the viability of C. glutamicum in culture. The aromatic/aliphatic modification or degradation proteins not only serve to detoxify these waste compounds (which may be encountered as impurities in culture medium or as waste products from cells themselves), but also to permit the cells to utilize alternate carbon sources if the optimal carbon source is limiting in the culture. By increasing their number and/or activity, the survival of C. glutamicum cells in culture may be enhanced. The inorganic metabolism proteins of the invention supply the cell with inorganic molecules required for all protein and nucleotide (among others) synthesis, and thus are critical for the overall viability of the cell. An increase in the number of viable cells producing one or more desired fine chemicals in large-scale culture should result in a concomitant increase in the yield, production, and/or efficiency of production of the fine chemical in the culture.

The invention provides novel nucleic acid molecules which encode proteins, referred to herein as HA proteins, which are capable of, for example, performing a function involved in the maintenance of homeostasis in *C. glutamicum*, or of participating in the ability of this microorganism to adapt to different environmental conditions. Nucleic acid molecules encoding an HA protein are referred to herein as HA nucleic acid molecules. In a preferred embodiment, an HA protein participates in *C. glutamicum* cell wall biosynthesis or rearrangements, metabolism of inorganic compounds, modification or degradation of aromatic or aliphatic compounds, or possesses a *C. glutamicum* enzymatic or proteolytic activity. Examples of such proteins include those encoded by the genes set forth in Table 1.

20

25

30

Accordingly, one aspect of the invention pertains to isolated nucleic acid molecules (e.g., cDNAs, DNAs, or RNAs) comprising a nucleotide sequence encoding an HA protein or biologically active portions thereof, as well as nucleic acid fragments suitable as primers or hybridization probes for the detection or amplification of HAencoding nucleic acids (e.g., DNA or mRNA). In particularly preferred embodiments, the isolated nucleic acid molecule comprises one of the nucleotide sequences set forth as the odd-numbered SEQ ID NOs in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7....), or the coding region or a complement thereof of one of these nucleotide sequences. In other particularly preferred embodiments, the isolated nucleic acid molecule of the invention comprises a nucleotide sequence which hybridizes to or is at least about 50%, preferably at least about 60%, more preferably at least about 70%, 80% or 90%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to a nucleotide sequence set forth as an odd-numbered SEQ ID NO in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7....), or a portion thereof. In other preferred embodiments, the isolated nucleic acid molecule encodes one of the amino acid sequences set forth in as an evennumbered SEQ ID NO in the Sequence Listing (e.g., SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8....). The preferred HA proteins of the present invention also preferably possess at least one of the HA activities described herein.

In another embodiment, the isolated nucleic acid molecule encodes a protein or portion thereof wherein the protein or portion thereof includes an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence having an even-numbered SEQ ID NO: in the Sequence Listing), e.g., sufficiently homologous to an amino acid sequence of the invention such that the protein or portion thereof maintains an HA activity. Preferably, the protein or portion thereof encoded by the nucleic acid molecule maintains the ability to participate in the maintenance of homeostasis in C. glutamicum, or to perform a function involved in the adaptation of this microorganism to different environmental conditions. In one embodiment, the protein encoded by the nucleic acid molecule is at least about 50%, preferably at least about 60%, and more preferably at least about 70%, 80%, or 90% and most preferably at least about 95%, 96%, 97%, 98%, or 99% or more homologous to an amino acid sequence of the invention (e.g., an entire amino acid sequence selected from

5

15

- 20

25

30

-7-

those having an even-numbered SEQ ID NO in the Sequence Listing). In another preferred embodiment, the protein is a full length *C. glutamicum* protein which is substantially homologous to an entire amino acid sequence of the invention (encoded by an open reading frame shown in the corresponding odd-numbered SEQ ID NOs in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7...).

In another preferred embodiment, the isolated nucleic acid molecule is derived from C. glutamicum and encodes a protein (e.g., an HA fusion protein) which includes a biologically active domain which is at least about 50% or more homologous to one of the amino acid sequences of the invention (e.g., a sequence of one of the even-numbered SEQ ID NOs in the Sequence Listing) and is able to participate in the repair or recombination of DNA, in the transposition of genetic material, in gene expression (i.e., the processes of transcription or translation), in protein folding, or in protein secretion in Corynebacterium glutamicum, or has one or more of the activities set forth in Table 1, and which also includes heterologous nucleic acid sequences encoding a heterologous polypeptide or regulatory regions.

In another embodiment, the isolated nucleic acid molecule is at least 15 nucleotides in length and hybridizes under stringent conditions to a nucleic acid molecule comprising a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO in the Sequence Listing). Preferably, the isolated nucleic acid molecule corresponds to a naturally-occurring nucleic acid molecule. More preferably, the isolated nucleic acid encodes a naturally-occurring C. glutamicum HA protein, or a biologically active portion thereof.

Another aspect of the invention pertains to vectors, e.g., recombinant expression vectors, containing the nucleic acid molecules of the invention, and host cells into which such vectors have been introduced. In one embodiment, such a host cell is used to produce an HA protein by culturing the host cell in a suitable medium. The HA protein can be then isolated from the medium or the host cell.

Yet another aspect of the invention pertains to a genetically altered microorganism in which an HA gene has been introduced or altered. In one embodiment, the genome of the microorganism has been altered by introduction of a nucleic acid molecule of the invention encoding wild-type or mutated HA sequence as a transgene. In another embodiment, an endogenous HA gene within the genome of the

- 8 -

microorganism has been altered, e.g., functionally disrupted, by homologous recombination with an altered HA gene. In another embodiment, an endogenous or introduced HA gene in a microorganism has been altered by one or more point mutations, deletions, or inversions, but still encodes a functional HA protein. In still another embodiment, one or more of the regulatory regions (e.g., a promoter, repressor, or inducer) of an HA gene in a microorganism has been altered (e.g., by deletion, truncation, inversion, or point mutation) such that the expression of the HA gene is modulated. In a preferred embodiment, the microorganism belongs to the genus Corynebacterium or Brevibacterium, with Corynebacterium glutamicum being particularly preferred. In a preferred embodiment, the microorganism is also utilized for the production of a desired compound, such as an amino acid, with lysine being particularly preferred.

In another aspect, the invention provides a method of identifying the presence or activity of *Cornyebacterium diphtheriae* in a subject. This method includes detection of one or more of the nucleic acid or amino acid sequences of the invention (e.g., the sequences set forth in the Sequence Listing as SEQ ID NOs 1 through 440) in a subject, thereby detecting the presence or activity of *Corynebacterium diphtheriae* in the subject.

15

20

25

30

Still another aspect of the invention pertains to an isolated HA protein or a portion, e.g., a biologically active portion, thereof. In a preferred embodiment, the isolated HA protein or portion thereof can participate in the maintenance of homeostasis in C. glutamicum, or can perform a function involved in the adaptation of this microorganism to different environmental conditions. In another preferred embodiment, the isolated HA protein or portion thereof is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: in the Sequence Listing) such that the protein or portion thereof maintains the ability to participate in the maintenance of homeostasis in C. glutamicum, or to perform a function involved in the adaptation of this microorganism to different environmental conditions.

The invention also provides an isolated preparation of an HA protein. In preferred embodiments, the HA protein comprises an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing). In another preferred embodiment, the invention pertains to an isolated full length protein which is substantially homologous to an entire amino acid sequence of the invention

20

25

(e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) (encoded by an open reading frame set forth in a corresponding odd-numbered SEQ ID NO: of the Sequence Listing). In yet another embodiment, the protein is at least about 50%, preferably at least about 60%, and more preferably at least about 70%, 80%, or 90%, and most preferably at least about 95%, 96%, 97%, 98%, or 99% or more homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing). In other embodiments, the isolated HA protein comprises an amino acid sequence which is at least about 50% or more homologous to one of the amino acid sequences of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) and is able to participate in the maintenance of homeostasis in C. glutamicum, or to perform a function involved in the adaptation of this microorganism to different environmental conditions, or has one or more of the activities set forth in Table 1.

Alternatively, the isolated HA protein can comprise an amino acid sequence which is encoded by a nucleotide sequence which hybridizes, *e.g.*, hybridizes under stringent conditions, or is at least about 50%, preferably at least about 60%, more preferably at least about 70%, 80%, or 90%, and even more preferably at least about 95%, 96%, 97%, 98,%, or 99% or more homologous, to a nucleotide sequence of one of the even-numbered SEQ ID NOs set forth in the Sequence Listing. It is also preferred that the preferred forms of HA proteins also have one or more of the HA bioactivities described herein.

The HA polypeptide, or a biologically active portion thereof, can be operatively linked to a non-HA polypeptide to form a fusion protein. In preferred embodiments, this fusion protein has an activity which differs from that of the HA protein alone. In other preferred embodiments, this fusion protein participates in the maintenance of homeostasis in *C. glutamicum*, or performs a function involved in the adaptation of this microorganism to different environmental conditions. In particularly preferred embodiments, integration of this fusion protein into a host cell modulates production of a desired compound from the cell.

In another aspect, the invention provides methods for screening molecules which modulate the activity of an HA protein, either by interacting with the protein itself or a

- 10 -

substrate or binding partner of the HA protein, or by modulating the transcription or translation of an HA nucleic acid molecule of the invention.

Another aspect of the invention pertains to a method for producing a fine chemical. This method involves the culturing of a cell containing a vector directing the expression of an HA nucleic acid molecule of the invention, such that a fine chemical is produced. In a preferred embodiment, this method further includes the step of obtaining a cell containing such a vector, in which a cell is transfected with a vector directing the expression of an HA nucleic acid. In another preferred embodiment, this method further includes the step of recovering the fine chemical from the culture. In a particularly preferred embodiment, the cell is from the genus *Corynebacterium* or *Brevibacterium*, or is selected from those strains set forth in Table 3.

Another aspect of the invention pertains to methods for modulating production of a molecule from a microorganism. Such methods include contacting the cell with an agent which modulates HA protein activity or HA nucleic acid expression such that a cell associated activity is altered relative to this same activity in the absence of the agent. In a preferred embodiment, the cell is modulated for one or more *C. glutamicum* processes involved in cell wall biosynthesis or rearrangements, metabolism of inorganic compounds, modification or degradation of aromatic or aliphatic compounds, or enzymatic or proteolytic activities. The agent which modulates HA protein activity can be an agent which stimulates HA protein activity or HA nucleic acid expression. Examples of agents which stimulate HA proteins activity or HA nucleic acid expression include small molecules, active HA proteins, and nucleic acids encoding HA proteins that have been introduced into the cell. Examples of agents which inhibit HA activity or expression include small molecules and antisense HA nucleic acid molecules.

15

20

25

30

Another aspect of the invention pertains to methods for modulating yields of a desired compound from a cell, involving the introduction of a wild-type or mutant HA gene into a cell, either maintained on a separate plasmid or integrated into the genome of the host cell. If integrated into the genome, such integration can be random, or it can take place by homologous recombination such that the native gene is replaced by the introduced copy, causing the production of the desired compound from the cell to be modulated. In a preferred embodiment, said yields are increased. In another preferred embodiment, said chemical is a fine chemical. In a particularly preferred embodiment,

10

said fine chemical is an amino acid. In especially preferred embodiments, said amino acid is L-lysine.

Detailed Description of the Invention

The present invention provides HA nucleic acid and protein molecules which are involved in *C. glutamicum* cell wall biosynthesis or rearrangements, metabolism of inorganic compounds, modification or degradation of aromatic or aliphatic compounds, or that have a *C. glutamicum* enzymatic or proteolytic activity. The molecules of the invention may be utilized in the modulation of production of fine chemicals from microorganisms, such as *C. glutamicum*, either directly (e.g., where overexpression or optimization of activity of a protein involved in the production of a fine chemical (e.g., an enzyme) has a direct impact on the yield, production, and/or efficiency of production of a fine chemical from the modified *C. glutamicum*), or an indirect impact which nonetheless results in an increase of yield, production, and/or efficiency of production of the desired compound (e.g., where modulation of the activity or number of copies of a *C. glutamicum* aromatic or aliphatic modification or degradation protein results in an increase in the viability of *C. glutamicum* cells, which in turn permits increased production in a large-scale culture setting). Aspects of the invention are further explicated below.

20

25

30

I. Fine Chemicals

The term 'fine chemical' is art-recognized and includes molecules produced by an organism which have applications in various industries, such as, but not limited to, the pharmaceutical, agriculture, and cosmetics industries. Such compounds include organic acids, such as tartaric acid, itaconic acid, and diaminopimelic acid, both proteinogenic and non-proteinogenic amino acids, purine and pyrimidine bases, nucleosides, and nucleotides (as described e.g. in Kuninaka, A. (1996) Nucleotides and related compounds, p. 561-612, in Biotechnology vol. 6, Rehm et al., eds. VCH: Weinheim, and references contained therein), lipids, both saturated and unsaturated fatty acids (e.g., arachidonic acid), diols (e.g., propane diol, and butane diol), carbohydrates (e.g., hyaluronic acid and trehalose), aromatic compounds (e.g., aromatic amines, vanillin, and indigo), vitamins and cofactors (as described in Ullmann's Encyclopedia of

Industrial Chemistry, vol. A27, "Vitamins", p. 443-613 (1996) VCH: Weinheim and references therein; and Ong, A.S., Niki, E. & Packer, L. (1995) "Nutrition, Lipids, Health, and Disease" Proceedings of the UNESCO/Confederation of Scientific and Technological Associations in Malaysia, and the Society for Free Radical Research – Asia, held Sept. 1-3, 1994 at Penang, Malaysia, AOCS Press, (1995)), enzymes, polyketides (Cane *et al.* (1998) *Science* 282: 63-68), and all other chemicals described in Gutcho (1983) Chemicals by Fermentation, Noyes Data Corporation, ISBN: 0818805086 and references therein. The metabolism and uses of certain of these fine chemicals are further explicated below.

10

15

20

25

30

A. Amino Acid Metabolism and Uses

Amino acids comprise the basic structural units of all proteins, and as such are essential for normal cellular functioning in all organisms. The term "amino acid" is artrecognized. The proteinogenic amino acids, of which there are 20 species, serve as structural units for proteins, in which they are linked by peptide bonds, while the nonproteinogenic amino acids (hundreds of which are known) are not normally found in proteins (see Ulmann's Encyclopedia of Industrial Chemistry, vol. A2, p. 57-97 VCH: Weinheim (1985)). Amino acids may be in the D- or L- optical configuration, though Lamino acids are generally the only type found in naturally-occurring proteins. Biosynthetic and degradative pathways of each of the 20 proteinogenic amino acids have been well characterized in both prokaryotic and eukaryotic cells (see, for example, Strver, L. Biochemistry, 3rd edition, pages 578-590 (1988)). The 'essential' amino acids (histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, and valine), so named because they are generally a nutritional requirement due to the complexity of their biosyntheses, are readily converted by simple biosynthetic pathways to the remaining 11 'nonessential' amino acids (alanine, arginine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, and tyrosine). Higher animals

Aside from their function in protein biosynthesis, these amino acids are interesting chemicals in their own right, and many have been found to have various applications in the food, feed, chemical, cosmetics, agriculture, and pharmaceutical

do retain the ability to synthesize some of these amino acids, but the essential amino acids must be supplied from the diet in order for normal protein synthesis to occur.

- 13 -

industries. Lysine is an important amino acid in the nutrition not only of humans, but also of monogastric animals such as poultry and swine. Glutamate is most commonly used as a flavor additive (mono-sodium glutamate, MSG) and is widely used throughout the food industry, as are aspartate, phenylalanine, glycine, and cysteine. Glycine, L
5 methionine and tryptophan are all utilized in the pharmaceutical industry. Glutamine, valine, leucine, isoleucine, histidine, arginine, proline, serine and alanine are of use in both the pharmaceutical and cosmetics industries. Threonine, tryptophan, and D/ Lmethionine are common feed additives. (Leuchtenberger, W. (1996) Amino aids –
technical production and use, p. 466-502 in Rehm et al. (eds.) Biotechnology vol. 6,

10 chapter 14a, VCH: Weinheim). Additionally, these amino acids have been found to be useful as precursors for the synthesis of synthetic amino acids and proteins, such as Nacetylcysteine, S-carboxymethyl-L-cysteine, (S)-5-hydroxytryptophan, and others described in Ulmann's Encyclopedia of Industrial Chemistry, vol. A2, p. 57-97, VCH:
Weinheim, 1985.

15

20

25

30

The biosynthesis of these natural amino acids in organisms capable of producing them, such as bacteria, has been well characterized (for review of bacterial amino acid biosynthesis and regulation thereof, see Umbarger, H.E.(1978) Ann. Rev. Biochem. 47: 533-606). Glutamate is synthesized by the reductive amination of αketoglutarate, an intermediate in the citric acid cycle. Glutamine, proline, and arginine are each subsequently produced from glutamate. The biosynthesis of serine is a threestep process beginning with 3-phosphoglycerate (an intermediate in glycolysis), and resulting in this amino acid after oxidation, transamination, and hydrolysis steps. Both cysteine and glycine are produced from serine; the former by the condensation of homocysteine with serine, and the latter by the transferal of the side-chain β-carbon atom to tetrahydrofolate, in a reaction catalyzed by serine transhydroxymethylase. Phenylalanine, and tyrosine are synthesized from the glycolytic and pentose phosphate pathway precursors erythrose 4-phosphate and phosphoenolpyruvate in a 9-step biosynthetic pathway that differ only at the final two steps after synthesis of prephenate. Tryptophan is also produced from these two initial molecules, but its synthesis is an 11step pathway. Tyrosine may also be synthesized from phenylalanine, in a reaction catalyzed by phenylalanine hydroxylase. Alanine, valine, and leucine are all biosynthetic products of pyruvate, the final product of glycolysis. Aspartate is formed

- 14 -

from oxaloacetate, an intermediate of the citric acid cycle. Asparagine, methionine, threonine, and lysine are each produced by the conversion of aspartate. Isoleucine is formed from threonine. A complex 9-step pathway results in the production of histidine from 5-phosphoribosyl-1-pyrophosphate, an activated sugar.

Amino acids in excess of the protein synthesis needs of the cell cannot be stored, and are instead degraded to provide intermediates for the major metabolic pathways of the cell (for review see Stryer, L. Biochemistry 3rd ed. Ch. 21 "Amino Acid Degradation and the Urea Cycle" p. 495-516 (1988)). Although the cell is able to convert unwanted amino acids into useful metabolic intermediates, amino acid production is costly in terms of energy, precursor molecules, and the enzymes necessary to synthesize them. Thus it is not surprising that amino acid biosynthesis is regulated by feedback inhibition, in which the presence of a particular amino acid serves to slow or entirely stop its own production (for overview of feedback mechanisms in amino acid biosynthetic pathways, see Stryer, L. Biochemistry, 3rd ed. Ch. 24: "Biosynthesis of Amino Acids and Heme" p. 575-600 (1988)). Thus, the output of any particular amino acid is limited by the amount of that amino acid present in the cell.

B. Vitamin, Cofactor, and Nutraceutical Metabolism and Uses

5

15

20

Vitamins, cofactors, and nutraceuticals comprise another group of molecules which the higher animals have lost the ability to synthesize and so must ingest, although they are readily synthesized by other organisms such as bacteria. These molecules are either bioactive substances themselves, or are precursors of biologically active substances which may serve as electron carriers or intermediates in a variety of metabolic pathways. Aside from their nutritive value, these compounds also have significant industrial value as coloring agents, antioxidants, and catalysts or other processing aids. (For an overview of the structure, activity, and industrial applications of these compounds, see, for example, Ullman's Encyclopedia of Industrial Chemistry, "Vitamins" vol. A27, p. 443-613, VCH: Weinheim, 1996.) The term "vitamin" is artrecognized, and includes nutrients which are required by an organism for normal functioning, but which that organism cannot synthesize by itself. The group of vitamins may encompass cofactors and nutraceutical compounds. The language "cofactor" includes nonproteinaceous compounds required for a normal enzymatic activity to

occur. Such compounds may be organic or inorganic; the cofactor molecules of the invention are preferably organic. The term "nutraceutical" includes dietary supplements having health benefits in plants and animals, particularly humans. Examples of such molecules are vitamins, antioxidants, and also certain lipids (e.g., polyunsaturated fatty acids).

The biosynthesis of these molecules in organisms capable of producing them, such as bacteria, has been largely characterized (Ullman's Encyclopedia of Industrial Chemistry, "Vitamins" vol. A27, p. 443-613, VCH: Weinheim, 1996; Michal, G. (1999) Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, John Wiley & Sons; Ong, A.S., Niki, E. & Packer, L. (1995) "Nutrition, Lipids, Health, and Disease" Proceedings of the UNESCO/Confederation of Scientific and Technological Associations in Malaysia, and the Society for Free Radical Research – Asia, held Sept. 1-3, 1994 at Penang, Malaysia, AOCS Press: Champaign, IL X, 374 S).

Thiamin (vitamin B₁) is produced by the chemical coupling of pyrimidine and 15 thiazole moieties. Riboflavin (vitamin B₂) is synthesized from guanosine-5'-triphosphate (GTP) and ribose-5'-phosphate. Riboflavin, in turn, is utilized for the synthesis of flavin mononucleotide (FMN) and flavin adenine dinucleotide (FAD). The family of compounds collectively termed 'vitamin B₆' (e.g., pyridoxine, pyridoxamine, pyridoxa-5'-phosphate, and the commercially used pyridoxin hydrochloride) are all derivatives of 20 the common structural unit, 5-hydroxy-6-methylpyridine. Pantothenate (pantothenic acid, (R)-(+)-N-(2,4-dihydroxy-3,3-dimethyl-1-oxobutyl)-β-alanine) can be produced either by chemical synthesis or by fermentation. The final steps in pantothenate biosynthesis consist of the ATP-driven condensation of β-alanine and pantoic acid. The enzymes responsible for the biosynthesis steps for the conversion to pantoic acid, to βalanine and for the condensation to panthotenic acid are known. The metabolically 25 active form of pantothenate is Coenzyme A, for which the biosynthesis proceeds in 5 enzymatic steps. Pantothenate, pyridoxal-5'-phosphate, cysteine and ATP are the precursors of Coenzyme A. These enzymes not only catalyze the formation of panthothante, but also the production of (R)-pantoic acid, (R)-pantolacton, (R)panthenol (provitamin B₅), pantetheine (and its derivatives) and coenzyme A. 30

Biotin biosynthesis from the precursor molecule pimeloyl-CoA in microorganisms has been studied in detail and several of the genes involved have been

identified. Many of the corresponding proteins have been found to also be involved in Fe-cluster synthesis and are members of the nifS class of proteins. Lipoic acid is derived from octanoic acid, and serves as a coenzyme in energy metabolism, where it becomes part of the pyruvate dehydrogenase complex and the α-ketoglutarate dehydrogenase complex. The folates are a group of substances which are all derivatives of folic acid, which is turn is derived from L-glutamic acid, p-amino-benzoic acid and 6-methylpterin. The biosynthesis of folic acid and its derivatives, starting from the metabolism intermediates guanosine-5'-triphosphate (GTP), L-glutamic acid and p-amino-benzoic acid has been studied in detail in certain microorganisms.

Corrinoids (such as the cobalamines and particularly vitamin B₁₂) and porphyrines belong to a group of chemicals characterized by a tetrapyrole ring system. The biosynthesis of vitamin B₁₂ is sufficiently complex that it has not yet been completely characterized, but many of the enzymes and substrates involved are now known. Nicotinic acid (nicotinate), and nicotinamide are pyridine derivatives which are also termed 'niacin'. Niacin is the precursor of the important coenzymes NAD (nicotinamide adenine dinucleotide) and NADP (nicotinamide adenine dinucleotide phosphate) and their reduced forms.

The large-scale production of these compounds has largely relied on cell-free chemical syntheses, though some of these chemicals have also been produced by large-scale culture of microorganisms, such as riboflavin, Vitamin B₆, pantothenate, and biotin. Only Vitamin B₁₂ is produced solely by fermentation, due to the complexity of its synthesis. *In vitro* methodologies require significant inputs of materials and time, often at great cost.

25 C. Purine, Pyrimidine, Nucleoside and Nucleotide Metabolism and Uses

10

20

30

Purine and pyrimidine metabolism genes and their corresponding proteins are important targets for the therapy of tumor diseases and viral infections. The language "purine" or "pyrimidine" includes the nitrogenous bases which are constituents of nucleic acids, co-enzymes, and nucleotides. The term "nucleotide" includes the basic structural units of nucleic acid molecules, which are comprised of a nitrogenous base, a pentose sugar (in the case of RNA, the sugar is ribose; in the case of DNA, the sugar is D-deoxyribose), and phosphoric acid. The language "nucleoside" includes molecules

- 17 -

which serve as precursors to nucleotides, but which are lacking the phosphoric acid moiety that nucleotides possess. By inhibiting the biosynthesis of these molecules, or their mobilization to form nucleic acid molecules, it is possible to inhibit RNA and DNA synthesis; by inhibiting this activity in a fashion targeted to cancerous cells, the ability of tumor cells to divide and replicate may be inhibited. Additionally, there are nucleotides which do not form nucleic acid molecules, but rather serve as energy stores (i.e., AMP) or as coenzymes (i.e., FAD and NAD).

Several publications have described the use of these chemicals for these medical indications, by influencing purine and/or pyrimidine metabolism (e.g. Christopherson, R.I. and Lyons, S.D. (1990) "Potent inhibitors of de novo pyrimidine and purine 10 biosynthesis as chemotherapeutic agents." Med. Res. Reviews 10: 505-548). Studies of enzymes involved in purine and pyrimidine metabolism have been focused on the development of new drugs which can be used, for example, as immunosuppressants or anti-proliferants (Smith, J.L., (1995) "Enzymes in nucleotide synthesis." Curr. Opin. Struct. Biol. 5: 752-757; (1995) Biochem Soc. Transact. 23: 877-902). However, purine and pyrimidine bases, nucleosides and nucleotides have other utilities: as intermediates in the biosynthesis of several fine chemicals (e.g., thiamine, S-adenosyl-methionine, folates, or riboflavin), as energy carriers for the cell (e.g., ATP or GTP), and for chemicals themselves, commonly used as flavor enhancers (e.g., IMP or GMP) or for several medicinal applications (see, for example, Kuninaka, A. (1996) Nucleotides and Related Compounds in Biotechnology vol. 6, Rehm et al., eds. VCH: Weinheim, p. 561-612). Also, enzymes involved in purine, pyrimidine, nucleoside, or nucleotide metabolism are increasingly serving as targets against which chemicals for crop protection, including fungicides, herbicides and insecticides, are developed.

The metabolism of these compounds in bacteria has been characterized (for reviews see, for example, Zalkin, H. and Dixon, J.E. (1992) "de novo purine nucleotide biosynthesis", in: Progress in Nucleic Acid Research and Molecular Biology, vol. 42, Academic Press:, p. 259-287; and Michal, G. (1999) "Nucleotides and Nucleosides", Chapter 8 in: Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, Wiley: New York). Purine metabolism has been the subject of intensive research, and is essential to the normal functioning of the cell. Impaired purine metabolism in higher animals can cause severe disease, such as gout. Purine nucleotides are synthesized from

25

ribose-5-phosphate, in a series of steps through the intermediate compound inosine-5'-phosphate (IMP), resulting in the production of guanosine-5'-monophosphate (GMP) or adenosine-5'-monophosphate (AMP), from which the triphosphate forms utilized as nucleotides are readily formed. These compounds are also utilized as energy stores, so their degradation provides energy for many different biochemical processes in the cell. Pyrimidine biosynthesis proceeds by the formation of uridine-5'-monophosphate (UMP) from ribose-5-phosphate. UMP, in turn, is converted to cytidine-5'-triphosphate (CTP). The deoxy- forms of all of these nucleotides are produced in a one step reduction reaction from the diphosphate ribose form of the nucleotide to the diphosphate deoxyribose form of the nucleotide. Upon phosphorylation, these molecules are able to participate in DNA synthesis.

D. Trehalose Metabolism and Uses

10

25

30

Trehalose consists of two glucose molecules, bound in α, α-1,1 linkage. It is

commonly used in the food industry as a sweetener, an additive for dried or frozen foods, and in beverages. However, it also has applications in the pharmaceutical, cosmetics and biotechnology industries (see, for example, Nishimoto *et al.*, (1998) U.S. Patent No. 5,759,610; Singer, M.A. and Lindquist, S. (1998) *Trends Biotech.* 16: 460-467; Paiva, C.L.A. and Panek, A.D. (1996) *Biotech. Ann. Rev.* 2: 293-314; and

Shiosaka, M. (1997) J. Japan 172: 97-102). Trehalose is produced by enzymes from many microorganisms and is naturally released into the surrounding medium, from which it can be collected using methods known in the art.

II. Maintenance of Homeostasis in C. glutamicum and Environmental Adaptation

The metabolic and other biochemical processes by which cells function are sensitive to environmental conditions such as temperature, pressure, solute concentration, and availability of oxygen. When one or more such environmental condition is perturbed or altered in a fashion that is incompatible with the normal functioning of these cellular processes, the cell must act to maintain an intracellular environment which will permit them to occur despite the hostile extracellular environment. Gram positive bacterial cells, such as *C. glutamicum* cells, have a number of mechanisms by which internal homeostasis may be maintained despite unfavorable

5

10

15

20

30

extracellular conditions. These include a cell wall, proteins which are able to degrade possibly toxic aromatic and aliphatic compounds, mechanisms of proteolysis whereby misfolded or misregulated proteins may be rapidly destroyed, and catalysts which permit intracellular reactions to occur which would not normally take place under the conditions optimal for bacterial growth.

Aside from merely surviving in a hostile environment, bacterial cells (e.g. C. glutamicum cells) are also frequently able to adapt such that they are able to take advantage of such conditions. For example, cells in an environment lacking desired carbon sources may be able to adapt to growth on a less-suitable carbon source. Also, cells may be able to utilize less desirable inorganic compounds when the commonly utilized ones are unavailable. C. glutamicum cells possess a number of genes which permit them to adapt to utilize inorganic and organic molecules which they would normally not encounter under optimal growth conditions as nutrients and precursors for metabolism. Aspects of cellular processes involved in homeostasis and adaptation are further explicated below.

A. Modification and Degradation of Aromatic and Aliphatic Compounds

Bacterial cells are routinely exposed to a variety of aromatic and aliphatic compounds in nature. Aromatic compounds are organic molecules having a cyclic ring structure, while aliphatic compounds are organic molecules having open chain structures rather than ring structures. Such compounds may arise as by-products of industrial processes (e.g., benzene or toluene), but may also be produced by certain microorganisms (e.g., alcohols). Many of these compounds are toxic to cells, particularly the aromatic compounds, which are highly reactive due to the high-energy ring structure. Thus, certain bacteria have developed mechanisms by which they are able to modify or degrade these compounds such that they are no longer hazardous to the cell. Cells may possess enzymes that are able to, for example, hydroxylate, isomerize, or methylate aromatic or aliphatic compounds such that they are either rendered less toxic, or such that the modified form is able to be processed by standard cellular waste and degradation pathways. Also, cells may possess enzymes which are able to specifically degrade one or more such potentially hazardous substance, thereby protecting the cell. Principles and examples of these types of modification and degradation processes in bacteria are described in several publications,

e.g., Sahm, H. (1999) "Procaryotes in Industrial Production" in Lengeler, J.W. et al., eds. Biology of the Procaryotes, Thieme Verlag: Stuttgart; and Schlegel, H.G. (1992) Allgemeine Mikrobiologie, Thieme: Stuttgart).

Aside from simply inactivating hazardous aromatic or aliphatic compounds, many bacteria have evolved to be able to utilize these compounds as carbon sources for continued metabolism when the preferred carbon sources of the cell are not available. For example, Pseudomonas strains able to utilize toluene, benzene, and 1,10-dichlorodecane as carbon sources are known (Chang, B.V. et al. (1997) Chemosphere 35(12): 2807-2815; Wischnak, C. et al. (1998) Appl. Environ. Microbiol. 64(9): 3507-3511; Churchill, S.A. et al. (1999) Appl. Environ. Microbiol. 65(2): 549-552). There are similar examples from many other bacterial species which are known in the art.

The ability of certain bacteria to modify or degrade aromatic and aliphatic compounds has begun to be exploited. Petroleum is a complex mixture of chemicals which includes aliphatic molecules and aromatic compounds. By applying bacteria having the ability to degrade or modify these toxic compounds to an oil spill, for example, it is possible to eliminate much of the environmental damage with high efficiency and low cost (see, for example, Smith, M.R. (1990) "The biodegradation of aromatic hydrocarbons by bacteria" *Biodegradation* 1(2-3): 191-206; and Suyama, T. *et al.* (1998) "Bacterial isolates degrading aliphatic polycarbonates," *FEMS Microbiol. Lett.* 161(2): 255-261).

20

25

30

B. Metabolism of Inorganic Compounds

Cells (e.g., bacterial cells) contain large quantities of different molecules, such as water, inorganic ions, and organic substances (e.g., proteins, sugars, and other macromolecules). The bulk of the mass of a typical cell consists of only 4 types of atoms: carbon, oxygen, hydrogen, and nitrogen. Although they represent a smaller percentage of the content of a cell, inorganic substances are equally as important to the proper functioning of the cell. Such molecules include phosphorous, sulfur, calcium, magnesium, iron, zinc, manganese, copper, molybdenum, tungsten, and cobalt. Many of these compounds are critical for the construction of important molecules, such as nucleotides (phosphorous) and amino acids (nitrogen and sulfur). Others of these inorganic ions serve as cofactors for enzymic reactions or contribute to osmotic pressure. All such molecules must be taken up by the bacterium from the surrounding environment.

10

20

25

- 21 -

For each of these inorganic compounds it is desirable for the bacterium to take up the form which can be most readily used by the standard metabolic machinery of the cell. However, the bacterium may encounter environments in which these preferred forms are not readily available. In order to survive under these circumstances, it is important for bacteria to have additional biochemical mechanisms which are able to convert less metabolically active but readily available forms of these inorganic compounds to ones which may be used in cellular metabolism. Bacteria frequently possess a number of genes encoding enzymes for this purpose, which are not expressed unless the desired inorganic species are not available. Thus, these genes for the metabolism of various inorganic compounds serve as another tool which bacteria may use to adapt to suboptimal environmental conditions.

After carbon, the most important element in the cell is nitrogen. A typical bacterial cell contains between 12-15% nitrogen. It is a constituent of amino acids and nucleotides, as well as many other important molecules in the cell. Further, nitrogen may serve as a substitute for oxygen as a terminal electron acceptor in energy metabolism. Good sources of nitrogen include many organic and inorganic compounds, such ammonia gas or ammonia salts (e.g., NH₄Cl, (NH₄)₂SO₄, or NH₄OH), nitrates, urea, amino acids, or complex nitrogen sources like corn steep liquor, soy bean flour, soy bean protein, yeast extract, meat extract, etc. Ammonia nitrogen is fixed by the action of particular enzymes: glutamate dehydrogenase, glutamine synthase, and glutamine-2-oxoglutarate aminotransferase. The transfer of amino-nitrogen from one organic molecule to another is accomplished by the aminotransferases, a class of enzymes which transfer one amino group from an alpha-amino acid to an alpha-keto acid. Nitrate may be reduced via nitrate reductase, nitrite reductase, and further redox enzymes until it is converted to molecular nitrogen or ammonia, which may be readily utilized by the cell in standard metabolic pathways.

Phosphorous is typically found intracellularly in both organic and inorganic forms, and may be taken up by the cell in either of these forms as well, though most microorganisms preferentially take up inorganic phosphate. The conversion of organic phosphate to a form which the cell can utilize requires the action of phosphatases (e.g., phytases, which hydrolyze phyate-yielding phosphate and inositol derivatives). Phosphate is a key element in the synthesis of nucleic acids, and also has a significant role in cellular energy metabolism (e.g., in the synthesis of ATP, ADP, and AMP).

Sulfur is a requirement for the synthesis of amino acids (e.g., methionine and cysteine), vitamins (e.g., thiamine, biotin, and lipoic acid) and iron sulfur proteins. Bacteria obtain sulfur primarily from inorganic sulfate, though thiosulfate, sulfite, and sulfide are also commonly utilized. Under conditions where these compounds may not be readily available, many bacteria express genes which enable them to utilize sulfonate compounds such as 2-aminosulfonate (taurine) (Kertesz, M.A. (1993) "Proteins induced by sulfate limitation in Escherichia coli, Pseudomonas putida, or Staphylococcus aureus." J. Bacteriol. 175: 1187-1190).

Other inorganic atoms, e.g., metal or calcium ions, are also critical for the

viability of cells. Iron, for example, plays a key role in redox reactions and is a cofactor of iron-sulfur proteins, heme proteins, and cytochromes. The uptake of iron into bacterial cells may be accomplished by the action of siderophores, chelating agents which bind extracellular iron ions and translocate them to the interior of the cell. For reference on the metabolism of iron and other inorganic compounds, see: Lengeler et al. (1999) Biology of Prokaryotes, Thieme Verlag: Stuttgart; Neidhardt, F.C. et al., eds. Escherichia coli and Salmonella. ASM Press: Washington, D.C.; Sonenshein, A.L. et al., eds. (199?) Bacillus subtilis and Other Gram-Positive Bacteria, ASM Press: Washington, D.C.; Voet, D. and Voet, J.G. (1992) Biochemie, VCH: Weinheim; Brock, T.D. and Madigan, M.T. (1991) Biology of Microorgansisms, 6th ed. Prentice Hall:

Englewood Cliffs, p. 267-269; Rhodes, P.M. and Stanbury, P.F. Applied Microbial Physiology – A Practical Approach, Oxford Univ. Press: Oxford.

C. Enzymes and Proteolysis

The intracellular conditions for which bacteria such as *C. glutamicum* are

optimized are frequently not conditions under which many biochemical reactions would
normally take place. In order to make such reactions proceed under physiological
conditions, cells utilize enzymes. Enzymes are proteinaceous biological catalysts,
spatially orienting reacting molecules or providing a specialized environment such that
the energy barrier to a biochemical reaction is lowered. Different enzymes catalyze

different reactions, and each enzyme may be the subject of transcriptional, translational,
or posttranslational regulation such that the reaction will only take place under
appropriate conditions and at specified times. Enzymes may contribute to the

15

20

degradation (e.g., the proteases), synthesis (e.g., the synthases), or modification (e.g., transferases or isomerases) of compounds, all of which enable the production of necessary compounds within the cell. This, in turn, contributes to the maintenance of cellular homeostasis.

However, the fact that enzymes are optimized for activity under the physiological conditions at which the bacterium is most viable means that when environmental conditions are perturbed, there is a significant possibility that enzyme activity will also be perturbed. For example, changes in temperature may result in aberrantly folded proteins, and the same is true for changes of pH - protein folding is largely dependent on electrostatic and hydrophobic interactions of amino acids within the polypeptide chain, so any alteration to the charges on individual amino acids (as might be brought about by a change in cellular pH) may have a profound effect on the ability of the protein to correctly fold. Changes in temperature effectively change the amount of kinetic energy that the polypeptide molecule possesses, which affects the ability of the polypeptide to settle into a correctly folded, energetically stable configuration. Misfolded proteins may be harmful to the cell for two reasons. First, the aberrantly folded protein may have a similarly aberrant activity, or no activity whatsoever. Second, misfolded proteins may lack the conformational regions necessary for proper regulation by other cellular systems and thus may continue to be active but in an uncontrolled fashion.

The cell has a mechanism by which misfolded enzymes and regulatory proteins may be rapidly destroyed before any damage occurs to the cell: proteolysis. Proteins such as those of the la/lon family and those of the Clp family specifically recognize and degrade misfolded proteins (see, e.g., Sherman, M.Y., Goldberg, A.L. (1999) EXS 77:

57-78 and references therein and Porankiewicz J. (1999) Molec. Microbiol. 32(3): 449-58, and references therein; Neidhardt, F.C., et al. (1996) E. coli and Salmonella, ASM Press: Washington, D.C. and references therein; and Pritchard, G.G., and Coolbear, T. (1993) FEMS Microbiol. Rev. 12(1-3): 179-206 and references therein). These enzymes bind to misfolded or unfolded proteins and degrade them in an ATP-dependent manner.

Proteolysis thus serves as an important mechanism employed by the cell to prevent damage to normal cellular functions upon environmental changes, and it further permits

- 24 -

cells to survive under conditions and in environments which would otherwise be toxic due to misregulated and/or aberrant enzyme or regulatory activity.

Proteolysis also has important functions in the cell under optimal environmental conditions. Within normal metabolic processes, proteases aid in the hydrolysis of peptide bonds, in the catabolism of complex molecules to provide necessary degradation products, and in protein modification. Secreted proteases play an important role in the catabolism of external nutrients even prior to the entry of these compounds into the cell. Further, proteolytic activity itself may serve regulatory functions; sporulation in *B. subtilis* and cell cycle progression in *Caulobacter* spp. are known to be regulated by key proteolytic events in each of these species (Gottesman, S. (1999) *Curr. Opin. Microbiol.* 2(2): 142-147). Thus, proteolytic processes are key for cellular survival under both suboptimal and optimal environmental conditions, and contribute to the overall maintenance of homeostasis in cells.

15 D. Cell Wall Production and Rearrangements

10

20

25

30

While the biochemical machinery of the cell may be able to readily adapt to different and possibly unfavorable environments, cells still require a general mechanism by which they may be protected from the environment. For many bacteria, the cell wall affords such protection, and also plays roles in adhesion, cell growth and division, and transport of desired solutes and waste materials.

In order to function, cells require intracellular concentrations of metabolites and other molecules that are substantially higher than those of the surrounding media. Since these metabolites are largely prevented from leaving the cell due to the presence of the hydrophobic membrane, the tendency of the system is for water molecules to enter the cell from the external medium such that the interior concentrations of solutes match the exterior concentrations. Water molecules are readily able to cross the cellular membrane, and this membrane is not able to withstand the resulting swelling and pressure, which may lead to osmotic lysis of the cell. The rigidity of the cell wall greatly improves the ability of the cell to tolerate these pressures, and offers a further barrier to the unwanted diffusion of these metabolites and desired solutes from the cell. Similarly, the cell wall also serves to prevent unwanted material from entering the cell.

30

The cell wall also participates in a number of other cellular processes, such as adhesion and cell growth and division. Due to the fact that the cell wall completely surrounds the cell, any interaction of the cell with its surroundings must be mediated by the cell wall. Thus, the cell wall must participate in any adherence of the cell to other cells and to desired surfaces. Further, the cell cannot grow or divide without concomitant changes in the cell wall. Since the protection that the wall affords requires its presence during growth, morphogenesis and multiplication, one of the key steps in cell division is cell wall synthesis within the cell such that a new cell divides from the old. Thus, frequently cell wall biosynthesis is regulated in tandem with cell growth and cell division (see, e.g., Sonenshein, A.L. et al, eds. (1993) Bacillus subtilis and Other Gram-Positive Bacteria, ASM: Washington, D.C.).

The structure of the cell wall varies between gram-positive and gram-negative bacteria. However, in both types, the fundamental structural unit of the wall remains similar: an overlapping lattice of two polysaccharides, N-acetyl glucosamine (NAG) and N-acetyl muramic acid (NAM) which are cross-linked by amino acids (most commonly L-alanine, D-glutamate, diaminopimelic acid, and D-alanine), termed 'peptidoglycan'. The processes involved in the synthesis of the cell wall are known (see, e.g., Michal, G., ed. (1999) Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, Wiley: New York).

In gram-negative bacteria, the inner cellular membrane is coated by a single-layered peptidoglycan (approximately 10 nm thick), termed the murein-sacculus. This peptidoglycan structure is very rigid, and its structure determines the shape of the organism. The outer surface of the murein-sacculus is covered with an outer membrane, containing porins and other membrane proteins, phospholipids, and lipopolysaccharides. To maintain a tight association with the outer membrane, the gram-negative cell wall also has interspersed lipid molecules which serve to anchor it to the surrounding membrane.

In gram-positive bacteria, such as *Corynebacterium glutamicum*, the cytoplasmic membrane is covered by a multi-layered peptidoglycan, which ranges from 20-80 nm in thickness (see, *e.g.*, Lengeler *et al.* (1999) Biology of Prokaryotes Thieme Verlag: Stuttgart, p. 913-918, p. 875-899, and p. 88-109 and references therein). The gram-positive cell wall also contains teichoic acid, a polymer of glycerol or ribitol linked through phosphate groups. Teichoic acid is also able to associate with amino acids, and forms covalent bonds with

20

25

muramic acid. Also present in the cell wall may be lipoteichoic acids and teichuronic acids. If present, cellular surface structures such as flagella or capsules will be anchored in this layer as well.

5 III. Elements and Methods of the Invention

The present invention is based, at least in part, on the discovery of novel molecules, referred to herein as HA nucleic acid and protein molecules, which participate in the maintenance of homeostasis in C. glutamicum, or which perform a function involved in the adaptation of this microorganism to different environmental conditions. In one embodiment, the HA molecules participate in C. glutamicum cell wall biosynthesis or rearrangements, in the metabolism of inorganic compounds, in the modification or degradation of aromatic or aliphatic compounds, or have an enzymatic or proteolytic activity. In a preferred embodiment, the activity of the HA molecules of the present invention with regard to C. glutamicum cell wall biosynthesis or rearrangements, metabolism of inorganic compounds, modification or degradation of aromatic or aliphatic compounds, or enzymatic or proteolytic activity has an impact on the production of a desired fine chemical by this organism. In a particularly preferred embodiment, the HA molecules of the invention are modulated in activity, such that the C. glutamicum cellular processes in which the HA molecules participate (e.g., C. glutamicum cell wall biosynthesis or rearrangements, metabolism of inorganic compounds, modification or degradation of aromatic or aliphatic compounds, or enzymatic or proteolytic activity) are also altered in activity, resulting either directly or indirectly in a modulation of the yield, production, and/or efficiency of production of a desired fine chemical by C. glutamicum.

The language, "HA protein" or "HA polypeptide" includes proteins which participate in a number of cellular processes related to *C. glutamicum* homeostasis or the ability of *C. glutamicum* cells to adapt to unfavorable environmental conditions. For example, an HA protein may be involved in *C. glutamicum* cell wall biosynthesis or rearrangements, in the metabolism of inorganic compounds in *C. glutamicum*, in the modification or degradation of aromatic or aliphatic compounds in *C. glutamicum*, or have a *C. glutamicum* enzymatic or proteolytic activity. Examples of HA proteins include those encoded by the HA genes set forth in Table 1 and by the odd-numbered

- 27 -

SEQ ID NOs. The terms "HA gene" or "HA nucleic acid sequence" include nucleic acid sequences encoding an HA protein, which consist of a coding region and also corresponding untranslated 5' and 3' sequence regions. Examples of HA genes include those set forth in Table 1. The terms "production" or "productivity" are art-recognized and include the concentration of the fermentation product (for example, the desired fine chemical) formed within a given time and a given fermentation volume (e.g., kg product per hour per liter). The term "efficiency of production" includes the time required for a particular level of production to be achieved (for example, how long it takes for the cell to attain a particular rate of output of a fine chemical). The term "yield" or "product/carbon yield" is art-recognized and includes the efficiency of the conversion of 10 the carbon source into the product (i.e., fine chemical). This is generally written as, for example, kg product per kg carbon source. By increasing the yield or production of the compound, the quantity of recovered molecules, or of useful recovered molecules of that compound in a given amount of culture over a given amount of time is increased. The 15 terms "biosynthesis" or a "biosynthetic pathway" are art-recognized and include the synthesis of a compound, preferably an organic compound, by a cell from intermediate compounds in what may be a multistep and highly regulated process. The terms "degradation" or a "degradation pathway" are art-recognized and include the breakdown of a compound, preferably an organic compound, by a cell to degradation products (generally speaking, smaller or less complex molecules) in what may be a 20 multistep and highly regulated process. The language "metabolism" is art-recognized and includes the totality of the biochemical reactions that take place in an organism. The metabolism of a particular compound, then, (e.g., the metabolism of an amino acid such as glycine) comprises the overall biosynthetic, modification, and degradation 25 pathways in the cell related to this compound. The term "homeostasis" is art-recognized and includes all of the mechanisms utilized by a cell to maintain a constant intracellular environment despite the prevailing extracellular environmental conditions. A nonlimiting example of such processes is the utilization of a cell wall to prevent osmotic lysis due to high intracellular solute concentrations. The term "adaptation" or 30 "adaptation to an environmental condition" is art-recognized and includes mechanisms utilized by the cell to render the cell able to survive under nonpreferred environmental conditions (generally speaking, those environmental conditions in which one or more

5

10

15

20

25

30

- 28 -

favored nutrients are absent, or in which an environmental condition such as temperature, pH, osmolarity, oxygen percentage and the like fall outside of the optimal survival range of the cell). Many cells, including *C. glutamicum* cells, possess genes encoding proteins which are expressed under such environmental conditions and which permit continued growth in such suboptimal conditions.

In another embodiment, the HA molecules of the invention are capable of modulating the production of a desired molecule, such as a fine chemical, in a microorganism such as C. glutamicum. There are a number of mechanisms by which the alteration of an HA protein of the invention may directly affect the yield, production, and/or efficiency of production of a fine chemical from a C. glutamicum strain incorporating such an altered protein. For example, by engineering enzymes which modify or degrade aromatic or aliphatic compounds such that these enzymes are increased or decreased in activity or number, it may be possible to modulate the production of one or more fine chemicals which are the modification or degradation products of these compounds. Similarly, enzymes involved in the metabolism of inorganic compounds provide key molecules (e.g. phosphorous, sulfur, and nitrogen molecules) for the biosynthesis of such fine chemicals as amino acids, vitamins, and nucleic acids. By altering the activity or number of these enzymes in C. glutamicum, it may be possible to increase the conversion of these inorganic compounds (or to use alternate inorganic compounds) to thus permit improved rates of incorporation of inorganic atoms into these fine chemicals. Genetic engineering of C. glutamicum enzymes involved in general cellular processes may also directly improve fine chemical production, since many of these enzymes directly modify fine chemicals (e.g., amino acids) or the enzymes which are involved in fine chemical synthesis or secretion. Modulation of the activity or number of cellular proteases may also have a direct effect on fine chemical production, since many proteases may degrade fine chemicals or enzymes involved in fine chemical production or breakdown.

Further, the aforementioned enzymes which participate in aromatic/aliphatic compound modification or degradation, general biocatalysis, inorganic compound metabolism or proteolysis are each themselves fine chemicals, desirable for their activity in various *in vitro* industrial applications. By altering the number of copies of the gene for one or more of these enzymes in *C. glutamicum* it may be possible to increase the

number of these proteins produced by the cell, thereby increasing the potential yield or efficiency of production of these proteins from large-scale *C. glutamicum* or related bacterial cultures.

The alteration of an HA protein of the invention may also indirectly affect the yield, production, and/or efficiency of production of a fine chemical from a C. glutamicum strain incorporating such an altered protein. For example, by modulating the activity and/or number of those proteins involved in the construction or rearrangement of the cell wall, it may be possible to modify the structure of the cell wall itself such that the cell is able to better withstand the mechanical and other stresses present during large-scale fermentative culture. Also, large-scale growth of C. glutamicum requires significant cell wall production. Modulation of the activity or number of cell wall biosynthetic or degradative enzymes may allow more rapid rates of cell wall biosynthesis, which in turn may permit increased growth rates of this microorganism in culture and thereby increase the number of cells producing the desired fine chemical.

15

By modifying the HA enzymes of the invention, one may also indirectly impact the yield, production, or efficiency of production of one or more fine chemicals from C. glutamicum. For example, many of the general enzymes in C. glutamicum may have a significant impact on global cellular processes (e.g., regulatory processes) which in turn have a significant effect on fine chemical metabolism. Similarly, proteases, enzymes 20 which modify or degrade possibly toxic aromatic or aliphatic compounds, and enzymes which promote the metabolism of inorganic compounds all serve to increase the viability of C. glutamicum. The proteases aid in the selective removal of misfolded or misregulated proteins, such as those that might occur under the relatively stressful environmental conditions encountered during large-scale fermentor culture. By altering 25 these proteins, it may be possible to further enhance this activity and to improve the viability of C. glutamicum in culture. The aromatic/aliphatic modification or degradation proteins not only serve to detoxify these waste compounds (which may be encountered as impurities in culture medium or as waste products from cells themselves), but also to permit the cells to utilize alternate carbon sources if the optimal 30 carbon source is limiting in the culture. By increasing their number and/or activity, the survival of C. glutamicum cells in culture may be enhanced. The inorganic metabolism

- 30 -

proteins of the invention supply the cell with inorganic molecules required for all protein and nucleotide (among others) synthesis, and thus are critical for the overall viability of the cell. An increase in the number of viable cells producing one or more desired fine chemicals in large-scale culture should result in a concomitant increase in the yield, production, and/or efficiency of production of the fine chemical in the culture.

The isolated nucleic acid sequences of the invention are contained within the genome of a Corynebacterium glutamicum strain available through the American Type Culture Collection, given designation ATCC 13032. The nucleotide sequence of the isolated C. glutamicum HA DNAs and the predicted amino acid sequences of the C. glutamicum HA proteins are shown in the Sequence Listing as odd-numbered SEQ ID NOs and even-numbered SEQ ID NOs, respectively, respectively. Computational analyses were performed which classified and/or identified these nucleotide sequences as sequences which encode proteins that participate in C. glutamicum cell wall biosynthesis or rearrangements, metabolism of inorganic compounds, modification or degradation of aromatic or aliphatic compounds, or that have a C. glutamicum enzymatic or proteolytic activity.

15

The present invention also pertains to proteins which have an amino acid sequence which is substantially homologous to an amino acid sequence of the invention (e.g., the sequence of an even-numbered SEQ ID NO of the Sequence Listing). As used herein, a protein which has an amino acid sequence which is substantially homologous to a selected amino acid sequence is least about 50% homologous to the selected amino acid sequence, e.g., the entire selected amino acid sequence. A protein which has an amino acid sequence which is substantially homologous to a selected amino acid sequence can also be least about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-80%, 80-90%, or 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more homologous to the selected amino acid sequence.

The HA protein or a biologically active portion or fragment thereof of the invention can participate in the maintenance of homeostasis in *C. glutamicum*, or can perform a function involved in the adaptation of this microorganism to different environmental conditions, or have one or more of the activities set forth in Table 1.

Various aspects of the invention are described in further detail in the following subsections.

20

25

30

A. Isolated Nucleic Acid Molecules

One aspect of the invention pertains to isolated nucleic acid molecules that encode HA polypeptides or biologically active portions thereof, as well as nucleic acid fragments sufficient for use as hybridization probes or primers for the identification or amplification of HA-encoding nucleic acid (e.g., HA DNA). As used herein, the term "nucleic acid molecule" is intended to include DNA molecules (e.g., cDNA or genomic DNA) and RNA molecules (e.g., mRNA) and analogs of the DNA or RNA generated using nucleotide analogs. This term also encompasses untranslated sequence located at both the 3' and 5' ends of the coding region of the gene: at least about 100 nucleotides of sequence upstream from the 5' end of the coding region and at least about 20 nucleotides of sequence downstream from the 3'end of the coding region of the gene. The nucleic acid molecule can be single-stranded or double-stranded, but preferably is double-stranded DNA. An "isolated" nucleic acid molecule is one which is separated from other nucleic acid molecules which are present in the natural source of the nucleic acid. Preferably, an "isolated" nucleic acid is free of sequences which naturally flank the nucleic acid (i.e., sequences located at the 5' and 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. For example, in various embodiments, the isolated HA nucleic acid molecule can contain less than about 5 kb, 4kb, 3kb, 2kb, 1 kb, 0.5 kb or 0.1 kb of nucleotide sequences which naturally flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived (e.g, a C. glutamicum cell). Moreover, an "isolated" nucleic acid molecule, such as a DNA molecule, can be substantially free of other cellular material, or culture medium when produced by recombinant techniques, or chemical precursors or other chemicals when chemically synthesized.

A nucleic acid molecule of the present invention, e.g., a nucleic acid molecule having a nucleotide sequence of an odd-numbered SEQ ID NO of the Sequence Listing, or a portion thereof, can be isolated using standard molecular biology techniques and the sequence information provided herein. For example, a C. glutamicum HA DNA can be isolated from a C. glutamicum library using all or portion of one of the odd-numbered SEQ ID NO sequences of the Sequence Listing as a hybridization probe and standard hybridization techniques (e.g., as described in Sambrook, J., Fritsh, E. F., and Maniatis,

25

30

T. Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989). Moreover, a nucleic acid molecule encompassing all or a portion of one of the nucleic acid sequences of the invention (e.g., an odd-numbered SEQ ID NO:) can be isolated by the polymerase chain reaction using oligonucleotide primers designed based upon this sequence (e.g., a nucleic acid molecule encompassing all or a portion of one of the nucleic acid sequences of the invention (e.g., an odd-numbered SEQ ID NO of the Sequence Listing) can be isolated by the polymerase chain reaction using oligonucleotide primers designed based upon this same sequence). For example, mRNA can be isolated from normal endothelial cells (e.g., by the guanidinium-thiocyanate 10 extraction procedure of Chirgwin et al. (1979) Biochemistry 18: 5294-5299) and DNA can be prepared using reverse transcriptase (e.g., Moloney MLV reverse transcriptase. available from Gibco/BRL, Bethesda, MD; or AMV reverse transcriptase, available from Seikagaku America, Inc., St. Petersburg, FL). Synthetic oligonucleotide primers for polymerase chain reaction amplification can be designed based upon one of the . 15 nucleotide sequences shown in the Sequence Listing. A nucleic acid of the invention can be amplified using cDNA or, alternatively, genomic DNA, as a template and appropriate oligonucleotide primers according to standard PCR amplification techniques. The nucleic acid so amplified can be cloned into an appropriate vector and characterized by DNA sequence analysis. Furthermore, oligonucleotides corresponding to an HA nucleotide sequence can be prepared by standard synthetic techniques, e.g., using an automated DNA synthesizer.

In a preferred embodiment, an isolated nucleic acid molecule of the invention comprises one of the nucleotide sequences shown in the Sequence Listing. The nucleic acid sequences of the invention, as set forth in the Sequence Listing, correspond to the Corynebacterium glutamicum HA DNAs of the invention. This DNA comprises sequences encoding HA proteins (i.e., the "coding region", indicated in each oddnumbered SEQ ID NO: sequence in the Sequence Listing), as well as 5' untranslated sequences and 3' untranslated sequences, also indicated in each odd-numbered SEQ ID NO: in the Sequence Listing. Alternatively, the nucleic acid molecule can comprise only the coding region of any of the sequences in nucleic acid sequences of the Sequence Listing

For the purposes of this application, it will be understood that each of the nucleic acid and amino acid sequences set forth in the Sequence Listing has an identifying RXA, RXN, RXS, or RXC number having the designation "RXA," "RXN," "RXS, or "RXC" followed by 5 digits (i.e., RXA02458, RXN00249, RXS00153, or RXC00963). Each of the nucleic acid sequences comprises up to three parts: a 5' upstream region, a coding region, and a downstream region. Each of these three regions is identified by the same RXA, RXN, RXS, or RXC designation to eliminate confusion. The recitation "one of the odd-numbered sequences in of the Sequence Listing", then, refers to any of the nucleic acid sequences in the Sequence Listing, which may also be distinguished by their differing RXA, RXN, RXS, or RXC designations. The coding region of each of these sequences is translated into a corresponding amino acid sequence, which is also set forth in the Sequence Listing, as an even-numbered SEQ ID NO: immediately following the corresponding nucleic acid sequence. For example, the coding region for RXA02548 is set forth in SEQ ID NO:1, while the amino acid sequence which it encodes is set forth as SEQ ID NO:2. The sequences of the nucleic acid molecules of 15 the invention are identified by the same RXA, RXN, RXS, or RXC designations as the amino acid molecules which they encode, such that they can be readily correlated. For example, the amino acid sequences designated RXA02458, RXN00249, RXS00153, and RXC00963 are translations of the coding regions of the nucleotide sequences of nucleic 20 acid molecules RXA02458, RXN00249, RXS00153, and RXC00963, respectively. of the correspondence between the RXA, RXN, RXS, and RXC nucleotide and amino acid sequences of the invention and their assigned SEQ ID NOs is set forth in Table 1.

Several of the genes of the invention are "F-designated genes". An F-designated gene includes those genes set forth in Table 1 which have an 'F' in front of the RXA, RXN, RXS, or RXC designation. For example, SEQ ID NO:5, designated, as indicated on Table 1, as "F RXA00249", is an F-designated gene, as are SEQ ID NOs: 11, 15, and 33 (designated on Table 1 as "F RXA02264", "F RXA02274", and "F RXA00675", respectively).

In one embodiment, the nucleic acid molecules of the present invention are not intended to include those compiled in Table 2. In the case of the dapD gene, a sequence for this gene was published in Wehrmann, A., et al. (1998) J. Bacteriol. 180(12): 3159-3165. However, the sequence obtained by the inventors of the present application is

30

significantly longer than the published version. It is believed that the published version relied on an incorrect start codon, and thus represents only a fragment of the actual coding region.

In another preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleic acid molecule which is a complement of one of the nucleotide sequences of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing), or a portion thereof. A nucleic acid molecule which is complementary to one of the nucleotide sequences of the invention is one which is sufficiently complementary to one of the nucleotide sequences the Sequence Listing (e.g., the sequence of an odd-numbered SEQ ID NO:) such that it can hybridize to one of the nucleotide sequences of the invention, thereby forming a stable duplex.

In still another preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleotide sequence which is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing), or a portion thereof. Ranges and identity values intermediate to the above-recited ranges, 20 (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. In an additional preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleotide sequence which hybridizes, e.g., hybridizes under stringent 25 conditions, to one of the nucleotide sequences of the invention, or a portion thereof.

Moreover, the nucleic acid molecule of the invention can comprise only a portion of the coding region of the sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing, for example a fragment which can be used as a probe or primer or a fragment encoding a biologically active portion of an HA protein. The nucleotide sequences determined from the cloning of the HA genes from *C. glutamicum* allows for the generation of probes and primers designed for use in identifying and/or cloning HA

homologues in other cell types and organisms, as well as HA homologues from other Corynebacteria or related species. The probe/primer typically comprises substantially purified oligonucleotide. The oligonucleotide typically comprises a region of nucleotide sequence that hybridizes under stringent conditions to at least about 12, preferably about 25, more preferably about 40, 50 or 75 consecutive nucleotides of a sense strand of one of the nucleotide sequences of the invention (e.g., a sequence of one of the oddnumbered SEQ ID NOs of the Sequence Listing), an anti-sense sequence of one of these sequences, or naturally occurring mutants thereof. Primers based on a nucleotide sequence of the invention can be used in PCR reactions to clone HA homologues. Probes based on the HA nucleotide sequences can be used to detect transcripts or genomic sequences encoding the same or homologous proteins. In preferred embodiments, the probe further comprises a label group attached thereto, e.g. the label group can be a radioisotope, a fluorescent compound, an enzyme, or an enzyme cofactor. Such probes can be used as a part of a diagnostic test kit for identifying cells which misexpress an HA protein, such as by measuring a level of an HA-encoding

10

15

25

30

In one embodiment, the nucleic acid molecule of the invention encodes a protein or portion thereof which includes an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an even-20 numbered SEQ ID NO of the Sequence Listing) such that the protein or portion thereof maintains the ability to participate in the maintenance of homeostasis in C. glutamicum, or to perform a function involved in the adaptation of this microorganism to different environmental conditions. As used herein, the language "sufficiently homologous" refers to proteins or portions thereof which have amino acid sequences which include a minimum number of identical or equivalent (e.g., an amino acid residue which has a similar side chain as an amino acid residue in a sequence of one of the even-numbered SEQ ID NOs of the Sequence Listing) amino acid residues to an amino acid sequence of the invention such that the protein or portion thereof is able to participate in the maintenance of homeostasis in C. glutamicum, or to perform a function involved in the adaptation of this microorganism to different environmental conditions. Proteins involved in C. glutamicum cell wall biosynthesis or rearrangements, metabolism of

nucleic acid in a sample of cells, e.g., detecting HA mRNA levels or determining

whether a genomic HA gene has been mutated or deleted.

WO 01/00842

10

15

20

25

30

inorganic compounds, modification or degradation of aromatic or aliphatic compounds, or that have a *C. glutamicum* enzymatic or proteolytic activity, as described herein, may play a role in the production and secretion of one or more fine chemicals. Examples of such activities are also described herein. Thus, "the function of an HA protein" contributes either directly or indirectly to the yield, production, and/or efficiency of production of one or more fine chemicals. Examples of HA protein activities are set forth in Table 1.

In another embodiment, the protein is at least about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-80%, 80-90%, 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing).

Portions of proteins encoded by the HA nucleic acid molecules of the invention are preferably biologically active portions of one of the HA proteins. As used herein, the term "biologically active portion of an HA protein" is intended to include a portion, e.g., a domain/motif, of an HA protein that can participate in the maintenance of homeostasis in C. glutamicum, or that can perform a function involved in the adaptation of this microorganism to different environmental conditions, or has an activity as set forth in Table 1. To determine whether an HA protein or a biologically active portion thereof can participate in C. glutamicum cell wall biosynthesis or rearrangements, metabolism of inorganic compounds, modification or degradation of aromatic or aliphatic compounds, or has a C. glutamicum enzymatic or proteolytic activity, an assay of enzymatic activity may be performed. Such assay methods are well known to those of ordinary skill in the art, as detailed in Example 8 of the Exemplification.

Additional nucleic acid fragments encoding biologically active portions of an HA protein can be prepared by isolating a portion of one of the s amino acid sequences in of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing), expressing the encoded portion of the HA protein or peptide (e.g., by recombinant expression *in vitro*) and assessing the activity of the encoded portion of the HA protein or peptide.

The invention further encompasses nucleic acid molecules that differ from one of the nucleotide sequences of the invention (e.g., a sequence of an odd-numbered SEQ ID

15

20

NO: of the Sequence Listing) (and portions thereof) due to degeneracy of the genetic code and thus encode the same HA protein as that encoded by the nucleotide sequences shown in of the invention. In another embodiment, an isolated nucleic acid molecule of the invention has a nucleotide sequence encoding a protein having an amino acid sequence shown in the Sequence Listing (e.g., an even-numbered SEQ ID NO:). In a still further embodiment, the nucleic acid molecule of the invention encodes a full length C. glutamicum protein which is substantially homologous to an amino acid sequence of the invention (encoded by an open reading frame shown in an odd-numbered SEQ ID NO: of the Sequence Listing).

It will be understood by one of ordinary skill in the art that in one embodiment the sequences of the invention are not meant to include the sequences of the prior art, such as those Genbank sequences set forth in Tables 2 or 4 which were available prior to the present invention. In one embodiment, the invention includes nucleotide and amino acid sequences having a percent identity to a nucleotide or amino acid sequence of the invention which is greater than that of a sequence of the prior art (e.g., a Genbank sequence (or the protein encoded by such a sequence) set forth in Tables 2 or 4). For example, the invention includes a nucleotide sequence which is greater than and/or at least 39% identical to the nucleotide sequence designated RXA00471(SEQ ID NO:293), a nucleotide sequence which is greater than and/or at least 41% identical to the nucleotide sequence designated RXA00500 (SEQ ID NO:143), and a nucleotide sequence which is greater than and/or at least 35% identical to the nucleotide sequence designated RXA00502(SEQ ID NO:147). One of ordinary skill in the art would be able to calculate the lower threshold of percent identity for any given sequence of the invention by examining the GAP-calculated percent identity scores set forth in Table 4 for each of the three top hits for the given sequence, and by subtracting the highest GAP-calculated percent identity from 100 percent. One of ordinary skill in the art will also appreciate that nucleic acid and amino acid sequences having percent identities greater than the lower threshold so calculated (e.g., at least 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%,

88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more identical) are also encompassed by the invention.

In addition to the *C. glutamicum* HA nucleotide set forth in the Sequence Listing as odd-numbered SEQ ID NOs, it will be appreciated by those of ordinary skill in the art that DNA sequence polymorphisms that lead to changes in the amino acid sequences of HA proteins may exist within a population (*e.g.*, the *C. glutamicum* population). Such genetic polymorphism in the HA gene may exist among individuals within a population due to natural variation. As used herein, the terms "gene" and "recombinant gene" refer to nucleic acid molecules comprising an open reading frame encoding an HA protein, preferably a *C. glutamicum* HA protein. Such natural variations can typically result in 1-5% variance in the nucleotide sequence of the HA gene. Any and all such nucleotide variations and resulting amino acid polymorphisms in HA that are the result of natural variation and that do not alter the functional activity of HA proteins are intended to be within the scope of the invention.

Nucleic acid molecules corresponding to natural variants and non-C. glutamicum 15 homologues of the C. glutamicum HA DNA of the invention can be isolated based on their homology to the C. glutamicum HA nucleic acid disclosed herein using the C. glutamicum DNA, or a portion thereof, as a hybridization probe according to standard hybridization techniques under stringent hybridization conditions. Accordingly, in another embodiment, an isolated nucleic acid molecule of the invention is at least 15 20 nucleotides in length and hybridizes under stringent conditions to the nucleic acid molecule comprising a nucleotide sequence of an odd-numbered SEQ ID NO: of the Sequence Listing. In other embodiments, the nucleic acid is at least 30, 50, 100, 250 or more nucleotides in length. As used herein, the term "hybridizes under stringent conditions" is intended to describe conditions for hybridization and washing under 25 which nucleotide sequences at least 60% homologous to each other typically remain hybridized to each other. Preferably, the conditions are such that sequences at least about 65%, more preferably at least about 70%, and even more preferably at least about 75% or more homologous to each other typically remain hybridized to each other. Such stringent conditions are known to those of ordinary skill in the art and can be found in Current Protocols in Molecular Biology, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6. A preferred, non-limiting example of stringent hybridization conditions are

- 39 -

hybridization in 6X sodium chloride/sodium citrate (SSC) at about 45°C, followed by one or more washes in 0.2 X SSC, 0.1% SDS at 50-65°C. Preferably, an isolated nucleic acid molecule of the invention that hybridizes under stringent conditions to a nucleotide sequence of the invention corresponds to a naturally-occurring nucleic acid molecule. As used herein, a "naturally-occurring" nucleic acid molecule refers to an RNA or DNA molecule having a nucleotide sequence that occurs in nature (e.g., encodes a natural protein). In one embodiment, the nucleic acid encodes a natural C. glutamicum HA protein.

10

15

-30

In addition to naturally-occurring variants of the HA sequence that may exist in the population, one of ordinary skill in the art will further appreciate that changes can be introduced by mutation into a nucleotide sequence of the invention, thereby leading to changes in the amino acid sequence of the encoded HA protein, without altering the functional ability of the HA protein. For example, nucleotide substitutions leading to amino acid substitutions at "non-essential" amino acid residues can be made in a nucleotide sequence of the invention. A "non-essential" amino acid residue is a residue that can be altered from the wild-type sequence of one of the HA proteins (e.g., an even-numbered SEQ ID NO: of the Sequence Listing) without altering the activity of said HA protein, whereas an "essential" amino acid residue is required for HA protein activity. Other amino acid residues, however, (e.g., those that are not conserved or only semi-conserved in the domain having HA activity) may not be essential for activity and thus are likely to be amenable to alteration without altering HA activity.

Accordingly, another aspect of the invention pertains to nucleic acid molecules encoding HA proteins that contain changes in amino acid residues that are not essential for HA activity. Such HA proteins differ in amino acid sequence from a sequence of an even-numbered SEQ ID NO: of the Sequence Listing yet retain at least one of the HA activities described herein. In one embodiment, the isolated nucleic acid molecule comprises a nucleotide sequence encoding a protein, wherein the protein comprises an amino acid sequence at least about 50% homologous to an amino acid sequence of the invention and is capable of participating in the maintenance of homeostasis in *C. glutamicum*, or of performing a function involved in the adaptation of this microorganism to different environmental conditions, or has one or more of the activities set forth in Table 1. Preferably, the protein encoded by the nucleic acid

- 40 -

molecule is at least about 50-60% homologous to the amino acid sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing, more preferably at least about 60-70% homologous to one of these sequences in, even more preferably at least about 70-80%, 80-90%, 90-95% homologous to one of these sequences, and most preferably at least about 96%, 97%, 98%, or 99% homologous to one of the amino acid sequences of the invention

To determine the percent homology of two amino acid sequences (e.g., one of the amino acid sequences of the invention and a mutant form thereof) or of two nucleic acids, the sequences are aligned for optimal comparison purposes (e.g., gaps can be introduced in the sequence of one protein or nucleic acid for optimal alignment with the other protein or nucleic acid). The amino acid residues or nucleotides at corresponding amino acid positions or nucleotide positions are then compared. When a position in one sequence (e.g., one of the amino acid sequences of the invention) is occupied by the same amino acid residue or nucleotide as the corresponding position in the other sequence (e.g., a mutant form of the amino acid sequence), then the molecules are homologous at that position (i.e., as used herein amino acid or nucleic acid "homology" is equivalent to amino acid or nucleic acid "identity"). The percent homology between the two sequences is a function of the number of identical positions shared by the sequences (i.e., % homology = # of identical positions/total # of positions x 100).

10

15

20

An isolated nucleic acid molecule encoding an HA protein homologous to a protein sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) can be created by introducing one or more nucleotide substitutions, additions or deletions into a nucleotide sequence of the invention such that one or more amino acid substitutions, additions or deletions are introduced into the encoded protein. Mutations can be introduced into one of the nucleotide sequences of the invention by standard techniques, such as site-directed mutagenesis and PCR-mediated mutagenesis. Preferably, conservative amino acid substitutions are made at one or more predicted non-essential amino acid residues. A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a similar side chain. Families of amino acid residues having similar side chains have been defined in the art. These families include amino acids with basic side chains (e.g., lysine, arginine, histidine), acidic side chains (e.g., aspartic acid, glutamic

-41 -

acid), uncharged polar side chains (e.g., glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (e.g., alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains (e.g., threonine, valine, isoleucine) and aromatic side chains (e.g., tyrosine, phenylalanine, tryptophan, histidine). Thus, a predicted nonessential amino acid residue in an HA protein is preferably replaced with another amino acid residue from the same side chain family. Alternatively, in another embodiment, mutations can be introduced randomly along all or part of an HA coding sequence, such as by saturation mutagenesis, and the resultant mutants can be screened for an HA activity described herein to identify mutants that retain HA activity. Following mutagenesis of the

herein to identify mutants that retain HA activity. Following mutagenesis of the nucleotide sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing, the encoded protein can be expressed recombinantly and the activity of the protein can be determined using, for example, assays described herein (see Example 8 of the Exemplification).

10

15

20

25

30

In addition to the nucleic acid molecules encoding HA proteins described above, another aspect of the invention pertains to isolated nucleic acid molecules which are antisense thereto. An "antisense" nucleic acid comprises a nucleotide sequence which is complementary to a "sense" nucleic acid encoding a protein, e.g., complementary to the coding strand of a double-stranded DNA molecule or complementary to an mRNA sequence. Accordingly, an antisense nucleic acid can hydrogen bond to a sense nucleic acid. The antisense nucleic acid can be complementary to an entire HA coding strand, or to only a portion thereof. In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence encoding an HA protein. The term "coding region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues (e.g., the entire coding region of SEQ ID NO. 3 (RXN00249) comprises nucleotides 1 to957). In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence encoding HA. The term "noncoding region" refers to 5' and 3' sequences which flank the coding region that are not translated into amino acids (i.e., also referred to as 5' and 3' untranslated regions).

Given the coding strand sequences encoding HA disclosed herein (e.g., the sequences set forth as odd-numbered SEQ ID NOs in the Sequence Listing), antisense

nucleic acids of the invention can be designed according to the rules of Watson and Crick base pairing. The antisense nucleic acid molecule can be complementary to the entire coding region of HA mRNA, but more preferably is an oligonucleotide which is antisense to only a portion of the coding or noncoding region of HA mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of HA mRNA. An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis and enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (e.g., an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, e.g., phosphorothioate derivatives and acridine substituted nucleotides can be used. Examples of modified nucleotides which can be used to generate the antisense nucleic acid include 5fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4acetylcytosine, 5-(carboxyhydroxylmethyl) uracil, 5-carboxymethylaminomethyl-2thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-Dgalactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methylguanine, 3-methylcytosine, 5-20 methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5- oxyacetic acid 25 methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine. Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (i.e., RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of 30 interest, described further in the following subsection).

30

The antisense nucleic acid molecules of the invention are typically administered to a cell or generated in situ such that they hybridize with or bind to cellular mRNA and/or genomic DNA encoding an HA protein to thereby inhibit expression of the protein, e.g., by inhibiting transcription and/or translation. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule which binds to DNA duplexes, through specific interactions in the major groove of the double helix. The antisense molecule can be modified such that it specifically binds to a receptor or an antigen expressed on a selected cell surface, e.g., by linking the antisense nucleic acid molecule to a peptide or an antibody which binds to a cell surface receptor or antigen. The antisense nucleic acid molecule can also be delivered to cells using the vectors described herein. To achieve sufficient intracellular concentrations of the antisense molecules, vector constructs in which the antisense nucleic acid molecule is placed under the control of a strong prokaryotic, viral, or eukaryotic promoter are preferred.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an α -anomeric nucleic acid molecule. An α -anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β-units, the strands run parallel to each other (Gaultier et al. (1987) Nucleic Acids. Res. 15:6625-6641). The antisense nucleic acid molecule can also comprise a 2'-omethylribonucleotide (Inoue et al. (1987) Nucleic Acids Res. 15:6131-6148) or a chimeric RNA-DNA analogue (Inoue et al. (1987) FEBS Lett. 215:327-330).

In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity which are capable of cleaving a single-stranded nucleic acid, such as an mRNA, to which they have a complementary region. Thus, ribozymes (e.g., hammerhead ribozymes 25 (described in Haselhoff and Gerlach (1988) Nature 334:585-591)) can be used to catalytically cleave HA mRNA transcripts to thereby inhibit translation of HA mRNA. A ribozyme having specificity for an HA-encoding nucleic acid can be designed based upon the nucleotide sequence of an HA DNA molecule disclosed herein (i.e., SEQ ID NO. 3 (RXN00249)). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in an HA-encoding mRNA. See, e.g., Cech et al.

10

15

20

25

30

U.S. Patent No. 4,987,071 and Cech *et al.* U.S. Patent No. 5,116,742. Alternatively, HA mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, *e.g.*, Bartel, D. and Szostak, J.W. (1993) *Science* 261:1411-1418.

Alternatively, HA gene expression can be inhibited by targeting nucleotide sequences complementary to the regulatory region of an HA nucleotide sequence (e.g., an HA promoter and/or enhancers) to form triple helical structures that prevent transcription of an HA gene in target cells. See generally, Helene, C. (1991) Anticancer Drug Des. 6(6):569-84; Helene, C. et al. (1992) Ann. N.Y. Acad. Sci. 660:27-36; and Maher, L.J. (1992) Bioassays 14(12):807-15.

B. Recombinant Expression Vectors and Host Cells

Another aspect of the invention pertains to vectors, preferably expression vectors, containing a nucleic acid encoding an HA protein (or a portion thereof). As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded DNA loop into which additional DNA segments can be ligated. Another type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as "expression vectors". In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. In the present specification, "plasmid" and "vector" can be used interchangeably as the plasmid is the most commonly used form of vector. However, the invention is intended to include such other forms of expression vectors, such as viral vectors (e.g., replication defective retroviruses, adenoviruses and adenoassociated viruses), which serve equivalent functions.

30

The recombinant expression vectors of the invention comprise a nucleic acid of the invention in a form suitable for expression of the nucleic acid in a host cell, which means that the recombinant expression vectors include one or more regulatory sequences, selected on the basis of the host cells to be used for expression, which are operatively linked to the nucleic acid sequence to be expressed. Within a recombinant 5 expression vector, "operably linked" is intended to mean that the nucleotide sequence of interest is linked to the regulatory sequence(s) in a manner which allows for expression of the nucleotide sequence (e.g., in an in vitro transcription/translation system or in a host cell when the vector is introduced into the host cell). The term "regulatory sequence" is intended to include promoters, enhancers and other expression control 10 elements (e.g., polyadenylation signals). Such regulatory sequences are described, for example, in Goeddel; Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, CA (1990). Regulatory sequences include those which direct constitutive expression of a nucleotide sequence in many types of host cell and those which direct expression of the nucleotide sequence only in certain host cells. 15 Preferred regulatory sequences are, for example, promoters such as cos-, tac-, trp-, tet-, trp-tet-, lpp-, lac-, lpp-lac-, lacIq-, T7-, T5-, T3-, gal-, trc-, ara-, SP6-, arny, SPO2, λ-P_Ror λ P_L, which are used preferably in bacteria. Additional regulatory sequences are, for example, promoters from yeasts and fungi, such as ADC1, MFa, AC, P-60, CYC1, GAPDH, TEF, rp28, ADH, promoters from plants such as CaMV/35S, SSU, OCS, lib4, 20 usp, STLS1, B33, nos or ubiquitin- or phaseolin-promoters. It is also possible to use artificial promoters. It will be appreciated by those of ordinary skill in the art that the design of the expression vector can depend on such factors as the choice of the host cell to be transformed, the level of expression of protein desired, etc. The expression vectors of the invention can be introduced into host cells to thereby produce proteins or peptides, including fusion proteins or peptides, encoded by nucleic acids as described herein (e.g., HA proteins, mutant forms of HA proteins, fusion proteins, etc.).

The recombinant expression vectors of the invention can be designed for expression of HA proteins in prokaryotic or eukaryotic cells. For example, HA genes can be expressed in bacterial cells such as C. glutamicum, insect cells (using baculovirus expression vectors), yeast and other fungal cells (see Romanos, M.A. et al. (1992) "Foreign gene expression in yeast: a review", Yeast 8: 423-488; van den Hondel,

20

C.A.M.J.J. et al. (1991) "Heterologous gene expression in filamentous fungi" in: More Gene Manipulations in Fungi, J.W. Bennet & L.L. Lasure, eds., p. 396-428: Academic Press: San Diego; and van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in: Applied Molecular Genetics of Fungi, Peberdy, J.F. et al., eds., p. 1-28, Cambridge University Press: Cambridge), algae and multicellular plant cells (see Schmidt, R. and Willmitzer, L. (1988) High efficiency Agrobacterium tumefaciens—mediated transformation of Arabidopsis thaliana leaf and cotyledon explants" Plant Cell Rep.: 583-586), or mammalian cells. Suitable host cells are discussed further in Goeddel, Gene Expression Technology:
Methods in Enzymology 185, Academic Press, San Diego, CA (1990). Alternatively, the recombinant expression vector can be transcribed and translated in vitro, for example using T7 promoter regulatory sequences and T7 polymerase.

Expression of proteins in prokaryotes is most often carried out with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion proteins. Fusion vectors add a number of amino acids to a protein encoded therein, usually to the amino terminus of the recombinant protein but also to the C-terminus or fused within suitable regions in the proteins. Such fusion vectors typically serve three purposes: 1) to increase expression of recombinant protein; 2) to increase the solubility of the recombinant protein; and 3) to aid in the purification of the recombinant protein by acting as a ligand in affinity purification. Often, in fusion expression vectors, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant protein to enable separation of the recombinant protein from the fusion moiety subsequent to purification of the fusion protein. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase.

Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith, D.B. and Johnson, K.S. (1988) Gene 67:31-40), pMAL (New England Biolabs, Beverly, MA) and pRIT5 (Pharmacia, Piscataway, NJ) which fuse glutathione S-transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein. In one embodiment, the coding sequence of the HA protein is cloned into a pGEX expression vector to create a vector encoding a fusion protein comprising, from the N-terminus to the C-terminus, GST-thrombin cleavage site-X protein. The fusion protein can be purified by affinity chromatography using glutathione-agarose resin.

30

Recombinant HA protein unfused to GST can be recovered by cleavage of the fusion protein with thrombin.

Examples of suitable inducible non-fusion E. coli expression vectors include pTrc (Amann et al., (1988) Gene 69:301-315) pLG338, pACYC184, pBR322, pUC18, pUC19, pKC30, pRep4, pHS1, pHS2, pPLc236, pMBL24, pLG200, pUR290, pIN-III113-B1, \(\lambda\)gt11, pBdCl, and pET 11d (Studier et al., Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, California (1990) 60-89; and Pouwels et al., eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018). Target gene expression from the pTrc vector relies on host RNA polymerase transcription from a hybrid trp-lac fusion promoter. Target gene expression from the 10 pET 11d vector relies on transcription from a T7 gn10-lac fusion promoter mediated by a coexpressed viral RNA polymerase (T7 gnl). This viral polymerase is supplied by host strains BL21(DE3) or HMS174(DE3) from a resident λ prophage harboring a T7 gn1 gene under the transcriptional control of the lacUV 5 promoter. For transformation of other varieties of bacteria, appropriate vectors may be selected. For example, the plasmids pIJ101, pIJ364, pIJ702 and pIJ361 are known to be useful in transforming Streptomyces, while plasmids pUB110, pC194, or pBD214 are suited for transformation of Bacillus species. Several plasmids of use in the transfer of genetic information into Corynebacterium include pHM1519, pBL1, pSA77, or pAJ667 (Pouwels et al., eds. 20 (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018).

One strategy to maximize recombinant protein expression is to express the protein in a host bacteria with an impaired capacity to proteolytically cleave the recombinant protein (Gottesman, S., Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, California (1990) 119-128). Another strategy is to alter the nucleic acid sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in the bacterium chosen for expression, such as C. glutamicum (Wada et al. (1992) Nucleic Acids Res. 20: 2111-2118). Such alteration of nucleic acid sequences of the invention can be carried out by standard DNA synthesis techniques.

In another embodiment, the HA protein expression vector is a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include pYepSec1 (Baldari, *et al.*, (1987) *Embo J.* 6:229-234), 2 μ, pAG-1, Yep6, Yep13, pEMBLYe23,

- 48 -

pMFa (Kurjan and Herskowitz, (1982) *Cell* 30:933-943), pJRY88 (Schultz *et al.*, (1987) *Gene* 54:113-123), and pYES2 (Invitrogen Corporation, San Diego, CA). Vectors and methods for the construction of vectors appropriate for use in other fungi, such as the filamentous fungi, include those detailed in: van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in:

(1991) "Gene transfer systems and vector development for filamentous fungi, in:

Applied Molecular Genetics of Fungi, J.F. Peberdy, et al., eds., p. 1-28, Cambridge

University Press: Cambridge, and Pouwels et al., eds. (1985) Cloning Vectors. Elsevier:

New York (IBSN 0 444 904018).

Alternatively, the HA proteins of the invention can be expressed in insect cells using baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (e.g., Sf 9 cells) include the pAc series (Smith et al. (1983) Mol. Cell Biol. 3:2156-2165) and the pVL series (Lucklow and Summers (1989) Virology 170:31-39).

10

15

20

25

30

In another embodiment, the HA proteins of the invention may be expressed in unicellular plant cells (such as algae) or in plant cells from higher plants (e.g., the spermatophytes, such as crop plants). Examples of plant expression vectors include those detailed in: Becker, D., Kemper, E., Schell, J. and Masterson, R. (1992) "New plant binary vectors with selectable markers located proximal to the left border", *Plant Mol. Biol.* 20: 1195-1197; and Bevan, M.W. (1984) "Binary *Agrobacterium* vectors for plant transformation", *Nucl. Acid. Res.* 12: 8711-8721, and include pLGV23, pGHlac+, pBIN19, pAK2004, and pDH51 (Pouwels et al., eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018).

In yet another embodiment, a nucleic acid of the invention is expressed in mammalian cells using a mammalian expression vector. Examples of mammalian expression vectors include pCDM8 (Seed, B. (1987) *Nature* 329:840) and pMT2PC (Kaufman *et al.* (1987) *EMBO J.* 6:187-195). When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements. For example, commonly used promoters are derived from polyoma, Adenovirus 2, cytomegalovirus and Simian Virus 40. For other suitable expression systems for both prokaryotic and eukaryotic cells see chapters 16 and 17 of Sambrook, J., Fritsh, E. F., and Maniatis, T. *Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring*

Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989.

In another embodiment, the recombinant mammalian expression vector is capable of directing expression of the nucleic acid preferentially in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Tissuespecific regulatory elements are known in the art. Non-limiting examples of suitable tissue-specific promoters include the albumin promoter (liver-specific; Pinkert et al. (1987) Genes Dev. 1:268-277), lymphoid-specific promoters (Calame and Eaton (1988) Adv. Immunol. 43:235-275), in particular promoters of T cell receptors (Winoto and Baltimore (1989) EMBO J. 8:729-733) and immunoglobulins (Banerji et al. (1983) Cell 33:729-740; Queen and Baltimore (1983) Cell 33:741-748), neuron-specific promoters (e.g., the neurofilament promoter; Byrne and Ruddle (1989) PNAS 86:5473-5477), pancreas-specific promoters (Edlund et al. (1985) Science 230:912-916), and mammary gland-specific promoters (e.g., milk whey promoter; U.S. Patent No. 4,873,316 and European Application Publication No. 264,166). Developmentally-regulated promoters are also encompassed, for example the murine hox promoters (Kessel and Gruss (1990) Science 249:374-379) and the α-fetoprotein promoter (Campes and Tilghman (1989) Genes Dev. 3:537-546).

The invention further provides a recombinant expression vector comprising a DNA molecule of the invention cloned into the expression vector in an antisense 20 orientation. That is, the DNA molecule is operatively linked to a regulatory sequence in a manner which allows for expression (by transcription of the DNA molecule) of an RNA molecule which is antisense to HA mRNA. Regulatory sequences operatively linked to a nucleic acid cloned in the antisense orientation can be chosen which direct the continuous expression of the antisense RNA molecule in a variety of cell types, for 25 instance viral promoters and/or enhancers, or regulatory sequences can be chosen which direct constitutive, tissue specific or cell type specific expression of antisense RNA. The antisense expression vector can be in the form of a recombinant plasmid, phagemid or attenuated virus in which antisense nucleic acids are produced under the control of a high efficiency regulatory region, the activity of which can be determined by the cell 30 type into which the vector is introduced. For a discussion of the regulation of gene

- 50 -

expression using antisense genes see Weintraub, H. et al., Antisense RNA as a molecular tool for genetic analysis, Reviews - Trends in Genetics, Vol. 1(1) (1986).

5

10

20

25

30

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms "host cell" and "recombinant host cell" are used interchangeably herein. It is understood that such terms refer not only to the particular subject cell but to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein.

A host cell can be any prokaryotic or eukaryotic cell. For example, an HA protein can be expressed in bacterial cells such as *C. glutamicum*, insect cells, yeast or mammalian cells (such as Chinese hamster ovary cells (CHO) or COS cells). Other suitable host cells are known to those of ordinary skill in the art. Microorganisms related to *Corynebacterium glutamicum* which may be conveniently used as host cells for the nucleic acid and protein molecules of the invention are set forth in Table 3.

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection", "conjugation" and "transduction" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid (e.g., linear DNA or RNA (e.g., a linearized vector or a gene construct alone without a vector) or nucleic acid in the form of a vector (e.g., a plasmid, phage, phasmid, phagemid, transposon or other DNA) into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, natural competence, chemical-mediated transfer, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, et al. (Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989), and other laboratory manuals.

For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these integrants, a gene that encodes a selectable marker (e.g., resistance to antibiotics) is

- 51 -

generally introduced into the host cells along with the gene of interest. Preferred selectable markers include those which confer resistance to drugs, such as G418, hygromycin and methotrexate. Nucleic acid encoding a selectable marker can be introduced into a host cell on the same vector as that encoding an HA protein or can be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid can be identified by, for example, drug selection (e.g., cells that have incorporated the selectable marker gene will survive, while the other cells die).

10

20

25

30

To create a homologous recombinant microorganism, a vector is prepared which contains at least a portion of an HA gene into which a deletion, addition or substitution has been introduced to thereby alter, e.g., functionally disrupt, the HA gene. Preferably, this HA gene is a Corynebacterium glutamicum HA gene, but it can be a homologue from a related bacterium or even from a mammalian, yeast, or insect source. In a preferred embodiment, the vector is designed such that, upon homologous recombination, the endogenous HA gene is functionally disrupted (i.e., no longer encodes a functional protein; also referred to as a "knock out" vector). Alternatively, the vector can be designed such that, upon homologous recombination, the endogenous HA gene is mutated or otherwise altered but still encodes functional protein (e.g., the upstream regulatory region can be altered to thereby alter the expression of the endogenous HA protein). In the homologous recombination vector, the altered portion of the HA gene is flanked at its 5' and 3' ends by additional nucleic acid of the HA gene to allow for homologous recombination to occur between the exogenous HA gene carried by the vector and an endogenous HA gene in a microorganism. The additional flanking HA nucleic acid is of sufficient length for successful homologous recombination with the endogenous gene. Typically, several kilobases of flanking DNA (both at the 5' and 3' ends) are included in the vector (see e.g., Thomas, K.R., and Capecchi, M.R. (1987) Cell 51: 503 for a description of homologous recombination vectors). The vector is introduced into a microorganism (e.g., by electroporation) and cells in which the introduced HA gene has homologously recombined with the endogenous HA gene are selected, using art-known techniques.

In another embodiment, recombinant microorganisms can be produced which contain selected systems which allow for regulated expression of the introduced gene. For example, inclusion of an HA gene on a vector placing it under control of the lac

- 52 -

operon permits expression of the HA gene only in the presence of IPTG. Such regulatory systems are well known in the art.

In another embodiment, an endogenous HA gene in a host cell is disrupted (e.g., by homologous recombination or other genetic means known in the art) such that expression of its protein product does not occur. In another embodiment, an endogenous or introduced HA gene in a host cell has been altered by one or more point mutations, deletions, or inversions, but still encodes a functional HA protein. In still another embodiment, one or more of the regulatory regions (e.g., a promoter, repressor, or inducer) of an HA gene in a microorganism has been altered (e.g., by deletion, truncation, inversion, or point mutation) such that the expression of the HA gene is modulated. One of ordinary skill in the art will appreciate that host cells containing more than one of the described HA gene and protein modifications may be readily produced using the methods of the invention, and are meant to be included in the present invention.

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (*i.e.*, express) an HA protein. Accordingly, the invention further provides methods for producing HA proteins using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector encoding an HA protein has been introduced, or into which genome has been introduced a gene encoding a wild-type or altered HA protein) in a suitable medium until HA protein is produced. In another embodiment, the method further comprises isolating HA proteins from the medium or the host cell.

25 C. Isolated HA Proteins

15

20

30

Another aspect of the invention pertains to isolated HA proteins, and biologically active portions thereof. An "isolated" or "purified" protein or biologically active portion thereof is substantially free of cellular material when produced by recombinant DNA techniques, or chemical precursors or other chemicals when chemically synthesized. The language "substantially free of cellular material" includes preparations of HA protein in which the protein is separated from cellular components of the cells in which it is naturally or recombinantly produced. In one embodiment, the language

5

10

15

20

25

30

- 53 -

"substantially free of cellular material" includes preparations of HA protein having less than about 30% (by dry weight) of non-HA protein (also referred to herein as a "contaminating protein"), more preferably less than about 20% of non-HA protein, still more preferably less than about 10% of non-HA protein, and most preferably less than about 5% non-HA protein. When the HA protein or biologically active portion thereof is recombinantly produced, it is also preferably substantially free of culture medium, i.e., culture medium represents less than about 20%, more preferably less than about 10%, and most preferably less than about 5% of the volume of the protein preparation. The language "substantially free of chemical precursors or other chemicals" includes preparations of HA protein in which the protein is separated from chemical precursors or other chemicals which are involved in the synthesis of the protein. In one embodiment, the language "substantially free of chemical precursors or other chemicals" includes preparations of HA protein having less than about 30% (by dry weight) of chemical precursors or non-HA chemicals, more preferably less than about 20% chemical precursors or non-HA chemicals, still more preferably less than about 10% chemical precursors or non-HA chemicals, and most preferably less than about 5% chemical precursors or non-HA chemicals. In preferred embodiments, isolated proteins or biologically active portions thereof lack contaminating proteins from the same organism from which the HA protein is derived. Typically, such proteins are produced by recombinant expression of, for example, a C. glutamicum HA protein in a microorganism such as C. glutamicum.

An isolated HA protein or a portion thereof of the invention can participate in the repair or recombination of DNA, in the transposition of genetic material, in gene expression (i.e., the processes of transcription or translation), in protein folding, or in protein secretion in Corynebacterium glutamicum, or has one or more of the activities set forth in Table 1. In preferred embodiments, the protein or portion thereof comprises an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) such that the protein or portion thereof maintains the ability to participate in the maintenance of homeostasis in C. glutamicum, or to perform a function involved in the adaptation of this microorganism to different environmental conditions. The portion of the protein is preferably a biologically active portion as described herein. In another

15

20

25

30

preferred embodiment, an HA protein of the invention has an amino acid sequence set forth as an even-numbered SEQ ID NO: of the Sequence Listing. In yet another preferred embodiment, the HA protein has an amino acid sequence which is encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to a nucleotide sequence the invention (e.g., a sequence of an odd-numbered SEO ID NO: of the Sequence Listing). In still another preferred embodiment, the HA protein has an amino acid sequence which is encoded by a nucleotide sequence that is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% % or more homologous to one of the nucleic acid sequences of the invention, or a portion thereof. Ranges and identity values intermediate to the above-recited values, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. The preferred HA proteins of the present invention also preferably possess at least one of the HA activities described herein. For example, a preferred HA protein of the present invention includes an amino acid sequence encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to a nucleotide sequence of the invention, and which can participate in the maintenance of homeostasis in C. glutamicum, or can perform a function involved in the adaptation of this microorganism to different environmental conditions, or which has one or more of the activities set forth in Table 1.

In other embodiments, the HA protein is substantially homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) and retains the functional activity of the protein of one of the amino acid sequences of the invention yet differs in amino acid sequence due to natural variation or mutagenesis, as described in detail in subsection I above. Accordingly, in another embodiment, the HA protein is a protein which comprises an amino acid sequence which is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%,

- 55 -

69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to an entire amino acid sequence of the invention and which has at least one of the HA activities described herein. Ranges and identity values intermediate to the above-recited values, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. In another embodiment, the invention pertains to a full length *C. glutamicum* protein which is substantially homologous to an entire amino acid sequence of the invention.

Biologically active portions of an HA protein include peptides comprising amino acid sequences derived from the amino acid sequence of an HA protein, e.g., the amino acid sequence of an even-numbered SEQ ID NO: of the Sequence Listing, the amino acid sequence of a protein homologous to an HA protein, which include fewer amino acids than a full length HA protein or the full length protein which is homologous to an HA protein, and exhibit at least one activity of an HA protein. Typically, biologically active portions (peptides, e.g., peptides which are, for example, 5, 10, 15, 20, 30, 35, 36, 37, 38, 39, 40, 50, 100 or more amino acids in length) comprise a domain or motif with at least one activity of an HA protein. Moreover, other biologically active portions, in which other regions of the protein are deleted, can be prepared by recombinant techniques and evaluated for one or more of the activities described herein. Preferably, the biologically active portions of an HA protein include one or more selected domains/motifs or portions thereof having biological activity.

15

20

25

30

HA proteins are preferably produced by recombinant DNA techniques. For example, a nucleic acid molecule encoding the protein is cloned into an expression vector (as described above), the expression vector is introduced into a host cell (as described above) and the HA protein is expressed in the host cell. The HA protein can then be isolated from the cells by an appropriate purification scheme using standard protein purification techniques. Alternative to recombinant expression, an HA protein, polypeptide, or peptide can be synthesized chemically using standard peptide synthesis techniques. Moreover, native HA protein can be isolated from cells (e.g., endothelial

- 56 -

cells), for example using an anti-HA antibody, which can be produced by standard techniques utilizing an HA protein or fragment thereof of this invention.

The invention also provides HA chimeric or fusion proteins. As used herein, an HA "chimeric protein" or "fusion protein" comprises an HA polypeptide operatively linked to a non-HA polypeptide. An "HA polypeptide" refers to a polypeptide having an amino acid sequence corresponding to an HA protein, whereas a "non-HA polypeptide" refers to a polypeptide having an amino acid sequence corresponding to a protein which is not substantially homologous to the HA protein, e.g., a protein which is different from the HA protein and which is derived from the same or a different organism. Within the fusion protein, the term "operatively linked" is intended to indicate that the HA polypeptide and the non-HA polypeptide are fused in-frame to each other. The non-HA polypeptide can be fused to the N-terminus or C-terminus of the HA polypeptide. For example, in one embodiment the fusion protein is a GST-HA fusion protein in which the HA sequences are fused to the C-terminus of the GST sequences. Such fusion proteins can facilitate the purification of recombinant HA proteins. In another embodiment, the fusion protein is an HA protein containing a heterologous signal sequence at its Nterminus. In certain host cells (e.g., mammalian host cells), expression and/or secretion of an HA protein can be increased through use of a heterologous signal sequence.

15

20

25

30

Preferably, an HA chimeric or fusion protein of the invention is produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, for example by employing blunt-ended or stagger-ended termini for ligation, restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining, and enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers which give rise to complementary overhangs between two consecutive gene fragments which can subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, *Current Protocols in Molecular Biology*, eds. Ausubel *et al.* John Wiley & Sons: 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (*e.g.*, a GST polypeptide). An HA-

- 57 -

encoding nucleic acid can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the HA protein.

Homologues of the HA protein can be generated by mutagenesis, e.g., discrete point mutation or truncation of the HA protein. As used herein, the term "homologue" refers to a variant form of the HA protein which acts as an agonist or antagonist of the activity of the HA protein. An agonist of the HA protein can retain substantially the same, or a subset, of the biological activities of the HA protein. An antagonist of the HA protein can inhibit one or more of the activities of the naturally occurring form of the HA protein, by, for example, competitively binding to a downstream or upstream member of a biochemical cascade which includes the HA protein, by binding to a target molecule with which the HA protein interacts, such that no functional interaction is possible, or by binding directly to the HA protein and inhibiting its normal activity.

10

20

25

30

In an alternative embodiment, homologues of the HA protein can be identified by screening combinatorial libraries of mutants, e.g., truncation mutants, of the HA 15 protein for HA protein agonist or antagonist activity. In one embodiment, a variegated library of HA variants is generated by combinatorial mutagenesis at the nucleic acid level and is encoded by a variegated gene library. A variegated library of HA variants can be produced by, for example, enzymatically ligating a mixture of synthetic oligonucleotides into gene sequences such that a degenerate set of potential HA sequences is expressible as individual polypeptides, or alternatively, as a set of larger fusion proteins (e.g., for phage display) containing the set of HA sequences therein. There are a variety of methods which can be used to produce libraries of potential HA homologues from a degenerate oligonucleotide sequence. Chemical synthesis of a degenerate gene sequence can be performed in an automatic DNA synthesizer, and the synthetic gene then ligated into an appropriate expression vector. Use of a degenerate set of genes allows for the provision, in one mixture, of all of the sequences encoding the desired set of potential HA sequences. Methods for synthesizing degenerate oligonucleotides are known in the art (see, e.g., Narang, S.A. (1983) Tetrahedron 39:3; Itakura et al. (1984) Annu. Rev. Biochem. 53:323; Itakura et al. (1984) Science 198:1056; Ike et al. (1983) Nucleic Acid Res. 11:477.

In addition, libraries of fragments of the HA protein coding can be used to generate a variegated population of HA fragments for screening and subsequent

15

20

25

30

selection of homologues of an HA protein. In one embodiment, a library of coding sequence fragments can be generated by treating a double stranded PCR fragment of an HA coding sequence with a nuclease under conditions wherein nicking occurs only about once per molecule, denaturing the double stranded DNA, renaturing the DNA to form double stranded DNA which can include sense/antisense pairs from different nicked products, removing single stranded portions from reformed duplexes by treatment with S1 nuclease, and ligating the resulting fragment library into an expression vector. By this method, an expression library can be derived which encodes N-terminal, C-terminal and internal fragments of various sizes of the HA protein.

Several techniques are known in the art for screening gene products of combinatorial libraries made by point mutations or truncation, and for screening cDNA libraries for gene products having a selected property. Such techniques are adaptable for rapid screening of the gene libraries generated by the combinatorial mutagenesis of HA homologues. The most widely used techniques, which are amenable to high through-put analysis, for screening large gene libraries typically include cloning the gene library into replicable expression vectors, transforming appropriate cells with the resulting library of vectors, and expressing the combinatorial genes under conditions in which detection of a desired activity facilitates isolation of the vector encoding the gene whose product was detected. Recursive ensemble mutagenesis (REM), a new technique which enhances the frequency of functional mutants in the libraries, can be used in combination with the screening assays to identify HA homologues (Arkin and Yourvan (1992) *PNAS* 89:7811-7815; Delgrave *et al.* (1993) *Protein Engineering* 6(3):327-331).

In another embodiment, cell based assays can be exploited to analyze a variegated HA library, using methods well known in the art.

D. Uses and Methods of the Invention

The nucleic acid molecules, proteins, protein homologues, fusion proteins, primers, vectors, and host cells described herein can be used in one or more of the following methods: identification of *C. glutamicum* and related organisms; mapping of genomes of organisms related to *C. glutamicum*; identification and localization of *C. glutamicum* sequences of interest; evolutionary studies; determination of HA protein regions required for function; modulation of an HA protein activity; modulation of the

- 59 -

metabolism of one or more inorganic compounds; modulation of the modification or degradation of one or more aromatic or aliphatic compounds; modulation of cell wall synthesis or rearrangements; modulation of enzyme activity or proteolysis; and modulation of cellular production of a desired compound, such as a fine chemical.

5

10

15

20

25

The HA nucleic acid molecules of the invention have a variety of uses. First, they may be used to identify an organism as being Corynebacterium glutamicum or a close relative thereof. Also, they may be used to identify the presence of C. glutamicum or a relative thereof in a mixed population of microorganisms. The invention provides the nucleic acid sequences of a number of C. glutamicum genes; by probing the extracted genomic DNA of a culture of a unique or mixed population of microorganisms under stringent conditions with a probe spanning a region of a C. glutamicum gene which is unique to this organism, one can ascertain whether this organism is present. Although Corynebacterium glutamicum itself is nonpathogenic, it is related to pathogenic species, such as Corynebacterium diphtheriae. Corynebacterium diphtheriae is the causative agent of diphtheria, a rapidly developing, acute, febrile infection which involves both local and systemic pathology. In this disease, a local lesion develops in the upper respiratory tract and involves necrotic injury to epithelial cells; the bacilli secrete toxin which is disseminated through this lesion to distal susceptible tissues of the body. Degenerative changes brought about by the inhibition of protein synthesis in these tissues, which include heart, muscle, peripheral nerves, adrenals, kidneys, liver and spleen, result in the systemic pathology of the disease. Diphtheria continues to have high incidence in many parts of the world, including Africa, Asia, Eastern Europe and the independent states of the former Soviet Union. An ongoing epidemic of diphtheria in the latter two regions has resulted in at least 5,000 deaths since 1990.

In one embodiment, the invention provides a method of identifying the presence or activity of Cornyebacterium diphtheriae in a subject. This method includes detection of one or more of the nucleic acid or amino acid sequences of the invention (e.g., the sequences set forth in as odd-numbered or even-numbered SEQ ID NOs, respectively, in the Sequence Listing) in a subject, thereby detecting the presence or activity of 30 Corynebacterium diphtheriae in the subject. C. glutamicum and C. diphtheriae are related bacteria, and many of the nucleic acid and protein molecules in C. glutamicum

20

25

30

are homologous to *C. diphtheriae* nucleic acid and protein molecules, and can therefore be used to detect *C. diphtheriae* in a subject.

The nucleic acid and protein molecules of the invention may also serve as markers for specific regions of the genome. This has utility not only in the mapping of the genome, but also for functional studies of *C. glutamicum* proteins. For example, to identify the region of the genome to which a particular *C. glutamicum* DNA-binding protein binds, the *C. glutamicum* genome could be digested, and the fragments incubated with the DNA-binding protein. Those which bind the protein may be additionally probed with the nucleic acid molecules of the invention, preferably with readily detectable labels, binding of such a nucleic acid molecule to the genome fragment enables the localization of the fragment to the genome map of *C. glutamicum*, and, when performed multiple times with different enzymes, facilitates a rapid determination of the nucleic acid sequence to which the protein binds. Further, the nucleic acid molecules of the invention may be sufficiently homologous to the sequences of related species such that these nucleic acid molecules may serve as markers for the construction of a genomic map in related bacteria, such as *Brevibacterium lactofermentum*.

The HA nucleic acid molecules of the invention are also useful for evolutionary and protein structural studies. The processes involved in adaptation and the maintenance of homeostasis in which the molecules of the invention participate are utilized by a wide variety of species; by comparing the sequences of the nucleic acid molecules of the present invention to those encoding similar enzymes from other organisms, the evolutionary relatedness of the organisms can be assessed. Similarly, such a comparison permits an assessment of which regions of the sequence are conserved and which are not, which may aid in determining those regions of the protein which are essential for the functioning of the enzyme. This type of determination is of value for protein engineering studies and may give an indication of what the protein can tolerate in terms of mutagenesis without losing function.

Manipulation of the HA nucleic acid molecules of the invention may result in the production of HA proteins having functional differences from the wild-type HA proteins. These proteins may be improved in efficiency or activity, may be present in greater numbers in the cell than is usual, or may be decreased in efficiency or activity.

10

15

25

30

- 61 -

The invention provides methods for screening molecules which modulate the activity of an HA protein, either by interacting with the protein itself or a substrate or binding partner of the HA protein, or by modulating the transcription or translation of an HA nucleic acid molecule of the invention. In such methods, a microorganism expressing one or more HA proteins of the invention is contacted with one or more test compounds, and the effect of each test compound on the activity or level of expression of the HA protein is assessed.

The modulation of activity or number of HA proteins involved in cell wall biosynthesis or rearrangements may impact the production, yield, and/or efficiency of production of one or more fine chemicals from C. glutamicum cells. For example, by altering the activity of these proteins, it may be possible to modulate the structure or thickness of the cell wall. The cell wall serves in large measure as a protective device against osmotic lysis and external sources of injury; by modifying the cell wall it may be possible to increase the ability of C. glutamicum to withstand the mechanical and shear force stresses encountered by this microorganism during large-scale fermentor culture. Further, each C. glutamicum cell is surrounded by a thick cell wall, and thus, a significant portion of the biomass present in large scale culture consists of cell wall. By increasing the rate at which the cell wall is synthesized or by activating cell wall synthesis (through genetic engineering of the HA cell wall proteins of the invention) it may be possible to improve the growth rate of the microorganism. Similarly, by decreasing the activity or number of proteins involved in the degradation of cell wall or by decreasing the repression of cell wall biosynthesis, an overall increase in cell wall production may be achieved. An increase in the number of viable C. glutamicum cells (as may be accomplished by any of the foregoing described protein alterations) should result in increased numbers of cells producing the desired fine chemical in large-scale fermentor culture, which should permit increased yields or efficiency of production of these compounds from the culture.

The modulation of activity or number of *C. glutamicum* HA proteins that participate in the modification or degradation of aromatic or aliphatic compounds may also have direct or indirect impacts on the production of one or more fine chemicals from these cells. Certain aromatic or aliphatic modification or degradation products are desirable fine chemicals (*e.g.*, organic acids or modified aromatic and aliphatic

5

25

30

compounds); thus, by modifying the enzymes which perform these modifications (e.g., hydroxylation, methylation, or isomerization) or degradation reactions, it may be possible to increase the yields of these desired compounds. Similarly, by decreasing the activity or number of proteins involved in pathways which further degrade the modified or breakdown products of the aforementioned reactions it may be possible to improve the yields of these fine chemicals from *C. glutamicum* cells in culture.

These aromatic and aliphatic modification and degradative enzymes are themselves fine chemicals. In purified form, these enzymes may be used to degrade aromatic and aliphatic compounds (e.g., toxic chemicals such as petroleum products), 10 either for the bioremediation of polluted sites, for the engineered decomposition of wastes, or for the large-scale and economically feasible production of desired modified aromatic or aliphatic compounds or their breakdown products, some of which may be conveniently used as carbon or energy sources for other fine chemical-producing compounds in culture (see, e.g., Faber, K. (1995) Biotransformations in Organic 15 Chemistry, Springer: Berlin and references therein; and Roberts, S.M., ed. (1992-1996) Preparative Biotransformations, Wiley: Chichester, and references therein). By genetically altering these proteins such that their regulation by other cellular mechanisms is lessened or abolished, it may be possible to increase the overall number or activity of these proteins, thereby improving not only the yield of these fine chemicals 20 but also the activity of these harvested proteins.

The modification of these aromatic and aliphatic modifying and degradation enzymes may also have an indirect effect on the production of one or more fine chemical. Many aromatic and aliphatic compounds (such as those that may be encountered as impurities in culture media or as waste products from cellular metabolism) are toxic to cells; by modifying and/or degrading these compounds such that they may be readily removed or destroyed, cellular viability should be increased. Further, these enzymes may modify or degrade these compounds in such a manner that the resulting products may enter the normal carbon metabolism pathways of the cell, thus rendering the cell able to use these compounds as alternate carbon or energy sources. In large-scale culture situations, when there may be limiting amounts of optimal carbon sources, these enzymes provide a method by which cells may continue to grow and divide using aromatic or aliphatic compounds as nutrients. In either case, the

- 63 -

resulting increase in the number of *C. glutamicum* cells in the culture producing the desired fine chemical should in turn result in increased yields or efficiency of production of the fine chemical(s).

Modifications in activity or number of HA proteins involved in the metabolism of inorganic compounds may also directly or indirectly affect the production of one or more fine chemicals from C. glutamicum or related bacterial cultures. For example, many desirable fine chemicals, such as nucleic acids, amino acids, cofactors and vitamins (e.g., thiamine, biotin, and lipoic acid) cannot be synthesized without inorganic molecules such as phosphorous, nitrate, sulfate, and iron. The inorganic metabolism proteins of the invention permit the cell to obtain these molecules from a variety of inorganic compounds and to divert them into various fine chemical biosynthetic pathways. Therefore, by increasing the activity or number of enzymes involved in the metabolism of these inorganic compounds, it may be possible to increase the supply of these possibly limiting inorganic molecules, thereby directly increasing the production or efficiency of production of various fine chemicals from C. glutamicum cells containing such altered proteins. Modification of the activity or number of inorganic metabolism enzymes of the invention may also render C. glutamicum able to better utilize limited inorganic compound supplies, or to utilize nonoptimal inorganic compounds to synthesize amino acids, vitamins, cofactors, or nucleic acids, all of which are necessary for continued growth and replication of the cell. By improving the viability of these cells in large-scale culture, the number of C. glutamicum cells producing one or more fine chemicals in the culture may also be increased, in turn increasing the yields or efficiency of production of one or more fine chemicals.

10

15

20

C. glutamicum enzymes for general processes are themselves desirable fine

chemicals. The specific properties of enzymes (i.e., regio- and stereospecificity, among others) make them useful catalysts for chemical reactions in vitro. Either whole C. glutamicum cells may be incubated with an appropriate substrate such that the desired product is produced by enzymes in the cell, or the desired enzymes may be overproduced and purified from C. glutamicum cultures (or those of a related bacterium) and subsequently utilized in in vitro reactions in an industrial setting (either in solution or immobilized on a suitable immobile phase). In either situation, the enzyme can either be a natural C. glutamicum protein, or it may be mutagenized to have an altered activity;

typical industrial uses for such enzymes include as catalysts in the chemical industry (e.g., for synthetic organic chemistry) as food additives, as feed components, for fruit processing, for leather preparation, in detergents, in analysis and medicine, and in the textile industry (see, e.g., Yamada, H. (1993) "Microbial reactions for the production of useful organic compounds," Chimica 47: 5-10; Roberts, S.M. (1998) Preparative biotransformations: the employment of enzymes and whole-cells in synthetic chemistry," J. Chem. Soc. Perkin Trans. 1: 157-169; Zaks, A. and Dodds, D.R. (1997) "Application of biocatalysis and biotransformations to the synthesis of pharmaceuticals," DDT 2: 513-531; Roberts, S.M. and Williamson, N.M. (1997) "The 10 use of enzymes for the preparation of biologically active natural products and analogues in optically active form," Curr. Organ. Chemistry 1: 1-20; Faber, K. (1995) Biotransformations in Organic Chemistry, Springer: Berlin; Roberts, S.M., ed. (1992-96) Preparative Biotransformations, Wiley: Chichester; Cheetham, P.S.J. (1995) "The applications of enzymes in industry" in : Handbook of Enzyme Biotechnology, 3rd ed., Wiseman, A., ed., Elis: Horwood, p. 419-552; and Ullmann's Encyclopedia of Industrial 15 Chemistry (1987), vol. A9, Enzymes, p. 390-457). Thus, by increasing the activity or number of these enzymes, it may be possible to also increase the ability of the cell to convert supplied substrates to desired products, or to overproduce these enzymes for increased yields in large-scale culture. Further, by mutagenizing these proteins it may 20 be possible to remove feedback inhibition or other repressive cellular regulatory controls such that greater numbers of these enzymes may be produced and activated by the cell, thereby leading to greater yields, production, or efficiency of production of these fine chemical proteins from large-scale cultures. Further, manipulation of these enzymes may alter the activity of one or more C. glutamicum metabolic pathways, such as those 25 for the biosynthesis or secretion of one or more fine chemicals.

Mutagenesis of the proteolytic enzymes of the invention such that they are altered in activity or number may also directly or indirectly affect the yield, production, and/or efficiency of production of one or more fine chemicals from *C. glutamicum*. For example, by increasing the activity or number of these proteins, it may be possible to increase the ability of the bacterium to survive in large-scale culture, due to an increased ability of the cell to rapidly degrade proteins misfolded in response to the high temperatures, nonoptimal pH, and other stresses encountered during fermentor culture.

- 65 -

Increased numbers of cells in these cultures may result in increased yields or efficiency of production of one or more desired fine chemicals, due to the relatively larger number of cells producing these compounds in the culture. Also, *C. glutamicum* cells possess multiple cell-surface proteases which serve to break down external nutrients into molecules which may be more readily incorporated by the cells as carbon/energy sources or nutrients of other kinds. An increase in activity or number of these enzymes may improve this turnover and increase the levels of available nutrients, thereby improving cell growth or production. Thus, modifications of the proteases of the invention may indirectly impact *C. glutamicum* fine chemical production.

5

10

15

20

25

A more direct impact on fine chemical production in response to the modification of one or more of the proteases of the invention may occur when these proteases are involved in the production or degradation of a desired fine chemical. By decreasing the activity of a protease which degrades a fine chemical or a protein involved in the synthesis of a fine chemical it may be possible to increase the levels of that fine chemical (due to the decreased degradation or increased synthesis of the compound). Similarly, by increasing the activity of a protease which degrades a compound to result in a fine chemical or a protein involved in the degradation of a fine chemical, a similar result should be achieved: increased levels of the desired fine chemical from *C. glutamicum* cells containing these engineered proteins.

The aforementioned mutagenesis strategies for HA proteins to result in increased yields of a fine chemical from C. glutamicum are not meant to be limiting; variations on these strategies will be readily apparent to one of ordinary skill in the art. Using such strategies, and incorporating the mechanisms disclosed herein, the nucleic acid and protein molecules of the invention may be utilized to generate C. glutamicum or related strains of bacteria expressing mutated HA nucleic acid and protein molecules such that the yield, production, and/or efficiency of production of a desired compound is improved. This desired compound may be any product produced by C. glutamicum, which includes the final products of biosynthesis pathways and intermediates of naturally-occurring metabolic pathways, as well as molecules which do not naturally occur in the metabolism of C. glutamicum, but which are produced by a C. glutamicum strain of the invention.

This invention is further illustrated by the following examples which should not be construed as limiting. The contents of all references, patent applications, patents, published patent applications, Tables, and the sequence listing cited throughout this application are hereby incorporated by reference.

Table 1: Genes in the Application

Nucleic Acid	Amino Acid	Identification Code	Contig.	NT Start	NT Stop	Function
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 4 0 8	RXA02548 RXN00249 F RXA00249 RXA01073	GR00727 VV0057 GR00037 GR00300	3 36825 8837 1274	293 35869 7884 2104	SULFATE ADENYLATE TRANSFERASE SUBUNIT 2 (EC 2.7.7.4) ADENYLYLSULFATE KINASE (EC 2.7.1.25) ADENYLYLSULFATE KINASE (EC 2.7.1.25) NH(3)-DEPENDENT NAD(+) SYNTHETASE (EC 6.3.5.1)
Urease						
Nucleic Acid	Amino Acid	Identification Code	Contig.	NT Start	NT Stop	Function
6	10 5	RXN02913	VV0020	8998	8513	UREASE BETA SUBUNIT (EC 3.5.1.5)
- 5	7 4	F KXN02264 RXN02274	GK00655 VV0020	123 8509	4 6800	UREASE ALPHA SUBUNIT (EC 3.5.1.5) UREASE AI PHA SUBUNIT (FC 3 5 1 5)
15	16	F RXA02274	GR00656	_س	1604	UREASE ALPHA SUBUNIT (EC 3.5.1.5)
17	1 8	RXA02265	GR00655	452	153	UREASE GAMMA SUBUNIT (EC 3.5.1.5)
<u> </u>	3 6	KXA022/8	GK00656	3420	4268	UREASE OPERON URED PROTEIN
23	24	RXA02276	GR00656	2105	2782	UREASE ACCESSORY PROTEIN UREF
25	56	RXA02277	GR00656	2802	3416	UREASE ACCESSORY PROTEIN UREG
27	28	RXA02603	GR00742	7742	8737	4-HYDROXYBENZOATE OCTAPRENYLTRANSFERASE (EC 2.5.1)
5 3	99	RXA01385	GR00406	5320	3440	PHENOL 2 MONOOXYGENASE (EC 1.14.13.7)
	.!					
Proteolysis	<u>s</u>				-	:
Nucleic Acid	Amino Acid	Identification Code	Contig.	NT Start	NT Stop	Function
31	32	RXN00675	VV0005	33258	34049	METHIONINE AMINOPEPTIDASE (EC 3.4.11.18)
33	ጽ የ	F RXA00675	GR00178	2	484	METHIONINE AMINOPEPTIDASE (EC 3.4.11.18)
35	38	RXA01609	GR00449	2740	3612	METHIONINE AMINOPEPTIDASE (EC 3.4.11.18)
39 39	8 4 0	EXA01358 RXA01458	GR00393 GR00420	5337 3225	6857 2176	ATP-DEPENDENT PROTEASE LA (EC 3.4.21.53) ATP-DEPENDENT PROTEASE LA /EC 3.4.21.53)
41	42	RXA01654	GR00459	986	1981	(AL022121) putative alkaline serine protease [Mycobacterium tuberculosis]
43	44	RXN01868	W0127	9980	11905	ZINC METALLOPROTEASE (EC 3.4.24)
45	46	F RXA01868	GR00534	1640	30	ZINC METALLOPROTEASE (EC 3.4.24)
47	48	F RXA01869	GR00534	1954	1652	ZINC METALLOPROTEASE (EC 3.4.24)
49	S 5	RXN03028	00000	41156	43930	ATP-DEPENDENT CLP PROTEASE ATP-BINDING SUBUNIT CLPA
51	25	F RXA02470	GR00715	2216	3196	ATP-DEPENDENT CLP PROTEASE ATP-BINDING SUBUNIT CLPA

Table 1 (continued)	NT Stop Function		~		2497 PROBABLE PERIPLASMIC SERINE PROTEASE DO-LIKE PRECURSOR	137 ATP-DEPENDENT CLP PROTEASE PROTEOLYTIC SUBUNIT (EC 3.4.21.92)			_	4401 ATP-DEPENDENT CLP PROTEASE ATP-BINDING SUBUNIT CLPX			4453 Hypothetical Secretory Serine Protease (EC 3.4.21)		_		6109 GAMMA-GLUTAMYLTRANSPEPTIDASE (EC 2.3.2.2)		3933 GAMMA-GLUTAMYLTRANSPEPTIDASE (EC 2.3.2.2)		•	121 PENICILLIN-BINDING PROTEIN 5* PRECURSOR (D-ALANYL-D-ALANINE			9438 PROLINE IMINOPEPTIDASE (EC 3.4.11.5)		3885 PEPTIDYL-DIPEPTIDASE DCP (EC 3.4.15.5)		10728 AMINOPEPTIDASE N (EC 3.4.11.2)	1900 AMINOPERTIDASE N.CO. 3. 4.1.2)					28		•		_			_	_	Ŭ	_	_	3965 HFLC PROTEIN (EC 3.4)
<u>=</u>	NT Start	3159	2654	က	3687	742	1388	1794	2205	2678	2349	10722	3620	862	9664	292	4799	-	3430	921	;	846	1	8	ם נו נו	2	777	2	13328	2280	1353	1253	-	-	32155	1738	125	207	5853	4075	5150	4778	2596	1647	5194	7175	4939
	Contig.	GR00715	GR00748	GR00823	GR00016	GR00152	GR00152	VV0057	GK00464	W0182	GR00310	GR00202	GR00228	GR00324	GR00665	GR00751	W0131	GR00801	GR00589	W0334		GR10005	00000	GR00022	VV0086	6210000	VV0099	24200242	60704	GR00289	GR00323	GR00329	VV0065	GR00337	6000	GR00368	GR00548	GR00624	W0135	GR00163	VV0135	GR00163	W0149	GR00275	GR00276	GR00023	GR00731
	Identification Code	F RXA02471	RXA02630	RXA02834	RXA00112	RXA00566	RXA00567	KXN03094	F KXAU1668	EXN01120	F KXA01120	RXA00744	EXA00844	RXA01151	RXA02317	RXA02644	RXN02820	F RXA02820	F RXA02000	RXN03178		F KXA02859	70100470	PX40013/	E DY A COAGO	DVA100877	E DY ADDR 77	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	E DY A01014	F RXA01018	RXA01147	RXA01161	RXN01181	F RXA01181	RXN01277	F RXA01277	RXA01914	RXA02048	RXN00621	F RXA00621	RXN00622	F RXA00622	RXN00982	F RXA00977	F RXA00982	RXA00152	RXA02558
	SEQ ID NO	25	26	28	9	62	3 8	9 8	8 6	2 6	7 :	4 1	9 ;	æ ;	8	82	84	98	88	06	8	76	2	9 d	S 8	8 5	3 5	2 5	£ 5	108	100	112	114	116	118	20	122	124	126	128	£ 5	132	<u>8</u>	136	138	140	142
	Nucleic Acid SEQ ID NO	53	55	57	20	61	63	63	è 6	6	. .	2 :	5 1	: 1	6.7	8	83	82	87	80	č	5	63	20	25	. 8	101	5	55	107	109	==	113	115	117	91.	121	123	125	127	129	131	133	135	137	139	141

Table 1 (continued)	NT Stop Function		2149 O-SIALOGLYCOPROTEIN ENDOPEPTIDASE (EC 3.4.24.57) 3187 O-SIALOGLYCOPROTEIN ENDOPEPTIDASE (EC 3.4.24.57)		NT Stop Function	17110 Hypothetical Methyltransferase (EC 2.1.1)		26012 SAM-dependent methyltransferases 2804 Hynothetical Methyltransferase (FC 2.1.1.)		17707 SAM-dependent methyltransferases 1318 MODIFIKATION METHYLASE (EC 2.1.1.73)	_	3130 LACCASE 1 PRECURSOR (EC 1.10.3.2)		11201 CARBONIC ANHTORASE (EC 4.2.1.1)	6 THIOL PEROXIDASE (EC 1.11.1.5)				20926 BETAINE-ALDEHYDE DEHYDROGENASE PRECURSOR (EC 1.2.1.8) 775 RETAINE ALDEHYDE DEHYDROGENASE BRECHBOOD (EC 1.2.1.8)		523 MORPHINE 6-DEHYDROGENASE (EC 1.1.1.218)		6675 IN-ACTIC-L-AMINO ACID AMIDON IDROLASE (EC. 3.5.1.14) 694 N-ACYL-L-AMINO ACID AMIDONYDROLASE (EC. 3.5.1.14)	_		1842 N-ACTL-L-AMINO ACID AMIDOHYDROLAGE (EC. 3.5.1.14) 13034 N-ACYL-I -AMINO ACID AMIDOHYDROLAGE (EC. 3.5.1.14)		N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC	N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC	N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC			4291 Predicted hydrolases (HAD superfamily)		_
Tal	NT Start	696	1643 2156		NT Start	16346	13804	26836 2004	1589	18477 722	206	1640	592	10581	374	4186	1363	1226	22416		7	132	2003	630	1143	14299	-	m	1729	1693	3657	963	3461	355	792
	Contig	GR00125	GR00125 GR00125		Contig.	VV0098	GR00741	GK00032 VV0184	GR00539	GR00741 VV0093	GR00507	GR00351	GR00364	GR00713	GR00225	GR00354	GR00337	GR00726	CROOTS GROOTS	W0120	GR00643	GR00679	6R00247	GR00247	GR00247	VV0154	GR00733	GR00734	VV0043	GR10002	GR00003	GK00269	GK00509	GR00236	GR00703
	Identification Code	RXA00500	RXA00501 RXA00502	=	Identification Code	RXN02589	F RXA02589	KXA00226 RXN01885	F RXA01885	KXA02592 RXN01795	F RXA01795	RXA01214	RXA01250	RXAU2477	F RXA00833	RXA01224	RXA01182	RXA02531	E RYADDESS	RXN03128	F RXA02192	RXA02351	F RXA00905	RXA00906	EXA00907	RXN02565	F RXA02565	F RXA02567	RXN03077	F RXA02855	RXA00026	KXA019/1	PXN00866	F RXADDRES	RXA02410
	Amino Acid		146 148	s in genera	Amino Acid		152	156 156	158	162 162	164	166	168	2.2	174	176	178	180	182 184	186	188	96	194	196	198	202	204	206	208	210	212	214	216 218	220	222
	Nucleic Acid	143	145 147	Enzymes	Nucleic Acid	3EG ID NO	151	155	157	159 161	163	165	167	527	173	175	177	179	181	185	187	189	193	195	197	201	203	205	207	509	211	213	215	219	221

		æ									•			⊕	æ °	.3)	.5.1.14)	•					SPHORYLMUTASE (EC	i t	KASE (EC. 2.1.1.77)				-		•		•				(4)	TÉIN NARL	TEIN NARP	TEIN NARP
Table 1 (continued)	Function	SALICYLATE HYDROXYLASE (EC 1.14.13.1) SOLIJBI E FPOXIDE HYDROLASE (SFH) (EC 3.3.2.3)	ACETYL-HYDROLASE (FC 3.1.1)	PUTATIVE SECRETED HYDROLASE	SIALIDASE PRECURSOR (EC 3.2.1.18)	Putative epimerase	2-NITROPROPANE DIOXYGENASE (EC 1.13.11.32	ALCOHOL DEHYDROGENASE (EC 1.1.1.1)	SIALIDASE PRECURSOR (EC 3.2.1.18)	3-OXOSTEROID 1-DEHYDROGENASE (EC 1.3.99.4)	3-OXOSTEROID 1-DEHYDROGENASE (EC 1.3.99.4	EXTRACELLULAR LIPASE PRECURSOR (EC 3.1.1.3)	N-ACYL-L-AMINO ACID AMIDOHYDROLASE (EC 3.	4-OXALOCROTONATE TAUTOMERASE (EC 5.3.2	ARYLESTERASE (EC 3.1.1.2)	KETOL-ACID REDUCTOISOMERASE (EC 1.1.1.86)	Hypothetical Methyltransferase (EC 2.1.1)	PUTATIVE REDUCTASE	CARBOXYVINYL-CARBOXYPHOSPHONATE PHOSPHORYLMUTASE (EC	2.7.8.23)	PROTEIN-L-100A0PARTATE C-METAYLTRANSFERASE (EC. 2.1.1.7.) D.AMINO ACID DEHYDROGENASE LARGE STRINT (EC. 4. 99.1)		-	Function	NITRATE REDUCTASE ALPHA CHAIN (EC 1.7 99.4	NITRATE REDUCTASE ALPHA CHAIN (EC 1,7,99.4	NITRATE REDUCTASE ALPHA CHAIN (EC 1.7.99.4	NITRATE REDUCTASE ALPHA CHAIN (EC 1.7.99.4	NITRATE REDUCTASE ALPHA CHAIN (EC 1.7.99.4	NITRALE REDUCIASE ALPHA CHAIN (EC 1.7.99.4	NITRATE REDUCTASE ALTER CHAIN (EC. 1.7.399.4	NITRATE REDUCTAGE ALTER CHAIN (EC. 1.7.99.4) NITRATE REDUCTAGE RETA CHAIN (EC. 1.7.99.4)	NITRATE REDUCTASE GAMMA CHAIN (EC 1.7.99.4)	NITRATE/NITRITE RESPONSE REGULATOR PROTÉIN NARL	NITRATE/NITRITE RESPONSE REGULATOR PROTEIN NARP	NITRATE/NITRITE RESPONSE REGULATOR PROT				
le 1 (co	NT Stop	433	5583	1840			1300		824		5208	1959	6350	9	28861	16838	1787	7115	6091	6525	3817	1547	653	5	90/ 5637	3		NT Stop	2385		4	9				2 2		<i>~</i>	1013	3382
Tab	NT Start	2 930	6479	833	1796	1200	1716	737	93	637	4186	1360	7564	1118	29820	18142	630	7561	7050	7538	3431	1032	1573	777	3736	5		NT Start	2837	370	2406	686	1211	- 1	134	2788	1036	2997	201	4017
	Contig	GR00267 GR00016	GR00555	GR00739	W0231	GR00278	GR00278	W0193	GR00722	GR00246	GR00354	GR00438	W0119	W0125	W0135	W0117	W0326	W0142	VV0019	VV0077	VV0052	VV0320	VV0092	00100	VV0136 VV0321	700		Contig.	W0148	GR00376	VV0148	GR00377	GR00378	VV0158	GR003/9	GR00610	GR00610	GR00119	GR00021	GR00169
	Identification Code	RXA00961	RXA01932	RXA02574	RXN00983	F RXA00983	RXA00984	RXN02513	F RXA02513	RXA00903	RXA01224	RXA01571	RXN02478	RXN00343	RXN01555	RXN01166	RXN02001	RXN03145	RXN01466	RXN01145	RXN03088	RXN02952	RXN00513	24101470	RXN00787			Identification Code	RXN01302	F RXA01302	RXN01308	F RXA01307	F RXA01308	E DY 404 309	P 5550 503	RXA02018	RXA02016	RXA00471	RXA00133	RXA00650
	Amino Acid SEQ ID NO	224	228	230	232	234	236	238	240	242	244	246	248	250	252	254	256	258	260	262	264	266	268	010	272	1 i	olism	Amino Acid	274	276	278	280	282	284	007	067	292	294	296	298
	Nucleic Acid SEQ ID NO	223	227	229	231	233	235	237	239	241	243	245	247	249	251	253	255	257	259	261	263	265	267	0	271	i	N-metabolism	Nucleic Acid	273	275	277	279	281	283	207	289	291	293	295	297

Table 1 (continued)	Function	NITRATE/NITRITE RESPONSE REGULATOR PROTEIN NARP NITRATE/NITRITE RESPONSE REGULATOR PROTEIN NARP	NITRATE/NITRITE SENSOR PROTEIN NARX (EC 2.7.3)	NITRATE/NITRITE SENSOR PROTEIN NARX (EC 2.7.3) N UTII IZATION SUBSTANCE PROTEIN A	N UTILIZATION SUBSTANCE PROTEIN B	NITRITE EXTRUSION PROTEIN	NITROGEN FIXATION PROTEIN FIXI (PROBABLE E1-E2 TYPE CATION ATPASE)	(RC 3.9. I) NITROGEN PERIII ATION DROTEIN NIER?	NITROGEN REGULATORY PROTEIN P-II	NODULATION ATP-BINDING PROTEIN I	NODULATION PROTEIN N	NODULATION PROTEIN N	OXYGEN-INSENSITIVE NAD(P)H NITROREDUCTASE (EC 1)	FERREDOXIN-NITRITE REDUCTASE (EC 1.7.7.1)	RHIZOPINE CATABOLISM PROTEIN MOCC	NODULATION PROTEIN			Function		Function		EXOPOLYPHOSPHATASE (EC 3.6.1.11)	PHOH PROTEIN HOMOLOG	PHOSPHATE-BINDING PERIPLASMIC PROTEIN PRECURSOR DEDA PROTEIN - ALKALINE PHOSPHATASE LIKE PROTEIN		:	Function	PHOSPHOADENOSINE PHOSPHOSULFATE REDUCTASE (EC 1.8.99.4) SULFATE STARVATION-INDUCED PROTEIN 6 SULFATE STARVATION-INDUCED PROTEIN 6
ole 1 (co	NT Stop	1937 752	28669	2951 1937	3224	390	417	4350	267	14472	19817	1369	9390	283 687	4	4620			NT Stop		NT Stop	,,,,	2353	11493	19250 1032			NT Stop	6 2644 733
Tat	NT Start	2545 123	27401	1752 2932	2514	1724	620	2008	1	15350	19455	1007 2007	30346	33240 2369	276	4195			NT Start	_	NT Start	2250	2763	10120	18126 286		!	NT Start	446 1469 161
	Contig	GR00339 GR00449	VV0086	GR00119 GR00203	GR00022	GR00376	GR00412	Sponsos	GR00764	GR00763	W0054	GR00221	GK00296	W0154	VV0127	VV0167			Contig.	metabolism	Contig.	0,000	VV0319	W0142	VV0103 VV0189		;	Contig.	GR00012 GR00211 GR00342
	Identification Code	RXA01189 RXA01607	RXN00470	F RXA00470 RXA00756	RXA00139	RXA01303	RXA01412	PXA0073	RXA02746	RXA02745	RXN00820	F RXA00820	EXA01059	RXN00073	RXN03131	RXS00153			Identification Code	Phosphate and Phosphonate me	Identification Code	92101216	RXN02972	RXN00663	RXN00778 RXN00250	_		Identification Code	RXA00072 RXA00793 RXA01192
	Amino Acid SEO ID NO	300 302	304	308	310	312	314	316	318	320	322	324	326 328	326 330	332	334			Amino Acid SEQ ID NO	te and Ph	Amino Acid	35C ID NO	338	340	342 344	Sulfate metabolism		Amino Acid	346 348 350
	Nucleic Acid	299 301	303	305 307	309	311	313	215	317	319	321	323	325	329	331	333	Urease) -	Nucleic Acid SEQ ID NO	Phospha	Nucleic Acid	325	337	339	341 343	Sulfate m		Nucleic Acid	345 347 349

Function	THIOSULFATE SULFURTRANSFERASE (EC 2.8.1.1) THIOSULFATE SULFURTRANSFERASE (EC 2.8.1.1) THIOSULFATE SULFURTRANSFERASE (EC 2.8.1.1)	THIOSULFATE SULFURTRANSFERASE (EC 2.8.1.1)		Function	ENTEROBACTIN SYNTHETASE COMPONENT F FERRITIN		Function	MAGNESIUM-CHELATASE SUBUNIT CHLI	MAGNESIUM-CHELATASE SUBUNIT CHLI MAGNESIUM-CHELATASE SUBUNIT CHLI	MAGNESIUM-CHELATASE SUBUNIT CHLI MG2+/CITRATE COMPLEX SECONDARY TRANSPORTER		Function	STATE OF USA TO A STATE OF USA TASK TO A STAT	S-DENTIDROCCIONALE DENTURALASE (EC 4.2.1.10) O-SUCCION/LBENZOIC ACID-COA LIGASE (EC 6.2.1.26)	SALICYLATE HYDROXYLASE (EC 1.14.13.1)	PROTOCATECHUATE 3,4-DIOXYGENASE BETA CHAIN (EC 1.13.11.3) 4-NITROPHENYI PHOSEHATASE (EC 3.1.3.41)	1,4-DIHYDROXY-2-NAPHTHOATE OCTAPRENYLTRANSFERASE (EC 2 5)	12-oxophytodienoate reductase (EC 1.3.1.42)	2-HYDROXY-6-OXO-6-PHENYLHEXA-2,4-DIENOATE HYDROLASE (EC 3.7.1)	2-r rone-4,9-Dicarbox (Late Lactionase (EC 3.1.1.57) 3-CARBOXY-CIS.CIS-MUCONATE CYCLOISOMERASE HOMOLOG (EC 5.5.1.2)	3-DEHYDROQUINATE SYNTHASE (EC 4.6.1.3)	3-DEHYDROSHIKIMATE DEHYDRATASE (EC 4.2.1)	4-HYDROXYBENZOATE OCTAPRENYLTRANSFERASE (EC 2.5.1)	ON LEGISCE 1,4-DIOX 1 SERVICE (EC. 1.13.11.1) DIMETHYLANILINE MONOOXYGENASE (N-OXIDE FORMING) 1 (FC. 114.13.8)	QUINONE-OXIDOREDUCTASE (EC 1.6.5.5)	QUINONE OXIDOREDUCTASE (EC 1.6.5.5)	GUINOME UNIDOREDUCTANE (PC 1.6.5.5)
NT Stop	2914 485 7217	355		NT Stop	3213 33793		NT Stop	789	1555	635	spun	NT Stop	28901	8247	4 (12437	6348	5384	4133	14118	14467	28586	8712	6125	11212	23675	7007
NT Start	2120 1306 7939	8		NT Start	7034 33308		NT Start	1532	2004	5/0 135	compo	NT Start	28635	8507	570	12631	7241	4266	14633	13120	13373	26733	7858	5469	12078	24649	2
Contig	GR00188 GR00463 VV0141	GK006/2		Contig.	VV0008 VV0084		Contig.	GR00524	GR00524	CK004/4 VV0252	aromatic	Contig.	70007	W0025	W0235	VV0214 VV0229	VV0025	W0107	VV0020 VV0025	W0128	W0134	VV000V	V0362 VV0128	W0057	VV0112	W0050	4 4 4 4 4 4
Identification Code	RXA00715 RXA01664 RXN02334 F RXA02334	T KANULSS4		Identification Code	RXN01499 RXN01997	-	Identification Code	RXA01848	F RXA01849	RXN00665	egradation of	Identification Code	RXN03026	RXN02908	RXN03000	RXN02974	RXN00393	RXN00948	RXN00398	RXN02813	RXN00136	RXN02508	RXN00639	RXN02530	RXN00434	RXN01619 RXN01842	***************************************
SEQ ID NO	352 354 356 356	000	bolism	Amino Acid	360 362	bolism	Amino Acid	364	368	372	tion and d	Amino Acid SEQ ID NO	374	376	378 380	382	384	386	390	392	394	900	4	402	404	406 408	2
SEQ ID NO	351 353 355 357	3	Fe-Metal	Nucleic Acid SEQ ID NO	359 361	Mg Metal	Nucleic Acid	363	367	371	Modificat	Nucleic Acid	373	375	377	381	383	385 387	389	391	393 305	397	399.	401	403	405 407	
	SEQ ID NO	SEQ ID NO SEQ	GR00186 2120 2914 GR00463 1306 485 VV0141 7939 7217 GR00672 2 355	SEQ ID NO RXA00715 GR00188 2120 2914 352 RXA01664 GR00463 1306 485 354 RXA01664 GR00463 1306 485 356 RXN02334 VV0141 7939 7217 358 F RXA02334 GR00672 2 355	Name Name	SEQ ID NO RXA00715 GR00188 2120 2914 352 RXA01664 GR00463 1306 485 356 RXN02334 VV0141 7939 7217 358 RXN02334 VV0141 7939 7217 F RXA02334 GR00672 2 355 bolism Amino Acid Identification Code Contig NT Start NT Start 360 RXN01499 VV0008 7034 3213 362 RXN01997 VV0084 33308 33793	Name	Name Name	Name Name	Name	Name	Name	Name	SEQ ID NO SEQ ID NO SEQ ID NO Start NT Stop	Name	SEQ ID NO SEG	SEQ ID NO SEQ	SEQ ID NO SEQ ID NO	SEC ID NO SEC	SECTION Contigned Contig	Name	SEC D NO	SECTION Contig	SEQ ID NO SEQ	SEG_ID_NO_ 352	Contignation Code Contignation Code Contignation Code Contignation Code Contignation Code Co	Contig

ontinued)	start NT Stop Function	TOLUATE 1,2-DIOXYGENASE ALPHA SUBUNIT (EC 1,14,12,-)	VANILLATE DEMETHYLASE (EC 1.14)	PHENOL 2-MONOOXYGENASE (EC 1.14.13.7)	hydroxyquinol 1,2-dioxygenase (EC 1,13,11.37)	PROTOCATECHUATE 3,4-DIOXYGENASE ALPHA CHAIN (EC 1.13.11.3)	DIBENZOTHIOPHENE DESULFURIZATION ENZYME A	DRGA PROTEIN	MALEYLACETATE REDUCTASE (EC 1.3.1.32)	PROTEIN involved in degradation of aromatic compounds
ole 1 (cc	NT Stop	5950	1143	16397	15554	13025	11407	40026	14656	2652
Tak	NT Start	7440	16	15705	14670	12414	12867	39448	13589	1816
	Contig.	VV0128	VV0182	VV0083	W0174	W0128	VV0321	6000	VV0174	VV0249
	Identification Code	RXN00641	RXN01993	RXN00658	RXN00178	RXN01461	RXN01653	RXN02053	RXN00177	RXC00963
	Amino Acid SEQ ID NO	410	412	414	416	418	420	422	424	426
	양이	409								

Modification and degradation of aliphatic compounds

RXN00299 VV0176 43379 42402 F RXA00299 GR00048 7376 6633 F RXA00332 GR00057 16086 15385 F RXA01838 GR00519 2 820 F RXA02643 GR0055 650 F RXA02351 GR00579 132 1792 RXA02354 GR00579 132 1070	Incleic Acid	Amino Acid	Identification Code	Contig	NT Start	NT Stop	Function:
430 F RXA00299 GR00048 7376 6633 432 RXA00332 GR00057 16086 15385 434 RXA01838 GR00519 2 820 436 RXA02643 GR0055 1603 560 438 RXA02351 GR00555 6590 7192 440 RXA02351 GR00679 132 1070	27 27	428	RXN00299	VV0176	43379	42402	ALKANAL MONOOXYGENASE ALBHA CHAIN (FC 1.14
432 RXA00332 GR00057 16086 15385 434 RXA01838 GR00519 2 820 436 RXA02643 GR00750 1603 560 438 RXA01933 GR00555 6590 7192 440 RXA02351 GR00579 132 1070	53	430	F RXA00299	GR00048	7376	6633	ALKANAL MONOOXYGENASE ALPHA CHAIN (FC 1.14)
434 RXA01838 GR00519 2 820 436 RXA02643 GR00750 1603 560 438 RXA01933 GR00555 6590 7192 440 RXA02351 GR00679 132 1070	31	432	RXA00332	GR00057	16086	15385	ALKANAL MONOOXYGENASE ALPHA CHAIN (FC 1 14
436 RXA02643 GR00750 1603 560 438 RXA01933 GR00555 6590 7192 440 RXA02351 GR00679 132 1070	33	454	RXA01838	GR00519	2	820	ALKANAL MONOOXYGENASE ALPHA CHAIN (FC 1.14
438 RXA01933 GR00555 6590 7192 3	35	436	RXA02643	GR00750	1603	260	ALKANAL MONOOXYGENASE ALPHA CHAIN (EC 1 14
440 RXA02351 GR00679 132 1070	37	438	RXA01933	GR00555	6590	7192	2-HALOALKANOIC ACID DEHALOGENASE I (EC 3.8.1.2
	39	440	RXA02351	GR00679	132	1070	NITRILOTRIACETATE MONOOXYGENASE COMPONEN

		TABLE 2 - Excluded Genes	ded Genes
GenBank TM Accession No.	Gene Name	Gene Function	Reference
A09073	8dd	Phosphoenol pyruvate carboxylase	Bachmann, B. et al. "DNA fragment coding for phosphoenolpyruvat corboxylase, recombinant DNA carrying said fragment, strains carrying the recombinant DNA and method for producing L-aminino acids using said strains," Patent: EP 0358940-A 3 03/21/90
A45579, A45581, A45583, A45585		Threonine dehydratase	Moeckel, B. et al. "Production of L-isoleucine by means of recombinant micro-organisms with deregulated threonine dehydratase," Patent: WO 9519442-A 5 07/20/95
AB003132	murC; fisQ; fisZ		Kobayashi, M. et al. "Cloning, sequencing, and characterization of the ftsZ gene from coryneform bacteria," Biochem. Biophys. Res. Commun., 236(2):383-388 (1997)
AB015023	murC; ftsQ		Wachi, M. et al. "A murC gene from Coryneform bacteria," Appl. Microbiol. Biotechnol., 51(2):223-228 (1999)
AB018530	dtsR		Kimura, E. et al. "Molecular cloning of a novel gene, dtsR, which rescues the detergent sensitivity of a mutant derived from <i>Brevibacterium</i> lactofermentum," Biosci. Biotechnol. Biochem., 60(10):1565-1570 (1996)
AB018531	dtsR1; dtsR2		
AB020624	murl	D-glutamate racemase	
AB023377	tkt	transketolase	
AB024708	gltB; gltD	Glutamine 2-oxoglutarate aminotransferase large and small subunits	
AB025424	acn	aconitase	
AB027714	rep	Replication protein	
AB027715	rep; aad	Replication protein; aminoglycoside adenyltransferase	
AF005242	argC	N-acety/glutamate-5-semialdehyde dehydrogenase	
AF005635	glnA	Glutamine synthetase	
AF030405	hisF	cyclase	
AF030520	argG	Argininosuccinate synthetase	
AF031518	argF	Ornithine carbamolytransferase	
AF036932	aroD	3-dehydroquinate dehydratase	
AF038548	pyc	Pyruvate carboxylase	

		Table 2 (continued)	(penu
AF038651	dciAE; apt; rel	Dipeptide-binding protein; adenine phosphoribosyltransferase; GTP pyrophosphokinase	Wehmeier, L. et al. "The role of the Corynebacterium glutamicum rel gene in (p)ppGpp metabolism," <i>Microbiology</i> , 144:1853-1862 (1998)
AF041436	argR	Arginine repressor	
AF045998	ImpA	Inositol monophosphate phosphatase	
AF048764	argH	Argininosuccinate lyase	
AF049897	argC; argJ; argB;	N-acetylglutamylphosphate reductase;	
	argD; argF; argR;	ornithine acetyltransferase; N-	
	argG; argH	acetylglutamate kinase; acetylomithine	
	-	transminase; ornithine	
		carbamoyltransferase; arginine repressor;	
		argininosuccinate synthase;	
		argininosuccinate lyase	
AF050109	inhA	Enoyl-acyl carrier protein reductase	
AF050166	hisG	ATP phosphoribosyltransferase	
AF051846	hisA	Phosphoribosylformimino-5-amino-1-	
		phosphoribosyl-4-imidazolecarboxamide	
		isomerase	
AF052652	metA	Homoserine O-acetyltransferase	Park, S. et al. "Isolation and analysis of metA, a methionine biosynthetic gene encoding homoserine acetyltransferase in Corynebacterium glutamicum," Mol. Cells., 8(3):286-294 (1998)
AF053071	aroB	Dehydroquinate synthetase	
AF060558	hisH	Glutamine amidotransferase	
AF086704	hisE	Phosphoribosyl-ATP- pyrophosphohydrolase	
AF114233	aroA	5-enolpyruvylshikimate 3-phosphate synthase	
AF116184	panD	L-aspartate-alpha-decarboxylase precursor	Dusch, N. et al. "Expression of the Corynebacterium glutamicum panD gene encoding L-aspartate-alpha-decarboxylase leads to pantothenate overproduction in Escherichia coli," <i>Appl. Environ. Microbiol.</i> , 65(4)1530-1539 (1999)
AF124518	aroD; aroE	3-dehydroquinase; shikimate dehydrogenase	
AF124600	aroC; aroK; aroB; pepQ	Chorismate synthase; shikimate kinase; 3-dehydroquinate synthase; putative cytoplasmic peptidase	
AF145897	inhA		
AF145898	inhA		

		Table 2 Continued	(ben'u
70014	G	Table 2 (Com	manu
AJ001436	ectr	I ransport of ectoine, glycine betaine, proline	Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier, EctP," J. Bacteriol., 180(22):6005-6012 (1998)
AJ004934	фар	Tetrahydrodipicolinate succinylase (incomplete)	Wehrmann, A. et al. "Different modes of diaminopimelate synthesis and their role in cell wall integrity: A study with Corynebacterium glutamicum," J. Bacteriol., 180(12):3159-3165 (1998)
AJ007732	ppc; secG; amt; ocd; soxA	Phosphoenolpyruvate-carboxylase; ?; high affinity ammonium uptake protein; putative ornithine-cyclodecarboxylase; sarcosine oxidase	
AJ010319	ftsY, glnB, glnD; srp; amtP	Involved in cell division; PII protein; uridylyltransferase (uridylyl-removing enzmye); signal recognition particle; low affinity ammonium uptake protein	Jakoby, M. et al. "Nitrogen regulation in Corynebacterium glutamicum; Isolation of genes involved in biochemical characterization of corresponding proteins," FEMS Microbiol., 173(2):303-310 (1999)
AJ132968	cat	Chloramphenicol aceteyl transferase	
AJ224946	obu	L-malate: quinone oxidoreductase	Molenaar, D. et al. "Biochemical and genetic characterization of the membrane-associated malate dehydrogenase (acceptor) from Corynebacterium glutamicum," Eur. J. Biochem., 254(2):395-403 (1998)
AJ238250	lpu	NADH dehydrogenase	
AJ238703	porA	Porin	Lichtinger, T. et al. "Biochemical and biophysical characterization of the cell wall porin of Corynebacterium glutamicum: The channel is formed by a low molecular mass polypeptide," <i>Biochemistry</i> , 37(43):15024-15032 (1998)
D17429		Transposable element IS31831	Vertes et al. "Isolation and characterization of IS31831, a transposable element from Corynebacterium glutamicum," Mol. Microbiol., 11(4):739-746 (1994)
D84102	odhA	2-oxoglutarate dehydrogenase	Usuda, Y. et al. "Molecular cloning of the Corynebacterium glutamicum (Brevibacterium lactofermentum AJ12036) odhA gene encoding a novel type of 2-oxoglutarate dehydrogenase," <i>Microbiology</i> , 142:3347-3354 (1996)
E01358	hdh; hk	Homoserine dehydrogenase; homoserine kinase	Katsumata, R. et al. "Production of L-thereonine and L-isoleucine," Patent: JP 1987232392-A 1 10/12/87
E01359		Upstream of the start codon of homoserine kinase gene	Katsumata, R. et al. "Production of L-thereonine and L-isoleucine," Patent: JP 1987232392-A 2 10/12/87
E01375		Tryptophan operon	
E01376	tpL; tpE	Leader peptide; anthranilate synthase	Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan," Patent: JP 1987244382-A 1 10/24/87

	Table 2 (continued	nued)
E01377	Promoter and operator regions of tryptophan operon	Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan." Patent: JP 198724432-A 1 10/24/87
E03937	Biotin-synthase	Hatakeyama, K. et al. "DNA fragment containing gene capable of coding biotin synthetase and its utilization." Patent: JP 1992278088-A 1 10/02/92
E04040	Diamino pelargonic acid aminotransferase	Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92
E04041	Desthiobiotinsynthetase	Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92
E04307	Flavum aspartase	Kurusu, Y. et al. "Gene DNA coding aspartase and utilization thereof," Patent: JP 1993030977-A 1 02/09/93
E04376	Isocitric acid lyase	Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93
E04377	Isocitric acid Iyase N-terminal fragment	Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93
E04484	Prephenate dehydratase	Sotouchi, N. et al. "Production of L-phenylalanine by fermentation," Patent: JP 1993076352-A 2 03/30/93
E05108	Aspartokinase	Fugono, N. et al. "Gene DNA coding Aspartokinase and its use," Patent: JP 1993184366-A 1 07/27/93
E05112	Dihydro-dipichorinate synthetase	Hatakeyama, K. et al. "Gene DNA coding dihydrodipicolinic acid synthetase and its use," Patent: JP 1993184371-A 1 07/27/93
E05776	Diaminopimelic acid dehydrogenase	Kobayashi, M. et al. "Gene DNA coding Diaminopimelic acid dehydrogenase and its use," Patent: JP 1993284970-A 1 11/02/93
E05779	Threonine synthase	Kohama, K. et al. "Gene DNA coding threonine synthase and its use," Patent: JP 1993284972-A 1 11/02/93
E06110	Prephenate dehydratase	Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 1993344881-A 1 12/27/93
E06111	Mutated Prephenate dehydratase	Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 199334881-A 1 12/27/93
E06146	Acetohydroxy acid synthetase	Inui, M. et al. "Gene capable of coding Acetohydroxy acid synthetase and its use," Patent: JP 1993344893-A 1 12/27/93
E06825	Aspartokinase	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94
E06826	Mutated aspartokinase alpha subunit	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94

		Table 2 (continued)	(pant
E06827		Mutated aspartokinase alpha subunit	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94
E07701	secY		Honno, N. et al. "Gene DNA participating in integration of membraneous protein to membrane," Patent: JP 1994169780-A 1 06/21/94
E08177		Aspartokinase	Sato, Y. et al. "Genetic DNA capable of coding Aspartokinase released from feedback inhibition and its utilization," Patent: JP 1994261766-A 1 09/20/94
E08178, E08179, E08180, E08181, E08182		Feedback inhibition-released Aspartokinase	Sato, Y. et al. "Genetic DNA capable of coding Aspartokinase released from feedback inhibition and its utilization," Patent: JP 1994261766-A 1 09/20/94
E08232		Acetohydroxy-acid isomeroreductase	Inui, M. et al. "Gene DNA coding acetohydroxy acid isomeroreductase," Patent: JP 1994277067-A 1 10/04/94
E08234	secE		Asai, Y. et al. "Gene DNA coding for translocation machinery of protein," Patent: JP 1994277073-A 1 10/04/94
E08643		FT aminotransferase and desthiobiotin synthetase promoter region	Hatakeyama, K. et al. "DNA fragment having promoter function in coryneform bacterium," Patent: JP 1995031476-A 1 02/03/95
E08646		Biotin synthetase	Hatakeyama, K. et al. "DNA fragment having promoter function in coryneform bacterium," Patent: JP 1995031476-A 1 02/03/95
E08649		Aspartase	Kohama, K. et al "DNA fragment having promoter function in coryneform bacterium," Patent: JP 1995031478-A 1 02/03/95
E08900		Dihydrodipicolinate reductase	Madori, M. et al. "DNA fragment containing gene coding Dihydrodipicolinate acid reductase and utilization thereof," Patent: JP 1995075578-A 1 03/20/95
E08901		Diaminopimelic acid decarboxylase	Madori, M. et al. "DNA fragment containing gene coding Diaminopimelic acid decarboxylase and utilization thereof," Patent: JP 1995075579-A 1 03/20/95
E12594		Serine hydroxymethyltransferase	Hatakeyama, K. et al. "Production of L-trypophan," Patent: JP 1997028391-A 1 02/04/97
E12760, E12759, E12758		transposase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12764		Arginyl-tRNA synthetase; diaminopimelic acid decarboxylase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12767		Dihydrodipicolinic acid synthetase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12770		aspartokinase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12773		Dihydrodipicolinic acid reductase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97

		Table 2 (continued)	nued)
E13655		ehyd	Hatakeyama, K. et al. "Glucose-6-phosphate dehydrogenase and DNA capable of coding the same," Patent: JP 1997224661-A 1 09/02/97
L01508	llvA	Threonine dehydratase	Moeckel, B. et al. "Functional and structural analysis of the threonine dehydratase of Corynebacterium glutamicum," J. Bacteriol., 174:8065-8072 (1992)
L07603	EC 4.2.1.15	3-deoxy-D-arabinoheptulosonate-7- phosphate synthase	Chen, C. et al. "The cloning and nucleotide sequence of Corynebacterium glutamicum 3-deoxy-D-arabinoheptulosonate-7-phosphate synthase gene," FEMS Microbiol. Lett., 107:223-230 (1993)
L09232	IIvB; iIvN; iIvC	Acetohydroxy acid synthase large subunit; Acetohydroxy acid synthase small subunit; Acetohydroxy acid isomeroreductase	Keilhauer, C. et al. "Isoleucine synthesis in Corynebacterium glutamicum: molecular analysis of the ilvB-ilvN-ilvC operon," J. Bacteriol, 175(17):5595-5603 (1993)
L18874	PtsM	Phosphoenolpyruvate sugar phosphotransferase	Fouet, A et al. "Bacillus subtilis sucrose-specific enzyme II of the phosphotransferase system: expression in Escherichia coli and homology to enzymes II from enteric bacteria," PNAS USA, 84(24):8773-8777 (1987); Lee, J.K. et al. "Nucleotide sequence of the gene encoding the Corynebacterium glutamicum mannose enzyme II and analyses of the deduced protein sequence," FEMS Microbiol. Lett., 119(1-2):137-145 (1994)
L27123	aceB	Malate synthase	Lee, H-S. et al. "Molecular characterization of aceB, a gene encoding malate synthase in Corynebacterium glutamicum," J. Microbiol. Biotechnol., 4(4):256-263 (1994)
L27126		Pyruvate kinase	Jetten, M. S. et al. "Structural and functional analysis of pyruvate kinase from Corynebacterium glutamicum," <i>Appl. Environ. Microbiol.</i> , 60(7):2501-2507 (1994)
L28760	aceA	Isocitrate lyase	And the second s
L35906	dtxr	Diphtheria toxin repressor	Oguiza, J.A. et al. "Molecular cloning, DNA sequence analysis, and characterization of the Corynebacterium diphtheriae dtxR from Brevibacterium lactofermentum," J. Bacteriol., 177(2):465-467 (1995)
M13774		Prephenate dehydratase	Follettie, M.T. et al. "Molecular cloning and nucleotide sequence of the Corynebacterium glutamicum pheA gene," J. Bacteriol., 167:695-702 (1986)
M16175	SS rRNA		Park, Y-H. et al. "Phylogenetic analysis of the coryneform bacteria by 56 rRNA sequences," J. Bacteriol., 169:1801-1806 (1987)
M16663	trpE	Anthranilate synthase, 5' end	Sano, K. et al. "Structure and function of the trp operon control regions of Brevibacterium lactofermentum, a glutamic-acid-producing bacterium," Gene, 52:191-200 (1987)
M16664	трА	Tryptophan synthase, 3'end	Sano, K. et al. "Structure and function of the trp operon control regions of Brevibacterium lactofermentum, a glutamic-acid-producing bacterium," Gene, 52:191-200 (1987)

		Table 2 (continued) not on the second sec
M25210		Dhocahoonolayanana anahoonahaa	O'Beam Matel "Olemine and minimated of the
VI25619		rnospnoenoipyruvate carboxylase	O Kegan, M. et al. "Cloning and nucleotide sequence of the Phosphoenolpyruvate carboxylase-coding gene of Corynebacterium
			glutamicum ATCC13032," Gene, 77(2):237-251 (1989)
M85106		23S rRNA gene insertion sequence	Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are
			characterized by a common insertion within their 23S rRNA genes," J. Gen.
2013014			Microbiol., 138:116/-11/3 (1992)
M8310/,		23S rKNA gene insertion sequence	Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are
M85108			characterized by a common insertion within their 23S rRNA genes," J. Gen. Microbiol., 138:1167-1175 (1992)
M89931	aecD; brnQ; yhbw	Beta C-S lyase; branched-chain amino acid	Rossol, I. et al. "The Corynebacterium glutamicum aecD gene encodes a C-S
		uptake carrier; hypothetical protein yhbw	lyase with alpha, beta-elimination activity that degrades aminoethylcysteine."
			J. Bacteriol., 174(9):2968-2977 (1992); Tauch, A. et al. "Isoleucine uptake in
			Corynebacterium glutamicum ATCC 13032 is directed by the brnQ gene
SS9299	fa	Leader gene (promoter)	Herry D.M. et al. "Cloning of the trn sene cluster from a tryntonhan.
			hyperproducing strain of Corynehacterium glutamicum: identification of a
			mitation in the tra leader sequence." Appl. Environ Microbiol. 59(3):791-799
			(1993)
U11545	Cdu	Anthranilate phosphoribosyltransferase	O'Gara, J.P. and Dunican, L.K. (1994) Complete nucleotide sequence of the
			Corynebacterium glutamicum ATCC 21850 tpD gene." Thesis, Microbiology
			Department, University College Galway, Ireland.
U13922	cgliM; cgliR; clgliR	Putative type II 5-cytosoine	Schafer, A. et al. "Cloning and characterization of a DNA region encoding a
		methyltransferase; putative type II	stress-sensitive restriction system from Corynebacterium glutamicum ATCC
		restriction endonuclease; putative type I or	13032 and analysis of its role in intergeneric conjugation with Escherichia
		type III restriction endonuclease	coli," J. Bacteriol., 176(23):7309-7319 (1994); Schafer, A. et al. "The
			Corynebacterium glutamicum cglIM gene encoding a 5-cytosine in an McrBC-
U14965	recA		ucitatin escrictiona con sitain, Oene, 203(2):93-101 (1997)
U31224	xdd		Ankri, S. et al. "Mutations in the Corvnebacterium elutamicumproline
	•		biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol,
			178(15):4412-4419 (1996)
U31225	proC	L-proline: NADP+ 5-oxidoreductase	Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline
			biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996)
U31230	obg; proB; unkdh	?;gamma glutamyl kinase;similar to D-	Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline
		isomer specific 2-hydroxyacid dehydrogenases	biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996)

		Table 2 (continued)	nued)
U31281	bioB	Biotin synthase	Serebriiskii, I.G., "Two new members of the bio B superfamily: Cloning, sequencing and expression of bio B genes of Methylobacillus flagellatum and Corynebacterium glutamicum," Gene, 175:15-22 (1996)
U35023	thtR; accBC	Thiosulfate sulfurtransferase; acyl CoA carboxylase	Jager, W. et al. "A Corynebacterium glutamicum gene encoding a two-domain protein similar to biotin carboxylases and biotin-carboxyl-carrier proteins," <i>Arch. Microbiol.</i> , 166(2);76-82 (1996)
U43535	cmr	Multidrug resistance protein	Jager, W. et al. "A Corynebacterium glutamicum gene conferring multidrug resistance in the heterologous host Escherichia coli," J. Bacteriol., 179(7):2449-2451 (1997)
U43536	clpB	Heat shock ATP-binding protein	
US3587	aphA-3	3'5"-aminoglycoside phosphotransferase	
U89648		Corynebacterium glutamicum unidentified sequence involved in histidine biosynthesis, partial sequence	
X04960	trpA; trpB; trpC; trpD;	Tryptophan operon	Matsui, K. et al. "Complete nucleotide and deduced amino acid sequences of
	trpE; trpG; trpL		the Brevibacterium lactofermentum tryptophan operon," Nucleic Acids Res., 14(24):10113-10114 (1986)
X07563	lys A	DAP decarboxylase (meso-diaminopimelate decarboxylase, EC 4.1.1.20)	Yeh, P. et al. "Nucleic sequence of the lysA gene of Corynebacterium glutamicum and possible mechanisms for modulation of its expression," Mol. Gen. Genet., 212(1):112-119 (1988)
X14234	EC 4.1.1.31	Phosphoenolpyruvate carboxylase	Eikmanns, B.J. et al. "The Phosphoenolpyruvate carboxylase gene of Corynebacterium glutamicum: Molecular cloning, nucleotide sequence, and expression," Mol. Gen. Genet., 218(2):330-339 (1989); Lepiniec, L. et al. "Sprehum Phosphoenolpyruvate carboxylase gene family: structure function
			and molecular evolution," Plant. Mol. Biol., 21 (3):487-502 (1993)
X17313	fda	Fructose-bisphosphate aldolase	Von der Osten, C.H. et al. "Molecular cloning, nucleotide sequence and fine- structural analysis of the Corynebacterium glutamicum fda gene: structural comparison of C. glutamicum fructose-1, 6-biphosphate aldolase to class I and
X53993	dapA	L-2, 3-dihydrodipicolinate synthetase (EC 4.2.1.52)	Bonnassie, S. et al. "Nucleic sequence of the dapA gene from Corynebacterium glutamicum," Nucleic Acids Res., 18(21):6421 (1990)
X54223		AttB-related site	Cianciotto, N. et al. "DNA sequence homology between att B-related sites of Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum, and the attP site of lambdacorynephage," FEMS. Microbiol, Lett., 66:299-302 (1990)
X54740	argS; lysA	Arginyl-tRNA synthetase; Diaminopimelate decarboxylase	Marcel, T. et al. "Nucleotide sequence and organization of the upstream region of the Corynebacterium glutamicum lysA gene," <i>Mol. Microbiol.</i> , 4(11):1819-1830 (1990)

		Table 2 (continued)	nned)
X55994	trpL; trpE	Putative leader peptide; anthranilate synthase component 1	Heery, D.M. et al. "Nucleotide sequence of the Corynebacterium glutamicum trpE gene," Nucleic Acids Res., 18(23):7138 (1990)
X56037	thrC	Threonine synthase	Han, K.S. et al. "The molecular structure of the Corynebacterium glutamicum threonine synthase gene," Mol. Microbiol., 4(10):1693-1702 (1990)
X56075	attB-related site	Attachment site	Cianciotto, N. et al. "DNA sequence homology between att B-related sites of Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum, and the attP site of lambdacorynephage," FEMS. Microbiol, Lett., 66:299-302 (1990)
X57226	lysC-alpha; lysC-beta; asd	Aspartokinase-alpha subunit; Aspartokinase-beta subunit; aspartate beta semialdehyde dehydrogenase	Kalinowski, J. et al. "Genetic and biochemical analysis of the Aspartokinase from Corynebacterium glutamicum," Mol. Microbiol., 5(5):1197-1204 (1991); Kalinowski, J. et al. "Aspartokinase genes lysC alpha and lysC beta overlap and are adjacent to the aspertate beta-semialdehyde dehydrogenase gene asd in Corynebacterium glutamicum," Mol. Gen. Genet., 224(3):317-324 (1990)
X59403	gap;pgk; tpi	Glyceraldehyde-3-phosphate; phosphoglycerate kinase; triosephosphate isomerase	Eikmanns, B.J. "Identification, sequence analysis, and expression of a Corynebacterium glutamicum gene cluster encoding the three glycolytic enzymes glyceraldehyde-3-phosphate dehydrogenase, 3-phosphoglycerate kinase, and triosephosphate isomeras," J. Bacteriol., 174(19):6076-6086 (1992)
X59404	qpg	Glutamate dehydrogenase	Bormann, E.R. et al. "Molecular analysis of the Corynebacterium glutamicum gdh gene encoding glutamate dehydrogenase," Mol. Microbiol., 6(3):317-326 (1992)
X60312	lysl	L-lysine permease	Seep-Feldhaus, A.H. et al. "Molecular analysis of the Corynebacterium glutamicum lysl gene involved in lysine uptake," <i>Mol. Microbiol.</i> , 5(12):2995-3005 (1991)
X66078	cop1	Ps1 protein	Joliff, G. et al. "Cloning and nucleotide sequence of the csp1 gene encoding PS1, one of the two major secreted proteins of Corynebacterium glutamicum: The deduced N-terminal region of PS1 is similar to the Mycobacterium antigen 85 complex," Mol. Microbiol., 6(16):2349-2362 (1992)
X66112	glt	Citrate synthase	Eikmanns, B.J. et al. "Cloning sequence, expression and transcriptional analysis of the Corynebacterium glutamicum gltA gene encoding citrate synthase," <i>Microbiol.</i> , 140:1817-1828 (1994)
X67737	dapB	Dihydrodipicolinate reductase	
X69103	csp2	Surface layer protein PS2	Peyret, J.L. et al. "Characterization of the cspB gene encoding PS2, an ordered surface-layer protein in Corynebacterium glutamicum," Mol. Microbiol., 9(1):97-109 (1993)
X69104		IS3 related insertion element	Bonamy, C. et al. "Identification of IS1206, a Corynebacterium glutamicum IS3-related insertion sequence and phylogenetic analysis," Mol. Microbiol., 14(3):571-581 (1994)

		Table 2 (continued	nued)
X70959	leuA	Isopropylmalate synthase	Patek, M. et al. "Leucine synthesis in Corynebacterium glutamicum: enzyme
			activities, structure of leuA, and effect of leuA inactivation on lysine
V71400	7		Symmesis, App. Environ. Microbiot., 00(1).155-140 (1994)
A / 1469	D31	Isociitate denydrogenase (NADF+)	Elkmanns, B.J. et al. "Cloning sequence analysis, expression, and inactivation of the Corynebacterium glutamicum icd gene encoding isocitrate
	٠.		dehydrogenase and biochemical characterization of the enzyme," J. Bacteriol.,
			177(3):774-782 (1995)
X72855	GDHA	Glutamate dehydrogenase (NADP+)	
X75083,	mtrA	5-methyltryptophan resistance	Heery, D.M. et al. "A sequence from a tryptophan-hyperproducing strain of
A /0384			Corynebacterium glutamicum encoding resistance to 5-methyltryptophan," Biochem Bionhys Res Commun 201(3):1255-1262 (1994)
X75085	recA		Fitzpatrick, R. et al. "Construction and characterization of recA mutant strains
			of Corynebacterium glutamicum and Brevibacterium lactofermentum," Appl. Microbiol. Biotechnol. 42(4):575-580 (1994)
X75504	aceA; thiX	Partial Isocitrate lyase; ?	Reinscheid, D.J. et al. "Characterization of the isocitrate lyase gene from
			Corynebacterium glutamicum and biochemical analysis of the enzyme," J.
			Bacteriol., 176(12):3474-3483 (1994)
X76875		ATPase beta-subunit	Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative
	-		sequence analysis of elongation factor Tu and ATP-synthase beta-subunit
			genes," Antonie Van Leeuwenhoek, 64:285-305 (1993)
X77034	tuf.	Elongation factor Tu	Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative
			sequence analysis of elongation factor Tu and ATP-synthase beta-subunit
			genes," Antonie Van Leeuwenhoek, 64:285-305 (1993)
X77384	recA		Billman-Jacobe, H. "Nucleotide sequence of a recA gene from
707070	4		Corynebacterium glutamicum, DNA Seg., 4(6):403-404 (1994)
X/8491	aceb	Malate synthase	Keinscheid, D.J. et al. "Malate synthase from Corynebacterium glutamicum
			paraca operon circoning phosphoriansacety asset sequence analysis, Microbiology, 140:3099-3108 (1994)
X80629	16S rDNA	16S ribosomal RNA	Rainey, F.A. et al. "Phylogenetic analysis of the genera Rhodococcus and
	-		Norcardia and evidence for the evolutionary origin of the genus Norcardia
			from within the radiation of Rhodococcus species," Microbiol., 141:523-528
701101			(1992)
761191	gluA; glub; gluC;	Giutamate uptake system	Kronemeyet, W. et al. "Structure of the gluABCU cluster encoding the
	Sin S		gurantate uptane 3/3/2/11 ou jui con jui con jui guranneum, 3. daeterior., 177(5):1152-1158 (1995)
X81379	dapE	Succinyldiaminopimelate desuccinylase	Wehrmann, A. et al. "Analysis of different DNA fragments of
			Corynebacterium glutamicum complementing dapE of Escherichia coli,"
			Microbiology, 40:3349-56 (1994)

Table 2 (continued)

		Table 2 (continued)	nued)
X90360			Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90361		Promoter fragment F34	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90362		Promoter fragment F37	Patek, M. et al. "Promoters from C. glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90363		Promoter fragment F45	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90364		Promoter fragment F64	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90365		Promoter fragment F75	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90366		Promoter fragment PF101	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," Microbiology, 142:1297-1309 (1996)
X90367		Promoter fragment PF104	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," Microbiology, 142:1297-1309 (1996)
X90368		Promoter fragment PF109	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X93513	amt	Ammonium transport system	Siewe, R.M. et al. "Functional and genetic characterization of the (methyl) ammonium uptake carrier of Corynebacterium glutamicum," J. Biol. Chem., 271(10):5398-5403 (1996)
X93514	betP	Glycine betaine transport system	Peter, H. et al. "Isolation, characterization, and expression of the Corynebacterium glutamicum betP gene, encoding the transport system for the compatible solute glycine betaine," J. Bacteriol., 178(17):5229-5234 (1996)
X95649	orf4		Patek, M. et al. "Identification and transcriptional analysis of the dapB-ORF2-dapA-ORF4 operon of Corynebacterium glutamicum, encoding two enzymes involved in L-lysine synthesis," Biotechnol. Lett., 19:1113-1117 (1997)
X96471	lysE; lysG	Lysine exporter protein; Lysine export regulator protein	Vrljic, M. et al. "A new type of transporter with a new type of cellular function: L-lysine export from Corynebacterium glutamicum," Mol. Microbiol., 22(5):815-826 (1996)

		Table 2 (continued	nued)
X96580	panB; panC; xyIB	3-methyl-2-oxobutanoate hydroxymethyltransferase; pantoate-beta- alanine ligase; xylulokinase	Sahm, H. et al. "D-pantothenate synthesis in Corynebacterium glutamicum and use of panBC and genes encoding L-valine synthesis for D-pantothenate overproduction," <i>Appl. Emiron. Microbiol.</i> , 65(5):1973-1979 (1999)
X96962		Insertion sequence 1S1207 and transposase	
X99289		Elongation factor P	Ramos, A. et al. "Cloning, sequencing and expression of the gene encoding elongation factor P in the amino-acid producer Brevibacterium lactofermentum (Corynebacterium glutamicum ATCC 13869)." Gana 108-217-227 (1907)
Y00140	thrB	Homoserine kinase	Mateos, L.M. et al. "Nucleotide sequence of the homoserine kinase (thrB) gene of the Brevibacterium lactofermentum." Nucleic Acids Res. 15(0):3022 (1987)
Y00151	чрр	Meso-diaminopimelate D-dehydrogenase (EC 1.4.1.16)	Ishino, S. et al. "Nucleotide sequence of the meso-diaminopimelate D-dehydrogenase gene from Corynebacterium glutamicum," Nucleic Acids Res., 15(9):3917 (1987)
Y00476	thrA	Homoserine dehydrogenase	Mateos, L.M. et al. "Nucleotide sequence of the homoserine dehydrogenase (thrA) gene of the Brevibacterium lactofermentum," <i>Nucleic Acids Res.</i> , 15(24):10598 (1987)
Y00546	hom; thrB	Homoserine dehydrogenase; homoserine kinase	Peoples, O.P. et al. "Nucleotide sequence and fine structural analysis of the Corynebacterium glutamicum hom-thrB operon," Mol. Microbiol., 2(1):63-72 (1988)
Y08964	murC; fisQ/divD; fisZ	UPD-N-acetylmuramate-alanine ligase; division initiation protein or cell division protein; cell division protein	Honrubia, M.P. et al. "Identification, characterization, and chromosomal organization of the fisZ gene from Brevibacterium lactofermentum," Mol. Gen. Genet 259(1):97-104 (1908)
Y09163	putP	High affinity proline transport system	Peter, H. et al. "Isolation of the putP gene of Corynebacterium glutamicumproline and characterization of a low-affinity uptake system for compatible solutes." Arch. Microbiol. 168(2):143-151 (1997)
Y09548	рус	Pyruvate carboxylase	Peters-Wendisch, P.G. et al. "Pyruvate carboxylase from Corynebacterium glutamicum: characterization, expression and inactivation of the pyc gene," Microbiology, 144-915-927 (1998).
Y09578	leuB	3-isopropylmalate dehydrogenase	Patek, M. et al. "Analysis of the leuß gene from Corynebacterium glutamicum," Appl. Microbiol. Biotechnol., 50(1):42-47 (1998)
Y 124 / 2		Attachment site bacteriophage Phi-16	Moreau, S. et al. "Site-specific integration of corynephage Phi-16: The construction of an integration vector." Microbiol. 145:539-548 (1990)
Y12537	proP	Proline/ectoine uptake system protein	Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier, EctP," J. Bacteriol. 180(22):6005-6012 (1998)
			(0771) 7100 7000()01 (

		Table 2 (continued)	nued)
Y13221	glnA	Glutamine synthetase I	Jakoby, M. et al. "Isolation of Corynebacterium glutamicum glnA gene encoding glutamine synthetase 1," FEMS Microbiol. Lett., 154(1):81-88 (1997)
Y16642	lpd	Dihydrolipoamide dehydrogenase	
Y18059		Attachment site Corynephage 304L	Moreau, S. et al. "Analysis of the integration functions of φ304L: An integrase module among corynephages," Virology, 255(1):150-159 (1999)
Z 21501	argS; lysA	Arginyl-tRNA synthetase; diaminopimelate decarboxylase (partial)	Oguiza, J.A. et al. "A gene encoding arginyl-tRNA synthetase is located in the upstream region of the lysA gene in Brevibacterium lactofermentum: Regulation of argS-lysA cluster expression by arginine," J. Bacteriol., 175(22):7356-7362 (1993)
Z21502	dapA; dapB	Dihydrodipicolinate synthase; dihydrodipicolinate reductase	Pisabarro, A. et al. "A cluster of three genes (dapA, orf2, and dapB) of Brevibacterium lactofermentum encodes dihydrodipicolinate reductase, and a third polypeptide of unknown function," J. Bacteriol., 175(9):2743-2749 (1993)
Z29563	thrC	Threonine synthase	Malumbres, M. et al. "Analysis and expression of the thrC gene of the encoded threonine synthase," Appl. Environ. Microbiol., 60(7)2209-2219 (1994)
Z46753	16S rDNA	Gene for 16S ribosomal RNA	
Z49822	sigA	SigA sigma factor	Oguiza, J.A. et al "Multiple sigma factor genes in Brevibacterium lactofermentum: Characterization of sigA and sigB," J. Bacteriol., 178(2):550-553 (1996)
Z49823	galE; dtxR	Catalytic activity UDP-galactose 4- epimerase; diphtheria toxin regulatory protein	Oguiza, J.A. et al "The galE gene encoding the UDP-galactose 4-epimerase of Brevibacterium lactofermentum is coupled transcriptionally to the dmdR gene," Gene, 177:103-107 (1996)
249824	orf1; sigB	?; SigB sigma factor	Oguiza, J.A. et al "Multiple sigma factor genes in Brevibacterium lactofermentum: Characterization of sigA and sigB," J. Bacteriol., 178(2):550-553 (1996)
266534		Transposase	Correia, A. et al. "Cloning and characterization of an IS-like element present in the genome of Brevibacterium lactofermentum ATCC 13869," Gene, 170(1):91-94 (1996)
A sequence for the published ver	' A sequence for this gene was published in the indi the published version. It is believed that the publish	the indicated reference. However, the sequence published version relied on an incorrect start c	A sequence for this gene was published in the indicated reference. However, the sequence obtained by the inventors of the present application is significantly longer than the published version. It is believed that the published version relied on an incorrect start codon, and thus represents only a fragment of the actual coding region.

TABLE 3: Corynebacterium and Brevibacterium Strains Which May be Used in the Practice of the Invention

Genus,	spēcies:	ATCC =	FERM	NRRL	GECT	NEIMB	CBS	NCTC	DSMZ
Brevibacterium	ammoniagenes	21054							
Brevibacterium	ammoniagenes	19350							
Brevibacterium	ammoniagenes	19351							
Brevibacterium	ammoniagenes	19352	-						<u> </u>
Brevibacterium	ammoniagenes	19353							
Brevibacterium	ammoniagenes	19354		_					·
Brevibacterium	ammoniagenes	19355		-					
Brevibacterium	ammoniagenes	19356	l						
Brevibacterium	ammoniagenes	21055							
Brevibacterium	ammoniagenes	21077							
Brevibacterium	ammoniagenes	21553							
Brevibacterium	ammoniagenes	21580			1				
Brevibacterium	ammoniagenes	39101							
Brevibacterium	butanicum	21196	<u> </u>						
Brevibacterium	divaricatum	21792	P928	· · · · ·					
Brevibacterium	flavum	21474							
Brevibacterium	flavum	21129							
Brevibacterium	flavum	21518							
Brevibacterium	flavum .			B11474					
Brevibacterium	flavum			B11472					
Brevibacterium	flavum	21127							
Brevibacterium	flavum	21128							
Brevibacterium	flavum	21427							
Brevibacterium	flavum	21475							
Brevibacterium	flavum	21517							
Brevibacterium	flavum	21528							
Brevibacterium	flavum	21529							
Brevibacterium	flavum			B11477					
Brevibacterium	flavum			B11478					
Brevibacterium	flavum	21127							
Brevibacterium	flavum			B11474					
Brevibacterium	healii	15527							
Brevibacterium	ketoglutamicum	21004							
Brevibacterium	ketoglutamicum	21089							
Brevibacterium	ketosoreductum	21914							
Brevibacterium	lactofermentum		-		70				
Brevibacterium	lactofermentum				74				
Brevibacterium	lactofermentum				77				
Brevibacterium	lactofermentum	21798							
Brevibacterium	lactofermentum	21799							
Brevibacterium	lactofermentum	21800							
Brevibacterium	lactofermentum	21801							
Brevibacterium	lactofermentum			B11470					-
Brevibacterium	lactofermentum			B11471					

WO 01/00842

Genus	species	ATCC :	FERM	NRRL	CECT	NCIMB	CBS	NCTC	DSMZ
Brevibacterium	lactofermentum	21086							
Brevibacterium	lactofermentum	21420						_	
Brevibacterium	lactofermentum	21086							
Brevibacterium	lactofermentum	31269							
Brevibacterium	linens	9174						<u> </u>	
Brevibacterium	linens	19391							1
Brevibacterium	linens	8377							<u> </u>
Brevibacterium	paraffinolyticum			_		11160			<u> </u>
Brevibacterium	spec.						717.73		
Brevibacterium	spec.						717.73		
Brevibacterium	spec.	14604							
Brevibacterium	spec.	21860							
Brevibacterium	spec.	21864							
Brevibacterium	spec.	21865							
Brevibacterium	spec.	21866			1				1
Brevibacterium	spec.	19240							
Corynebacterium	acetoacidophilum	21476							
Corynebacterium	acetoacidophilum	13870							
Corynebacterium	acetoglutamicum			B11473					
Corynebacterium	acetoglutamicum			B11475					
Corynebacterium	acetoglutamicum	15806							
Corynebacterium	acetoglutamicum	21491							·
Corynebacterium	acetoglutamicum	31270						<u> </u>	
Corynebacterium	acetophilum			B3671					
Corynebacterium	ammoniagenes	6872						2399	
Corynebacterium	ammoniagenes	15511							
Corynebacterium	fujiokense	21496							
Corynebacterium	glutamicum	14067							
Corynebacterium	glutamicum	39137							
Corynebacterium	glutamicum	21254							
Corynebacterium	glutamicum	21255							
Corynebacterium	glutamicum	31830							
Corynebacterium	glutamicum	13032							
Corynebacterium	glutamicum	14305							
Corynebacterium	glutamicum	15455							
Corynebacterium	glutamicum	13058							
Corynebacterium	glutamicum	13059							
Corynebacterium	glutamicum	13060							
Corynebacterium	glutamicum	21492							
Corynebacterium	glutamicum	21513							
Corynebacterium	glutamicum	21526							
Corynebacterium	glutamicum	21543							
Corynebacterium	glutamicum	13287		·				-	
Corynebacterium	glutamicum	21851							
Corynebacterium	glutamicum	21253					_		
Corynebacterium	glutamicum	21514		-					
Corynebacterium	glutamicum	21516							
Corynebacterium	glutamicum	21299							

Genus -	species en s	MATER	PP PM	ANDDE	Gran	NCIND	deno	None	Incres-
Corynebacterium	glutamicum	21300	T. L. L.	4,700	温さた着	TA CTIVIE	達で取り芸	Nete	DOWN
Corynebacterium	glutamicum	39684							
Corynebacterium	glutamicum	21488	 		+		ļ		<u> </u>
Corynebacterium	glutamicum	21649			-				
Corynebacterium	glutamicum	21650		ļ				ļ	<u> </u>
Corynebacterium	glutamicum	19223							<u> </u>
Corynebacterium	glutamicum	13869							<u> </u>
Corynebacterium	glutamicum								
Corynebacterium		21157			ļ				
Corynebacterium	glutamicum	21158			ļi				
Corynebacterium	glutamicum	21159							
Corynebacterium	glutamicum	21355							
	glutamicum	31808							
Corynebacterium	glutamicum	21674							
Corynebacterium	glutamicum	21562							
Corynebacterium	glutamicum	21563							
Corynebacterium	glutamicum	21564						_	
Corynebacterium	glutamicum	21565							
Corynebacterium	glutamicum	21566							
Corynebacterium	glutamicum	21567							
Corynebacterium	glutamicum	21568							
Corynebacterium	glutamicum	21569							-
Corynebacterium	glutamicum	21570							
Corynebacterium	glutamicum	21571		-					
Corynebacterium	glutamicum	21572							
Corynebacterium	glutamicum	21573							
Corynebacterium	glutamicum	21579						- 1	
Corynebacterium	glutamicum	19049							
Corynebacterium	glutamicum	19050							
Corynebacterium	glutamicum	19051							-
Corynebacterium	glutamicum	19052							
Corynebacterium	glutamicum	19053							
Corynebacterium	glutamicum	19054							
Corynebacterium	glutamicum	19055							
Corynebacterium	glutamicum	19056			t				
Corynebacterium	glutamicum	19057			1				
Corynebacterium	glutamicum	19058							
Corynebacterium	glutamicum	19059							
Corynebacterium	glutamicum	19060							
Corynebacterium	glutamicum	19185			 				
Corynebacterium	glutamicum	13286				 +			
Corynebacterium	glutamicum	21515			<u> </u>		- 		
	glutamicum	21527	-+					-	
	glutamicum	21544			 -				
	glutamicum	21492	$-\!\!-\!\!\!+$		 				
	glutamicum	217/2	 -	B8183	-				
	glutamicum				 -	-			
	glutamicum			B8182					
	glutamicum			312416					
Jo. Jiicoacterium	Biutailituili			312417			1		1

Genus :	species	ATCC	FERM	NRRL	CECT	NCIMB	CBS	NCTE	DSMZ
Corynebacterium	glutamicum			B12418					
Corynebacterium	glutamicum			B11476					
Corynebacterium	glutamicum	21608							
Corynebacterium	lilium		P973						
Corynebacterium	nitrilophilus	21419				11594			
Corynebacterium	spec.		P4445						
Corynebacterium	spec.		P4446						
Corynebacterium	spec.	31088							
Corynebacterium	spec.	31089							
Corynebacterium	spec.	31090							
Corynebacterium	spec.	31090							
Corynebacterium	spec.	31090							
Corynebacterium	spec.	15954							20145
Corynebacterium	spec.	21857							
Corynebacterium	spec.	21862							
Corynebacterium	spec.	21863							

ATCC: American Type Culture Collection, Rockville, MD, USA

FERM: Fermentation Research Institute, Chiba, Japan

NRRL: ARS Culture Collection, Northern Regional Research Laboratory, Peoria, IL, USA

CECT: Coleccion Espanola de Cultivos Tipo, Valencia, Spain

NCIMB: National Collection of Industrial and Marine Bacteria Ltd., Aberdeen, UK

CBS: Centraalbureau voor Schimmelcultures, Baarn, NL

NCTC: National Collection of Type Cultures, London, UK

DSMZ: Deutsche Sammlung von Mikroorganismen und Zellkulturen, Braunschweig, Germany

For reference see Sugawara, H. et al. (1993) World directory of collections of cultures of microorganisms: Bacteria, fungi and yeasts (4th edn), World federation for culture collections world data center on microorganisms, Saimata, Japen:

					Table 4: Alignment Results			•
# 0	length (NT)	Genbank Hit	Length	Accession	Name of Genbank Hit	Source of Genbank Hit	% homology	Date of Denosit
гха00026	1509	GB_RO:MMHC310M6	158405	AF109906	Mus musculus MHC class III region RD gene, partial cds; Bf, C2, G9A, NG22, G9, HSP70, HSP70, HSC70t, and smRNP genes, complete cds; G7A gene, partial cds; and unknown genes.	Mus musculus	38,003	10-DEC-1998
		GB_HTG2:AC007029	119007	119007 AC007029	Homo sapiens clone DJ0855F16, *** SEQUENCING IN PROGRESS Homo sapiens *** 1 unordered pieces.	Homo sapiens	37,943	7-Apr-99
		GB_HTG2:AC007029	119007	119007 AC007029	Homo sapiens clone DJ0855F16, *** SEQUENCING IN PROGRESS Homo sapiens ***, 1 unordered pieces.	Homo sapiens	37,943	7-Apr-99
rxa00072								
rxa00111 1116		GB_BA1:SAUSIGA	2748	M94370	Stigmatella aurantiaca sigma factor (sigA) gene, complete cds.	Stigmatella aurantiaca	40,435	16-Aug-94
		GB_BA1:SC5B8	28500	AL022374	Streptomyces coelicolor cosmid 5B8.	Streptomyces coelicolor	40,090	22-Apr-98
xa00112	1314	GB_BA2:AE001767 GB_EST35:AU075536	9086 418	AE001767 AU075536	Thermotoga maritima section 79 of 136 of the complete genome. AU075536 Rice shoot Orza sativa cDNA clone S0028_27_mRNA	Thermotoga maritima	35,091 39,423	2-Jun-99 7-Tul-99
					sequence.			
		GB_GSS9:AQ157585	647	AQ157585	nbxb0009B16r CUGI Rice BAC Library Oryza sativa genomic clone	Oryza sativa	40,867	12-Sep-98
		GB_GSS14:AQ510314	542	AQ510314	hybotogeographic and the property of the period of the phyproperty of the physical of the ph	Oryza sativa	39,372	04-MAY-1999
cxa00133	936	GR BA1-SC2G5	38404	AI 035478	Strentomyces coelicator cosmid 2G5	Strentomyces coelinging	41 170	- 9: - 9: - 9:
		GB_EST7:W64291	515	W64291	md98H12.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone IMAGE:386087 5' similar to gb:L26528 Mus musculus Rab11b mRNA, complete cds (MOUSE); mRNA sequence.	Mus musculus	35,306	2 - 96-unf-01
		GB_PR3:AC005624	39594	AC005624	Homo sapiens chromosome 19, cosmid R30017, complete sequence. Homo sapiens	Homo sapiens	39,054	6-Sep-98
ка00137 1212	1212	GB_BA2:AF124600	4115	AF124600	Corynebacterium glutamicum chorismate synthase (aroC), shikimate Corynebacterium kinase (aroK), and 3-dehydroquinate synthase (aroB) genes, glutamicum complete cds; and putative cytoplasmic peptidase (pepQ) gene, partial cds.	Corynebacterium glutamicum	99,867	04-MAY-1999
		GB_BA1:MTCY159	33818	Z83863	Mycobacterium tuberculosis H37Rv complete genome; segment 111/162.	Mycobacterium tuberculosis	40,959	17-Jun-98
		GB_BA1:MT3DEHQ	3437	X59509	M.tuberculosis, genes for 3-dehydroquinate synthase and 3- dehydroninase	Mycobacterium tuberculosis	52,583	30-Jun-93
rxa00139	834	GB_BA1:BLELONP	738	X99289	B.lactofermentum gene encoding elongation factor P	Corynebacterium	100,000	1-Nov-97
		GB_PL1:SPAC24C9	38666	Z98601	S.pombe chromosome I cosmid c24C9.	Schizosaccharomyces	35,230	24-Feb-99
		GB_HTG1:CEY102A5_1110000	1110000	299711	Caenorhabditis elegans chromosome V clone Y102A5, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Caenorhabditis elegans	37,775	299711

WO 01/00842 PCT/IB00/00911

				Table 4 (continued)			
rxa00152 1419	GB_BA1:MTCY277	38300	279701	Mycobacterium tuberculosis H37Rv complete genome; segment 65/162.	Mycobacterium tuberculosis	58,500	17-Jun-98
	GB_BA1:MSGY456	37316		Mycobacterium tuberculosis sequence from clone y456.	Mycobacterium tuberculosis	38,913	03-DEC-1996
	GB_BA2:AF002133	15437	AF002133	Mycobacterium avium strain GIR10 transcriptional regulator (mav81) gene, partial cds, aconitase (acn), invasin 1 (inv1), invasin 2 (inv2), transcriptional regulator (moxR), ketoacyl-reductase (fabG), enoyl-reductase (inhA) and ferrochelatase (mav272) genes, complete cds.	Mycobacterium avium	64,009	26-MAR-1998
rxa00226 948	GB_PR3:AC005756	43299	AC005756	Homo sapiens chromosome 19, fosmid 39347, complete sequence.	Homo sapiens	36,209	02-OCT-1998
	GB_GSS5:AQ818463	413	AQ818463	HS_5250_A2_B08_SP6E RPCI-11 Human Male BAC Library Homo sapiens genomic clone Plate=826 Col=16 Row=C, genomic survey sequence.	Homo sapiens	37,288	26-Aug-99
	GB_GSS5:AQ782337	832	AQ782337	HS_3184_B1_H12_T7C CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3184 Col=23 Row=P, genomic survey sequence.	Homo sapiens	35,917	2-Aug-99
rxa00249 980	GB_BA2:AF035608	3614	AF035608	Pseudomonas aeruginosa ATP sulfurylase small subunit (cysD) and ATP sulfurylase GTP-binding subunit/APS kinase (cysN) genes, complete cds.	Pseudomonas aeruginosa 50,205	50,205	1-Jun-98
	GB_BA1:AB017641	17101	AB017641	Micromonospora griseorubida gene for polyketide synthase, complete Micromonospora cds.	Micromonospora griseorubida	40,266	2-Apr-99
	GB_BA2:AF002133	15437	AF002133	Mycobacterium avium strain GIR10 transcriptional regulator (mav81) gene, partial cds, aconitase (acn), invasin 1 (inv1), invasin 2 (inv2), transcriptional regulator (moxR), ketoacyl-reductase (fabG), enoyl-reductase (inhA) and ferrochelatase (mav272) genes, complete cds.	Mycobacterium avium	38,429	26-MAR-1998
rxa00299 1101	GB_BA2:CORCSLYS	2821	M89931	Corynebacterium glutamicum beta C-S lyase (aecD) and branched- chain amino acid uptake carrier (brnQ) genes, complete cds, and hypothetical protein Yhbw (yhbw) gene, partial cds.	Corynebacterium glutamicum	100,000	4-Jun-98
	GB_BA1:CGECTP	2719	AJ001436	Corynebacterium glutamicum ectP gene.	Corynebacterium glutamicum	41,143	20-Nov-98
	GB_BA2:AF181035	5922	AF181035	Rhodobacter sphaeroides glycogen utilization operon, complete sequence.	r sphaeroides	36,701	7-Sep-99
rxa00332 825	GB_BA1:CGTHRC	3120	X56037	Corynebacterium glutamicum thrC gene for threonine synthase (EC 4.2.99.2).	Corynebacterium glutamicum	37,730	17-Jun-97
	GB_PAT:109078 GB_PR3:HSJ333B15	3146 73666	109078 AL 109954	Sequence 4 from Patent WO 8809819. Human DNA sequence from clone 333B15 on chromosome 20, complete sequence.	Unknown. Homo sapiens	38,700 37,203	02-DEC-1994 23-Nov-99
rxa00470 1392	GB_PL2:DCPCNAM	865	X62977	D.carota mRNA for proliferating cell nuclear antigen (PCNA).	Daucus carota	37,914	30-Sep-99

		-			_																														
	27-Apr-99		18-Aug-98	26-Apr-93		29-Sep-99	26-Apr-93		4-Apr-99	2-Feb-99				11-Nov-99	3-Jul-99		28-Feb-99		9-Feb-99 64		08-DEC-1888		23-Nov-99	;	23-Nov-99	01-MAR-1994	01-MAR-1994	22-Jan-97		17-Jun-98		29-Jun-99		28-Jan-98	
	36,158		39,494	38,781		38,781	38,205		34,982	42,675	•			38,462	40,736		34,062		34,062		53,871		33,546		33,546	34.783	34,900	32,898		37,011		62,963		54,683	
	Arabidopsis thaliana		Thermus thermophilus	Saccharopolyspora	erythraea	Unknown.	Saccharopolyspora	erythraea	. Homo sapiens	Homo sapiens	_			Homo sapiens	Homo sapiens		Homo sapiens		Homo sapiens	-	Saccharopolyspora	rectivitguia	Homo sapiens		Homo sapiens	Mycobacterium feorae	Mycobacterium teprae	Homo sapiens		Mycobacterium	tuberculosis	Streptomyces coelicolor		Myxococcus xanthus	
Table 4 (continued)	Arabidopsis thaliana BAC F9M13 from chromosome IV near 21.5 cM, Arabidopsis thaliana	complete sequence.	Thermus thermophilus 10Sa RNA gene.	S.erythraea first ORF of eryA gene, complete cds.		Sequence 1 from patent US 5824513.	S.erythraea first ORF of eryA gene, complete cds.		Homo sapiens chromosome 19, cosmid R27370, complete sequence. Homo sapiens	qp05a10.x1 NCI CGAP Kid5 Homo sapiens cDNA clone	MAGE:1917114 3' similar to gb:M15800 T-LYMPHOCYTE	MATURATION-ASSOCIATED PROTEIN (HUMAN);, mRNA	sednence.	Homo sapiens clone DJ1051J04, complete sequence.	Homo sapiens chromosome 16 clone RPCI-11_461A8, complete	sequence:	Homo sapiens chromosome 8 clone BAC 57G24 map 8p12, ***	SECUENCING IN PROGRESS ***, in unordered pieces.	Homo sapiens chromosome 8 clone BAC 57G24 map 8p12, *** SFOLIENCING IN PROGRESS *** in mondered places		Saccharbolyspora rectivitguia gene for beta-galactosidase,	complete cos.	Homo sapiens chromosome 20 clone RP5-1099D15, *** SECLIENCING IN DROGRESS *** in unordered pieces		Homo sapiens chromosome 20 clone RP5-1099D15, *** SEQUENCING IN PROGRESS *** in unordered pieces.	Mycobacterium leprae cosmid B1620.	Mycobacterium leprae cosmid B229.	Homo sapiens chromosome 13 clone 179115, *** SEQUENCING IN	PROGRESS ***, in unordered pieces.	Mycobacterium tuberculosis H37Rv complete genome; segment	108/162.	Streptomyces coelicolor ATP-dependent Clp protease proteolytic subunit 1 (clpP1) and ATP-dependent Clp protease proteolytic	subunit 2 (clpP2) genes, complete cds; and ATP-dependent Clp protease ATP-binding subunit Clpx (clpX) gene, partial cds.	Myxococcus xanthus Dog (dog), isocitrate lyase (ici), Mls (mls), Ufo (ufo), fumarate hydratase (fhy), and proteosome major subunit (clpP)	genes, complete cds; and acyl-CoA oxidase (aco) gene, partial cds.
	AC006267		Y15063	M63676		AR049367	M63676		AC007206	AI344735				AC006479	AC006111		AF128834		AF128834	007	D00429		AL035456	017100	AL035456	000015	000050	284464		AL021246		AF071885		AF013216	
	101644	į	721	11219		11219	11219		42732	462				161837	190825		196589		196589	1	286		1301	,	<u> </u>	42325	36947	210672		63033		2188		15742	
	GB_PL2:AC006267		GB_BA1:TT10SARNA	GB_BA1:SERERYAA		GB_PAT:AR049367	GB_BA1:SERERYAA		GB_PR4:AC007206	GB_EST26:AI344735	•			GB_PR4:AC006479	GB_PR4:AC006111		GB_H1GZ:AF128834		GB_HTG2:AF128834	0070007.700	GD_DA1.D00429		GB_HIG1:HS1099D15 1301	TAGGGG AGILLA CELL GO	1301 61088018411914 1301 61088018411914	GB BA2:U00015	GB_BA1:U00020	GB_HTG1:HS179115		GB_BA1:MTV008		GB_BA2:AF071885		GB_BA2:AF013216	
				rxa00471 813					rxa00499 1404						xa00500 798					0000	IXAUUSUI 0SU					rxa00502 1155				rxa00566 729					

					Table 4 (continued)			
rxa00567	714	GB_BA1:MTV008	63033	AL021246	sterium tuberculosis H37Rv complete genome; segment	Mycobacterium	42,090	17-Jun-98
		GB_BA1:CGBPHI16	.962	Y12472	108/162. C.glutamicum DNA, attachment site bacteriophage Phi-16.	tuberculosis Corynebacterium	40,000	05-MAR-1999
		GB_BA1:ECOCLPPA	1236	J05534	omponent	glutamicum Escherichia coli	52,119	26-Apr-93
rxa00621	906	GB_EST1:D36491	360	D36491	_	Caenorhabditis elegans	40,390	8-Aug-94
						•		•
		GB_INZ:CELC16A3	34968		Caenorhabditis elegans cosmid C16A3.	Caenorhabditis elegans	35,477	18-MAY-1999
		Les:Acuuss	200	AC009311	nomo sapiens cione naustricus, *** SEQUENCING IN PROGRESS Homo sapiens ***, 3 unordered pieces.	Homo sapiens	38,636	13-Aug-99
xa00622 1539	1539	GB_BA1:AB004795	3039	AB004795	Pseudomonas sp. gene for dipeptidyl aminopeptidase, complete cds. Pseudomonas sp.	Pseudomonas sp.	54,721	5-Feb-99
		GB_BA1:MBOPII	2392	D38405		Moraxella lacunata	50,167	8-Feb-99
		GB_IN2:AF078916	2960	AF078916	anosoma brucei brucei oligopeptidase B (opb) gene, complete	Trypanosoma brucei	48,076	08-OCT-1999
2500050	760	CO 047.454227	,	AE161007		brucei		
1,480,000		72610174.740_00	707	75 01 15	corynebacterium upnimenae misualine kinase Cino (Cino) and response regulator ChrA (chrA) genes, complete cds.	Corynepacterium diphtheriae	816,10	66-dec-6
		GB_PL2:ATAC006533	99188	AC006533	me II BAC F20M17 genomic	Arabidopsis thaliana	38,051	26-MAY-1999
		GB PL2:ATAC006533	99188	AC006533	sequence, compiete sequence. Arabidoosis thaliana chromosome II BAC F20M17 genomic	Arabidopsis thaliana	35 403	26-MAY-1999
		ı					}	
rxa00675	915	GB_BA1:SC3C8	33095			Streptomyces coelicolor	36,836	15-Jan-99
		GB_PR3:AC005736	215441	AC005736	Homo sapiens chromosome 16, BAC clone 462G18 (LANL),	Homo sapiens	42,027	01-OCT-1998
		GB_IN2:AC005719	188357	AC005719	Drosophila melanogaster, chromosome 2L, region 38A5-38B4, BAC I clone BACR48M05, complete sequence.	Drosophila melanogaster	35,531	27-OCT-1999
rxa00689 1614	1614	GB PAT·E07294	2975	F07294	of Bacillus	Bacillus	45,677	20. Cap. 07
) ; ;			stearothermophilus		10-400-07
		GB_BA1:BACALDHT	1975	D13846	us aldhT gene for aldehyde dehydrogenase,	Bacillus	45,677	20-Feb-99
					•	stearothermophilus		
		GB_BA2:PPU96338	5276	U96338		Pseudomonas putida	44,317	13-MAY-1999
					degradative parimary genes, p-riydroxyberizaideriyde denydrogenase (pchA), p-cresol methylhydroxylase, cytochrome subunit precursor			
					(pchC), unknown (pchX) and p-cresol methythydroxylase.			
					flavoprotein subunit (pchF) genes, complete cds.			
xa00715	918	GB_EST30:AI647104	218	AI647104	vn15c01.y1 Stratagene mouse heart (#937316) Mus musculus cDNA Mus musculus	Mus musculus	58,511	29-Apr-99
		GB_EST17:AA636159	447.	AA636159	vn15c01.r1 Stratagene mouse heart (#937316) Mus musculus cDNA Mus musculus	Mus musculus	41,195	22-OCT-1997
					clone IMAGE:1021248 5', mRNA sequence.			

					Table 4 (continued)				
		GB_EST10:AA184468	583	AA184468		Mus musculus	40.426	42 Eab 07	
					musculus cDNA clone IMAGE:633561 5' similar to gb:D10918 Mouse		7,0	16-09-1-71	
					mRNA for ubiquitin like protein, partial sequence (MOUSE);, mRNA				

rxa00/44 1065	1065	GB_HTG3:AC009855	167592	AC009855	Homo sapiens clone 1_C_5, *** SEQUENCING IN PROGRESS ***	Homo sapiens	36,673	3-Sep-99	•
		GB HTG3:AC009855	167592	ACODORES	13 unordered pieces. Homo emiore plane 4 C E *** SEOUTHOUS IN EDISORDED				
		•			13 unordered pieces.	Homo sapiens	36,673	3-Sep-99	
		GB_PR4:AC005082		AC005082	Homo sapiens clone RG271G13, complete sequence	Homo capians	20 557		
rxa00756 1119	1119	GB_BA1:MLCB596	38426	AL035472	Mycobacterium leprae cosmid B596.	Mycobactorium force	38,557	8-Sep-99	
		GB_GSS12:AQ368028	652	AQ368028	toxb0001N11r CUGI Tomato BAC Library Lycopersicon esculentum	Infoodersion esculentim	34,352 42,657	2/-Aug-99 5 Ech 00	
					genomic clone toxb0001N11r, genomic survey sequence.		15,037	88-094-0	
		GB_HTG3:AC008067	151242	AC008067	Homo sapiens clone NH0303I04, *** SEQUENCING IN PROGRESS Homo sapiens	Homo sapiens	37,239	8-Sep-99	
07.400	,			;	**, 2 unordered pieces.	-			
	9971	GB_BA1:MLU15182	40123	U15182		Mycobacterium leprae	36.616	09-MAR-1005	
		GB_BA1:MSGL611CS		L78822			35,714	15-lun-96	
		GB_GSS14:AQ5/8181	128	AQ578181	za sativa genomic clone		39,246	2-Jun-99	
00400	000		:			•	<u>!</u>		
rxau0/93 1299	1299	GB_GSS5:AQ769737	519	AQ769737		Homo sapiens	37 765	28, 1,11,00	
					Ξ.	<u>.</u>	2	66-10-07	
					genomic survey sequence.				
-		GB_BA1:RTU08434	2400	U08434	vitransferase (pyrE) and	Rhizobium trifolii	40.700	16-Anr-97	
		0,000	6				}		
		GD_ES131;F33810	243	F33810	91 HM3 Homo sapiens cDNA clone s3000041E12, mRNA	Homo sapiens	41,564	13-MAY-1999	
000000	707	000000000000000000000000000000000000000			sednence.				
LAGOOGO	0	GD_FR47AC003868	96180	AC005868	rell Park Cancer	Homo sapiens	32,298	27-Feb-99	
		COCCOCA A COTOT	ş				į		
		GB_ES18:AAU00903	386	AA000903	.5 Mus musculus	Mus musculus	42,045	18-Jul-96	
		GR FST25:41317789	909	01217700	COINA CIONE IMAGE: 426031 5, MKNA sequence.				
			3	60//100	ujzvgve.y i sugano mouse embryo mewa Mus musculus cDNA clone Mus musculus IMAGE:1920544 5' similar to WP:C13C4 5 CE08130 SLIGAR		38,557	17-DEC-1998	
	Ş				TRANSPORTER ,, mRNA sequence.				
xa00833	618	GB_PH:BPH6589	41489	AJ006589		Bacteriophage phi-C31	41.806	29-Anr-99	
		GB_H1GZ:AC006887	215801	AC006887	Caenorhabditis elegans clone Y59H11, *** SEQUENCING IN DROGBESS *** 3 mordood signal		35,798	24-Feb-99	
		GB_HTG2:AC006887	215801	AC006887	1 *** SECUENCING IN				
	ţ					Caenornaboliis elegans	35,798	24-Feb-99	
rxa00844	/c R	GB_GSS15:AQ605195_459	459	AQ605195	HS_2136_B1_C12_T7C CIT Approved Human Genomic Sperm Highrary D Homo sapiens genomic clone Plate=2136 CAI=34 Power	Homo sapiens	38,074	10-Jun-99	
					genomic survey sequence.				
							•		

97

					Table 4 (continued)			
		GB_HTG1:CNS00M8S 214599	214599	AL079302	Homo sapiens chromosome 14 clone R-1089B7, *** SEQUENCING	Homo sapiens	38,120	15-OCT-1999
					IN PROGRESS ***, in ordered pieces.			
		GB_HTG1:CNS00M8S 214599	214599	AL079302	Homo sapiens chromosome 14 clone R-1089B7, *** SEQUENCING IN PROGRESS ***, in ordered pieces.	Homo sapiens	38,120	15-OCT-1999
rxa00866 1066	1066	GB_BA1:CGORF4GEN 2398	2398	X95649	C.glutamicum ORF4 gene.	Corynebacterium	99,273	10-MAR-1998
		GB_BA1:BLDAPAB	3572	221502	B.lactofermentum dapA and dapB genes for dihydrodipicolinate	giutamicum Corynebacterium	99,301	16-Aug-93
					synthase and dihydrodipicolinate reductase.	glutamicum		
		GB_PAT:E14517	1411	E14517	DNA encoding Brevibacterium dihydrodipicolinic acid reductase.	Corynebacterium glutamicum	99,659	28-Jul-99
rxa00877 1788	1788	GB_PAT:192050	267	192050	Sequence 17 from patent US 5726299.	Unknown.	62,787	01-DEC-1998
		GB_PAT:178760	267	178760	Sequence 16 from patent US 5693781.	Unknown.	62,787	3-Apr-98
		GB_BA2:AE000426	10240	AE000426	Escherichia coli K-12 MG1655 section 316 of 400 of the complete	Escherichia coli	36,456	12-Nov-98
					genome.			
rxa00903 7	733	GB_BA2:AE001598	11136	AE001598	Chlamydia pneumoniae section 14 of 103 of the complete genome.	Chlamydophila pneumoniae	32,782	08-MAR-1999
		GB PL2:AF079370	2897	AF079370	Kluyveromyces lactis invertase (INV1) gene, complete cds.	Kluvveromyces lactis	35 849	4-Aug-99
		GB_BA2:AE001598	11136	AE001598	Chlamydia pneumoniae section 14 of 103 of the complete genome.	Chlamydophila pneumoniae	40,138	08-MAR-1999
rxa00905 9	924	GB PR2:HSQ15C24	73192	AJ239325	Homo sapiens chromosome 21 from cosmids LLNLc116 1C16 and	Homo sapiens	35 076	28-Sep-99
	;		}		LLNLc16 15C24 map 21q22.3 region D21S171-LA161, complete sequence.			
			377	A O 604023	PO COA SPEE DOCI 44 Uses Male DAC I income Uses		000	9
		6261 600 4:4000 1950	\$	A469 1923	ns_3400_bz_504_sroc_RFC-11 numan male bAC Library nomo sapiens genomic cione Plate=976 Col=8 Row=N, genomic survey sequence.	nomo sapiens	000,55	88-ID7-0
			710	A1007000	1 (3 mm s 440 000 do 1 (3 mm l s 4 mm d s 1 (4 mm l s 4 mm d s 1 mm l s 1 mm d s 1 m			00
		GB_ES137.A1967802	4	Al96/802	Ljirnpest12-930-do Ljirnp Lambda Hybrizap two-nybrid library Lotus japonicus cDNA clone LP930-12-d6 5' similar to 60S ribosomal protein I 74, mRNA seguence	Lotus Japonicus	41,12/	24-Aug-99
00000							100	;
rxa00906 6	27	GB_PAT:178750	288	178750	Sequence 6 from patent US 5693781.	Unknown.	97,071	3-Apr-98
		GB_PAT:192039	588	(92039	Sequence 6 from patent US 5726299.	Unknown.	97,071	01-DEC-1998
		GB_PR3:HS929C8	139190	AL020994	Human DNA sequence from clone 929C8 on chromosome 22q12.1-	Homo sapiens	39,016	23-Nov-99
					12.3 Contains CA repeat, GSS, STS, complete sequence.			
x800907 2	246	GB_PAT:178750	588	178750	Sequence 6 from patent US 5693781.	Unknown.	97,561	3-Apr-98
		GB_PAT:192039	588	192039	Sequence 6 from patent US 5726299.	Unknown.	97,561	01-DEC-1998
		GB_PAT:178750	588	178750	Sequence 6 from patent US 5693781.	Unknown.	37,222	3-Apr-98
rxa00961 4	455	GB_BA1.AB032799	2021	AB032799	Chromobacterium violaceum violacein biosynthetic gene cluster (vio	Chromobacterium	39,868	02-OCT-1999
					A, vio B, vio C, vio D), camplete cds.	violaceum		
		GB_BA2:AF172851	10094	AF172851	Chromobacterium violaceum violacein biosynthetic gene cluster,	Chromobacterium	42,760	30-Aug-99
					complete sequence.	violaceum		
		GB_BA1:AB032799	2021	AB032799	Chromobacterium violaceum violacein biosynthetic gene cluster (vio	Chromobacterium	39,551	02-OCT-1999
					A, vio B, vio C, vio D), complete cds.	violaceum		

rxa00982 1629	GB_BA1:BLARGS	2501	Z21501	irginyl-tRNA synthetase	Corynebacterium	39,003	28-DEC-1993
					glutamicum		
	GB_BA1:CGXLYSA	2344	X54740	-	Conynebacterium	41,435	30-Jun-93
				I-tRNA synthetase and diaminopimelate	glutamicum		
	GB_PAT:E14508	3579	E14508	um diaminopimelic acid decarboxylase	Conynebacterium	40,566	28-Jul-99
					glutamicum		
xa00983 1599	GB_HTG2:AC008152	24000	AC008152	riedlin, ***	Leishmania major	38,658	28-Jul-99
				SEQUENCING IN PROGRESS ***, 4 unordered pieces.			
	GB_HTG2:AC008152	24000	AC008152	riedlin, ***	Leishmania major	38,658	28-Jul-99
				SEQUENCING IN PROGRESS ***, 4 unordered pieces.			
	GB_HTG3:AC008648	87249	AC008648	Homo sapiens chromosome 5 clone CIT978SKB_186E14, ***	Homo sapiens	36,102	3-Aug-99
	i			SEQUENCING IN PROGRESS ***, 22 unordered pieces.		,	•
rxa00984 440	GB_BA1:MVINED	3098	D01045	Micromonospora viridifaciens DNA for nedR protein and	Micromonospora	59,226	2-Feb-99
					viridifaciens		9
	GB_PAT:E02375	1881	E02375	Neuraminidase gene.	Micromonospora	59,226	29-Sep-97 [∞]
					viridifaciens		
	GB_PR4:HUAC004513 101311	101311	AC004513	Homo sapiens Chromosome 16 BAC clone CIT987SK-A-926E7,	Homo sapiens	41,204	23-Nov-99
				complete sequence.			
xa01014 2724	GB_BA1:MTV008	63033	AL021246	Mycobacterium tuberculosis H37Rv complete genome; segment	Mycobacterium	56,167	17-Jun-98
				108/162.	tuberculosis		
	GB_BA1:STMAMPEPN 2849	1 2849	123172	Streptomyces lividans aminopeptidase N gene, complete cds.	Streptomyces lividans	57,067	18-MAY-1994
	GB_BA1:SC7H2	42655	AL109732	Streptomyces coelicolor cosmid 7H2.	Streptomyces coelicolor	37,551	2-Aug-99
					A3(4)		
rxa01059 732	GB_HTG3:AC008154	172241	AC008154	Homo sapiens chromosome 7, *** SEQUENCING IN PROGRESS *** 26 unordered pieces	Homo sapiens	39,499	8-Sep-99
	GR HTG3.AC008154	172241	172241 ACOURTS4	Homo sanians chromosoma 7 *** SEOTIENCING IN DROGRESS	Home sapiess	30,400	P. Cop. 00
		1,77	10000	*** 26 unordered pieces	nomo sapiens	664,60	66-000-0
	GB_EST32:AI756574	299	AI756574	ea02/10.y1 Eimeria M5-6 Merozoite stage Eimeria tenella cDNA 5',	Eimeria tenella	37,793	23-Jun-99
				mRNA sequence.			
rxa01073 954	GB_BA1:BACOUTB	1004	M15811	Bacillus subtilis outB gene encoding a sporulation protein, complete	Bacillus subtilis	53,723	26-Apr-93
				Sds.			
	GB_PR4:AC007938	167237	AC007938	Homo sapiens clone UWGC:djs201 from 7q31, complete sequence.	Homo sapiens	34,322	1-Jul-99
	GB_PL2:ATAC006282	92577	AC006282	a chromosome II BAC F13K3 genomic sequence,	Arabidopsis thaliana	36,181	13-MAR-1999
				complete sequence.			
rxa01120 1401	GB_BA1:MTV008	63033	AL021246	Mycobacterium tuberculosis H37Rv complete genome; segment 108/162	Mycobacterium tuberculosis	36,715	17-Jun-98
	GB BA1:CAJ10321	6710	AJ010321	Caulobacter crescentus partial tig gene and clop, cick, clox, lon	Caulobacter crescentus	63.311	01-OCT-1998
	•	!		genes.		: }	

	GB_BA2:AF150957	4440	AF150957	Azospirillum brasilense trigger factor (tig), heat-shock protein ClpP (clpP), and heat-shock protein ClpX (clpX) genes, complete cds; and Lon protease (lon) gene, partial cds.	Azospirillum brasilense (60,613	7-Jun-99
ma01147 1383	3 GB_PR3:HS408N23	97916	298048	08N23 on chromosome 22q13. IG PROTEIN (PROGESTERONE (OTEIN), ESTs and STS.	Homo sapiens	34,567	23-Nov-99
	GB_BA2:AE001227 GB_PR3:HS408N23	26849 97916	AE001227 Z98048	Treponema pallidum section 43 of 87 of the complete genome. Human DNA sequence from PAC 408N23 on chromosome 22q13. P Contains HIP, HSC70-INTERACTING PROTEIN (PROGESTERONE RECEPTOR-ASSOCIATED P48 PROTEIN), ESTs and STS.	Treponema paliidum Homo sapiens	37,564 34,911	16-Jul-98 23-Nov-99
rxa01151 958	GB_BA1:MTCY261	27322	Z97559		Mycobacterium tuberculosis	38,789	17-Jun-98
	GB_HTG4:AC009849	114993	AC009849	Drosophila melanogaster chromosome 2 clone BACR07H08 (D864) RPCI-98 07.H.8 map 31B-31C strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 55 unordered pieces.	Drosophila melanogaster	39,213	25-OCT-1999
	GB_HTG4:AC009849	114993 AC009	AC009849	Drosophila melanogaster chromosome 2 clone BACR07H08 (D864) RPCI-98 07.H.8 map 31B-31C strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 55 unordered pieces.	Drosophila melanogaster	39,213	25-OCT-1999
rxa01161 1260		2943	AF176799	Lactobacillus pentosus PepQ (pepQ) and catabolite control protein A Lactobacillus pentosus (ccpA) genes, complete cds.		37,043	5-Sep-99
	GB_BA2:AF012084 GB_EST32:AI728955	3082 611	AF012084 AI728955	idase (pepQ) gene, complete cds. on fiber Gossypium hirsutum cDNA 5' ve permease [Arabidopsis thaliana],	Lactobacillus helveticus Gossypium hirsutum	46,796 37,647	1-Jul-98 11-Jun-99
rxa01181 980	GB_BA1:MLCB22 GB_BA1:MTCY190	40281 34150	298741 Z70283	prae cosmid B22. iberculosis H37Rv complete genome; segment		61,570 60,434	22-Aug-97 17-Jun-98
	GB_BA1:SC5F7	40024	AL096872	Streptomyces coelicolor cosmid 5F7.	Streptomyces coelicolor A3(2)	57,011	22-Jul-99
rxa01182 516	GB_HTG1:CEY116A8_2110000	3_2110000	Z98858	Caenorhabditis elegans chromosome IV clone Y116A8, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Caenorhabditis elegans	34,843	26-Oct-99
٠	GB_HTG1:CEY116A8_2110000	3_2110000				34,843	26-Oct-99
rxa01189 732	GB_IN1:CEY116A8C GB_BA1:D90915	260341	AL117204 D90915	Caenorhabditis elegans cosmid Y116A8C, complete sequence. Synechocystis sp. PCC6803 complete genome, 17/27, 2137259-	Caenorhabditis elegans Synechocystis sp.	34,843 36,538	19-Nov-99 7-Feb-99
	GB_BA1:D90915	130001	D90915	cystis sp. PCC6803 complete genome, 17/27, 2137259-	Synechocystis sp.	34,512	7-Feb-99

				Table 4 (continued)			
	GB_HTG3:AC010515	15 41038	AC010515	Homo sapiens chromosome 19 clone LLNL-R_249H9, *** SEQUENCING IN PROGRESS *** 31 unordered pieces.	Homo sapiens	33,564	15-Sep-99
rxa01192 681	1 GB_OM:CFP180RRC		X87224	Canis familiaris mRNA for ribosome receptor, p180.	Canis familiaris	41,229	22-Jan-99
	GB_OM:CFP180R	RC 5425	X87224	Canis familiaris mRNA for ribosome receptor, p180.	Canis familiaris	38,187	22-Jan-99
rxa01214 1614	14 GB_IN1:CEY47D3A			_	Caenorhabditis elegans	36,604	19-Nov-99
	GB_PR4:AC00603				Homo sapiens	34,984	05-MAY-1999
					Homo sapiens	35,951	05-MAY-1999
rxa01224 1146		47 479	AI070047	UI-R-C1-In-f-08-0-UI.s1 UI-R-C1 Rattus norvegicus cDNA clone UI-R-Rattus norvegicus	-Rattus norvegicus	36,975	5-Jul-99
				C1-In-f-08-0-UI 3', mRNA sequence.			
	GB_RO:S75965	625	S75965	THP=Tamm-Horsfall protein (promoter) [rats, Genomic, 625 nt].	Rattus sp.	34,400	27-Jul-95
	GB_EST5:H96951	459	H96951	yu01g03.r1 Soares_pineal_gland_N3HPG Homo sapiens cDNA	Homo sapiens	32,969	11-DEC-1995
				clone IMAGE:232564 5', mRNA sequence.			
rxa01250 588	3 GB_PL1:NEULCCB		M18334	N.crassa (strain TS) laccase gene, complete cds.	Neurospora crassa	44,330	03-MAY-1994
	GB_OV:MTRACON	MPL 16714	Y16884	Rhea americana complete mitochondrial genome.	Mitochondrion Rhea	35,094	19-Jul-99
	,				americana		
	GB_OV:AF090339	16704	AF090339	Rhea americana mitochondrion, complete genome.	Mitochondrion Rhea	35,094	27-MAY-1999
					americana		
rxa01277 2127	27 GB_PL2:AF111709	52684	AF111709	Oryza sativa subsp. indica Retrosat 1 retrotransposon and Ty3-	Oryza sativa subsp. indica 37,410	a 37,410	26-Apr-99
				Gypsy type Retrosat 2 retrotransposon, complete sequences; and			
				unknown genes.			
	GB_IN1:CELZC250		AF003383	Caenorhabditis elegans cosmid ZC250.	Caenorhabditis elegans	35,506	14-MAY-1997
	GB_EST1:Z14808	331	Z14808	CEL5E4 Chris Martin sorted cDNA library Caenorhabditis elegans	Caenorhabditis elegans	36,890	19-Jun-97
				cDNA clone cm5e4 5', mRNA sequence.	•		
rxa01302 576	S GB_BA1:MTCI65	34331	295584	Mycobacterium tuberculosis H37Rv complete genome; segment	Mycobacterium	59,298	17-Jun-98
				30/102	tuperculosis		
	GB_BA1:MSGY348	3 40056	AD000020	Mycobacterium tuberculosis sequence from clone y348.	Mycobacterium	59,227	10-DEC-1996
			•		tuberculosis		
	GB_BA1:SC5C7		AL031515	Streptomyces coelicolor cosmid 5C7.	Streptomyces coelicolor	39,261	7-Sep-98
rxa01303 1458			AJ225043	Thermus thermophilus partial narK gene.	Thermus thermophilus	55,245	18-Jun-98
	GB_PL2:AC01067	84723	AC010675	Arabidopsis thaliana chromosome I BAC T17F3 genomic sequence,	Arabidopsis thaliana	37,058	11-Nov-99
			,	_			
	GB_GSS9:AQ170862	62 518	AQ170862		/ Homo sapiens	38,610	17-OCT-1998
				D Homo sapiens genomic clone Plate=3165 Col=6 Row=L, genomic			
CAC 301308 2503	737000-FAB BO 50	17271	737000	Controlled to Controlled Controll		1	1
NCZ DOCLOBY		179/1	10,000	Eschenchia coli genomic DNA. (27.3 - 27.7 min).	Escherichia coli	55,445	7-Feb-99
	GB_BA1:D90/8/	15942	090/87	E.coli genomic DNA, Kohara clone #276(33.0-33.3 min.).	Escherichia coli	36,815	29-MAY-1997
		13860	D90758	Escherichia coli genomic DNA. (27.6 - 27.9 min).	Escherichia coli	54,942	7-Feb-99
rxa01309 824	GB_BA1:SCJ12	35302	AL109989	Streptomyces coelicolor cosmid J12.	Streptomyces coelicolor	62,423	24-Aug-99
					A3(2)		
	GB_BA1:BSNARYWI	NI 12450	249884	B.subtilis nar[G,H,I,J,K], ywi[C,D,E] and argS genes.	Bacillus subtilis	57,447	24-Jun-98

100

	is 37,129 26-Nov-97	s 41,531 24-OCT-1998	s 42,901 27-Feb-98		38,764 05-MAR-1997		40 855 07-OCT-1996	42,993		38,208 06-MAR-1999 1	1	icus 39,336 09-MAR-1999	s 40,550 23-Nov-99	27.604	.us 35.557 25-MAR-1998	000	griseus 57,500 7-Aug-98	griseus 35,655 7-Aug-98	38,399 02-MAR-1999	elanogaster 33,741 08-OCT-1999	elanogaster 33,741 08-OCT-1999	ე9,369 17-Jun-98	60,624	s aeruginosa 41,603 12-MAR-1999
	s Bacillus subtil	Homo sapiens	Mus musculu		unidentified	Flavobacterium sp.	Unknown	Sphingomonas sp. UG30		Homo sapiens		Rattus norvegicus	Homo sapiens	Acrising vestions	Aquifex aeolicus		Streptomyces griseus	Streptomyces griseus	Homo sapiens	Drosophila melanogaster	Drosophila melanogaster	Mycobacterium tuberculosis	Mycobacterium leprae	Pseudomonas aeruginosa
Table 4 (continued)	Bacillus subtilis complete genome (section 20 of 21); from 3798401 to Bacillus subtilis			clone IMAGE:1261021 5' similar to gb:J04181 Mouse A-X actin mRNA, complete cds (MOUSE);, mRNA sequence.	Sequence 1 from Patent WO9421807.	Flavobacterium sp. pentachlorophenol 4-monooxygenase gene, complete mRNA.	Sequence 2 from patent US 5512478.		(pcpB) gene, complete cds; and pentachlorophenol 4- monooxygenase reductase (pcpD) gene, partial cds			UI-R-CO-ic-d-11-0-UI.s1 UI-R-C0 Rattus norvegicus cDNA clone UI-R-CO-ic-d-11-0-UI 3', mRNA sequence.	Homo sapiens chromosome 10 clone RP11-342D11, *** SECUENCING IN DEOCEDES *** in unaddand plants				Streptomyces griseus genes for Ort2, Orf3, Orf4, Orf5, AfsA, Orf8, partial and complete cds.	Streptomyces griseus genes for Ort2, Ort3, Ort4, Ort5, AfsA, Ort8, partial and complete cds.	Homo sapiens PAC clone DJ412A9 from 22, complete sequence.	Drosophila melanogaster chromosome 2 clone BACR08A11 (D916) RPCI-98 08.A.11 map 42A-42A strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 93 unordered pieces.	Drosophila melanogaster chromosome 2 clone BACR08A11 (D916) RPCI-98 08.A.11 map 42A-42A strain y; cn bw sp. *** SEQUENCING IN PROGRESS ***, 93 unordered pieces.	Mycobacterium tuberculosis H37Rv complete genome; segment 125/162.	Mycobacterium leprae cosmid B1529 DNA sequence.	Pseudomonas aeruginosa dapD gene for tetrahydrodipicolinate N- succinyletransferase, complete cds, strain PAO1.
	Z99123	AQ260413	AA840582		A39944	M98557	119994	AF059680		AQ332469		AA998532	AL121748	AF000745	AE000745		AB011413	AB011413		AC008257	AC008257	AL008883	L78824	AB024601
	212150	1 453	326		3836	2519	2516	2410		459		453	1 178183	15085	15085		12070	12070	133893	109187	109187	13246	S 36985	1480/
	GB_BA1:BSUB0020	GB_GSS11:AQ260413 453	GB_EST20:AA840582		GB_PAT:A39944	GB_BA1:FVBPENTA	GB_PAT:119994	GB_BA2:AF059680		GB_GSS12:AQ332469 459		GB_EST27:AA998532	GB_HTG1:HSA342D11 178183	GB RA2.AF000745	GB_BA2:AE000745		GB_BA1:AB011413	GB_BA1:AB011413	GB_PR4:AC005005	GB_HTG3;AC008257	GB_HTG3:AC008257	GB_BA1:MTV003	GB_BA1:MSGB1529CS 36985	GB_BA1:AB024601
		rxa01358 1644				rxa01385 2004				xa01412 327				rxa01458 1173			xa01571 723		rxa01607 753			rxa01609 996		
		č				č				č				8	•		č		۲			č		

				Table 4 (continued)			
ma01654 1119	GB_GSS4.AQ704352	532	AQ704352	T Approved Human Genomic Sperm enomic clone Plate=2147 Col=8 Row=O,	Homo sapiens	37,838	7-Jul-99
	GB_RO:MMAE000663 250611 AE0006	250611	AE000663	genomic survey sequence. Mus musculus TCR beta locus from bases 1 to 250611 (section 1 of 8) of the complete sequence.	Mus musculus	35,799	4-Sep-97
	GB_EST23:AI158428	511	AI158428	lus musculus cDNA clone	Mus musculus	41,337	30-Sep-98
rxa01664 945	GB_OV:AF026198	63155	AF026198	olecule L1 homolog (L1-CAM) (PUT1) gene, partial cds; tion protein SMC1 homolog sium channel alpha-1 subunit	Fugu rubripes	35,187	02-MAY-1998
	GB PR3:AC004466	122186	122186 AC004466		Homo saciens	37 382	17.Sen.98
		0.700					
	GB_PR3:AC004406	122 180	122166 AC004466	nomo sapiens 12413.1 PAC KPCIS-105/120 (Koswell Park Cancer P Institute Human PAC library) complete sequence.	Homo sapiens	37,325	17-Sep-98
rxa01795 720	GB_BA2:CGU13922	4412	U13922	II 5-cytosoine II restriction type III restriction	Corynebacterium glutamicum	99,444	3-Feb-98
	00.000	,	4400			•	
	GB_PAT:122080	850	286113 122080	ORF I [Neissera gonormoeae, Genomic, 1044 nt]. Sequence 1 from patent US 5525717.	Neisseria gonorrhoeae Unknown.	58,320 57,722	07-MAY-1993 07-OCT-1996
rxa01802 954	GB_BA2:AE001519	14062	AE001519	80 of 132 of the complete	Helicobacter pylori J99	33,510	20-Jan-99
	GB_GSS5:AQ774071	552	AQ774071	genome. HS_2269_B1_C10_T7C CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2269 Col=19 Row=F.	Homo sapiens	37,967	29-Jul-99
	GB 004.AC007460	70007	0.007460				
rxa01838 842	GB_BA1;SCE15		AL049707	Streptomyces coelicolor cosmid E15.	nomo sapiens Streptomyces coelicolor	36,740	04-MAY-1999 22-Apr-99
	GB_HTG3:AC009545		AC009545	131_J_04 map 11, ***	Homo sapiens	37,651	01-OCT-1999
	GB_HTG3:AC009545	165042	AC009545	:	Homo sapiens	37,651	01-OCT-1999
rxa01848 867	GB_BA1:MTCY24A1	20270	Z95207	segment	Mycobacterium tuberculosis	38,270	17-Jun-98
	GB_EST21:C89252	287	C89252	C89252 Mouse early blastocyst cDNA Mus musculus cDNA clone N 01B00061JC08, mRNA sequence.	Mus musculus	37,219	28-MAY-1998
	GB_EST14:AA423340 457	457	AA423340	ary gland NbMMG Mus musculus tNA sequence.	Mus musculus	38,377	16-OCT-1997

	17-Jun-98		2-Sep-99	27-Aug-99	17-Jun-98	1.1.03	15 Jun-97	13-2011-90	36-unr-7t	23-Nov-99	19, 1,1,95	06-OCT-1998		23-Nov-99	06-OCT-1998	23-Jul-98	25-Jun-98	23-Jul-98	27-Aug-99	27-Aug-99	27-Feb-99	10-Aug-99	10-Aug-99
	39,950	:		40,898	38,679	20 044	38 033	90,90	51,094	39,038	39.390	34,961		39,600	37,725	35,585	38,907	35,859	35,302	35,302	37,640	35,466	35,466
	Mycobacterium	tuberculosis	Rhodobacter capsulatus	Rhodobacter sphaeroides	Mycobacterium tuberculosis	Mynobachainm lange	Mycobacterium Jopres	Manhodonian epide	wycobacterium tuberculosis	Homo sapiens	Paracoccus denitrificans	Homo sapiens		Homo sapiens	. Homo sapiens	Homo sapiens	Homo sapiens	Homo sapiens	Homo sapiens	Homo sapiens	Homo sapiens	Drosophila melanogaster	Drosophila melanogaster
Table 4 (continued)	Mycobacterium tuberculosis H37Rv complete genome; segment	124/102.	R. capsulatus complete photosynthesis gene cluster.		Mycobacterium tuberculosis H37Rv complete genome; segment 11/162.	Mycobacterium Jenrae cosmid 1.622	Mycobacterium tenrae cosmid B983 DNA seguence	Myrobacterium hiborallogis M370v complete comment	infoodscendin toder carosis not no complete genome, segment 117/162.	Human DNA sequence from cosmid cU220B11, between markers DXS6791 and DXS8038 on chromosome X.	Paracoccus denitrificans Fin-like transcriptional activator (nnr.) gene	_		romo sapens DNA sequence from BAC 39UC10 on chromosome 22q11.21-12.1. Contains an Immunoglobulin LIKE gene and a pseudogene similar to Beta Crystallin. Contains ESTs, STSs, GSSs and taga and tat repeat polymorphisms, complete sequence.	Homo sapiens chromosome 19, cosmid R31408, complete sequence. Homo sapiens	Human Chromosome 11p12.2 PAC clone pDJ466a11, complete	Social Section 2. Coll-HSP Homo sapiens genomic clone 431E3, danning envisor contents.		Sequence. Homo sapiens chromosome 21 clone RPCIP704O1674 map 21q21, *** SEQITEMING IN DECIDENCE *** in unaddard circus	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	_	Drosophila melanogaster chromosome 2 clone BACR17117 (D934) RPCI-98 17.1.17 map 53A-53C strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 108 unordered pieces.	
	Z95207	1444	201112	AJ010302	AL021928	795398	178828	795387	100057	Z69908	U17435	AC005796	70100	AL008/21	AC005796	AC003025	B78728	112309 AC003025	169401 AL110119	AL110119	170282 AC006032	108469 AC008230	AC008230
	20270				21620	42498	36788	25949	2	41247	993	43843	1007	14231	43843	112309	312	112309	169401	169401	170282	108469	108469 AC006
	GB_BA1:MTCY24A1		GB_BALRCPHSTNG	GB_BAT:RSP010302	GB_BA1:MTV033	GB BA1 MICI 622	GB_BA1:MSGB983CS	GB BA1-MTCY1410		GB_PR3:HSU220B11	GB_BA1:PDU17435	GB_PR3:AC005796	000000000000000000000000000000000000000		GB_PR3:AC005796	GB_PR3:AC003025	GB_GSS3:B78728	GB_PR3:AC003025	GB_HTG1:HS74O16	GB_HTG1:HS74016	GB_PR4:AC006032	GB_HTG3.AC008230	GB_HTG3:AC008230
-	1224			;	2049			924	5			526				1020			726			954	
	rxa01849 1224				rxa01868			cxa01885				rxa01914				rxa01932			rxa01933			rxa01971	

Homo sapiens 39,716 2-Jun-98	Oryza sativa 37,118 2-Aug-95	I-11- Homo sapiens 41,000 20-Apr-99		I-11- Homo sapiens 34,790 20-Apr-99	CDNA Mus musculus 42,638 06-MAR-1998.	cDNA Mus musculus 37,183 06-MAR-1998	Streotomyces coelicolor 41 732 7-Sep-98	Mycobacterium 62,395		Streptomyces coelicolor 61,603 24-Aug-99 A3(2)	Corynebacterium 53,942 28-Jul-99	ammoniagenes	Sus scrofa 42,672 26-Sep-94	s 41,554	ernix 39,882	na 38,490		Arabidopsis thaliana 34,863 23-MAR-1999		Lactobacillus fermentum 56,265 31-MAR-1999	Lactobacillus fermentum 56,265 29-Sep-97	Lactobacillus fermentum 56,265 2-Feb-99	Homo sapiens 37,916	, i=v	Mitochondrion Physarum 40,335 12-MAY-1999	}	erived Mitochondrion Physarum 40,335 08-MAY-1998	and polycephiaten	A A A A A A A A A A A A A A A A A A A
Table 4 (continued) Homo sapiens chromosome 21q22.3 PAC 70l24, complete	sequence. RICS15292A Rice green shoot Oryza sativa cDNA, mRNA	sequence. RPCI11-66013.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-		FRC11-69013.13 RPCI-11 Homo sapiens genomic clone RPCI-11-		cione IMAGE:1260279 5', mRNA sequence. vw70b08.r1 Stratagene mouse heart (#937316) Mus musculus cDNA Mus musculus clone IMAGE:1260279 5', mRNA sequence.	Streptomyces coelicolor cosmid 5C7,	Mycobacterium tuberculosis H37Rv complete genome; segment	50/162.	Streptomyces coelicolor cosmid J12.	DNA encoding cell surface protein from Corynebacterium	ammoniagenes.	S.scrofa mRNA for aminopeptidase N.	Gallus gallus mRNA for aminopeptidase Ey, complete cds.	-	-		•	sequence, complete sequence.	Lactobacillus fermentum urease operon, partial sequence.	DNA sequence coding for acid urease.	L.fermentum gene for acid urease.		cibrary under sapiens genomic clone Plate=2001 Cot=15 Row=1, genomic survey sequence.	Physarum polycephalum mitochondrial DNA.		Physarum polycephalum strain aux2-S region of mitochondria derived Mitochondrion Physarum from mE plasmid including LIBEA LIBEA LIBEA LIBEE LIBEE and advisorabeling	URFG genes, complete cds, and URFH gene, partial cds.	Action (Court distance property in the property of the propert
165382 AF064860	D48846	AQ195886	00000	AC193886	AA855266	AA855266	AL031515	Z95584		AL109989	E15823		Z 29522	D87992	AP000064	AC006587	10000	AC006587		AF120718	E03531	D10605	AQ242920		D29637		AF012249		AF048784
165382	459	295		c G G	406	406	41906	34331		35302	2323		3387	3181	247695	79262	1000	79767		4137	2896	2896	451		14503		5542		, B
GB_PR3:AF064860	GB_EST2:D48846	GB_GSS10:AQ195886	000000000000000000000000000000000000000	GD_GSS 10.AQ193888	GB_EST20:AA855266	GB_EST20:AA855266	GB_BA1:SC5C7	GB_BA1:MTCI65		GB_BA1:SCJ12	GB_PAT:E15823		GB_OM:SSAMPTON	GB_OV:D87992	GB_BA1:AP000064	GB_PL2:ATAC006587	TA COOCES	GB_PLZ:A1ACUU6587		GB_BA2:AF120718	GB_PAT:E03531	GB_BA1:LBAAURE	GB_GSS10:AQ242920		GB_IN1:SLMMTPMF	I	GB_IN2:AF012249		GB BA2.AF048784
	rxa02016 900				rxa02017 807		xa02018 1073				rxa02048 1497				rxa02101 1386					rxa02265 423			xa02276 801						857 77C00ax

9-Feb-99		26-Jan-96	8-Apr-99	26-Sep-94 10-Sep-98	24-MAR-1999 G	24-MAR-1999	16-Jan-97	10-Feb-99	30-Jan-96 03-DEC-1999	03-DEC-1999	03-DEC-1999	24-Jul-99	18-Sep-95	3-Jun-99
63,686		61,931	39,161	39,819 33,832	32,299	34,573	100,000	60,380	37,660 35,973	35,973	36,992	99,227	40,411	37,674
Actinomyces naeslundii		Streptococcus salivarius	Homo sapiens	Pneumocystis carinii Pneumocystis carinii f. sp. hominis		Oryza sativa	Corynebacterium glutamicum	Mycobacterium tuberculosis	Mycobacterium leprae Homo sapiens	Homo sapiens	Homo sapiens	Corynebacterium glutamicum	Homo sapiens	Drosophila melanogaster
Table 4 (continued) Actinomyces naeslundii urease gamma subunit UreA (ureA), urease Actinomyces naeslundii	beta subunit UreB (ureB), urease alpha subunit UreC (ureC), urease accessory protein UreE (ureE), urease accessory protein UreF (ureF), urease accessory protein UreG (ureG), and urease accessory protein UreC (ureC), and urease accessory protein UreD (ureD) genes, complete cds.	Streptococcus salivarius ure cluster nickel transporter homolog (urel) Streptococcus salivarius gene, partial cds, and urease beta subunit (ureB), alpha subunit (ureC), and accessory proteins (ureE), (ureF), (ureD) genes, complete cds.	RPCI11-4113.TV RPCI-11 Homo sapiens genomic clone RPCI-11-4113, genomic survey sequence.	Pneumocystis carinii B-cell receptor (msgl) gene, 3' end. Pneumocystis carinii f. sp. hominis variant regions of major surface olycoproteins (msg.), msg.), msg.), oenes, partial cds.	nbxb0004dG10r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0004N20r, genomic survey sequence.	nbxb0004dG10r CUGI Rice BAC Library Oryza sativa genomic clone. Oryza sativa nbxb0004N20r, genomic survey sequence.	Corynebacterium glutamicum thiosulfate sulfurtransferase (thtR) gene, partial cds, acyl CoA carboxylase (accBC) gene, complete cds.	Mycobacterium tuberculosis H37Rv complete genome; segment 141/162.	Mycobacterium leprae cosmid B1308. Homo sapiens chromosome 6 clone RP1-225E12 map q24, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Homo sapiens chromosome 6 clone RP1-225E12 map q24, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Homo sapiens chromosome 6 clone RP1-225E12 map q24, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Corynebacterium glutamicum murl gene for D-glutamate racemase, complete cds.	yo33b09.s1 Soares adult brain N2b4H855Y Homo sapiens cDNA clone IMAGE:179705 3', mRNA sequence.	Drosophila melanogaster genome survey sequence T7 end of BAC # Drosophila melanogaster BACR08C19 of RPCI-98 library from Drosophila melanogaster (fruit fly), genomic survey sequence.
AF056321	-	U35248	B49054	L27092 AF038556	AQ051031	AQ051031	U35023	292771	U00012 AL031772	126464 AL031772	AL031772	AB020624	H51527	AL064136
5482		5773	543	3363 12792	914	914	3195	42729	33312 126464	126464	126464	1605	294	1101
GB_BA2:AF056321		GB_BA2:SSU35248	GB_GSS3:B49054	GB_PL1:PMCMSGI GB_PL2:AF038556	GB_GSS8:AQ051031	GB_GSS8:AQ051031	GB_BA1:CGU35023	GB_BA1:MTCY71	GB_BA1:U00012 GB_HTG2:HS225E12	GB_HTG2:HS225E12	GB_HTG2:HS225E12	GB_BA1:AB020624	GB_EST4:H51527	GB_GSS1:CNS003CM 1101
			rxa02278 972		rxa02317 735		ка02334 746		ка02351 1039			rxa02410 789		

16-OCT-1999	16-OCT-1999	16-OCT-1999	15-Jan-98 20-Nov-99	20-Nov-99	8-Aug-96	12-MAR-1997	17-DEC-1998	27-MAY-1999
.	16-	<u>ą</u>	15- 20-	-02	8-A	12-1	17-1	27-
37,466	37,466	39,118	42,895 36,084	35,244	40,590	38,760	37,091	66,242
Drosophila melanogaster	. Drosophila melanogaster	Drosophila melanogaster	Mycobacterium terrae Arabidopsis thaliana	Arabidopsis thaliana	Corynebacterium	Mus musculus	Rhodobacter sphaeroides 37,091	Streptomyces lavendulae
Table 4 (continued) Drosophila melanogaster chromosome 3L/74E2 clone RPC198- 15E10, *** SEQUENCING IN PROGRESS ***, 70 unordered pieces.	Drosophila melanogaster chromosome 3U74E2 clone RPCl98-15E10, *** SEQUENCING IN PROGRESS ***, 70 unordered pieces.	Drosophila melanogaster chromosome 3L/75A1 clone RPC!98-44L18, *** SEQUENCING IN PROGRESS ***, 59 unordered pieces.	M. terrae gene for 32 kDa protein (partial). Arabidopsis thaliana genomic DNA, chromosome 3, P1 clone: MDC16, complete sequence.		C.glutamicum DNA for attB region.		Rhodobacter sphaeroides pyp and pcl genes, and orfA, orfB, orfC, orfE, orfF.	
AC010054	130191 AC010054	AC009376	X92572 AB019229	AB019229	X89850	AA239557	AJ002398	AF127374
130191	130191	137069	373 84294	84294	271	423	6500	63734
GB_HTG4:AC010054 130191 AC010054	GB_HTG4:AC010054	GB_HTG4:AC009375 137069 AC009375	GB_BA1:MTER260 GB_PL1:AB019229	GB_PL1:AB019229	GB_BA1:CGLATTB		GB_BA1:RSPYPPCL	GB_BA2.AF127374
ra02477 744			rxa02513 832		rxa02531 834			тв02548 314

27-MAY-1999			16-Jul-99	28-Nov-98	8-Feb-99	21-Apr-99	11-Jun-99	11-Jun-99	13-OCT-1999	17-Jul-95	23-Nov-99
38,411			38,907	38,736	41,308	44,340	37,003	40,925	38,039	39,036	35,957
Streptomyces lavendulae			Homo sapiens	Drosophila melanogaster	Drosophila melanogaster	Homo sapiens	Gossypium hirsutum	Gossypium hirsutum	Homo sapiens	Homo sapiens	Homo sapiens
Streptomyces lavendulae LinA homolog, cytochrome P450 hydroxylase ORF4, cytochrome P450 hydroxylase ORF4, cytochrome P450 hydroxylase ORF3, MitT (mitT), MitS (mitR), MitQ (mitQ), MitP (mitP), MitQ	(mito), Mitty (mity), Mitty (mitty), Mitty (m	(mmcN), MmcO (mmcO), Mrd (mrd), MmcP (mmcP), MmcQ (mmcQ), MmcR (mmcR), MmcS (mmcS), MmcT (mmcT), MmcU (mmcU), MmcV (mmcV), McX (mmcV), MmcV (mmcV), MmcX (mmcX), and MmcY (mmcY) genes, complete cds; and unknown genes.	HS_5569_B2_B02_SP6 RPCI-11 Human Mate BAC Library Homo sapiens genomic clone Plate=1145 Col=4 Row=D, genomic survey sequence.	HL01004.5prime HL Drosophila melanogaster head BlueScript Drosophila melanogaster cDNA clone HL01004 5prime, mRNA sequence.	GH21610.5prime GH Drosophila melanogaster head pOT2 Drosophila melanogaster cDNA clone GH21610 5prime, mRNA sequence.	RPCI11-61I9 TJB RPCI-11 Homo sapiens genomic clone RPCI-11-61I9, genomic survey sequence.	BNLGHi5854 Six-day Cotton fiber Gossypium hirsutum cDNA 5' similar to (U53418) UDP-glucose dehydrogenase [Glycine max], mRNA sequence.	BNLGHi5243 Six-day Cotton fiber Gossypium hirsutum cDNA 5' similar to (U53418) UDP-glucose dehydrogenase [Glycine max], mRNA sequence.	Homo sapiens chromosome Y, clone 203M13, complete sequence.	ym58f01.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:52678 5' similar to SP:OXDD_BOVIN P31228 D-ASPARTATE OXIDASE: mRNA sequence.	Human DNA sequence from clone 261K5 on chromosome 6q21-22.1. Contains the 3' part of the gene for a novel organic cation transporter (BAC ORF RG331P03), the DDO gene for D-aspartate oxidase (EC 1.4.3.1), ESTs, STSs, GSSs and two putative CpG islands, complete sequence.
AF127374			AQ741886	AA567307	AI402394	AQ237646	AI726448	AI726198	154848 AC002992	H29653	AL050350
63734			742	741	630	715	562	809	154848	415	131974 AL0503
GB_BA2:AF127374 ·			GB_GSS4.AQ741886	GB_EST18:AA567307 741	GB_EST27:AI402394	GB_GSS10:AQ237646 715	GB_EST32:AI726448	GB_EST32:AI726198	GB_PR4:AC002992	GB_EST4:H29653	GB_PR3:HSDJ261K5
				rxa02558 1098			rxa02565 1389			rxa02574 1131	·

					Table 4 (continued)			
		GB_EST2:R20147	494	R20147	yg18h02.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:32866 5' similar to SP:OXDD_BOVIN P31228 D-ASPARTATE OXIDASE: mBNA sequence	Homo sapiens	36,437	17-Apr-95
rxa02589	888	GB_HTG1:CEY6E2	186306	596799	Caenorhabditis elegans chromosome Cone Y6E2, *** SEQUENCING IN PROGRESS *** in unadeced ninces	Caenorhabditis elegans	37,979	02-OCT-1997
		GB_HTG1:CEY6E2	186306	596799	Caenorhabditis elegans chronosome V clone Y6E2, ***	Caenorhabditis elegans	37,979	02-OCT-1997
		GB_HTG3:AC011690	72277	AC011690	SECUCIACING IN PROGRESS ***, IN UNORGERED PIECES. Homo sapiens clone 17_E_13, LOW-PASS SEQUENCE SAMPLING.	Homo sapiens	35,814	10-OCT-1999
rxa02592	894	GB_BA1:MSGB983CS GB_GSS9:AQ170723	36788	L78828 AQ170723	Mycobacterium leprae cosmid B983 DNA sequence.	Mycobacterium leprae	53,235	15-Jun-96
			ļ		Library D Homo sapiens genomic clone Plate≈2270 Col=10 Row=L.	nomo sapiens	39,666	16-OCT-1998
		GB_GSS12.AQ349397 791	791	AQ349397	genomic survey sequence. RPC(11-118H16, TJ RPCI-11 Homo saniens genomic clone RPCI-11- Homo saniens		700	
rxa02603 1119	1119	GB_BA1:MTV026	23740	AL022076	118H16, genomic survey sequence. Mycobacterium tribarrailosis H37By complete seguence.		407'±0	BBBL-LWW-70
•		GB IN2-AC005714	177740	477740 ACODE244	157/162.	iviyoobacterium tuberculosis	37,975	24-Jun-99
		1 (2000 C. 711 - 10)	2	AC0037 14	Liosophila melanogaster, chromosome 2R, region 58D4-58E2, BAC	Drosophila melanogaster	41,226	01-MAY-1999
		GB_EST19:AA775050	218	AA775050	ac76e10.s1 Stratagene lung (#937210) Homo sapiens cDNA clone IMAGE:868554 3' similar to gb:Y00371_ma1 HEAT SHOCK	Homo sapiens	40,826	5-Feb-98
rxa02630 1446	1446	GB_BA1:MLCL373	37304	AL035500	OCSNATE 71 KD PROTEIN (HUMAN);, mRNA sequence. Mycobacterium leprae cosmid L373.	Mycobacterium Ionrae	40.046	27 6
		GB_BA1:MTV044	16150	AL021999	Mycobacterium tuberculosis H37Rv complete genome; segment	Mycobacterium	49,192	27-Aug-39 17-Jun-98
		GB BA1-MII15180	38675	1145180	Wichelpotesium leans and a facility of the fac	tuberculosis		
rxa02643	1167	GB_EST37:A1950576	308	A1950576	wyspenacterium leprae cosmid B1756.	Mycobacterium leprae	45,621	09-MAR-1995
			}		IMAGE:2547302 3', mRNA sequence.	Homo sapiens	40,909	6-Sep-99
		GB_EST37:Al950576	308	Al950576	wx52e08.x1 NCI_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2547302 3', mRNA sequence.	Homo sapiens	40,288	6-Sep-99
xa02644 774	774	GB_EST34:AV149547	302	AV149547	AV149547 Mus musculus C57BL/6J 10-11 day embryo Mus	Mus musculus	38 627	5. hil-99
		CD CCT26.AV466224	į		musculus cDNA clone 2810489D03, mRNA sequence.			
		GB_E3133.AV136221	7	AV156221	AV156221 Mus musculus head C57BL/6J 12-day embryo Mus musculus cDNA clone 3000001C24, mRNA sequence.	Mus musculus	33,990	7-Jul-99
		GB_EST32:AV054919	274	AV054919	AV054919 Mus musculus pancreas C57BL/6.) adult Mus musculus cDNA clone 1810033C08, mRNA sequence.	Mus musculus	36,585	23-Jun-99
rxa02745 902	302	GB_BA1:MTV007	32806	AL021184	Mycobacterium tuberculosis H37Rv complete genome; segment 64/162.	Mycobacterium tuberculosis	39,298	17-Jun-98

WO 01	00842						
æ	٠	o					109 თ
03-DEC-1998	96-deS-9	14-MAY-1999	17-Jun-98	3-Aug-99	1-Feb-97	2-Sep-99 21-Jul-99	12-Apr-99 20-OCT-1999 22-Feb-99
s 55,125	46,868	100,000	39,785	35,688	36,859	35,934 35,770	53,400 45,168 36,680
Mycobacterium smegmatis 55,125	Streptomyces argillaceus	Corynebacterium glutamicum	Mycobacterium tuberculosis	Homo sapiens	Bacillus firmus	Caenorhabditis elegans Mesembryanthemum crystallinum.	Campylobacter jejuni Bacillus anthracis Arabidopsis thaliana
Mycobacterium smegmatis FxbA (fxbA) gene, partial cds; FxbB (fxbB), FxbC (fxbC), and FxuD (fxtD) genes, complete cds; and unknown genes	Streptomyces argillaceus mithramycin resistance determinant, ATP- Streptomyces argillaceus 46,868 binding protein (mtrA) and membrane protein (mtrB) genes, complete cds.	Corynebacterium glutamicum amtP, glnB, glnD genes and partial ftsY Corynebacterium and srp genes.	Mycobacterium tuberculosis H37Rv complete genome; segment 127/162.	Homo sapiens chromosome 19 clone CITB-E1_2525J15, *** SEQUENCING IN PROGRESS ***, 72 unorderad pieces.	Bacillus firmus dppABC operon, dipeptide transporter protein dppA gene, partial cds, and dipeptide transporter proteins dppB and dppC genes, complete cds.	Caenorhabditis elegans cosmid T04C10, complete sequence. L30-944T3 Ice plant Lambda Uni-Zap XR expression library, 30 Mesembryar hours NaCl treatment Mesembryarthemum crystallinum cDNA clone crystallinum. L30-944 Si similar to 60S ribosomal protein L36	(ACUMAGOA) [Arabidopsis inaliana], mkNA sequence. Campylobacter jejuni clpB gene. Bacillus anthracis virulence plasmid PX01, complete sequence. Arabidopsis thaliana chromosome V map near 60.5 cM, complete
AF027770	U43537	AJ010319	274697	216140 AC008733	U64514	Z69885 AI823090	Y13333 AF065404 AC006601
30683	3938	5368	29372	216140	3837	20958 720	3315 181654 110684
GB_BA2:AF027770	GB_BA2:SAU43537	GB_BA1:CAJ10319	GB_BA1:MTCY338	GB_HTG3:AC008733	GB_BA1:BFU64514	GB_IN1:CET04C10 GB_EST35:AI823090	GB_BA1:CJY13333 GB_BA2:AF065404 GB_PL2:AC006601
		230					518
		rxa02746 290			ra02820 1411		rxa02834 518

PCT/IB00/00911

Exemplification

Example 1: Preparation of total genomic DNA of Corynebacterium glutamicum ATCC 13032

- 110 -

5 A culture of Corynebacterium glutamicum (ATCC 13032) was grown overnight at 30°C with vigorous shaking in BHI medium (Difco). The cells were harvested by centrifugation, the supernatant was discarded and the cells were resuspended in 5 ml buffer-I (5% of the original volume of the culture — all indicated volumes have been calculated for 100 ml of culture volume). Composition of buffer-I: 140.34 g/l sucrose, 2.46 g/l MgSO₄ x 7H₂O, 10 ml/l KH₂PO₄ solution (100 g/l, adjusted to pH 6.7 with KOH), 50 ml/l M12 concentrate (10 g/l (NH₄), SO₄, 1 g/l NaCl, 2 g/l MgSO₄ x 7H, O, 0.2 g/l CaCl₂, 0.5 g/l yeast extract (Difco), 10 ml/l trace-elements-mix (200 mg/l FeSO₄ x H₂O, 10 mg/l ZnSO₄ x 7 H₂O, 3 mg/l MnCl₂ x 4 H₂O, 30 mg/l H₃BO₃ 20 mg/l CoCl₂ x 6 H₂O, 1 mg/l NiCl₂ x 6 H₂O, 3 mg/l Na₂MoO₄ x 2 H₂O, 500 mg/l complexing agent (EDTA or critic acid), 100 ml/l vitamins-mix (0.2 mg/l biotin, 0.2 mg/l folic acid, 20 15 mg/l p-amino benzoic acid, 20 mg/l riboflavin, 40 mg/l ca-panthothenate, 140 mg/l nicotinic acid, 40 mg/l pyridoxole hydrochloride, 200 mg/l myo-inositol). Lysozyme was added to the suspension to a final concentration of 2.5 mg/ml. After an approximately 4 h incubation at 37°C, the cell wall was degraded and the resulting protoplasts are harvested by centrifugation. The pellet was washed once with 5 ml buffer-I and once with 5 ml TE-buffer (10 mM Tris-HCl, 1 mM EDTA, pH 8). The pellet was resuspended in 4 ml TE-buffer and 0.5 ml SDS solution (10%) and 0.5 ml NaCl solution (5 M) are added. After adding of proteinase K to a final concentration of 200 μg/ml, the suspension is incubated for ca.18 h at 37°C. The DNA was purified by extraction with phenol, phenol-chloroform-isoamylalcohol and chloroformisoamylalcohol using standard procedures. Then, the DNA was precipitated by adding 1/50 volume of 3 M sodium acetate and 2 volumes of ethanol, followed by a 30 min incubation at -20°C and a 30 min centrifugation at 12,000 rpm in a high speed centrifuge using a SS34 rotor (Sorvall). The DNA was dissolved in 1 ml TE-buffer containing 20 30 μg/ml RNaseA and dialysed at 4°C against 1000 ml TE-buffer for at least 3 hours. During this time, the buffer was exchanged 3 times. To aliquots of 0.4 ml of the dialysed DNA solution, 0.4 ml of 2 M LiCl and 0.8 ml of ethanol are added. After a 30

- 111 -

min incubation at -20°C, the DNA was collected by centrifugation (13,000 rpm, Biofuge Fresco, Heraeus, Hanau, Germany). The DNA pellet was dissolved in TE-buffer. DNA prepared by this procedure could be used for all purposes, including southern blotting or construction of genomic libraries.

5

10

15

Example 2: Construction of genomic libraries in *Escherichia coli* of *Corynebacterium glutamicum* ATCC13032.

Using DNA prepared as described in Example 1, cosmid and plasmid libraries were constructed according to known and well established methods (see e.g., Sambrook, J. et al. (1989) "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press, or Ausubel, F.M. et al. (1994) "Current Protocols in Molecular Biology", John Wiley & Sons.)

Any plasmid or cosmid could be used. Of particular use were the plasmids pBR322 (Sutcliffe, J.G. (1979) *Proc. Natl. Acad. Sci. USA*, 75:3737-3741); pACYC177 (Change & Cohen (1978) *J. Bacteriol* 134:1141-1156), plasmids of the pBS series (pBSSK+, pBSSK- and others; Stratagene, LaJolla, USA), or cosmids as SuperCos1 (Stratagene, LaJolla, USA) or Lorist6 (Gibson, T.J., Rosenthal A. and Waterson, R.H. (1987) *Gene* 53:283-286. Gene libraries specifically for use in *C. glutamicum* may be constructed using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) *J. Microbiol. Biotechnol.* 4: 256-263).

20

25

Example 3: DNA Sequencing and Computational Functional Analysis

Genomic libraries as described in Example 2 were used for DNA sequencing according to standard methods, in particular by the chain termination method using ABI377 sequencing machines (see *e.g.*, Fleischman, R.D. *et al.* (1995) "Whole-genome Random Sequencing and Assembly of Haemophilus Influenzae Rd., Science, 269:496-512). Sequencing primers with the following nucleotide sequences were used: 5'-GGAAACAGTATGACCATG-3' or 5'-GTAAAACGACGGCCAGT-3'.

Example 4: In vivo Mutagenesis

30

In vivo mutagenesis of Corynebacterium glutamicum can be performed by passage of plasmid (or other vector) DNA through E. coli or other microorganisms (e.g. Bacillus spp. or yeasts such as Saccharomyces cerevisiae) which are impaired in their capabilities to maintain

102:93-98).

30

5

the integrity of their genetic information. Typical mutator strains have mutations in the genes for the DNA repair system (e.g., mutHLS, mutD, mutT, etc.; for reference, see Rupp, W.D. (1996) DNA repair mechanisms, in: *Escherichia col*i and *Salmonella*, p. 2277-2294, ASM: Washington.) Such strains are well known to those of ordinary skill in the art. The use of such strains is illustrated, for example, in Greener, A. and Callahan, M. (1994) *Strategies* 7: 32-34.

Example 5: DNA Transfer Between Escherichia coli and Corynebacterium glutamicum

Several Corynebacterium and Brevibacterium species contain endogenous plasmids (as e.g., pHM1519 or pBL1) which replicate autonomously (for review see, e.g., 10 Martin, J.F. et al. (1987) Biotechnology, 5:137-146). Shuttle vectors for Escherichia coli and Corynebacterium glutamicum can be readily constructed by using standard vectors for E. coli (Sambrook, J. et al. (1989), "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press or Ausubel, F.M. et al. (1994) "Current Protocols in Molecular Biology", John Wiley & Sons) to which a origin or replication for and a suitable marker from Corynebacterium glutamicum is added. Such origins of replication are preferably taken from endogenous plasmids isolated from Corynebacterium and Brevibacterium species. Of particular use as transformation markers for these species are genes for kanamycin resistance (such as those derived from the Tn5 or Tn903 transposons) or chloramphenicol (Winnacker, E.L. (1987) "From Genes to Clones -20 Introduction to Gene Technology, VCH, Weinheim). There are numerous examples in the literature of the construction of a wide variety of shuttle vectors which replicate in both E. coli and C. glutamicum, and which can be used for several purposes, including gene overexpression (for reference, see e.g., Yoshihama, M. et al. (1985) J. Bacteriol. 162:591-597, Martin J.F. et al. (1987) Biotechnology, 5:137-146 and Eikmanns, B.J. et al. (1991) Gene, 25

Using standard methods, it is possible to clone a gene of interest into one of the shuttle vectors described above and to introduce such a hybrid vectors into strains of *Corynebacterium glutamicum*. Transformation of *C. glutamicum* can be achieved by protoplast transformation (Kastsumata, R. et al. (1984) *J. Bacteriol*. 159306-311), electroporation (Liebl, E. et al. (1989) FEMS Microbiol. Letters, 53:399-303) and in cases where special vectors are used, also by conjugation (as described e.g. in Schäfer, A et al.

- 113 -

(1990) J. Bacteriol. 172:1663-1666). It is also possible to transfer the shuttle vectors for C. glutamicum to E. coli by preparing plasmid DNA from C. glutamicum (using standard methods well-known in the art) and transforming it into E. coli. This transformation step can be performed using standard methods, but it is advantageous to use an Mcr-deficient E. coli strain, such as NM522 (Gough & Murray (1983) J. Mol. Biol. 166:1-19).

Genes may be overexpressed in *C. glutamicum* strains using plasmids which comprise pCG1 (U.S. Patent No. 4,617,267) or fragments thereof, and optionally the gene for kanamycin resistance from TN903 (Grindley, N.D. and Joyce, C.M. (1980) *Proc. Natl. Acad. Sci. USA* 77(12): 7176-7180). In addition, genes may be overexpressed in *C. glutamicum* strains using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) *J. Microbiol. Biotechnol.* 4: 256-263).

Aside from the use of replicative plasmids, gene overexpression can also be achieved by integration into the genome. Genomic integration in *C. glutamicum* or other Corynebacterium or Brevibacterium species may be accomplished by well-known methods, such as homologous recombination with genomic region(s), restriction endonuclease mediated integration (REMI) (see, *e.g.*, DE Patent 19823834), or through the use of transposons. It is also possible to modulate the activity of a gene of interest by modifying the regulatory regions (*e.g.*, a promoter, a repressor, and/or an enhancer) by sequence modification, insertion, or deletion using site-directed methods (such as homologous recombination) or methods based on random events (such as transposon mutagenesis or REMI). Nucleic acid sequences which function as transcriptional terminators may also be inserted 3' to the coding region of one or more genes of the invention; such terminators are well-known in the art and are described, for example, in Winnacker, E.L. (1987) From Genes to Clones – Introduction to Gene Technology. VCH: Weinheim.

Example 6: Assessment of the Expression of the Mutant Protein

15

20

25

30

Observations of the activity of a mutated protein in a transformed host cell rely on the fact that the mutant protein is expressed in a similar fashion and in a similar quantity to that of the wild-type protein. A useful method to ascertain the level of transcription of the mutant gene (an indicator of the amount of mRNA available for translation to the gene product) is to perform a Northern blot (for reference see, for example, Ausubel *et al.*

(1988) Current Protocols in Molecular Biology, Wiley: New York), in which a primer designed to bind to the gene of interest is labeled with a detectable tag (usually radioactive or chemiluminescent), such that when the total RNA of a culture of the organism is extracted, run on gel, transferred to a stable matrix and incubated with this probe, the binding and quantity of binding of the probe indicates the presence and also the quantity of mRNA for this gene. This information is evidence of the degree of transcription of the mutant gene. Total cellular RNA can be prepared from *Corynebacterium glutamicum* by several methods, all well-known in the art, such as that described in Bormann, E.R. et al. (1992) *Mol. Microbiol.* 6: 317-326.

To assess the presence or relative quantity of protein translated from this mRNA, standard techniques, such as a Western blot, may be employed (see, for example, Ausubel et al. (1988) Current Protocols in Molecular Biology, Wiley: New York). In this process, total cellular proteins are extracted, separated by gel electrophoresis, transferred to a matrix such as nitrocellulose, and incubated with a probe, such as an antibody, which specifically binds to the desired protein. This probe is generally tagged with a chemiluminescent or colorimetric label which may be readily detected. The presence and quantity of label observed indicates the presence and quantity of the desired mutant protein present in the cell.

10

20 Example 7: Growth of Genetically Modified *Corynebacterium glutamicum* — Media and Culture Conditions

Genetically modified *Corynebacteria* are cultured in synthetic or natural growth media. A number of different growth media for Corynebacteria are both well-known and readily available (Lieb *et al.* (1989) *Appl. Microbiol. Biotechnol.*, 32:205-210; von der

25 Osten *et al.* (1998) *Biotechnology Letters*, 11:11-16; Patent DE 4,120,867; Liebl (1992)

"The Genus *Corynebacterium*, in: The Procaryotes, Volume II, Balows, A. *et al.*, eds. Springer-Verlag). These media consist of one or more carbon sources, nitrogen sources, inorganic salts, vitamins and trace elements. Preferred carbon sources are sugars, such as mono-, di-, or polysaccharides. For example, glucose, fructose, mannose, galactose, ribose, sorbose, ribulose, lactose, maltose, sucrose, raffinose, starch or cellulose serve as very good carbon sources. It is also possible to supply sugar to the media via complex compounds such as molasses or other by-products from sugar refinement. It can also be

advantageous to supply mixtures of different carbon sources. Other possible carbon sources are alcohols and organic acids, such as methanol, ethanol, acetic acid or lactic acid. Nitrogen sources are usually organic or inorganic nitrogen compounds, or materials which contain these compounds. Exemplary nitrogen sources include ammonia gas or ammonia salts, such as NH₄Cl or (NH₄)₂SO₄, NH₄OH, nitrates, urea, amino acids or complex nitrogen sources like corn steep liquor, soy bean flour, soy bean protein, yeast extract, meat extract and others.

Inorganic salt compounds which may be included in the media include the chloride-, phosphorous- or sulfate- salts of calcium, magnesium, sodium, cobalt, molybdenum, potassium, manganese, zinc, copper and iron. Chelating compounds can be added to the medium to keep the metal ions in solution. Particularly useful chelating compounds include dihydroxyphenols, like catechol or protocatechuate, or organic acids, such as citric acid. It is typical for the media to also contain other growth factors, such as vitamins or growth promoters, examples of which include biotin, riboflavin, thiamin, folic acid, nicotinic acid, pantothenate and pyridoxin. Growth factors and salts frequently originate from complex media components such as yeast extract, molasses, corn steep liquor and others. The exact composition of the media compounds depends strongly on the immediate experiment and is individually decided for each specific case. Information about media optimization is available in the textbook "Applied Microbiol. Physiology, A Practical Approach (eds. P.M. Rhodes, P.F. Stanbury, IRL Press (1997) pp. 53-73, ISBN 0 19 963577 3). It is also possible to select growth media from commercial suppliers, like standard 1 (Merck) or BHI (grain heart infusion, DIFCO) or others.

10

15

20

25

All medium components are sterilized, either by heat (20 minutes at 1.5 bar and 121°C) or by sterile filtration. The components can either be sterilized together or, if necessary, separately. All media components can be present at the beginning of growth, or they can optionally be added continuously or batchwise.

Culture conditions are defined separately for each experiment. The temperature should be in a range between 15°C and 45°C. The temperature can be kept constant or can be altered during the experiment. The pH of the medium should be in the range of 5 to 8.5, preferably around 7.0, and can be maintained by the addition of buffers to the media. An exemplary buffer for this purpose is a potassium phosphate buffer. Synthetic buffers such as MOPS, HEPES, ACES and others can alternatively or simultaneously be used. It

- 116 -

is also possible to maintain a constant culture pH through the addition of NaOH or NH₄OH during growth. If complex medium components such as yeast extract are utilized, the necessity for additional buffers may be reduced, due to the fact that many complex compounds have high buffer capacities. If a fermentor is utilized for culturing the microorganisms, the pH can also be controlled using gaseous ammonia.

The incubation time is usually in a range from several hours to several days. This time is selected in order to permit the maximal amount of product to accumulate in the broth. The disclosed growth experiments can be carried out in a variety of vessels, such as microtiter plates, glass tubes, glass flasks or glass or metal fermentors of different sizes.

For screening a large number of clones, the microorganisms should be cultured in microtiter plates, glass tubes or shake flasks, either with or without baffles. Preferably 100 ml shake flasks are used, filled with 10% (by volume) of the required growth medium. The flasks should be shaken on a rotary shaker (amplitude 25 mm) using a speed-range of 100 – 300 rpm. Evaporation losses can be diminished by the maintenance of a humid atmosphere; alternatively, a mathematical correction for evaporation losses should be performed.

If genetically modified clones are tested, an unmodified control clone or a control clone containing the basic plasmid without any insert should also be tested. The medium is inoculated to an OD₆₀₀ of O.5 – 1.5 using cells grown on agar plates, such as CM plates (10 g/l glucose, 2,5 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l agar, pH 6.8 with 2M NaOH) that had been incubated at 30°C. Inoculation of the media is accomplished by either introduction of a saline suspension of *C. glutamicum* cells from CM plates or addition of a liquid preculture of this bacterium.

25

20

5

Example 8 - In vitro Analysis of the Function of Mutant Proteins

The determination of activities and kinetic parameters of enzymes is well established in the art. Experiments to determine the activity of any given altered enzyme must be tailored to the specific activity of the wild-type enzyme, which is well within the ability of one of ordinary skill in the art. Overviews about enzymes in general, as well as specific details concerning structure, kinetics, principles, methods,

- 117 -

applications and examples for the determination of many enzyme activities may be found, for example, in the following references: Dixon, M., and Webb, E.C., (1979)
Enzymes. Longmans: London; Fersht, (1985) Enzyme Structure and Mechanism.
Freeman: New York; Walsh, (1979) Enzymatic Reaction Mechanisms. Freeman: San
Francisco; Price, N.C., Stevens, L. (1982) Fundamentals of Enzymology. Oxford Univ. Press: Oxford; Boyer, P.D., ed. (1983) The Enzymes, 3rd ed. Academic Press: New York; Bisswanger, H., (1994) Enzymkinetik, 2nd ed. VCH: Weinheim (ISBN 3527300325); Bergmeyer, H.U., Bergmeyer, J., Graßl, M., eds. (1983-1986) Methods of Enzymatic Analysis, 3rd ed., vol. I-XII, Verlag Chemie: Weinheim; and Ullmann's
Encyclopedia of Industrial Chemistry (1987) vol. A9, "Enzymes". VCH: Weinheim, p. 352-363.

The activity of proteins which bind to DNA can be measured by several well-established methods, such as DNA band-shift assays (also called gel retardation assays). The effect of such proteins on the expression of other molecules can be measured using reporter gene assays (such as that described in Kolmar, H. *et al.* (1995) *EMBO J.* 14: 3895-3904 and references cited therein). Reporter gene test systems are well known and established for applications in both pro- and eukaryotic cells, using enzymes such as beta-galactosidase, green fluorescent protein, and several others.

15

25

The determination of activity of membrane-transport proteins can be performed according to techniques such as those described in Gennis, R.B. (1989) "Pores, Channels and Transporters", in Biomembranes, Molecular Structure and Function, Springer: Heidelberg, p. 85-137; 199-234; and 270-322.

Example 9: Analysis of Impact of Mutant Protein on the Production of the Desired Product

The effect of the genetic modification in *C. glutamicum* on production of a desired compound (such as an amino acid) can be assessed by growing the modified microorganism under suitable conditions (such as those described above) and analyzing the medium and/or the cellular component for increased production of the desired product (*i.e.*, an amino acid). Such analysis techniques are well known to one of ordinary skill in the art, and include spectroscopy, thin layer chromatography, staining methods of various kinds, enzymatic and microbiological methods, and analytical

chromatography such as high performance liquid chromatography (see, for example, Ullman, Encyclopedia of Industrial Chemistry, vol. A2, p. 89-90 and p. 443-613, VCH: Weinheim (1985); Fallon, A. et al., (1987) "Applications of HPLC in Biochemistry" in: Laboratory Techniques in Biochemistry and Molecular Biology, vol. 17; Rehm et al. (1993) Biotechnology, vol. 3, Chapter III: "Product recovery and purification", page 469-714, VCH: Weinheim; Belter, P.A. et al. (1988) Bioseparations: downstream processing for biotechnology, John Wiley and Sons; Kennedy, J.F. and Cabral, J.M.S. (1992) Recovery processes for biological materials, John Wiley and Sons; Shaeiwitz, J.A. and Henry, J.D. (1988) Biochemical separations, in: Ulmann's Encyclopedia of Industrial Chemistry, vol. B3, Chapter 11, page 1-27, VCH: Weinheim; and Dechow, F.J. (1989) Separation and purification techniques in biotechnology, Noyes Publications.)

In addition to the measurement of the final product of fermentation, it is also possible to analyze other components of the metabolic pathways utilized for the production of the desired compound, such as intermediates and side-products, to determine the overall efficiency of production of the compound. Analysis methods include measurements of nutrient levels in the medium (*e.g.*, sugars, hydrocarbons, nitrogen sources, phosphate, and other ions), measurements of biomass composition and growth, analysis of the production of common metabolites of biosynthetic pathways, and measurement of gasses produced during fermentation. Standard methods for these measurements are outlined in Applied Microbial Physiology, A Practical Approach, P.M. Rhodes and P.F. Stanbury, eds., IRL Press, p. 103-129; 131-163; and 165-192 (ISBN: 0199635773) and references cited therein.

15

20

25 Example 10: Purification of the Desired Product from C. glutamicum Culture

Recovery of the desired product from the *C. glutamicum* cells or supernatant of the above-described culture can be performed by various methods well known in the art. If the desired product is not secreted from the cells, the cells can be harvested from the culture by low-speed centrifugation, the cells can be lysed by standard techniques, such as mechanical force or sonication. The cellular debris is removed by centrifugation, and the supernatant fraction containing the soluble proteins is retained for further purification of the desired compound. If the product is secreted from the *C. glutamicum*

- 119 -

cells, then the cells are removed from the culture by low-speed centrifugation, and the supernate fraction is retained for further purification.

The supernatant fraction from either purification method is subjected to chromatography with a suitable resin, in which the desired molecule is either retained on a chromatography resin while many of the impurities in the sample are not, or where the impurities are retained by the resin while the sample is not. Such chromatography steps may be repeated as necessary, using the same or different chromatography resins. One of ordinary skill in the art would be well-versed in the selection of appropriate chromatography resins and in their most efficacious application for a particular molecule to be purified. The purified product may be concentrated by filtration or ultrafiltration, and stored at a temperature at which the stability of the product is maximized.

There are a wide array of purification methods known to the art and the preceding method of purification is not meant to be limiting. Such purification techniques are described, for example, in Bailey, J.E. & Ollis, D.F. Biochemical Engineering Fundamentals, McGraw-Hill: New York (1986).

10

15

20

The identity and purity of the isolated compounds may be assessed by techniques standard in the art. These include high-performance liquid chromatography (HPLC), spectroscopic methods, staining methods, thin layer chromatography, NIRS, enzymatic assay, or microbiologically. Such analysis methods are reviewed in: Patek *et al.* (1994) *Appl. Environ. Microbiol.* 60: 133-140; Malakhova *et al.* (1996) *Biotekhnologiya* 11: 27-32; and Schmidt *et al.* (1998) *Bioprocess Engineer.* 19: 67-70. Ulmann's Encyclopedia of Industrial Chemistry, (1996) vol. A27, VCH: Weinheim, p. 89-90, p. 521-540, p. 540-547, p. 559-566, 575-581 and p. 581-587; Michal, G. (1999) Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, John Wiley and Sons; Fallon, A. *et al.* (1987) Applications of HPLC in Biochemistry in: Laboratory Techniques in Biochemistry and Molecular Biology, vol. 17.

Example 11: Analysis of the Gene Sequences of the Invention

The comparison of sequences and determination of percent homology between two sequences are art-known techniques, and can be accomplished using a mathematical algorithm, such as the algorithm of Karlin and Altschul (1990) *Proc. Natl. Acad. Sci.* USA 87:2264-68, modified as in Karlin and Altschul (1993) *Proc. Natl. Acad. Sci.* USA

- 120 -

90:5873-77. Such an algorithm is incorporated into the NBLAST and XBLAST programs (version 2.0) of Altschul, *et al.* (1990) *J. Mol. Biol.* 215:403-10. BLAST nucleotide searches can be performed with the NBLAST program, score = 100, wordlength = 12 to obtain nucleotide sequences homologous to HA nucleic acid molecules of the invention. BLAST protein searches can be performed with the XBLAST program, score = 50, wordlength = 3 to obtain amino acid sequences homologous to HA protein molecules of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul *et al.*, (1997) *Nucleic Acids Res.* 25(17):3389-3402. When utilizing BLAST and Gapped BLAST programs, one of ordinary skill in the art will know how to optimize the parameters of the program (*e.g.*, XBLAST and NBLAST) for the specific sequence being analyzed.

Another example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Meyers and Miller ((1988) Comput. Appl. Biosci. 4: 11-17). Such an algorithm is incorporated into the ALIGN program (version 2.0) which is part of the GCG sequence alignment software package. When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used. Additional algorithms for sequence analysis are known in the art, and include ADVANCE and ADAM. described in Torelli and Robotti (1994) Comput. Appl. Biosci. 10:3-5; and FASTA, described in Pearson and Lipman (1988) P.N.A.S. 85:2444-8.

15

The percent homology between two amino acid sequences can also be accomplished using the GAP program in the GCG software package (available at http://www.gcg.com), using either a Blosum 62 matrix or a PAM250 matrix, and a gap weight of 12, 10, 8, 6, or 4 and a length weight of 2, 3, or 4. The percent homology between two nucleic acid sequences can be accomplished using the GAP program in the GCG software package, using standard parameters, such as a gap weight of 50 and a length weight of 3.

A comparative analysis of the gene sequences of the invention with those present in Genbank has been performed using techniques known in the art (see, e.g., Bexevanis and Ouellette, eds. (1998) Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins. John Wiley and Sons: New York). The gene sequences of the invention

- 121 -

were compared to genes present in Genbank in a three-step process. In a first step, a BLASTN analysis (e.g., a local alignment analysis) was performed for each of the sequences of the invention against the nucleotide sequences present in Genbank, and the top 500 hits were retained for further analysis. A subsequent FASTA search (e.g., a combined local and global alignment analysis, in which limited regions of the sequences are aligned) was performed on these 500 hits. Each gene sequence of the invention was subsequently globally aligned to each of the top three FASTA hits, using the GAP program in the GCG software package (using standard parameters). In order to obtain correct results, the length of the sequences extracted from Genbank were adjusted to the length of the query sequences by methods well-known in the art. The results of this analysis are set forth in Table 4. The resulting data is identical to that which would have been obtained had a GAP (global) analysis alone been performed on each of the genes of the invention in comparison with each of the references in Genbank, but required significantly reduced computational time as compared to such a database-wide GAP (global) analysis. Sequences of the invention for which no alignments above the cutoff values were obtained are indicated on Table 4 by the absence of alignment information. It will further be understood by one of ordinary skill in the art that the GAP alignment homology percentages set forth in Table 4 under the heading "% homology (GAP)" are listed in the European numerical format, wherein a ',' represents a decimal point. For example, a value of "40,345" in this column represents "40.345%".

Example 12: Construction and Operation of DNA Microarrays

10

15

20

25

30

The sequences of the invention may additionally be used in the construction and application of DNA microarrays (the design, methodology, and uses of DNA arrays are well known in the art, and are described, for example, in Schena, M. et al. (1995)

Science 270: 467-470; Wodicka, L. et al. (1997) Nature Biotechnology 15: 1359-1367;

DeSaizieu, A. et al. (1998) Nature Biotechnology 16: 45-48; and DeRisi, J.L. et al. (1997) Science 278: 680-686).

DNA microarrays are solid or flexible supports consisting of nitrocellulose, nylon, glass, silicone, or other materials. Nucleic acid molecules may be attached to the surface in an ordered manner. After appropriate labeling, other nucleic acids or nucleic acid mixtures can be hybridized to the immobilized nucleic acid molecules, and the label

10

15

20

25

30

may be used to monitor and measure the individual signal intensities of the hybridized molecules at defined regions. This methodology allows the simultaneous quantification of the relative or absolute amount of all or selected nucleic acids in the applied nucleic acid sample or mixture. DNA microarrays, therefore, permit an analysis of the expression of multiple (as many as 6800 or more) nucleic acids in parallel (see, e.g., Schena, M. (1996) *BioEssays* 18(5): 427-431).

The sequences of the invention may be used to design oligonucleotide primers which are able to amplify defined regions of one or more *C. glutamicum* genes by a nucleic acid amplification reaction such as the polymerase chain reaction. The choice and design of the 5' or 3' oligonucleotide primers or of appropriate linkers allows the covalent attachment of the resulting PCR products to the surface of a support medium described above (and also described, for example, Schena, M. *et al.* (1995) *Science* 270: 467-470).

Nucleic acid microarrays may also be constructed by *in situ* oligonucleotide synthesis as described by Wodicka, L. *et al.* (1997) *Nature Biotechnology* 15: 1359-1367. By photolithographic methods, precisely defined regions of the matrix are exposed to light. Protective groups which are photolabile are thereby activated and undergo nucleotide addition, whereas regions that are masked from light do not undergo any modification. Subsequent cycles of protection and light activation permit the synthesis of different oligonucleotides at defined positions. Small, defined regions of the genes of the invention may be synthesized on microarrays by solid phase oligonucleotide synthesis.

The nucleic acid molecules of the invention present in a sample or mixture of nucleotides may be hybridized to the microarrays. These nucleic acid molecules can be labeled according to standard methods. In brief, nucleic acid molecules (e.g., mRNA molecules or DNA molecules) are labeled by the incorporation of isotopically or fluorescently labeled nucleotides, e.g., during reverse transcription or DNA synthesis. Hybridization of labeled nucleic acids to microarrays is described (e.g., in Schena, M. et al. (1995) supra; Wodicka, L. et al. (1997), supra; and DeSaizieu A. et al. (1998), supra). The detection and quantification of the hybridized molecule are tailored to the specific incorporated label. Radioactive labels can be detected, for example, as

- 123 -

described in Schena, M. et al. (1995) supra) and fluorescent labels may be detected, for example, by the method of Shalon et al. (1996) Genome Research 6: 639-645).

The application of the sequences of the invention to DNA microarray technology, as described above, permits comparative analyses of different strains of *C. glutamicum* or other Corynebacteria. For example, studies of inter-strain variations based on individual transcript profiles and the identification of genes that are important for specific and/or desired strain properties such as pathogenicity, productivity and stress tolerance are facilitated by nucleic acid array methodologies. Also, comparisons of the profile of expression of genes of the invention during the course of a fermentation reaction are possible using nucleic acid array technology.

Example 13: Analysis of the Dynamics of Cellular Protein Populations (Proteomics)

10

15

20

25

The genes, compositions, and methods of the invention may be applied to study the interactions and dynamics of populations of proteins, termed 'proteomics'. Protein populations of interest include, but are not limited to, the total protein population of *C. glutamicum* (e.g., in comparison with the protein populations of other organisms), those proteins which are active under specific environmental or metabolic conditions (e.g., during fermentation, at high or low temperature, or at high or low pH), or those proteins which are active during specific phases of growth and development.

Protein populations can be analyzed by various well-known techniques, such as gel electrophoresis. Cellular proteins may be obtained, for example, by lysis or extraction, and may be separated from one another using a variety of electrophoretic techniques. Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) separates proteins largely on the basis of their molecular weight. Isoelectric focusing polyacrylamide gel electrophoresis (IEF-PAGE) separates proteins by their isoelectric point (which reflects not only the amino acid sequence but also posttranslational modifications of the protein). Another, more preferred method of protein analysis is the consecutive combination of both IEF-PAGE and SDS-PAGE, known as 2-D-gel electrophoresis (described, for example, in Hermann *et al.* (1998) *Electrophoresis* 19: 3217-3221; Fountoulakis *et al.* (1998) *Electrophoresis* 19: 1193-1202; Langen *et al.* (1997) *Electrophoresis* 18: 1184-1192; Antelmann *et al.* (1997) *Electrophoresis* 18:

5

10

15

20

25

1451-1463). Other separation techniques may also be utilized for protein separation, such as capillary gel electrophoresis; such techniques are well known in the art.

Proteins separated by these methodologies can be visualized by standard techniques, such as by staining or labeling. Suitable stains are known in the art, and include Coomassie Brilliant Blue, silver stain, or fluorescent dyes such as Sypro Ruby (Molecular Probes). The inclusion of radioactively labeled amino acids or other protein precursors (e.g., ³⁵S-methionine, ³⁵S-cysteine, ¹⁴C-labelled amino acids, ¹⁵N-amino acids, ¹⁵NO₃ or ¹⁵NH₄⁺ or ¹³C-labelled amino acids) in the medium of *C. glutamicum* permits the labeling of proteins from these cells prior to their separation. Similarly, fluorescent labels may be employed. These labeled proteins can be extracted, isolated and separated according to the previously described techniques.

Proteins visualized by these techniques can be further analyzed by measuring the amount of dye or label used. The amount of a given protein can be determined quantitatively using, for example, optical methods and can be compared to the amount of other proteins in the same gel or in other gels. Comparisons of proteins on gels can be made, for example, by optical comparison, by spectroscopy, by image scanning and analysis of gels, or through the use of photographic films and screens. Such techniques are well-known in the art.

To determine the identity of any given protein, direct sequencing or other standard techniques may be employed. For example, N- and/or C-terminal amino acid sequencing (such as Edman degradation) may be used, as may mass spectrometry (in particular MALDI or ESI techniques (see, e.g., Langen et al. (1997) Electrophoresis 18: 1184-1192)). The protein sequences provided herein can be used for the identification of C. glutamicum proteins by these techniques.

The information obtained by these methods can be used to compare patterns of protein presence, activity, or modification between different samples from various biological conditions (e.g., different organisms, time points of fermentation, media conditions, or different biotopes, among others). Data obtained from such experiments alone, or in combination with other techniques, can be used for various applications, such as to compare the behavior of various organisms in a given (e.g., metabolic) situation, to increase the productivity of strains which produce fine chemicals or to increase the efficiency of the production of fine chemicals.

- 125 -

Equivalents

Those of ordinary skill in the art will recognize, or will be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. Such equivalents are intended to be encompassed by the following claims.

- 126 -

PCT/IB00/00911

What is claimed:

WO 01/00842

- 1. An isolated nucleic acid molecule from Corynebacterium glutamicum encoding an 5 HA protein, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
 - 2. The isolated nucleic acid molecule of claim 1, wherein said nucleic acid molecule encodes an HA protein involved in the production of a fine chemical.

10

3. An isolated Corynebacterium glutamicum nucleic acid molecule selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.

15

4. An isolated nucleic acid molecule which encodes a polypeptide sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.

20

30

- 5. An isolated nucleic acid molecule which encodes a naturally occurring allelic variant of a polypeptide selected from the group of amino acid sequences consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 25
 - 6. An isolated nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.

- 127 -

PCT/IB00/00911

- 7. An isolated nucleic acid molecule comprising a fragment of at least 15 nucleotides of a nucleic acid comprising a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 8. An isolated nucleic acid molecule which hybridizes to the nucleic acid molecule of any one of claims 1-7 under stringent conditions.
- 9. An isolated nucleic acid molecule comprising the nucleic acid molecule of any one of claims 1-8 or a portion thereof and a nucleotide sequence encoding a heterologous polypeptide.
 - 10. A vector comprising the nucleic acid molecule of any one of claims 1-9.

15

30

5

WO 01/00842

- 11. The vector of claim 10, which is an expression vector.
- 12. A host cell transfected with the expression vector of claim 11.
- 20 13. The host cell of claim 12, wherein said cell is a microorganism.
 - 14. The host cell of claim 13, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
- 25 15. The host cell of claim 12, wherein the expression of said nucleic acid molecule results in the modulation in production of a fine chemical from said cell.
 - 16. The host cell of claim 15, wherein said fine chemical is selected from the group consisting of: organic acids, proteinogenic and nonproteinogenic amino acids, purine and pyrimidine bases, nucleosides, nucleotides, lipids, saturated and unsaturated fatty acids, diols, carbohydrates, aromatic compounds, vitamins, cofactors, polyketides, and enzymes.

- 128 -

- 17. A method of producing a polypeptide comprising culturing the host cell of claim 12 in an appropriate culture medium to, thereby, produce the polypeptide.
- 5 18. An isolated HA polypeptide from *Corynebacterium glutamicum*, or a portion thereof.
 - 19. The polypeptide of claim 18, wherein said polypeptide is involved in the production of a fine chemical production.

10

20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.

15

20

- 21. An isolated polypeptide comprising a naturally occurring allelic variant of a polypeptide comprising an amino acid sequence selected from the group consisting of those sequences set forth in as even-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
- 22. The isolated polypeptide of any of claims 18-21, further comprising heterologous amino acid sequences.
- 23. An isolated polypeptide which is encoded by a nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleic acid selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated nucleic acid molecules set forth in Table 1.

30

24. An isolated polypeptide comprising an amino acid sequence which is at least 50% homologous to an amino acid sequence selected from the group consisting of those

- 129 -

sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.

- 5 25. A method for producing a fine chemical, comprising culturing a cell containing a vector of claim 12 such that the fine chemical is produced.
 - 26. The method of claim 25, wherein said method further comprises the step of recovering the fine chemical from said culture.

10

- 27. The method of claim 25, wherein said method further comprises the step of transfecting said cell with the vector of claim 11 to result in a cell containing said vector.
- 15 28. The method of claim 25, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
 - 29. The method of claim 25, wherein said cell is selected from the group consisting of: Corynebacterium glutamicum, Corynebacterium herculis, Corynebacterium lilium,
- 20 Corynebacterium acetoacidophilum, Corynebacterium acetoglutamicum,
 Corynebacterium acetophilum, Corynebacterium ammoniagenes, Corynebacterium
 fujiokense, Corynebacterium nitrilophilus, Brevibacterium ammoniagenes,
 Brevibacterium butanicum, Brevibacterium divaricatum, Brevibacterium flavum,
 Brevibacterium healii, Brevibacterium ketoglutamicum, Brevibacterium
- 25 ketosoreductum, Brevibacterium lactofermentum, Brevibacterium linens, Brevibacterium paraffinolyticum, and those strains set forth in Table 3.
 - 30. The method of claim 25, wherein expression of the nucleic acid molecule from said vector results in modulation of production of said fine chemical.

30

31. The method of claim 25, wherein said fine chemical is selected from the group consisting of: organic acids, proteinogenic and nonproteinogenic amino acids, purine

PCT/IB00/00911

and pyrimidine bases, nucleosides, nucleotides, lipids, saturated and unsaturated fatty acids, diols, carbohydrates, aromatic compounds, vitamins, cofactors, polyketides, and enzymes.

- 5 32. The method of claim 25, wherein said fine chemical is an amino acid.
 - 33. The method of claim 32, wherein said amino acid is drawn from the group consisting of: lysine, glutamate, glutamine, alanine, aspartate, glycine, serine, threonine, methionine, cysteine, valine, leucine, isoleucine, arginine, proline, histidine, tyrosine, phenylalanine, and tryptophan.
 - 34. A method for producing a fine chemical, comprising culturing a cell whose genomic DNA has been altered by the inclusion of a nucleic acid molecule of any one of claims 1-9.

15

10

WO 01/00842

- 35. A method for diagnosing the presence or activity of *Corynebacterium diphtheriae* in a subject, comprising detecting the presence of one or more of SEQ ID NOs 1 through 440 of the Sequence Listing in the subject, provided that the sequences are not or are not encoded by any of the F-designated sequences set forth in Table 1, thereby diagnosing the presence or activity of *Corynebacterium diphtheriae* in the subject.
- 36. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the Sequence Listing, wherein the nucleic acid molecule is disrupted.

25

20

- 37. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs in the Sequence Listing, wherein the nucleic acid molecule comprises one or more nucleic acid modifications from the sequence set forth as odd-numbered SEQ ID NOs of the
- 30 Sequence Listing s.

- 131 -

38. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the Sequence Listing, wherein the regulatory region of the nucleic acid molecule is modified relative to the wild-type regulatory region of the molecule.

5

SEQUENCE LISTING

<12 <13 <14 <14 <16 <21 <21 <21 <21 <21 <22	0> C: I 0> B: 0> 1 1> 0> 4 0> 1 1> 3 2> D: 3> C:	ORYN NVOL GI-1 40 14 NA oryn	IEBAC VED 28CP	TERI IN H	sell UM G OMEO	LUTA STAS	MICU	ND A	NES DAPT	ENCO ATIO	DING N	PRO	TEIN	S		
<22	2> (1))												
<22.	3> R)	XAUZ	548													
сса	0> 1 ccg Pro	atc Ile	tac Tyr	ttc Phe 5	tcc Ser	cac His	gac Asp	cgc Arg	gaa Glu 10	gtt Val	ttc Phe	gag Glu	cgc Arg	gac Asp 15	ggc Gly	48
atg Met	tgg Trp	ctg Leu	acc Thr 20	gca Ala	ggc Gly	gag Glu	tgg Trp	ggt Gly 25,	Gly	cca Pro	aag Lys	aag Lys	ggc Gly 30	gag Glu	gag Glu	96
atc Ile	gtc Val	acc Thr 35	aag Lys	act Thr	gtc Val	cgc Arg	tac Tyr 40	cgc Arg	acc Thr	gtc Val	ggc Gly	gat Asp 45	atg Met	tcc Ser	tgc Cys	144
acc Thr	ggt Gly 50	gct Ala	gtg Val	ctc Leu	tcc Ser	gaa Glu 55	gcc Ala	cgc Arg	acc Thr	att Ile	gac Asp 60	gat Asp	gtg Val	atc Ile	gaa Glu	192
gag Glu 65	atc Ile	gcc Ala	acc Thr	tcc Ser	acc Thr 70	ctt Leu	acc Thr	gaa Glu	cgt Arg	ggc Gly 75	gca Ala	acc Thr	cgc Arg	gcc Ala	gat Asp 80	240
gac Asp	cgc Arg	ctc Leu	agc Šer	gaa Glu 85	tcc Ser	gca Ala	atg Met	gaa Glu	gac Asp 90	cgc Arg	aag Lys	aag Lys	gaa Glu	ggc Gly 95	tac Tyr	288
ttc Phe	tgat	gact	tgc t	ccaa	acctt	g aa	at									314
<212	> 97 !> PR	T	ebact	eriu:	ım gl	.utan	nicum	n								
<400		-														
1				5	Ser				10				•	15		
Met	Trp	Leu	Thr 20	Ala	Gly	Glu	Trp	Gly	Gly	Pro	Lys	Lys	Gly	Glu	Glu	

Ile Val Thr Lys Thr Val Arg Tyr Arg Thr Val Gly Asp Met Ser Cys Thr Gly Ala Val Leu Ser Glu Ala Arg Thr Ile Asp Asp Val Ile Glu Glu Ile Ala Thr Ser Thr Leu Thr Glu Arg Gly Ala Thr Arg Ala Asp Asp Arg Leu Ser Glu Ser Ala Met Glu Asp Arg Lys Lys Glu Gly Tyr Phe <210> 3 <211> 980 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(957) <223> RXN00249 <400> 3 acc ggc gtc tcc acc tcc cag gtt gta gtt ttg ctt gtc gac gcc cgc 48 Thr Gly Val Ser Thr Ser Gln Val Val Leu Leu Val Asp Ala Arg cac ggc gtc gtc gag cag acc cgc cgc cac ctg tcc gta tcg gct ctg 96 His Gly Val Val Glu Gln Thr Arg Arg His Leu Ser Val Ser Ala Leu ctg ggc gta cgc acg gtg atc ctc gca gtc aac aaa att gac ctt gtt 144 Leu Gly Val Arg Thr Val Ile Leu Ala Val Asn Lys Ile Asp Leu Val gat tac agc gaa gaa gtc ttc cgc aac att gaa aag gaa ttc gtt ggc 192 Asp Tyr Ser Glu Glu Val Phe Arg Asn Ile Glu Lys Glu Phe Val Gly 50 55 ctg gca tct gca ctt gat gtc aca gac acc cac gtt gtt cca atc tct 240 Leu Ala Ser Ala Leu Asp Val Thr Asp Thr His Val Val Pro Ile Ser 70 gcg ctc aag ggc gac aac gtt gca gaa cct tcc acc cac atg gat tgg 288 Ala Leu Lys Gly Asp Asn Val Ala Glu Pro Ser Thr His Met Asp Trp 85 95 tac acc gga cca acc gtg ctg gaa atc ctg gaa aac gta gaa gtt tcc 336 Tyr Thr Gly Pro Thr Val Leu Glu Ile Leu Glu Asn Val Glu Val Ser 100 105 110 cac ggc cgt gca cac gac ctg ggc ttc cgc ttc cca atc cag tac gtc 384 His Gly Arg Ala His Asp Leu Gly Phe Arg Phe Pro Ile Gln Tyr Val 115 125 atc cgc gag cac gcc acc gac tac cgt ggc tac gcc ggc acc atc aac

Ile	2 Arg 130	Glu	His	Ala	Thr	135	Tyr	Arg	l GJ A	Tyr	Ala 140		Thr	Ile	Asn	
gct Ala 145	GIA	tcc Ser	gtc Val	Ser	gtg Val 150	Gly	gat Asp	acc	gtg Val	tac Tyr 155	Leu	cct Pro	gaa Glu	ggc Gly	cgc Arg 160	480
acc Thr	acc	cag Gln	gtc Val	acc Thr 165	cac His	atc Ile	.gat Asp	tcc Ser	gct Ala 170	Asp	gga Gly	tcc Ser	ctc Leu	cag Gln 175	acc Thr	528
Ala	ser	vai	180°	Glu	gcc Ala	Val	Val	Leu 185	Arg	Leu	Ala	Gln	Glu 190	Ile	Asp	576
ren	116	195	GIÀ	Glu	ctc Leu	Ile	Ala 200	Gly	Glu	Asp	Arg	Pro 205	Glu	Ser	Val	624
ALG	210	Pne	Asn	Ala	act Thr	Val 215	Val	Gly	Leu	Ala	Asp 220	Arg	Thr	Ile	Lys	672
225	сту	Ala	Ala	Val	aag Lys 230	Val	Arg	Tyr	Gly	Thr 235	Glu	Leu	Val	Arg	Gly 240	720
Arg	vai	Ala	Ala	11e 245	gaa Glu	Arg	Val	Leu	Asp 250	Ile	Asp	Gly	Val	Asn 255	Asp	768
ASN	GIU	Ala	260	Glu	acc Thr	Tyr	Gly	Leu 265	Asn	Asp	Ile	Ala	His 270	Val	Arg	816
iie	Asp	Val 275	Ala	Gly	gaa Glu	Leu	Glu 280	Val	Glu	Asp	Tyr	Ala 285	Ala	Arg	Gly	864
gcc Ala	atc Ile 290	gga Gly	tcc Ser	ttc Phe	ctc Leu	ctc Leu 295	atc Ile	gac Asp	caa Gln	tcc Ser	tcc Ser 300	ggc Gly	gat Asp	acc Thr	ctc Leu	912
gca Ala 305	gct Ala	ggc Gly	ttg Leu	gtt Val	ggc Gly 310	cac His	cgc Arg	cta Leu	cgc Arg	aat Asn 315	aac Asn	tgg Trp	tcg Ser	atc Ile		957
tagaccagtg tettaggeaa gae														980		
<212	> 31 > PR	Т	bact	eriu	m gl	utam	icum									
<400 Thr		Val	Ser	Thr	Ser	Gln	Val	Val	Val	Leu	Leu	Val .	Asp	Ala	Arg	
1				5	Gln '				10					15		
	-		20				. 9	25			JC1	- 41	30	.,.a	Tea	

3

Leu Gly Val Arg Thr Val Ile Leu Ala Val Asn Lys Ile Asp Leu Val 35 40 45

- Asp Tyr Ser Glu Glu Val Phe Arg Asn Ile Glu Lys Glu Phe Val Gly 50 60
- Leu Ala Ser Ala Leu Asp Val Thr Asp Thr His Val Val Pro Ile Ser 65 70 75 80
- Ala Leu Lys Gly Asp Asn Val Ala Glu Pro Ser Thr His Met Asp Trp 85 90 95
- Tyr Thr Gly Pro Thr Val Leu Glu Ile Leu Glu Asn Val Glu Val Ser 100 105 110
- His Gly Arg Ala His Asp Leu Gly Phe Arg Phe Pro Ile Gln Tyr Val 115 120 125
- Ile Arg Glu His Ala Thr Asp Tyr Arg Gly Tyr Ala Gly Thr Ile Asn 130 135 140
- Ala Gly Ser Val Ser Val Gly Asp Thr Val Tyr Leu Pro Glu Gly Arg 145 150 155 160
- Thr Thr Gln Val Thr His Ile Asp Ser Ala Asp Gly Ser Leu Gln Thr 165 170 175
- Ala Ser Val Gly Glu Ala Val Val Leu Arg Leu Ala Gln Glu Ile Asp 180 185 190
- Leu Ile Arg Gly Glu Leu Ile Ala Gly Glu Asp Arg Pro Glu Ser Val 195 200 205
- Pro Gly Ala Ala Val Lys Val Arg Tyr Gly Thr Glu Leu Val Arg Gly 225 230 235 240.
- Arg Val Ala Ala Ile Glu Arg Val Leu Asp Ile Asp Gly Val Asn Asp 245 250 255
- Asn Glu Ala Pro Glu Thr Tyr Gly Leu Asn Asp Ile Ala His Val Arg 260 265 270
- Ile Asp Val Ala Gly Glu Leu Glu Val Glu Asp Tyr Ala Ala Arg Gly 275 280 285
- Ala Ile Gly Ser Phe Leu Leu Ile Asp Gln Ser Ser Gly Asp Thr Leu 290 295 300
- Ala Ala Gly Leu Val Gly His Arg Leu Arg Asn Asn Trp Ser Ile 305 310 315

<210> 5

<211> 977

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (1)..(954) <223> FRXA00249 <400> 5 ggt gtt ttc acc ttc caa ggt gta gtt ttg ctt gtc gac gcc cgc cac Gly Val Phe Thr Phe Gln Gly Val Val Leu Leu Val Asp Ala Arg His ggc gtc gtc gag cag acc cgc cgc cac ctg tcc gta tcg gct ctg ctg 96 Gly Val Val Glu Gln Thr Arg Arg His Leu Ser Val Ser Ala Leu Leu 20 25 ggc gta cgc acg gtg atc ctc gca gtc aac aaa att gac ctt gtt gat 144 Gly Val Arg Thr Val Ile Leu Ala Val Asn Lys Ile Asp Leu Val Asp 35 tac age gaa gae gte tte ege aac att gaa aag gaa tte gtt gge etg 192 Tyr Ser Glu Glu Val Phe Arg Asn Ile Glu Lys Glu Phe Val Gly Leu gca tot gca ott gat gto aca gao aco cao gtt gtt coa ato tot gog Ala Ser Ala Leu Asp Val Thr Asp Thr His Val Val Pro Ile Ser Ala ctc aag ggc gac aac gtt gca gaa cct tcc acc cac atg gat tgg tac 288 Leu Lys Gly Asp Asn Val Ala Glu Pro Ser Thr His Met Asp Trp Tyr acc gga cca acc gtg ctg gaa atc ctg gaa aac gta gaa gtt tcc cac 336 Thr Gly Pro Thr Val Leu Glu Ile Leu Glu Asn Val Glu Val Ser His 100 110 ggc cgt gca cac gac ctg ggc ttc cgc ttc cca atc cag tac gtc atc Gly Arg Ala His Asp Leu Gly Phe Arg Phe Pro Ile Gln Tyr Val Ile 115 ege gag cae gee ace gae tae egt gge tae gee gge ace ate aae get 432 Arg Glu His Ala Thr Asp Tyr Arg Gly Tyr Ala Gly Thr Ile Asn Ala 130 135 ggt tee gte tee gtg gge gat ace gtg tae eta eet gaa gge ege ace Gly Ser Val Ser Val Gly Asp Thr Val Tyr Leu Pro Glu Gly Arg Thr 150 acc cag gtc acc cac atc gat tcc gct gac gga tcc ctc cag acc gca 528 Thr Gln Val Thr His Ile Asp Ser Ala Asp Gly Ser Leu Gln Thr Ala 165 170 tca gtt gga gaa gcc gtt gtc ctg cgc cta gcc cag gaa atc gac ctc Ser Val Gly Glu Ala Val Val Leu Arg Leu Ala Gln Glu Ile Asp Leu atc cgc ggc gaa ctc atc gct ggc gaa gac cgc cca gaa tcc gtt cgc Ile Arg Gly Glu Leu Ile Ala Gly Glu Asp Arg Pro Glu Ser Val Arg 200 205 tcc ttc aac gcc act gtt gtt ggc ttg gcc gat cgc acc atc aaa cca Ser Phe Asn Ala Thr Val Val Gly Leu Ala Asp Arg Thr Ile Lys Pro 210 215

Gly 225	gca Ala	gca Ala	gtc Val	aag Lys	gtt Val 230	cgc Arg	tac Tyr	ggc Gly	acc Thr	gag Glu 235	ctg Leu	gtc Val	cgc Arg	gga Gly	cgc Arg 240	720
gtc Val	gca Ala	gcc Ala	atc Ile	gaa Glu 245	cga Arg	gtc Val	ctc Leu	gac Asp	atc Ile 250	gac Asp	ggc Gly	gtc Val	aac Asn	gac Asp 255	aac Asn	768
gaa Glu	gca Ala	cca Pro	gaa Glu 260	acc Thr	tac Tyr	ggc Gly	ctc Leu	aac Asn 265	gac Asp	atc Ile	gca Ala	cac His	gtg Val 270	cgc Arg	atc Ile	816
gac Asp	gtt Val	gca Ala 275	ggc Gly	gaa Glu	ctc Leu	gaa Glu	gtt Val 280	gaa Glu	gat Asp	tac Tyr	gct Ala	gcc Ala 285	cgc Arg	ggc Gly	gcc Ala	864
atc Ile	gga Gly 290	tcc Ser	ttc Phe	ctc Leu	ctc Leu	atc Ile 295	gac Asp	caa Gln	tcc Ser	tcc Ser	ggc Gly 300	gat Asp	acc Thr	ctc Leu	gca Ala	912
gct Ala 305	ggc Gly	ttg Leu	gtt Val	ggc Gly	cac His 310	cgc Arg	cta Leu	cgc Arg	aat Asn	aac Asn 315	tgg Trp	tcg Ser	atc Ile			954
taga	ccaç	jtg t	ctta	ggca	aa ga	ac										977
<210 <211 <212	> 31 > PF	T														
<213	> Cc	ryne	bact	eriı	ım gl	utan	nicum	ı								
<213: <400: Gly '	> 6								Leu 10	Leu	Val	Asp	Ala	Arg 15	His	
<400 Gly	> 6 Val	Phe	Thr	Phe 5	Gln	Gly	Val	Val	10					15		
<400: Gly '	> 6 Val Val	Phe Val	Thr Glu 20	Phe 5 Gln	Gln	Gly Arg	Val Arg	Val His 25	10 Leu	Ser	Val	Ser	Ala 30	15 Leu	Leu	
<400: Gly 1 Gly 1	> 6 Val Val	Phe Val Arg 35	Thr Glu 20 Thr	Phe 5 Gln Val	Gln Thr	Gly Arg Leu	Val Arg Ala 40	Val His 25 Val	10 Leu Asn	Ser Lys	Val Ile	Ser Asp 45	Ala 30 Leu	15 Leu Val	Leu Asp	
<400 Gly Gly Gly	> 6 Val Val Val Ser 50	Phe Val Arg 35 Glu	Thr Glu 20 Thr	Phe 5 Gln Val	Gln Thr Ile Phe	Gly Arg Leu Arg 55	Val Arg Ala 40 Asn	Val His 25 Val Ile	10 Leu Asn Glu	Ser Lys Lys	Val Ile Glu 60	Ser Asp 45 Phe	Ala 30 Leu Val	15 Leu Val Gly	Leu Asp Leu	
<4000 Gly 1 Gly 2 Gly 2 Tyr 2	> 6 Val Val Ser 50	Phe Val Arg 35 Glu Ala	Thr Glu 20 Thr Glu Leu	Phe 5 Gln Val Val	Gln Thr Ile Phe Val 70	Gly Arg Leu Arg 55 Thr	Val Arg Ala 40 Asn	Val His 25 Val Ile	10 Leu Asn Glu His	Ser Lys Lys Val	Val Ile Glu 60 Val	Ser Asp 45 Phe	Ala 30 Leu Val	15 Leu Val Gly Ser	Leu Asp Leu Ala 80	
<4000 Gly 1 Gly 2 Gly 2 Tyr 2	> 6 Val Val Ser 50 Ser	Phe Val Arg 35 Glu Ala Gly	Thr Glu 20 Thr Glu Leu Asp	Phe 5 Gln Val Val Asp Asn 85	Gln Thr Ile Phe Val 70 Val	Gly Arg Leu Arg 55 Thr	Val Arg Ala 40 Asn Asp Glu	Val His 25 Val Ile Thr	Leu Asn Glu His Ser 90	Lys Lys Val 75	Val Ile Glu 60 Val	Ser Asp 45 Phe Pro	Ala 30 Leu Val Ile Asp	15 Leu Val Gly Ser Trp 95	Leu Asp Leu Ala 80 Tyr	
Gly	> 6 Val Val Ser 50 Ser Lys	Phe Val Arg 35 Glu Ala Gly Pro	Thr Glu 20 Thr Glu Leu Asp Thr 100	Phe 5 Gln Val Val Asp Asn 85 Val	Gln Thr Ile Phe Val 70 Val	Gly Arg Leu Arg 55 Thr Ala	Val Arg Ala 40 Asn Asp Glu Ile	Val His 25 Val Ile Thr Pro Leu 105	Leu Asn Glu His Ser 90 Glu	Lys Lys Val 75 Thr	Val Ile Glu 60 Val His	Ser Asp 45 Phe Pro Met Glu	Ala 30 Leu Val Ile Asp	15 Leu Val Gly Ser Trp 95 Ser	Leu Asp Leu Ala 80 Tyr	

Gly Ser Val Ser Val Gly Asp Thr Val Tyr Leu Pro Glu Gly Arg Thr 150 Thr Gln Val Thr His Ile Asp Ser Ala Asp Gly Ser Leu Gln Thr Ala 165 170 Ser Val Gly Glu Ala Val Val Leu Arg Leu Ala Gln Glu Ile Asp Leu 185 Ile Arg Gly Glu Leu Ile Ala Gly Glu Asp Arg Pro Glu Ser Val Arg 200 Ser Phe Asn Ala Thr Val Val Gly Leu Ala Asp Arg Thr Ile Lys Pro 215 Gly Ala Ala Val Lys Val Arg Tyr Gly Thr Glu Leu Val Arg Gly Arg 235 Val Ala Ala Ile Glu Arg Val Leu Asp Ile Asp Gly Val Asn Asp Asn Glu Ala Pro Glu Thr Tyr Gly Leu Asn Asp Ile Ala His Val Arg Ile Asp Val Ala Gly Glu Leu Glu Val Glu Asp Tyr Ala Ala Arg Gly Ala Ile Gly Ser Phe Leu Leu Ile Asp Gln Ser Ser Gly Asp Thr Leu Ala 290 300 Ala Gly Leu Val Gly His Arg Leu Arg Asn Asn Trp Ser Ile 310 <210> 7 <211> 954 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(931) <223> RXA01073 taaccgactc cagcactaaa ctccaaaccc ttggcccgca ccgccaaagt ttagcgcgcc 60 ccaagacacc accgegeeat gtttgeetag gattaggtae atg aca aac act caa Met Thr Asn Thr Gln acc gag atc att aat gaa cta aag gtg agc cca gca atc gac gtg gcc 163 Thr Glu Ile Ile Asn Glu Leu Lys Val Ser Pro Ala Ile Asp Val Ala 15 aag gaa gtt gaa ttc cgt gtg cag ttc ctc gtc gat tac ctg cgg gct 211 Lys Glu Val Glu Phe Arg Val Gln Phe Leu Val Asp Tyr Leu Arg Ala 30 tcc cat aca aaa ggc ttt .gtt ctt ggt att tca ggt ggc cag gat tcc 259 Ser His Thr Lys Gly Phe Val Leu Gly Ile Ser Gly Gly Gln Asp Ser

											gag Glu 65					307
gaa Glu 70	gaa Glu	aac Asn	agc Ser	acg Thr	gat Asp 75	tat Tyr	gtc Val	ttc Phe	tac Tyr	gca Ala 80	gtt Val	cgc Arg	ctc Leu	ccc Pro	tac Tyr 85	355
											gca Ala					403
											gac Asp					451
acc Thr	gaa Glu	gca Ala 120	act Thr	gtt Val	gca Ala	gct Ala	gct Ala 125	ttg Leu	gaa Glu	ctt Leu	cct Pro	gag Glu 130	ctg Leu	acc Thr	gac Asp	499
ttc Phe	aat Asn 135	cgg Arg	ggc Gly	aat Asn	att Ile	aaa Lys 140	gct Ala	cgc Arg	caa Gln	cgc Arg	atg Met 145	gtt Val	gcc Ala	cag Gln	tac Tyr	547
											ggc Gly					595
											ggt Gly					643
											caa Gln					691
											acc Thr					739
			Glu		Asp	Arg	Pro	Ala	Leu	Pro	gat Asp 225	Glu				787
											gaa Glu					835
gtc Val	agt Ser	gaa Glu	aaa Lys	gcc Ala 250	cag Gln	cag Gln	cgc Arg	att Ile	gag Glu 255	cac His	ctg Leu	tgg Trp	aag Lys	gtg Val 260	ggc Gly	883
cag Gln	cac His	aag Lys	cgc Arg 265	cac His	ctc Leu	cct Pro	gct Ala	acc Thr 270	ccg Pro	cag Gln	gaa Glu	aat Asn	tgg Trp 275	tgg Trp	cgt Arg	931
taat	ccaa	ica ç	jtttg	gagto	gt co	jc										954

- <210> 8
- <211> 277
- <212> PRT
- <213> Corynebacterium glutamicum
- <400> 8
- Met Thr Asn Thr Gln Thr Glu Ile Ile Asn Glu Leu Lys Val Ser Pro 1 5 10 15
- Ala Ile Asp Val Ala Lys Glu Val Glu Phe Arg Val Gln Phe Leu Val
 20 25 30
- Asp Tyr Leu Arg Ala Ser His Thr Lys Gly Phe Val Leu Gly Ile Ser 35 40 45
- Gly Gly Gln Asp Ser Thr Leu Ala Gly Arg Leu Thr Gln Leu Ala Val 50 55 60
- Glu Arg Ile Arg Ala Glu Glu Asn Ser Thr Asp Tyr Val Phe Tyr Ala 65 70 75 80
- Val Arg Leu Pro Tyr Ala Ile Gln Ala Asp Glu Asp Asp Ala Gln Val 85 90
- Ala Leu Glu Phe Ile Ala Pro Asp Lys Ser Val Thr Val Asn Val Lys 100 105 110
- Asp Ala Thr Asp Ala Thr Glu Ala Thr Val Ala Ala Ala Leu Glu Leu 115 120 125
- Pro Glu Leu Thr Asp Phe Asn Arg Gly Asn Ile Lys Ala Arg Gln Arg 130 135 140
- Met Val Ala Gln Tyr Ala Ile Ala Gly Gln Leu Gly Leu Leu Val Ile 145 150 155 160
- Gly Thr Asp His Ala Ala Glu Asn Val Thr Gly Phe Phe Thr Lys Phe 165 170 175
- Gly Asp Gly Ala Ala Asp Leu Leu Pro Leu Ala Gly Leu Ser Lys Arg 180 185 190
- Gln Gly Ala Ala Ile Leu Glu His Leu Gly Ala Pro Ser Ser Thr Trp 195 200 205
- Thr Lys Val Pro Thr Ala Asp Leu Glu Glu Asp Arg Pro Ala Leu Pro 210 215 220
- Asp Glu Glu Ala Leu Gly Val Ser Tyr Ala Asp Ile Asp Asn Tyr Leu 225 230 235 240
- Glu Asn Lys Pro Asp Val Ser Glu Lys Ala Gln Gln Arg Ile Glu His 245 250 255
- Leu Trp Lys Val Gly Gln His Lys Arg His Leu Pro Ala Thr Pro Gln 260 265 270
- Glu Asn Trp Trp Arg . 275

<210> 9 <211> 609 <212> DNA <213> Corynebacterium glutamicum <221> CDS <222> (101)..(586) <223> RXN02913 <400> 9 tecetgacat ecaggitgaa qeaacgittq atqacqqeae caaqeteqte accqtqeaea 60 atcccatccg ataacccttg atgtttttag gagttttgtc atg atc cca ggc gag 115 Met Ile Pro Gly Glu tac atc ctg tcc agc gaa tca ctc acc gga aat gtt ggg cgc gag gcc 163 Tyr Ile Leu Ser Ser Glu Ser Leu Thr Gly Asn Val Gly Arg Glu Ala 15 aaa acc atc gaa atc atc aac acc ggt gat agg cct gtg cag att ggt 211 Lys Thr Ile Glu Ile Ile Asn Thr Gly Asp Arg Pro Val Gln Ile Gly 30 tcg cat ttc cac ttc gct gaa gta aac ccc agc atc agc ttt gat cgc 259 Ser His Phe His Phe Ala Glu Val Asn Pro Ser Ile Ser Phe Asp Arg 45 agt gaa ggt tac ggc ttc cgc ctt gat att cca tcc ggc acc gcg gtg 307 Ser Glu Gly Tyr Gly Phe Arg Leu Asp Ile Pro Ser Gly Thr Ala Val ege etc gag eca gge gat gee ege ace gte aac ett gtt gee att gge 355 Arg Leu Glu Pro Gly Asp Ala Arg Thr Val Asn Leu Val Ala Ile Gly 75 80 ggt gac cgc att gtt gca ggt ttc cga gat ctc gtc gat ggg ccg ttg 403 Gly Asp Arg Ile Val Ala Gly Phe Arg Asp Leu Val Asp Gly Pro Leu 95 . gag gac ctc aaa gtc aac gtg tgg gag gga cgc gaa gac ggt tgg cgt 451 Glu Asp Leu Lys Val Asn Val Trp Glu Gly Arg Glu Asp Gly Trp Arg cgt tcc tca gct gct gqt qat qct cca caa qaa ttg cca caq qtc qaa 499 Arg Ser Ser Ala Ala Gly Asp Ala Pro Gln Glu Leu Pro Gln Val Glu 125 get get gaa egt gge egg aaa eta gat gae gee aet gat gtg gae aea 547 Ala Ala Glu Arg Gly Arg Lys Leu Asp Asp Ala Thr Asp Val Asp Thr 140 aat gtg ggc aca gaa ggc ttt gaa gaa ggt cga dat taaatgagtt 596 Asn Val Gly Thr Glu Glu Gly Phe Glu Glu Gly Arg Asn ttgagatttc ccg 609

<210> 10

<211> 162

<212> PRT

<213> Corynebacterium glutamicum

<400> 10

Met Ile Pro Gly Glu Tyr Ile Leu Ser Ser Glu Ser Leu Thr Gly Asn
1 5 10 15

Val Gly Arg Glu Ala Lys Thr Ile Glu Ile Ile Asn Thr Gly Asp Arg
20 25 30

Pro Val Gln Ile Gly Ser His Phe His Phe Ala Glu Val Asn Pro Ser 35 40 45

Ile Ser Phe Asp Arg Ser Glu Gly Tyr Gly Phe Arg Leu Asp Ile Pro
50 55 60

Ser Gly Thr Ala Val Arg Leu Glu Pro Gly Asp Ala Arg Thr Val Asn 65 70 75 80

Leu Val Ala Ile Gly Gly Asp Arg Ile Val Ala Gly Phe Arg Asp Leu 85 90 95

Val Asp Gly Pro Leu Glu Asp Leu Lys Val Asn Val Trp Glu Gly Arg 100 105 110

Glu Asp Gly Trp Arg Arg Ser Ser Ala Ala Gly Asp Ala Pro Gln Glu 115 120 125

Leu Pro Gln Val Glu Ala Ala Glu Arg Gly Arg Lys Leu Asp Asp Ala 130 135 140

Thr Asp Val Asp Thr Asn Val Gly Thr Glu Glu Gly Phe Glu Glu Gly 145 150 155 160

Arg Asn

<210> 11

<211> 220

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(220)

<223> FRXA02264

<400> 11

tecetgacat ecaggitigaa geaacgitig atgaeggeae caagetegte accgigeaea 60

atcccatccg ataacccttg atgtttttag gagttttgtc atg atc cca ggc gag 115

Met Ile Pro Gly Glu
1 5

tac atc ctg tcc agc gaa tca ctc acc gga aat gtt ggg cgc gag gcc $\,$ 163 Tyr Ile Leu Ser Ser Glu Ser Leu Thr Gly Asn Val Gly Arg Glu Ala $\,$ 10 $\,$ 15 $\,$ 20

aaa acc atc gaa atc atc aac acc ggt gat agg cct gtg cag att ggt 211

11

220

Lys Thr Ile Glu Ile Ile Asn Thr Gly Asp Arg Pro Val Gln Ile Gly 25 30 35

Ser His Phe

<210> 12

<211> 40

<212> PRT

<213> Corynebacterium glutamicum

<400> 12

Met Ile Pro Gly Glu Tyr Ile Leu Ser Ser Glu Ser Leu Thr Gly Asn 1 5 10 15

Val Gly Arg Glu Ala Lys Thr Ile Glu Ile Ile Asn Thr Gly Asp Arg
20 25 30

Pro Val Gln Ile Gly Ser His Phe 35 40

<210> 13

<211> 1833

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1810)

<223> RXN02274

<400> 13

acaggtcgaa gctgctgaac gtggccggaa actagatgac gccactgatg tggacacaaa 60

tgtgggcaca gaagaaggct ttgaagaagg tcgaaattaa atg agt ttt gag att 115
Met Ser Phe Glu Ile

tcc cgc aag cag tac acc gac ctt tat ggt cca acc gtt ggc gat tca 163 Ser Arg Lys Gln Tyr Thr Asp Leu Tyr Gly Pro Thr Val Gly Asp Ser 10 15 20

gta cgt ctt gct gat act gag ctt ttt ctc tgt gtg gaa aaa gat tac 211 Val Arg Leu Ala Asp Thr Glu Leu Phe Leu Cys Val Glu Lys Asp Tyr

gca gca atc ggc gaa gaa gta gca ttc ggc ggt ggc aag gtc att cgt 259 Ala Ala Ile Gly Glu Glu Val Ala Phe Gly Gly Gly Lys Val Ile Arg 40 45

gat ggc atg ggc caa aat ggc acc ttg gtt cgc gat gta gat att ccc 307 Asp Gly Met Gly Gln Asn Gly Thr Leu Val Arg Asp Val Asp Ile Pro 55 60 65

gat acc gtc atc acc aac gtc atc gtc ctt gac tat acg ggt gtg tac 355 Asp Thr Val Ile Thr Asn Val Ile Val Leu Asp Tyr Thr Gly Val Tyr 75 80 85

aaa Lys	gct Ala	gac Asp	gtt Val	gcg Ala 90	Leu	cga Arg	gat Asp	ggc Gly	aaa Lys 95	Ile	ttc Phe	cga Arg	atc Ile	gga Gly 100	aag Lys	403
gcc Ala	gga Gly	aac Asn	Pro 105	Asn	gtc Val	atg Met	gaa Glu	aac Asn 110	gtc Val	gac Asp	atc Ile	gtc Val	atc Ile 115	ggc Gly	gtt Val	451
gcc Ala	acc Thr	gac Asp 120	Ile	att Ile	gct Ala	ggt Gly	gaa Glu 125	ggc Gly	aaa Lys	atc Ile	ctt Leu	acc Thr 130	gca Ala	ggt Gly	ggc	499
atc Ile	gac Asp 135	acg Thr	cac His	gtg Val	cac His	ttc Phe 140	ttg Leu	ggc Gly	aca Thr	gac Asp	cag Gln 145	gtc Val	aac Asn	act Thr	gca Ala	547
tta Leu 150	Ala	tca Ser	ggt Gly	atc Ile	acc Thr 155	acg Thr	atg Met	atc Ile	ggt Gly	gga Gly 160	ggc Gly	acc Thr	ggc Gly	cca Pro	agc Ser 165	595
cag Gln	gcg Ala	tcg Ser	atg Met	gct Ala 170	aca Thr	act Thr	gtc Val	acg Thr	cca Pro 175	ggt Gly	cag Gln	tgg Trp	aat Asn	acc Thr 180	tac Tyr	643
aac Asn	atg Met	ctt Leu	agt Ser 185	gct Ala	ttt Phe	gaa Glu	ggc Gly	atg Met 190	ccc Pro	atg Met	aac Asn	ttt Phe	ggc Gly 195	att Ile	ttg Leu	691
ggt Gly	aaa Lys	ggc Gly 200	cat His	ggt Gly	tct Ser	tcc Ser	aaa Lys 205	tct Ser	ccg Pro	ctg Leu	gct Ala	gag Glu 210	cag Gln	gtt Val	cgt Arg	739
gcg Ala	ggt Gly 215	gca Ala	atc Ile	ggt Gly	ctg Leu	aaa Lys 220	att Ile	cac His	gag Glu	gac Asp	tgg Trp 225	ggt Gly	gcc Ala	aca Thr	cca Pro	787
tcg Ser 230	tcg Ser	atc Ile	aac Asn	act Thr	gcc Ala 235	cta Leu	gaa Glu	gta Val	gcc Ala	gat Asp 240	gac Asp	atg Met	gac Asp	atc Ile	cag Gln 245	835
gtg Val	gca Ala	ctc Leu	cac His	tcc Ser 250	Asp	acc Thr	ttg Leu	Asn	gag Glu 255	gcc Ala	ggt Gly	ttt Phe	gtg Val	gaa Glu 260	gac Asp	883
acc Thr	att Ile	gaa Glu	gcc Ala 265	att Ile	gcg Ala	ggc Gly	cga Arg	gtc Val 270	atc Ile	cat His	acc Thr	ttc Phe	cac His 275	acc Thr	gaa Glu	931
ggt Gly	gct Ala	ggt Gly 280	ggt Gly	gga Gly	cac His	gct Ala	cct Pro 285	gac Asp	cta Leu	atc Ile	cga Arg	gtg Val 290	gct Ala	gct Ala	ctg Leu	979
cca Pro	aac Asn 295	gtg Val	ttg Leu	cct Pro	gca Ala	tcc Ser 300	acc Thr	aac Asn	cca Pro	acg Thr	ctc Leu 305	cca Pro	tac Tyr	acc Thr	cga Arg	1027
aac Asn 310	act Thr	gtt Val	gaa Glu	Glu	cac His 315	ctg Leu	gac Asp	atg Met	gtg Val	atg Met 320	gtt Val	gcc Ala	cac His	cac His	ctc Leu 325	1075
aac	сса	gat	att	cca	gaa	gac	gtg	gct	ttt	gcg	gat	tcc	cga	att	cgt	1123

Asn	Pro	Asp	Ile	Pro 330	Glu	Asp	Val	Ala	Phe 335	Ala	Asp	Ser	Arg	Ile 340	Arg	
-	-	acg Thr		- ,	-	_	_				-	_				1171
		acc Thr 360		_	-		_		_		_	_				1219
		cgc Arg														1267
		acg Thr		-	_				-			-	-	-	-	1315
		gca Ala														1363
	-	gtt Val	-				_		_		-	-			_	1411
		cca Pro 440	_							_				-		1459
		atg Met														1507
	_	cag Gln		_		-	_								_	1555
		tcc Ser														1603
		gtt Val														1651
		gta Val 520														1699
		gat Asp														1747
ggt Gly 550	gag Glu	ttg Leu	atc Ile	acc Thr	agc Ser 555	aag Lys	cca Pro	gca Ala	gag Glu	aca Thr 560	gtg Val	cca Pro	atg Met	gca Ala	cgt Arg 565	1795
-		ttc Phe	-		taat	ccg	cca a	acaa	ggaad	gg aa	ag					1833

<210> 14

<211> 570

<212> PRT

<213> Corynebacterium glutamicum

<400> 14

Met Ser Phe Glu Ile Ser Arg Lys Gln Tyr Thr Asp Leu Tyr Gly Pro $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Thr Val Gly Asp Ser Val Arg Leu Ala Asp Thr Glu Leu Phe Leu Cys
20 25 30

Val Glu Lys Asp Tyr Ala Ala Ile Gly Glu Glu Val Ala Phe Gly Gly 35 40 45

Gly Lys Val Ile Arg Asp Gly Met Gly Gln Asn Gly Thr Leu Val Arg 50 60

Asp Val Asp Ile Pro Asp Thr Val Ile Thr Asn Val Ile Val Leu Asp 65 70 75 80

Tyr Thr Gly Val Tyr Lys Ala Asp Val Ala Leu Arg Asp Gly Lys Ile 85 90 95

Phe Arg Ile Gly Lys Ala Gly Asn Pro Asn Val Met Glu Asn Val Asp 100 105 110

Ile Val Ile Gly Val Ala Thr Asp Ile Ile Ala Gly Glu Gly Lys Ile 115 120 125

Leu Thr Ala Gly Gly Ile Asp Thr His Val His Phe Leu Gly Thr Asp 130 135 140

Gln Val Asn Thr Ala Leu Ala Ser Gly Ile Thr Thr Met Ile Gly Gly 145 150 155 160

Gly Thr Gly Pro Ser Gln Ala Ser Met Ala Thr Thr Val Thr Pro Gly 165 \$170\$

Gln Trp Asn Thr Tyr Asn Met Leu Ser Ala Phe Glu Gly Met Pro Met 180 185 190

Asn Phe Gly Ile Leu Gly Lys Gly His Gly Ser Ser Lys Ser Pro Leu 195 200 205

Ala Glu Gln Val Arg Ala Gly Ala Ile Gly Leu Lys Ile His Glu Asp 210 215 220

Trp Gly Ala Thr Pro Ser Ser Ile Asn Thr Ala Leu Glu Val Ala Asp 225 230 235 240

Asp Met Asp Ile Gln Val Ala Leu His Ser Asp Thr Leu Asn Glu Ala 245 250 255

Gly Phe Val Glu Asp Thr Ile Glu Ala Ile Ala Gly Arg Val Ile His 260 265 270 .

Thr Phe His Thr Glu Gly Ala Gly Gly Gly His Ala Pro Asp Leu Ile

275 280 285

Arg Val Ala Ala Leu Pro Asn Val Leu Pro Ala Ser Thr Asn Pro Thr 290 295 300

Leu Pro Tyr Thr Arg Asn Thr Val Glu Glu His Leu Asp Met Val Met 305 310 315 320

Val Ala His His Leu Asn Pro Asp Ile Pro Glu Asp Val Ala Phe Ala 325 330 335

Asp Ser Arg Ile Arg Ala Glu Thr Ile Ala Ala Glu Asp Val Leu His $340 \hspace{1cm} 345 \hspace{1cm} 350$

Asp Met Gly Ile Phe Ser Ile Thr Ser Ser Asp Ser Gln Ala Met Gly 355 360 365

Arg Val Gly Glu Thr Ile Thr Arg Thr Trp Gln Val Ala Asp His Met 370 380

Lys Arg Thr Arg Gly Ser Leu Thr Gly Asp Ala Pro Tyr Asn Asp Asn 385 390 395 400

Asn Arg Leu Arg Phe Ile Ala Lys Tyr Thr Ile Asn Pro Ala Ile 405 410 415

Ala His Gly Val Asp Tyr Val Val Arg Ser Val Glu Glu Gly Lys Phe 420 425 430

Ala Asp Leu Val Leu Trp Asp Pro Lys Phe Phe Gly Val Lys Pro Asp 435 440 445

Leu Val Ile Lys Gly Gly Leu Met Val Asn Ser Leu Met Gly Asp Ser 450 455 460

Asn Gly Ser Ile Pro Thr Pro Gln Pro Arg Thr Leu Arg Asn Thr Trp 465 470 475 480

Gly Ala Phe Gly Gln Ala Val Ser Arg Ser Ser Ile Thr Phe Leu Ser 485 490 495

Gln Asp Ala Ile Asp Ala Asn Val Pro Asp Leu Leu Asn Leu Arg Lys 500 505 510

Gln Ile Arg Gly Val Arg Gly Val Arg Asn Leu Thr Lys Arg Asp Met 515 520 525

Lys Leu Asn Ala Glu Met Pro Asp Ile Arg Val Asp Pro Glu Thr Tyr 530 535 540

Gln Val Phe Val Asn Gly Glu Leu Ile Thr Ser Lys Pro Ala Glu Thr 545 550 555 560

Val Pro Met Ala Arg Arg Tyr Phe Leu Phe 565 570

<210> 15

<211> 1625

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (1)..(1602) <223> FRXA02274 <400> 15 tac gca gca atc ggc gaa gaa gta gca ttc ggc ggt ggc aag gtc att 48 Tyr Ala Ala Ile Gly Glu Glu Val Ala Phe Gly Gly Lys Val Ile cgt gat ggc atg ggc caa aat ggc acc ttg gtt cgc gat gta gat att Arg Asp Gly Met Gly Gln Asn Gly Thr Leu Val Arg Asp Val Asp Ile ccc gat acc gtc atc acc aac gtc atc gtc ctt gac tat acg ggt gtg 144 Pro Asp Thr Val Ile Thr Asn Val Ile Val Leu Asp Tyr Thr Gly Val tac aaa gct gac gtt gcg ctt cga gat ggc aaa atc ttc cga atc gga 192 Tyr Lys Ala Asp Val Ala Leu Arg Asp Gly Lys Ile Phe Arg Ile Gly aag gcc gga aac ccg aat gtc atg gaa aac gtc gac atc gtc atc ggc 240 Lys Ala Gly Asn Pro Asn Val Met Glu Asn Val Asp Ile Val Ile Gly gtt gcc acc gac atc att gct ggt gaa ggc aaa atc ctt acc gca ggt 288 Val Ala Thr Asp Ile Ile Ala Gly Glu Gly Lys Ile Leu Thr Ala Gly 90 ggc atc gac acg cac gtg cac ttc ttg ggc aca gac cag gtc aac act 336 Gly Ile Asp Thr His Val His Phe Leu Gly Thr Asp Gln Val Asn Thr gca tta gca tca ggt atc acc acg atg atc ggt gga ggc acc ggc cca Ala Leu Ala Ser Gly Ile Thr Thr Met Ile Gly Gly Gly Thr Gly Pro 120 age cag geg teg atg get aca act gte acg eca ggt cag tgg aat ace 432 Ser Gln Ala Ser Met Ala Thr Thr Val Thr Pro Gly Gln Trp Asn Thr 135 tac aac atg ctt agt gct ttt gaa ggc atg ccc atg aac ttt ggc att 480 Tyr Asn Met Leu Ser Ala Phe Glu Gly Met Pro Met Asn Phe Gly Ile 150 ttg ggt aaa ggc cat ggt tct tcc aaa tct ccg ctg gct gag cag gtt Leu Gly Lys Gly His Gly Ser Ser Lys Ser Pro Leu Ala Glu Gln Val 165 170 cgt gcg ggt gca atc ggt ctg aaa att cac gag gac tgg ggt gcc aca 576 Arg Ala Gly Ala Ile Gly Leu Lys Ile His Glu Asp Trp Gly Ala Thr 185 cca tcg tcg atc aac act gcc cta gaa gta gcc gat gac atg gac atc 624 Pro Ser Ser Ile Asn Thr Ala Leu Glu Val Ala Asp Asp Met Asp Ile cag gtg gca ctc cac tcc gat acc ttg aat gag gcc ggt ttt gtg gaa . 672 Gln Val Ala Leu His Ser Asp Thr Leu Asn Glu Ala Gly Phe Val Glu

210 215 220

					att Ile 230											720
_		_			gga Gly		-		-			_		_	-	768
-				_	cct Pro	-					_					816
_			_	_	gag Glu		-	-	-		_	-	-			864
			-		cca Pro	-	_		-			-		_		912
_	_	_	_		gca Ala 310	-	-	-				-	_			960
					tcg Ser	-		_		-		_	-			1008
		_	_	-	tgg Trp		_	-	-				-			1056
1 1	_				gat Asp					_			-	-	_	1104
-			-		tac Tyr							-				1152
					tca Ser 390				Gly							1200
_		_		_	ttc Phe						-	-	-		_	1248
		_	-	-	aat Asn			_		_						1296
		-	-		cgc Arg		_	-								1344
				-	agc Ser							_	_	-		1392

gat gca aat gtt cct gat ctg ctg aat ctg agg aag cag atc cgg ggc 1440 Asp Ala Asn Val Pro Asp Leu Leu Asn Leu Arg Lys Gln Ile Arg Gly gtt cga ggt gta agg aat ctq acc aaa cqa gac atg aaa ctc aat qca 1488 Val Arg Gly Val Arg Asn Leu Thr Lys Arg Asp Met Lys Leu Asn Ala 485 490 gaa atg cct gat att cgt gtc gat cca gag acc tac cag gtg ttt gtc 1536 Glu Met Pro Asp Ile Arg Val Asp Pro Glu Thr Tyr Gln Val Phe Val 505 aac ggt gag ttg atc acc agc aag cca gca gag aca gtg cca atg gca 1584 Asn Gly Glu Leu Ile Thr Ser Lys Pro Ala Glu Thr Val Pro Met Ala 520 cgt cgc tac ttc ttg ttc taatccgcca acaaggaagg aag 1625 Arg Arg Tyr Phe Leu Phe 530 <210> 16 <211> 534 <212> PRT <213> Corynebacterium glutamicum Tyr Ala Ala Ile Gly Glu Glu Val Ala Phe Gly Gly Gly Lys Val Ile Arg Asp Gly Met Gly Gln Asn Gly Thr Leu Val Arg Asp Val Asp Ile Pro Asp Thr Val Ile Thr Asn Val Ile Val Leu Asp Tyr Thr Gly Val Tyr Lys Ala Asp Val Ala Leu Arg Asp Gly Lys Ile Phe Arg Ile Gly Lys Ala Gly Asn Pro Asn Val Met Glu Asn Val Asp Ile Val Ile Gly 70 75 Val Ala Thr Asp Ile Ile Ala Gly Glu Gly Lys Ile Leu Thr Ala Gly Gly Ile Asp Thr His Val His Phe Leu Gly Thr Asp Gln Val Asn Thr 105 Ala Leu Ala Ser Gly Ile Thr Thr Met Ile Gly Gly Gly Thr Gly Pro Ser Gln Ala Ser Met Ala Thr Thr Val Thr Pro Gly Gln Trp Asn Thr 135 Tyr Asn Met Leu Ser Ala Phe Glu Gly Met Pro Met Asn Phe Gly Ile Leu Gly Lys Gly His Gly Ser Ser Lys Ser Pro Leu Ala Glu Gln Val 165 170

Arg Ala Gly Ala Ile Gly Leu Lys Ile His Glu Asp Trp Gly Ala Thr 180 185 190

- Pro Ser Ser Ile Asn Thr Ala Leu Glu Val Ala Asp Asp Met Asp Ile 195 200 205
- Gln Val Ala Leu His Ser Asp Thr Leu Asn Glu Ala Gly Phe Val Glu 210 215 220
- Asp Thr Ile Glu Ala Ile Ala Gly Arg Val Ile His Thr Phe His Thr 225 230 235 240
- Glu Gly Ala Gly Gly His Ala Pro Asp Leu Ile Arg Val Ala Ala 245 250 255
- Leu Pro Asn Val Leu Pro Ala Ser Thr Asn Pro Thr Leu Pro Tyr Thr 260 265 270
- Arg Asn Thr Val Glu Glu His Leu Asp Met Val Met Val Ala His His 275 280 285
- Leu Asn Pro Asp Ile Pro Glu Asp Val Ala Phe Ala Asp Ser Arg Ile 290 295 300
- Arg Ala Glu Thr Ile Ala Ala Glu Asp Val Leu His Asp Met Gly Ile 305 310 315 320
- Phe Ser Ile Thr Ser Ser Asp Ser Gln Ala Met Gly Arg Val Gly Glu 325 330 335
- Thr Ile Thr Arg Thr Trp Gln Val Ala Asp His Met Lys Arg Thr Arg 340 345 350
- Gly Ser Leu Thr Gly Asp Ala Pro Tyr Asn Asp Asn Asn Arg Leu Arg 355 360 365
- Arg Phe Ile Ala Lys Tyr Thr Ile Asn Pro Ala Ile Ala His Gly Val 370 375 380
- Asp Tyr Val Val Arg Ser Val Glu Glu Gly Lys Phe Ala Asp Leu Val 385 390 395 400
- Leu Trp Asp Pro Lys Phe Phe Gly Val Lys Pro Asp Leu Val Ile Lys 405 410 415
- Gly Gly Leu Met Val Asn Ser Leu Met Gly Asp Ser Asn Gly Ser Ile 420 425 430
- Pro Thr Pro Gln Pro Arg Thr Leu Arg Asn Thr Trp Gly Ala Phe Gly 435 440 445
- Gln Ala Val Ser Arg Ser Ser Ile Thr Phe Leu Ser Gln Asp Ala Ile 450 455 460
- Asp Ala Asn Val Pro Asp Leu Leu Asn Leu Arg Lys Gln Ile Arg Gly
 465 470 475 480
- Val Arg Gly Val Arg Asn Leu Thr Lys Arg Asp Met Lys Leu Asn Ala 485 490 495
- Glu Met Pro Asp Ile Arg Val Asp Pro Glu Thr Tyr Gln Val Phe Val

PCT/IB00/00911 WO 01/00842

505 510 500 Asn Gly Glu Leu Ile Thr Ser Lys Pro Ala Glu Thr Val Pro Met Ala 515 520 Arg Arg Tyr Phe Leu Phe 530 <210> 17 <211> 423 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(400) <223> RXA02265 <400> 17 tcaaaggaaa gcagtatatt gtcggttttt tagaggctct cccaaatatt gcgttggggg 60 agctaaacta atttctgtta cctgacagaa aggggcaaaa ttg cat atc act cct Leu His Ile Thr Pro cgt gaa caa gaa aaa ctg atg atc gtg gtg gcg gct gac ctt gca cgt Arg Glu Gln Glu Lys Leu Met Ile Val Val Ala Ala Asp Leu Ala Arg 15 10 cgc cgt aaa gat cgc ggc cta aaa ctt aac cac cca gag gcc gtc gcc Arg Arg Lys Asp Arg Gly Leu Lys Leu Asn His Pro Glu Ala Val Ala 25 ctc atc acg tat gaa ctg att gaa ggc gcc cgt gac gga cgc aca gtc 259 Leu Ile Thr Tyr Glu Leu Ile Glu Gly Ala Arg Asp Gly Arg Thr Val 40 gca gac ctt atg agc tgg gga agc acc att ttg act agg gat gat gtc 307 Ala Asp Leu Met Ser Trp Gly Ser Thr Ile Leu Thr Arg Asp Asp Val 55 355 tta gaa ggc atc cca gag atg atc cct gac atc cag gtt gaa gca acg Leu Glu Gly Ile Pro Glu Met Ile Pro Asp Ile Gln Val Glu Ala Thr 70 75 ttt gat gac ggc acc aag ctc gtc acc gtg cac aat ccc atc cga 400 Phe Asp Asp Gly Thr Lys Leu Val Thr Val His Asn Pro Ile Arg 90 423 taacccttga tgtttttagg agt <210> 18. <211> 100 <212> PRT

<213> Corynebacterium glutamicum

Leu His Ile Thr Pro Arg Glu Gln Glu Lys Leu Met Ile Val Val Ala 5 1

Ala Asp Leu Ala Arg Arg Arg Lys Asp Arg Gly Leu Lys Leu Asn His Pro Glu Ala Val Ala Leu Ile Thr Tyr Glu Leu Ile Glu Gly Ala Arg 40 Asp Gly Arg Thr Val Ala Asp Leu Met Ser Trp Gly Ser Thr Ile Leu Thr Arg Asp Asp Val Leu Glu Gly Ile Pro Glu Met Ile Pro Asp Ile Gln Val Glu Ala Thr Phe Asp Asp Gly Thr Lys Leu Val Thr Val His Asn Pro Ile Arg 100 <210> 19 <211> 972 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(949) <223> RXA02278 <400> 19 accattctgc ctgactaatc tgcgcaccga tgatggtttg gataaggtct tggaatggat 60 ccgccatgag gtgatgatgc aggacttgca ggaagcctaa atg aca caa acc caa Met Thr Gln Thr Gln cca gtg gga acc ctg cga ctg acc atc gat gat caa gga ccc caa ggt 163 Pro Val Gly Thr Leu Arg Leu Thr Ile Asp Asp Gln Gly Pro Gln Gly 15 caa ago ogt gog gtg gag caa ttt cao cag ggt gog ott oga gto ato 211 Gln Ser Arg Ala Val Glu Gln Phe His Gln Gly Ala Leu Arg Val Ile cgg cca cac tac ttg gat gat tcc gga cag gtt tgc tac acc atc att 259 Arg Pro His Tyr Leu Asp Asp Ser Gly Gln Val Cys Tyr Thr Ile Ile 45 gcc att ggt ggc gga tac ctg ggc ggc gat gtg tat gag cag caa ttc 307 Ala Ile Gly Gly Gly Tyr Leu Gly Gly Asp Val Tyr Glu Gln Gln Phe 60 acg atc aaa gac aac gca aaa gct ttg atc acc acg caa tcg gcc acc 355 Thr Ile Lys Asp Asn Ala Lys Ala Leu Ile Thr Thr Gln Ser Ala Thr aag att tat cgc aca ccg caa gga cca gcc acg cac acc qaa atc 403 Lys Ile Tyr Arg Thr Pro Gln Gly Pro Ala Thr Gln His Thr Glu Ile

	WO 0	1/0084	12												PCT/	TB 00/00911
aac Asr	gto Val	ggt Gly	gaa Glu 105	Asn	gct Ala	gtg Val	ctg Leu	gaa Glu 110	Tyr	ttg Leu	gcg Ala	gat	Caa Gln 115	Thr	atc	451
gcç Ala	g tac Tyr	cgg Arg 120	gag Glu	gcc Ala	acc Thr	tat Tyr	cat His 125	Gln	ttc Phe	acc	aag Lys	gtg Val 130	gcg Ala	ctg Leu	cac His	499
Pro	agc Ser 135	gca Ala	acg Thr	ttt Phe	gtg Val	atg Met 140	agc Ser	gaa Glu	caa Gln	atc Ile	acc Thr 145	cca Pro	ggc	tgg Trp	cac	547
ccc Pro 150	gac Asp	ggc Gly	aaa Lys	cac His	ttt Phe 155	gct Ala	tac Tyr	gat Asp	gaa Glu	atg Met 160	cgt Arg	cta Leu	cac His	acc Thr	gaa Glu 165	595
atc Ile	acg Thr	gac Asp	tcc Ser	acc Thr 170	aca Thr	ggg Gly	cga Arg	ctc Leu	gtg Val 175	ctc Leu	ttg Leu	gat Asp	aat Asn	tta Leu 180	ctg Leu	643
ctc Leu	cgg Arg	ccg Pro	gac Asp 185	tcc Ser	cga Arg	gag Glu	gga Gly	agt Ser 190	ttt Phe	ggg Gly	tgg Trp	acg Thr	gaa Glu 195	cag Gln	tac Tyr	691
aca Thr	cat His	tca Ser 200	ggg Gly	cag Gln	atg Met	att Ile	gtg Val 205	atg Met	G] A aaa	gaa Glu	ggc Gly	gtc Val 210	Asp	aag Lys	cag Gln	739
ctt Leu	gtt Val 215	gct Ala	gag Glu	ctg Leu	aat Asn	gag Glu 220	caa Gln	ctt Leu	gcc Ala	gcg Ala	cac His 225	cct Pro	gat Asp	gtg Val	tac Tyr	787
ggc Gly 230	gcc Ala	gtc Val	aat Asn	ttc Phe	tta Leu 235	agc Ser	gcg Ala	ccg Pro	ggc Gly	acg Thr 240	tta Leu	ctg Leu	cgc Arg	gga Gly	ttt Phe 245	835
att Ile	gcg Ala	cgc Arg	Thr	ctg Leu 250	agc Ser	aac Asn	cgc Arg	act Thr	gag Glu 255	gag Glu	ttg Leu	att Ile	aac Asn	ctg Leu 260	cac His	883
gaa Glu	cac His	11e	gcg Ala 265	tcg Ser	¢tg Leu	ttg Leu	cgc Arg	ggg Gly 270	cgg Arg	tgg Trp	cgc Arg	ggg Gly	cag Gln 275	gaa Glu	ccg Pro	931
gtg Val	aat Asn	ttg Leu 280	cgg [·] Arg	aag Lys	tac Tyr	taga	cggc	gt c	gaga	aato	g aa	g.				972
<211 <212	> 20 > 28 > PR > Co	3 T	bact	eriu	m gl	utam.	icum									
	> 20 Thr	Gln '	Thr (Gln 5	Pro	Val (Gly	Thr	Leu 10	Arg	Leu	Thr	Ile	Asp 15	Asp	
Gln	Gly	Pro (Gln (20	Gly (Gln :	Ser i	Arg .	Ala 25	Val	Glu	Gln	Phe	His 30	Gln	Gly	

Ala Leu Arg Val Ile Arg Pro His Tyr Leu Asp Asp Ser Gly Gln Val
35 40

- Cys Tyr Thr Ile Ile Ala Ile Gly Gly Gly Tyr Leu Gly Gly Asp Val 50 60
- Tyr Glu Gln Gln Phe Thr Ile Lys Asp Asn Ala Lys Ala Leu Ile Thr 65 70 75 80
- Thr Gln Ser Ala Thr Lys Ile Tyr Arg Thr Pro Gln Gly Pro Ala Thr 85 90 95
- Gln His Thr Glu Ile Asn Val Gly Glu Asn Ala Val Leu Glu Tyr Leu 100 105 110
- Ala Asp Gln Thr Ile Ala Tyr Arg Glu Ala Thr Tyr His Gln Phe Thr 115 120 125
- Lys Val Ala Leu His Pro Ser Ala Thr Phe Val Met Ser Glu Gln Ile 130 140
- Thr Pro Gly Trp His Pro Asp Gly Lys His Phe Ala Tyr Asp Glu Met 145 150 155 160
- Arg Leu His Thr Glu Ile Thr Asp Ser Thr Thr Gly Arg Leu Val Leu 165 170 175
- Leu Asp Asn Leu Leu Leu Arg Pro Asp Ser Arg Glu Gly Ser Phe Gly 180 185 190
- Trp Thr Glu Gln Tyr Thr His Ser Gly Gln Met Ile Val Met Gly Glu 195 200 205
- Gly Val Asp Lys Gln Leu Val Ala Glu Leu Asn Glu Gln Leu Ala Ala 210 215 220
- His Pro Asp Val Tyr Gly Ala Val Asn Phe Leu Ser Ala Pro Gly Thr 225 230 235
- Leu Leu Arg Gly Phe Ile Ala Arg Thr Leu Ser Asn Arg Thr Glu Glu 245 250 255
- Leu Ile Asn Leu His Glu His Ile Ala Ser Leu Leu Arg Gly Arg Trp 260 265 270
- Arg Gly Gln Glu Pro Val Asn Leu Arg Lys Tyr 275 280
- <210> 21
- <211> 594
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(571)
- <223> RXA02275
- <400> 21
- gtttgtcaac ggtgagttga tcaccagcaa gccagcagag acagtgccaa tggcacgtcg 60

cta	ctto	ttg	ttct	taato	ccg (ccaa	caago	ja aç	gaaç	gated	ato Met	: Ile	ato	c act	gcg Ala	i
ato Ile	gac Asp	aco Thr	aac Asr	e ato n Ile 10	Yyı	c gat	gaa Glu	ccg Pro	g gag Glu 15	Phe	gtt Val	: gaa . Glu	gga Gly	a cgo / Arg 20	gat JAsp	163
gtc Val	Ile	ggt Gly	gtg Val 25	. Arc	ttt Phe	: gaa	a gat 1 Asp	tta Leu 30	Val	ttg Leu	gat Asp	aag Lys	ego Arg 35	Ile	caa Gln	211
cgg Arg	gtt Val	gca Ala 40	Leu	ccc Pro	gga Gly	gga Gly	gaa Glu 45	Glu	ctg Leu	Gly	ttg Leu	cgg Arg 50	tta Leu	aac Asn	cac His	259
ggg Gly	cat His 55	PIO	att	ctg Leu	cgt Arg	gaa Glu 60	Gly	gat Asp	gtg Val	ttg Leu	aaa Lys 65	gct Ala	gat Asp	gat Asp	aag Lys	307
acg Thr 70	gta Val	ttt Phe	gtg Val	gtg Val	gag Glu 75	att Ile	atc Ile	ccc Pro	acg Thr	gat Asp 80	gtt Val	tta Leu	gtt Val	atc Ile	acg Thr 85	355
cca Pro	agc Ser	gat Asp	att Ile	cac His 90	cag Gln	atg Met	gga Gly	ttt Phe	gtg Val 95	gcg Ala	cac His	tcc Ser	ctg Leu	gga Gly 100	aac Asn	403
agg Arg	cac His	ctg Leu	cca Pro 105	gca Ala	cag Gln	ttt Phe	tcc Ser	aag Lys 110	cca Pro	ggt Gly	gaa Glü	ttg Leu	aca Thr 115	gag Glu	aag Lys	451
gca Ala	gcc Ala	atg Met 120	atc Ile	gtg Val	caa Gln	tac Tyr	gat Asp 125	cac His	acg Thr	gtg Val	gtc Val	agc Ser 130	ttc Phe	ttg Leu	gat Asp	499
gag Glu	cac His 135	ggc Gly	atc Ile	gag Glu	tat Tyr	cag Gln 140	cgc Arg	acc Thr	gaa Glu	ctt Leu	gtt Val 145	ccg Pro	cca Pro	att Ile	cct Pro	547
ttc Phe 150	agg Arg	cat His	agc Ser	ggg Gly	cac His 155	aca Thr	cat His	tgat	ggat	ct t	gacg	ıctga	it tt	t		594
<210 <211 <212 <213	> 15 > PR	7 . T	bact	eriu	ım gl	utam	nicum	- i								
<400 Met 1			Thr	Ala 5	Ile	Asp	Thr	Asn	Ile 10	Tyr .	Asp	Glu	Pro	Glu 15	Phe	
Val (Glu⊣	Gly .	Arg 20	Asp	Val	Ile	Gly	Val . 25	Arg	Phe	Glu .	Asp	Leu 30	Val	Leu	
Asp 1	Lys /	Arg 35	Ile	Gln .	Arg	Val	Ala:	Leu	Pro (Gly(Gly	Glu (Glu	Leu	Gly	

Leu Arg Leu Asn His Gly His Pro Ile Leu Arg Glu Gly Asp Val Leu 55 Lys Ala Asp Asp Lys Thr Val Phe Val Val Glu Ile Ile Pro Thr Asp Val Leu Val Ile Thr Pro Ser Asp Ile His Gln Met Gly Phe Val Ala 90 His Ser Leu Gly Asn Arg His Leu Pro Ala Gln Phe Ser Lys Pro Gly 105 Glu Leu Thr Glu Lys Ala Ala Met Ile Val Gln Tyr Asp His Thr Val Val Ser Phe Leu Asp Glu His Gly Ile Glu Tyr Gln Arg Thr Glu Leu 130 Val Pro Pro Ile Pro Phe Arg His Ser Gly His Thr His <210> 23 <211> 801 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(778) <223> RXA02276 atcacacggt ggtcagcttc ttggatgagc acggcatcga gtatcagcgc accgaacttg 60 ttccgccaat tcctttcagg catagegggc acacacattg atg gat ctt gac get 115 Met Asp Leu Asp Ala gat ttt ctg ctg ttg cat tta tcg gat tca gca ctt cca acg gga gcg 163 Asp Phe Leu Leu His Leu Ser Asp Ser Ala Leu Pro Thr Gly Ala 10 15 ttt gcg cac tca ttt gga ttt gaa act tat atg gat gca gag cga atc 211 Phe Ala His Ser Phe Gly Phe Glu Thr Tyr Met Asp Ala Glu Arg Ile 30 acc aat gca gag gag ttc caa gac tgg ctg aaa gtc ctg ctt aag gtg 259 Thr Asn Ala Glu Glu Phe Gln Asp Trp Leu Lys Val Leu Leu Lys Val 40 45 caa ttg acc agc tct gat gct ttg gca atg agg atg ttt tac gcc acc 307 Gln Leu Thr Ser Ser Asp Ala Leu Ala Met Arg Met Phe Tyr Ala Thr ccg acg gtg tct gag ctg aaa cgg ctg gat gag cgc ctt ttt gct gga 355 Pro Thr Val Ser Glu Leu Lys Arg Leu Asp Glu Arg Leu Phe Ala Gly 70 80 act ccg gcg aga gaa att cgg gaa gct aat gct cga atg ggt acg cgc 403 Thr Pro Ala Arg Glu Ile Arg Glu Ala Asn Ala Arg Met Gly Thr Arg

_ ...

65

4.00 90 95 100 atg gca gag atc gtg gct gaa acc tac tcc gtg ccc ctg att gtt gag 451 Met Ala Glu Ile Val Ala Glu Thr Tyr Ser Val Pro Leu Ile Val Glu · 105 110 tat ctc gaa ttg att caa cat cga gag cta tca ggg cac ccg gct ttg Tyr Leu Glu Leu Ile Gln His Arg Glu Leu Ser Gly His Pro Ala Leu 125 gct ttg gct ctt gcc acc cac agc gcg ggg att gat gtg gat cga gca 547 Ala Leu Ala Leu Ala Thr His Ser Ala Gly Ile Asp Val Asp Arg Ala 140 atc cac gct cac ctc acg gca acg gtg agt tcg ctg atc caa aat gcg 595 Ile His Ala His Leu Thr Ala Thr Val Ser Ser Leu Ile Gln Asn Ala gtt cgt ggc atc cca ctg ggg caa atg gca ggt cag cgg gtg atg ttc 643 Val Arg Gly Ile Pro Leu Gly Gln Met Ala Gly Gln Arg Val Met Phe 170 gcc atg cgt gag cat atc ggt gcg gcc gtg aaa cgt agc gcg aac ttg Ala Met Arg Glu His Ile Gly Ala Ala Val Lys Arg Ser Ala Asn Leu gat gag att gat ttc tgt tcg ggt gat cca ggc ttg gat att tca caa 739 Asp Glu Ile Asp Phe Cys Ser Gly Asp Pro Gly Leu Asp Ile Ser Gln 200 205 atg gtt cat gaa acc caa cgc gca cga cta ttt atg agt taagaaggag 788 Met Val His Glu Thr Gln Arg Ala Arg Leu Phe Met Ser 215 220 aaaagaaaca tqq 801 <210> 24 <211> 226 <212> PRT <213> Corynebacterium glutamicum <400> 24 Met Asp Leu Asp Ala Asp Phe Leu Leu His Leu Ser Asp Ser Ala 15 Leu Pro Thr Gly Ala Phe Ala His Ser Phe Gly Phe Glu Thr Tyr Met Asp Ala Glu Arg Ile Thr Asn Ala Glu Glu Phe Gln Asp Trp Leu Lys 35 Val Leu Leu Lys Val Gln Leu Thr Ser Ser Asp Ala Leu Ala Met Arg Met Phe Tyr Ala Thr Pro Thr Val Ser Glu Leu Lys Arg Leu Asp Glu

90

Arg Leu Phe Ala Gly Thr Pro Ala Arg Glu Ile Arg Glu Ala Asn Ala

Gly Arg Glu Ile Ala Ala Lys Tyr Ala Glu Ala Ile Tyr Ser Val Ala 205 tgg gat ttg gag caa gcg caa gat tat cgc tct gat att cat gct cgt 787 Trp Asp Leu Glu Gln Ala Gln Asp Tyr Arg Ser Asp Ile His Ala Arg 220 225 gcc act gcc cag ggt cgc gag ccc atg ccg gtg ctt cct ggt ttg gtg 835 Ala Thr Ala Gln Gly Arg Glu Pro Met Pro Val Leu Pro Gly Leu Val 235 240 act ttt gtt ggc acg acc gtg gaa gaa gcg cgt gca aaa cag cag gct 883 Thr Phe Val Gly Thr Thr Val Glu Glu Ala Arg Ala Lys Gln Gln Ala 255 ctt aat gcg ttg ctg ccg gtc aaa gac tca cta aat cag ttg agt ttc 931 Leu Asn Ala Leu Leu Pro Val Lys Asp Ser Leu Asn Gln Leu Ser Phe 270 ttt gtg ggt caa gat tgc tcg acg tgg gat ttg gat gca cct ccc cca 979 Phe Val Gly Gln Asp Cys Ser Thr Trp Asp Leu Asp Ala Pro Pro Pro 285 cca ctg cca ccg cta gaa gag ttt tcc ggt cct aaa ggc agg tac gaa 1027 Pro Leu Pro Pro Leu Glu Glu Phe Ser Gly Pro Lys Gly Arg Tyr Glu 300 acg gtc ctg cgg 1039 Thr Val Leu Arg 310 <210> 440 <211> 313 <212> PRT <213> Corynebacterium glutamicum <400> 440 Val Glu Gly Ser Val Glu Lys Leu Gly Leu Ile Ser Trp Trp Glu Glu Leu Ala Arg Thr Ala Glu Arg Gly Lys Leu Asp Ala Val Phe Leu Ala Asp Gly Gln Ala Ile Asn Pro Val Gly Leu Glu Asn Gly Pro Gly Trp 35 Phe Leu Glu Pro Val Thr Ala Leu Thr Ala Met Ala Arg Ala Thr Asn Asn Ile Gly Leu Ile Ser Thr Ile Ser Ser Thr Phe Trp Gln Pro Phe 65 70 75 His Ala Ala Arg Met Ile Ala Ser Leu Asp His Ile Ser Gly Gly Arg Ala Gly Ile Asn Val Val Thr Ser Met Thr Asp Ala Glu Ala Arg Asn 100 105 His Gly Met Asp Ala Leu Pro Gly His Asp Val Arg Tyr Ala Arg Ala

Ala Glu Phe Ile Glu Thr Ile Thr Ala Leu Trp Asp Ser Trp Pro Ala 130 135 140

- Glu Ser Leu Val Met Asp Arg Ala Gly Lys Phe Ala Asp Ser Ser Leu 145 150 155 160
- Ile Lys Ser Ile Asp His Asp Gly Glu Phe Phe Gln Val Ala Gly Pro 165 170 175
- Leu Asn Ile Pro Ser Pro Pro Gln Gly Arg Pro Val Leu Phe Gln Ala 180 185 190
- Gly Ser Ser Pro Gln Gly Arg Glu Ile Ala Ala Lys Tyr Ala Glu Ala 195 200 205
- He Tyr Ser Val Ala Trp Asp Leu Glü⁵Gin Ala Gln Asp Tyr Arg Ser 210 215 220
- Asp Ile His Ala Arg Ala Thr Ala Gln Gly Arg Glu Pro Met Pro Val 225: The Cold 230 line with the Cold 240 line with
- Leu Pro Gly Leu Val Thr Phe Val Gly Thr Thr Val Glu Glu Ala Arg
- Asn Gln Leu Ser Phe Phe Val Gly Gln Asp Cys Ser Thr Trp Asp Leu c 27.5 Fr 16 280 Fr 17 7 Val 285 Fr 17 Ala
- Asp Ala Pro Pro Pro Pro Leu Pro Pro Leu Glu Glu Phe Ser Gly Pro y 290: Ser Mar Mar May 295; The Bro Roy 300 Mar Mar May 295;

Lys Gly Arg Tyr Glu Thr Val Leu Arg

on the transfer than the

والمناجع والمراجع والمعالي

Ile Phe Val Glu Ser Gly Gly Asp Asn Leu Ser Ala Thr Phe Ser Pro 105 Glu Leu Val Asp Phe Ser Ile Tyr Ile Ile Asp Val Ala Gln Gly Glu Lys Ile Pro Arg Lys Ala Gly Gln Gly Met Ile Lys Ser Asp Leu Phe Ile Ile Asn Lys Thr Asp Leu Ala Pro Tyr Val Gly Ala Asn Leu Asp 150 Val Met Val Glu Asp Ala Lys Ala Phe Arg Lys Asn Lys Pro Phe Cys 170 Leu Thr Asn Leu Arg Thr Asp Asp Gly Leu Asp Lys Val Leu Glu Trp 180 185 Ile Arg His Glu Val Met Met Gln Asp Leu Gln Glu Ala 195 200 <210> 27 <211> 1119 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1096) <223> RXA02603 <400> 27 gcatggtgct tggcgtgcat tacccaaccg atgtgctagc cggcgcgttg ttgggagcag 60 cgaccgcaga ggccgtccat aagatcgaaa gggctacgaa gtg agc gaa cac gcc 115 Val Ser Glu His Ala get gaa cat cac ege gat acc caa aat tte tta acc tee gaa eeg cac 163 Ala Glu His His Arg Asp Thr Gln Asn Phe Leu Thr Ser Glu Pro His 10 15 acc acg gca atc gaa gac aac aag aag cgc caa ccg ccg aaa aac ctt 211 Thr Thr Ala Ile Glu Asp Asn Lys Lys Arg Gln Pro Pro Lys Asn Leu get gae gge atg ate aag geg etg ege eee aag eag tgg gte aag aac 259 Ala Asp Gly Met Ile Lys Ala Leu Arg Pro Lys Gln Trp Val Lys Asn 40 gtt ctt gtg cta gca gca cca ctt gct gct ggt gca gat gcg atc ttc 307 Val Leu Val Leu Ala Ala Pro Leu Ala Ala Gly Ala Asp Ala Ile Phe aac cag cgc acg atc atc gac gtt gct atc gca ttc gta gtg ttc tgc 355 Asn Gln Arg Thr Ile Ile Asp Val Ala Ile Ala Phe Val Val Phe Cys 75 80 ttc ggt gca tca gcc att tac ttg gtt aat gat gcc cgt gac gtg gaa 403 Phe Gly Ala Ser Ala Ile Tyr Leu Val Asn Asp Ala Arg Asp Val Glu

90 95 100

														_		
gct Ala	gac Asp	cgc Arg	gag Glu 105	His	cca Pro	acc Thr	aag Lys	cgt Arg 110	Phe	-cgc Arg	ccc Pro	atc Ile	gct Ala 115	gca Ala	gga Gly	451
gtc Val	ctg Leu	cca Pro 120	Val	gga Gly	atg Met	gca Ala	tac Tyr 125	ggc Gly	atg Met	gcc Ala	gtg Val	gcg Ala 130	ctc Leu	att Ile	gca Ala	499
cta Leu	tcc Ser 135	Ile	gga Gly	ctg Leu	tct Ser	ttc Phe 140	ctc Leu	gcc Ala	acc Thr	gac Asp	ggc Gly 145	gtg Val	gca Ala	ctt Leu	gcc Ala	547
tgc Cys 150	Val	att Ile	ggc	gtg Val	tac Tyr 155	att Ile	gcg Ala	ctg Leu	cag Gln	ctg Leu 160	gga Gly	tac Tyr	tgc Cys	ttc Phe	ggt Gly 165	595
tgg Trp	aag Lys	cac His	atg Met	cca Pro 170	gtg Val	atc Ile	gat Asp	att Ile	gcg Ala 175	ctt Leu	gtc Val	tcc Ser	tcc Ser	gga Gly 180	ttc Phe	643
atg Met	ctc Leu	cgc Arg	gca Ala 185	atg Met	gca Ala	ggt Gly	ggt Gly	gtc Val 190	gca Ala	gca Ala	ggc Gly	atc Ile	gag Glu 195	cta Leu	tcc Ser	691
cag Gln	tgg Trp	ttc Phe 200	ctg Leu	cta Leu	gtc Val	gct Ala	gcg Ala 205	ttt Phe	ggt Gly	tcc Ser	ctg Leu	ttc Phe 210	atg Met	gca Ala	tct Ser	739
gga Gly	aag Lys 215	cgc Arg	tac Tyr	gca Ala	gaa Glu	atc Ile 220	ctt Leu	ctg Leu	cac His	gag Glu	cgc Arg 225	acc Thr	ggc Gly	gct Ala	aag Lys	787
atc Ile 230	cgc Arg	aag Lys	tcc Ser	ctg Leu	gaa Glu 235	agc Ser	tac Tyr	acc Thr	ccc Pro	acc Thr 240	tac Tyr	ctg Leu	cgc Arg	ttc Phe	gtt Val 245	835
tgg Trp	acc Thr	atg Met	gca Ala	gca Ala 250	aca Thr	gca Ala	gtg Val	gtc Val	atg Met 255	tcc Ser	tac Tyr	gca Ala	ctg Leu	tgg Trp 260	ggc Gly	883
ttc Phe	gac Asp	ctt Leu	tcc Ser 265	caa Gln	cac His	tcc Ser	acc Thr	gac Asp 270	gca Ala	ggt Gly	ccg Pro	tgg Trp	tac Tyr 275	caa Gln	atc Ile	931
tcc Ser	atg Met	gtt Val 280	cca Pro	ttc Phe	acc Thr	atc Ile	gcc Ala 285	atc Ile	ctg Leu	cgc Arg	tac Tyr	gca Ala 290	gcc Ala	ggc Gly	gta Val	979
gac Asp	acc Thr 295	ggc Gly	gac Asp	ggc Gly	ggt Gly	gcc Ala 300	cct Pro	gac Asp	gaa Glu	gtg Val	gca Ala 305	ctc Leu	agc Ser	gac Asp	aaa Lys	1027
gtt Val 310	ctg Leu	cag Gln	gta Val	cta Leu	gcc Ala 315	cta Leu	gca Ala	tgg Trp	gtt Val	ttc Phe 320	tgc Cys	atc Ile	gtg Val	atg Met	gct Ala 325	1075
gtg Val	tac Tyr	atc Ile	atg Met	ccg Pro 330	atg Met	ttt Phe	tgaa	tatt	ta c	caat	gaac	a tg	С			1119

<210> 28

<211> 332

<212> PRT

<213> Corynebacterium glutamicum

<400> 28

Val Ser Glu His Ala Ala Glu His His Arg Asp Thr Gln Asn Phe Leu

1 5 10 15

Thr Ser Glu Pro His Thr Thr Ala Ile Glu Asp Asn Lys Lys Arg Gln 20 25 30

Pro Pro Lys Asn Leu Ala Asp Gly Met Ile Lys Ala Leu Arg Pro Lys $35 \hspace{1cm} 40 \hspace{1cm} 45$

Gln Trp Val Lys Asn Val Leu Val Leu Ala Ala Pro Leu Ala Ala Gly 50 55 60

Ala Asp Ala Ile Phe Asn Gln Arg Thr Ile Ile Asp Val Ala Ile Ala 65 70 75 80

Phe Val Val Phe Cys Phe Gly Ala Ser Ala Ile Tyr Leu Val Asn Asp 85 90 95

Ala Arg Asp Val Glu Ala Asp Arg Glu His Pro Thr Lys Arg Phe Arg 100 105 110

Pro Ile Ala Ala Gly Val Leu Pro Val Gly Met Ala Tyr Gly Met Ala 115 120 125

Val Ala Leu Ile Ala Leu Ser Ile Gly Leu Ser Phe Leu Ala Thr Asp 130 135 140

Gly Val Ala Leu Ala Cys Val Ile Gly Val Tyr Ile Ala Leu Gln Leu 145 150 155 160

Gly Tyr Cys Phe Gly Trp Lys His Met Pro Val Ile Asp Ile Ala Leu 165 170 175

Val Ser Ser Gly Phe Met Leu Arg Ala Met Ala Gly Gly Val Ala Ala 180 185 190

Gly Ile Glu Leu Ser Gln Trp Phe Leu Leu Val Ala Ala Phe Gly Ser 195 200 205

Leu Phe Met Ala Ser Gly Lys Arg Tyr Ala Glu Ile Leu Leu His Glu 210 215 220

Arg Thr Gly Ala Lys Ile Arg Lys Ser Leu Glu Ser Tyr Thr Pro Thr 225 230 235 240

Tyr Leu Arg Phe Val Trp Thr Met Ala Ala Thr Ala Val Val Met Ser 245 250 255

Tyr Ala Leu Trp Gly Phe Asp Leu Ser Gln His Ser Thr Asp Ala Gly
260 265 270

Pro Trp Tyr Gln Ile Ser Met Val Pro Phe Thr Ile Ala Ile Leu Arg 275 280 285

Tyr Ala Ala Gly Val Asp Thr Gly Asp Gly Gly Ala Pro Asp Glu Val 290 295 Ala Leu Ser Asp Lys Val Leu Gln Val Leu Ala Leu Ala Trp Val Phe Cys Ile Val Met Ala Val Tyr Ile Met Pro Met Phe 325 330 <210> 29 <211> 2004 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1981) <223> RXA01385 <400> 29 atcacacttt cattcgcagt gtgatctgaa ctacatttct ggttactgta cggaacacgc 60 tccgtgaatg agataggaaa tcccctcgaa aggaccagac atg cag ttt cat tat Met Gln Phe His Tyr gaa gga tac gca acc ggt gac cca atg gag atg cgc gcg gaa ggt agc 163 Glu Gly Tyr Ala Thr Gly Asp Pro Met Glu Met Arg Ala Glu Gly Ser 10 gga atc aac ege eeg gae gat etc eee gag gte atg gat gtt etc ate Gly Ile Asn Arg Pro Asp Asp Leu Pro Glu Val Met Asp Val Leu Ile 30 gtt ggt gca ggt ccg gct ggc acc atc gca gcg gct cag ctt tcc cga 259 Val Gly Ala Gly Pro Ala Gly Thr Ile Ala Ala Ala Gln Leu Ser Arq 45 ttc ccc aat gtg acc acc cgc ctc gta gag aga agc gac cgt cgc ctc 307 Phe Pro Asn Val Thr Thr Arg Leu Val Glu Arg Ser Asp Arg Leu 55 gaa cta gcc aat gca gat ggc gtg cac tcc cga acc att gaa act ttc 355 Glu Leu Ala Asn Ala Asp Gly Val His Ser Arg Thr Ile Glu Thr Phe cag gca ttt ggt ttc gcc cac gag atc ctc gcc gaa gct cat gaa atc 403 Gln Ala Phe Gly Phe Ala His Glu Ile Leu Ala Glu Ala His Glu Ile 90 acc gac atg gcg ttc tgg aag ccg gac ccg caa aac cct cgt gag atc 451 Thr Asp Met Ala Phe Trp Lys Pro Asp Pro Gln Asn Pro Arg Glu Ile 105 110 att cgc gac aac agc acc cgc gag ctg cca cag cac atc agt gaa ttt 499 Ile Arg Asp Asn Ser Thr Arg Glu Leu Pro Gln His Ile Ser Glu Phe 120 125 ccg atg gcg ttg ctc acc cag acc cgc atc atc gac cac ttc aac cgg

Pro	Met 135	Ala	Leu	Leu	Thr	Gln 140	Thr	Arg	Ile	Ile	Asp 145	His	Phe	Asn	Arg	
	_	_						_	_		gac Asp					595
		_		-	-	-	-	-	-	-	tat Tyr	-	-		_	643
		-	-		-						gaa Glu	-	-		-	691
-		-		_	-		-	-		-	cga Arg	_			_	739
											gct Ala 225					787
		-	_								ccc Pro	-		_	_	835
-	_					_	_		_		atc Ile	_				883
-							-			-	gac Asp	_		-	-	931
	-	_		_	_	-	_	-	-		cca Pro		-	-	-	979
	-				_		_	_			acc Thr 305		_			1027
											cac His					1075
		-	-	_	-		-			-	agc Ser	-			-	1123
											agc Ser					1171
											aac Asn					1219
											gaa Glu					1267

375 380 385

tac Tyr 390	Ala	gaa Glu	gag Glu	cgc Arg	gaa Glu 395	Asp	att	gcc Ala	tac Tyr	aag Lys 400	Leu	atc Ile	gag Glu	tac Tyr	gac Asp 405	1315
aag Lys	aac Asn	tgg Trp	tca Ser	aca Thr 410	ctc Leu	atg Met	gca Ala	aag Lys	cca Pro 415	agc Ser	agc Ser	gaa Glu	atg Met	ggc Gly 420	agt Ser	1363
gcc Ala	caa Gln	gac Asp	ctt Leu 425	gag Glu	gat Asp	ttc Phe	tac Tyr	cgc Arg 430	gcg Ala	aac Asn	tct Ser	gag Glu	ttc Phe 435	aat Asn	gcc Ala	1411
ggc Gly	tac Tyr	atg Met 440	acc Thr	cac His	tat Tyr	cct Pro	cct Pro 445	tct Ser	tcc Ser	atc Ile	aca Thr	atg Met 450	gat Asp	ggc Gly	agc Ser	1459
aac Asn	caa Gln 455	gat Asp	ctg Leu	gca Ala	aag Lys	ggc Gly 460	tac Tyr	cca Pro	att Ile	ggc Gly	cga Arg 465	cgc Arg	ttc Phe	aag Lys	tca Ser	1507
gcg Ala 470	atg Met	gtt Val	ggt Gly	cga Arg	gtc Val 475	tgc Cys	gac Asp	ttc Phe	acc Thr	gaa Glu 480	aca Thr	cac His	ctc Leu	ggt Gly	cac His 485	1555
caa Gln	gca Ala	aca Thr	gcc Ala	gac Asp 490	gga Gly	cgc Arg	atg Met	cgc Arg	gca Ala 495	tac Tyr	gtc Val	ttc Phe	gca Ala	gga Gly 500	tcc Ser	1603
gat Asp	gca Ala	ctt Leu	aac Asn 505	ggc Gly	gag Glu	ggt Gly	tct Ser	gag Glu 510	cta Leu	gac Asp	cgc Arg	tgg Trp	gca Ala 515	gaa Glu	tgg Trp	1651
gca Ala	gag Glu	gcg Ala 520	aac Asn	ctt Leu	gac Asp	ccc Pro	acg Thr 525	ctt Leu	gtc Val	gac Asp	gcc Ala	aag Lys 530	gtg Val	att Ile	tac Tyr	1699
caa Gln	agc Ser 535	cct Pro	tat Tyr	acc Thr	gag Glu	ctc Leu 540	gac Asp	acc Thr	cgc Arg	cag Gln	gtt Val 545	cca Pro	tcc Ser	gtg Val	ttc Phe	1747
aaa Lys 550	cct Pro	gca Ala	Val	ggg Gly	Ile	Phe	gaa Glu	ctg Leu	Thr	aat Asn 560	gtg Val	gaa Glu	aac Asn	tcc Ser	ttc Phe 565	1795
ggt Gly	atc Ile	acc Thr	acg Thr	gac Asp 570	tcc Ser	gac Asp	atc Ile	ttt Phe	gat Asp 575	agt Ser	cgc Arg	gag Glu	atc Ile	tcc Ser 580	cgc Arg	1843
gat Asp	ggt Gly	gtc Val	gtg Val 585	gtg Val	gta Val	gtc Val	Arg	cca Pro 590	gac Asp	caa Gln	tac Tyr	gtt Val	tcc Ser 595	gga Gly	atc Ile	1891
ttc Phe	cca Pro	ctc Leu 600	act Thr	gat Asp	acc Thr	caa Gln	ggg Gly 605	ctt Leu	ggc Gly	gaa Glu	ttc Phe	ctc Leu 610	acc Thr	gga Gly	tac Tyr	1939
ttc Phe	ccc Pro 615	aaa Lys	atg Met	aaa Lys	Gly	gca Ala 620	cat His	cag Gln	cta Leu	atc Ile	aac Asn 625	gcg Ala	aac Asn			1981

taaggcacag ctgttaaaac agt

2004

<210> 30

<211> 627

<212> PRT

<213> Corynebacterium glutamicum

<400> 30

Met Gln Phe His Tyr Glu Gly Tyr Ala Thr Gly Asp Pro Met Glu Met
1 5 10 15

Arg Ala Glu Gly Ser Gly Ile Asn Arg Pro Asp Asp Leu Pro Glu Val 20 25 30

Met Asp Val Leu Ile Val Gly Ala Gly Pro Ala Gly Thr Ile Ala Ala 35 40 45

Ala Gln Leu Ser Arg Phe Pro Asn Val Thr Thr Arg Leu Val Glu Arg 50 55 60

Ser Asp Arg Arg Leu Glu Leu Ala Asn Ala Asp Gly Val His Ser Arg 65 70 75 80

Thr Ile Glu Thr Phe Gln Ala Phe Gly Phe Ala His Glu Ile Leu Ala 85 90 95

Glu Ala His Glu Ile Thr Asp Met Ala Phe Trp Lys Pro Asp Pro Gln 100 105 110

Asn Pro Arg Glu Ile Ile Arg Asp Asn Ser Thr Arg Glu Leu Pro Gln
115 120 125

His Ile Ser Glu Phe Pro Met Ala Leu Leu Thr Gln Thr Arg Ile Ile 130 135 140

Asp His Phe Asn Arg Phe Met Lys Asn Ser Pro Thr Arg Met Lys Pro 145 150 155 160

Asp Tyr Gly Tyr Glu Phe Val Asp Phe Glu Val Glu Glu Asp Ala Glu 165 170 175

Tyr Pro Val Ile Val Thr Leu Arg Arg Thr Ser Gly Glu Gln Thr Gly 180 185 190

Glu Leu Val Thr Val Arg Thr Lys Tyr Leu Val Gly Ala Asp Gly Ala 195 200 205

Arg Ser Gln Val Arg Lys Ser Leu Gly Tyr Arg Leu Gln Gly Lys Gln 210 215 220

Ala Asn His Ala Trp Gly Val Met Asp Ile His Ala Asn Thr Glu Phe 225 230 235 240

Pro Asp Val Arg Lys Lys Cys Thr Ile Lys Ser Asp Ser Gly Arg Thr 245 250 255

Ile Leu Leu Ile Pro Arg Glu Gly Gly Phe Leu Phe Arg Leu Tyr Val 260 265 270

Asp Leu Gly Glu Val Pro Asp Asp Gly Ser Lys Ala Val Arg Asp Thr 275 280 285

- Pro Leu Gln Asp Val Ile Asp Thr Ala Asn Gln Ile Met Ala Pro Phe 290 295 300
- Thr Leu Asp Val Lys Asn Val Val Trp Asn Ser Ile Tyr Glu Val Gly 305 310 315 320
- His Arg Val Ala Asp His Phe Asp Asp Arg Val Ser Glu Lys Thr Ser 325 330 335
- Ser Glu His Pro Arg Ile Phe Ile Ala Gly Asp Ala Cys His Thr His 340 345 350
- Ser Ala Lys Ala Gly Gln Gly Met Asn Val Ser Met Gln Asp Gly Phe 355 360 365
- Asn Leu Gly Trp Lys Leu Gly His Val Ala Ser Gly Asn Ser Pro Arg 370 375 380
- Glu Leu Leu Gln Thr Tyr Ala Glu Glu Arg Glu Asp Ile Ala Tyr Lys 385 390 395 400
- Leu Ile Glu Tyr Asp Lys Asn Trp Ser Thr Leu Met Ala Lys Pro Ser 405 410 415
- Ser Glu Met Gly Ser Ala Gln Asp Leu Glu Asp Phe Tyr Arg Ala Asn 420 425 430
- Ser Glu Phe Asn Ala Gly Tyr Met Thr His Tyr Pro Pro Ser Ser Ile 435 440 445
- Thr Met Asp Gly Ser Asn Gln Asp Leu Ala Lys Gly Tyr Pro Ile Gly 450 455 460
- Arg Arg Phe Lys Ser Ala Met Val Gly Arg Val Cys Asp Phe Thr Glu 465 470 475 480
- Thr His Leu Gly His Gln Ala Thr Ala Asp Gly Arg Met Arg Ala Tyr 485 490 . 495
- Val Phe Ala Gly Ser Asp Ala Leu Asn Gly Glu Gly Ser Glu Leu Asp 500 505 510
- Arg Trp Ala Glu Trp Ala Glu Ala Asn Leu Asp Pro Thr Leu Val Asp 515 520 525
- Ala Lys Val Ile Tyr Gln Ser Pro Tyr Thr Glu Leu Asp Thr Arg Gln 530 540
- Val Pro Ser Val Phe Lys Pro Ala Val Gly Ile Phe Glu Leu Thr Asn 545 550 555 560
- Val Glu Asn Ser Phe Gly Ile Thr Thr Asp Ser Asp Ile Phe Asp Ser 575
- Arg Glu Ile Ser Arg Asp Gly Val Val Val Val Val Arg Pro Asp Gln 580 585 590
- Tyr Val Ser Gly Ile Phe Pro Leu Thr Asp Thr Gln Gly Leu Gly Glu

595 600 605

Phe Leu Thr Gly Tyr Phe Pro Lys Met Lys Gly Ala His Gln Leu Ile 610 615 620

Asn Ala Asn 625

<210> 31

<211> 915

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(892)

<223> RXN00675

<400> 31

gtggaagtac tcacctcaag gtggccggaa ccgcatgcat tgtgcggtgc cggccacctt 60

tggttttaac agtttaattt gaagaaagag acgtggaagc atg ggt ttc cgt tcc 115 Met Gly Phe Arg Ser

aag aag aag gtt att gcg gca aag acc gcc gct gag ctg gac gcg atg 163 Lys Lys Val Ile Ala Ala Lys Thr Ala Ala Glu Leu Asp Ala Met 10 15 20

gag gct aaa gct ggc atg agc acg tgg gat ctg gat cag atc gcg gag 259 Glu Ala Lys Ala Gly Met Ser Thr Trp Asp Leu Asp Gln Ile Ala Glu 40 45

cag gtt atc cgc gat gct ggc gcc gtt cct aca ttc ctg ggt tac cag 307 Gln Val Ile Arg Asp Ala Gly Ala Val Pro Thr Phe Leu Gly Tyr Gln 55 60

ggt ttt ccg gca tca gtg tgc gct tcg gtc aat gag gtg att gtt cac 355 Gly Phe Pro Ala Ser Val Cys Ala Ser Val Asn Glu Val Ile Val His 70 80 85

ggc att cca tcc aag gag acc atc ttg gag gaa ggc gat ctg gtg tcc 403 Gly Ile Pro Ser Lys Glu Thr Ile Leu Glu Glu Gly Asp Leu Val Ser 90 95 100

atc gac tgc ggc gca acc ttt gat ggt tgg gtc ggc gat tcc gcg tgg $$ 451 Ile Asp Cys Gly Ala Thr Phe Asp Gly Trp Val Gly Asp Ser Ala Trp $$ 105 $$ 110 $$ 115

agc ttc ggc atc ggc gag ctg gac gag gac gtc cag ggt ctc aac ttg
Ser Phe Gly Ile Gly Glu Leu Asp Glu Asp Val Gln Gly Leu Asn Leu
120 125 130

gct acc gag tgg gtc ctc atg gaa ggc atg aag gcc atg gtt cca ggc 547 Ala Thr Glu Trp Val Leu Met Glu Gly Met Lys Ala Met Val Pro Gly 135 140 145

aa As 15	n Ar	t tte g Le	g aco u Thi	c gar	t gto P Val 155	. Ser	: cac His	gct Ala	cto Leu	gaç Glu 160	Val	gca Ala	aco Thi	c cgc	aag Lys 165	595
gc Al	t gad a Gli	g tco u Sei	c aaq r Lys	tte Phe 170	e Gly	gtc Val	gcg Ala	ctc Leu	ggc Gly 175	Ile	gtc	gat Asp	G17	tac Tyr 180	ggc	643
gg G1	a cad y His	c ggd s Gly	2 att 7 Ile 185	GT?	cgc Arg	cac His	atg Met	cac His 190	gag Glu	gag Glu	cca Pro	tac Tyr	ttg Leu 195	Ala	aat Asn	691
ga Gl	a Gl	200	g gcc s Ala)	ggc	: aag ' Lys	ggc Gly	cct Pro 205	gtg Val	att Ile	cag Gln	gag Glu	ggc Gly 210	tcc Ser	gtg Val	ctc Leu	739
gco Ala	215	: GIO	g cct Pro	atg Met	ctc Leu	acc Thr 220	ctc Leu	ggc Gly	acc Thr	gaa Glu	gat Asp 225	tcc Ser	gca Ala	gtg Val	ctg Leu	787
gaa Glu 230	ı ASP	gat Asp	tgg Trp	act Thr	gtc Val 235	gtg Val	act Thr	ctc Leu	gac Asp	ggt Gly 240	tca Ser	tgg Trp	gca Ala	tca Ser	cac His 245	835
tgg Trp	gag Glu	cac His	acc Thr	gtt Val 250	gca Ala	gcc Ala	acc Thr	aag Lys	ggc Gly 255	ggc Gly	ccg Pro	cgc Arg	atc Ile	ctc Leu 260	acg Thr	883
ccg Pro	cgt Arg	tat Tyr	taa	aatg	atg (ettt	cgac	eg ca	at							915
<21 <21	0> 3 1> 2 2> P 3> C	64 RT	ebact	eri	ım gl	utam	icum	ı								
	0> 3: Gly		Arg	Ser	Lvs	ī.vs	I.ve	Val	T) o	Λ 1 ¬	71.	T	m .			
1				5					10		•			15		
Glu	Leu	Asp	Ala 20	Met	Gln	Ala	Ala	Gly 25	Glu	Ile	Val	Gly	Lys 30	Ala	Leu	
Gln	Ala	Val 35	Arg	Ala	Glu	Ala	Lys 40	Ala	Gly	Met	Ser	Thr 45	Trp	Asp	Leu	
Asp	Gln 50	Ile	Ala	Glu	Gln	Val 55	Ile .	Arg	Asp .	Ala	Gly .60	Ala	Val	Pro	Thr	
Phe 65	I.en	Glv	Tyr	Gln	Glv	Phe	Pro .	Ala	Ser '	Val	Cys .	Ala	Ser	Val	Asn	
	Deu	•	-		70					75	-				80	
Glu			Vaļ		70					75					80	

Gly Asp Ser Ala Trp Ser Phe Gly Ile Gly Glu Leu Asp Glu Asp Val 115 120 125

- Gln Gly Leu Asn Leu Ala Thr Glu Trp Val Leu Met Glu Gly Met Lys 130 135 140
- Ala Met Val Pro Gly Asn Arg Leu Thr Asp Val Ser His Ala Leu Glu 145 150 155 160
- Val Ala Thr Arg Lys Ala Glu Ser Lys Phe Gly Val Ala Leu Gly Ile 165 170 175
- Val Asp Gly Tyr Gly Gly His Gly Ile Gly Arg His Met His Glu Glu 180 185 190
- Pro Tyr Leu Ala Asn Glu Gly Lys Ala Gly Lys Gly Pro Val Ile Gln 195 200 205
- Glu Gly Ser Val Leu Ala Ile Glu Pro Met Leu Thr Leu Gly Thr Glu 210 215 220
- Asp Ser Ala Val Leu Glu Asp Asp Trp Thr Val Val Thr Leu Asp Gly 225 230 235 240
- Ser Trp Ala Ser His Trp Glu His Thr Val Ala Ala Thr Lys Gly Gly 245 250 255
- Pro Arg Ile Leu Thr Pro Arg Tyr 260
- <210> 33
- <211> 506
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (1)..(483)
- <223> FRXA00675
- <400> 33
- tgc ggc gca acc ttt gat ggt tgg gtc ggc gat tcc gcg tgg agc ttc 48 Cys Gly Ala Thr Phe Asp Gly Trp Val Gly Asp Ser Ala Trp Ser Phe 1 5 10
- ggc atc ggc gag ctg gac gag gac gtc cag ggt ctc aac ttg gct acc 96 Gly Ile Gly Glu Leu Asp Glu Asp Val Gln Gly Leu Asn Leu Ala Thr
- gag tgg gtc ctc atg gaa ggc atg aag gcc atg gtt cca ggc aac cgt 144 Glu Trp Val Leu Met Glu Gly Met Lys Ala Met Val Pro Gly Asn Arg
- ttg acc gat gtc tcc cac gct ctc gag gtc gca acc cgc aag gct gag 192 Leu Thr Asp Val Ser His Ala Leu Glu Val Ala Thr Arg Lys Ala Glu 50 55
- tcc aag ttc ggc gtc gcg ctc ggc atc gtc gat ggc tac ggc gga cac 240 Ser Lys Phe Gly Val Ala Leu Gly Ile Val Asp Gly Tyr Gly Gly His 65 70 75 80

ggc Gly	att Ile	ggc Gly	cgc Arg	cac His 85	atg Met	cac His	gag Glu	gag Glu	cca Pro 90	tac Tyr	ttg Leu	gct Ala	aat Asn	gag Glu 95	ggc Gly	288
aag Lys	gcc Ala	ggc Gly	aag Lys 100	ggc Gly	cct Pro	gtg Val	att Ile	cag Gln 105	gag Glu	ggc Gly	tcc Ser	gtg Val	ctc Leu 110	gcc Ala	att Ile	336
gag Glu	cct Pro	atg Met 115	ctc Leu	acc Thr	ctc Leu	ggc Gly	acc Thr 120	gaa Glu	gat Asp	tcc Ser	gca Ala	gtg Val 125	ctg Leu	gaa Glu	gat Asp	384
gat Asp	tgg Trp 130	act Thr	gtc Val	gtg Val	act Thr	ctc Leu 135	gac Asp	ggt Gly	tca Ser	tgg Trp	gca Ala 140	tca Ser	cac His	tgg Trp	gag Glu	432
cac His 145	acc Thr	gtt Val	gca Ala	gcc Ala	acc Thr 150	aag Lys	ggc Gly	ggc Gly	ccg Pro	cgc Arg 155	atc Ile	ctc Leu	acg Thr	ccg Pro	cgt Arg 160	480
tat Tyr	taaa	atga	itg c	tttt	cgac	g ca	ıt									506

<210> 34

<211> 161

<212> PRT

<213> Corynebacterium glutamicum

<400> 34

Cys Gly Ala Thr Phe Asp Gly Trp Val Gly Asp Ser Ala Trp Ser Phe 1 5 10 15

Gly Ile Gly Glu Leu Asp Glu Asp Val Gln Gly Leu Asn Leu Ala Thr 20 25 30

Glu Trp Val Leu Met Glu Gly Met Lys Ala Met Val Pro Gly Asn Arg 35 40 45

Leu Thr Asp Val Ser His Ala Leu Glu Val Ala Thr Arg Lys Ala Glu 50 55 60

Ser Lys Phe Gly Val Ala Leu Gly Ile Val Asp Gly Tyr Gly Gly His 65 70 75 80

Gly Ile Gly Arg His Met His Glu Glu Pro Tyr Leu Ala Asn Glu Gly 85 90 95

Lys Ala Gly Lys Gly Pro Val Ile Gln Glu Gly Ser Val Leu Ala Ile 100 105 110

Glu Pro Met Leu Thr Leu Gly Thr Glu Asp Ser Ala Val Leu Glu Asp 115 120 125

Asp Trp Thr Val Val Thr Leu Asp Gly Ser Trp Ala Ser His Trp Glu 130 135 140

His Thr Val Ala Ala Thr Lys Gly Gly Pro Arg Ile Leu Thr Pro Arg 145 150 155 160

Tyr

<21 <21	0> 3: 1> 9: 2> Di 3> Co	96 NA	ebac	teri	um gi	lutai	nicur	n								
<22	1> CI 2> (:	DS 101) XA01		73)												
	0> 3!		gtgaa	aacto	a ac	gagea	agcca	a ata	caact	taaa	aaat	tage	ete d	catico	caaccc	60
							acta				atg	tct	aaa		cgc	115
gca Ala	cca Pro	ctt Leu	gta Val	ccc Pro 10	gga Gly	att Ile	cct Pro	acc Thr	cca Pro 15	atc Ile	agg Arg	gaa Glu	gta Val	cct Pro 20	gca Ala	163
							gtg Val									211
							gcc Ala 45									259
							aac Asn									307
							gat Asp									355
							tac Tyr									403
ttc Phe	acc Thr	aag Lys	tcc Ser 105	tca Ser	tgc Cys	att Ile	tcc Ser	ctc Leu 110	aat Asn	gag Glu	atc Ile	gtg Val	tgc Cys 115	cac His	ggt Gly	451
							gaa Glu 125									499
gtc Val	acc Thr 135	gcg Ala	ttc Phe	aag Lys	cac His	ggc Gly 140	gtc Val	cac His	ggc Gly	gac Asp	tgc Cys 145	aat Asn	gcc Ala	acc Thr	ttc Phe	547
							gaa Glu									595

	ga Gl	a ga u Gl	a u	gcc Ala	Met	g ato Med 170	t Ar	t too g Sei	c ato	e Are	t gca g Ala 179	a Ala	a aag a Lys	g cct s Pro	gga Gly	a cgi / Arg 180	gaa g Glu)	643
	ate Ile	c aa e As	n '	gtc Val	att Ile 185	GL	g cg	t gto g Val	att Ile	gaç Glu 190	ı Ser	tac Tyr	gcc Ala	aag Lys	cgt Arc 195	J Ph∈	ggc Gly	691
	Тул	aa As	n v	gtg /al 200	gto Val	cgc Arc	gat Asp	tto Phe	acc Thr 205	- Gl	a cac	ggc Gly	ato Ile	ggc Gly 210	Pro	act Thr	ttc Phe	739
	His	21:	n (ggc Sly	ctt Leu	gtç Val	gto Val	ctg Leu 220	His	tac Tyr	gac Asp	aac Asn	act Thr 225	Gln	tac Tyr	cgc Arg	gat Asp	787
	Cto Leu 230	rec	e g	jtg 'al	cca Pro	ggc Gly	Met 235	Thr	ttg Leu	acc	atc	gag Glu 240	cca Pro	atg Met	atc	aac Asn	ctt Leu 245	835
	ggt Gly	tco Ser	C C	tc eu	gac Asp	tac Tyr 250	gag Glu	atc Ile	tgg Trp	gaa Glu	gat Asp 255	gat Asp	tgg Trp	act Thr	gtc Val	caa Gln 260	aac Asn	883
	gtt Val	gac Asp	C A	rg	aag Lys 265	ttc Phe	agc Ser	gcg Ala	cag Gln	ttc Phe 270	gag Glu	cac His	acc Thr	att Ile	gtc Val 275	atc Ile	acc Thr	931
	gaa Glu	gac	G	gc ly 80	aat Asn	gag Glu	atc Ile	ctc Leu	acc Thr 285	ctc Leu	cca Pro	gac Asp	gat Asp	tcc Ser 290	gtc Val			973
	taa	aaac	gc	c t	aggo	cac	aa g	cc										996
	<21 <21	0> 3 1> 2 2> P 3> C	91 RT	ynel	bact	eri	um gi	lutar	nicum	n								
		0> 3																
	1					5					10		Ile			15		
1	Arg	Glu	Vá	al E	20	Ala	His	Ile	Glu	Arg 25	Pro	Glu	Tyr	Val	Trp 30	Lys	Asp	
(Glu	Val	G1	ln (Slu	Ala	Ile	Gly	Glu 40	Pro	Phe	Val	Gln	Ala 45	Pro	Glu	Val	
]	le	Glu 50	Ly	∕ş M	let	Arg	Glu	Thr 55	Ser	Arg	Ile	Ala	Ala 60	Asn	Ser	Leu	Lys	
1	1e 65	Ala	Gl	.у 🤆	Slu	Ala	Val 70	Lys	Pro	Gly	Val	Thr 75	Thr	Asp	Glu	Leu	Asp 80	
P	rg	Ile	Va	1 H	lis	Glu 85	Tyr	Thr	Cys	Asp	Met 90	Gly	Ala	Tyr	Pro	Ser 95	Asp	
L	eu	Gly	Ту	r A	rg	Gly	Phe	Thr	Lys	Ser	Ser	Cys	Ile	Ser	Leu	Asn	Glu	

100 105 110

Ile Val Cys His Gly Ile Pro Asp Ser Thr Val Ile Glu Glu Gly Asp 115 120 125

Ile Val Asn Ile Asp Val Thr Ala Phe Lys His Gly Val His Gly Asp 130 135 140

Cys Asn Ala Thr Phe Leu Ala Gly Asp Val Ser Glu Glu His Arg Leu 145 150 155 160

Leu Val Glu Arg Thr Glu Glu Ala Met Met Arg Ser Ile Arg Ala Ala 165 170 175

Lys Pro Gly Arg Glu Ile Asn Val Ile Gly Arg Val Ile Glu Ser Tyr 180 185 190

Ala Lys Arg Phe Gly Tyr Asn Val Val Arg Asp Phe Thr Gly His Gly 195 200 205

Ile Gly Pro Thr Phe His Asn Gly Leu Val Val Leu His Tyr Asp Asn 210 215 220

Thr Gln Tyr Arg Asp Leu Leu Val Pro Gly Met Thr Leu Thr Ile Glu 225 230 235 240

Pro Met Ile Asn Leu Gly Ser Leu Asp Tyr Glu Ile Trp Glu Asp Asp 245 250 255

Trp Thr Val Gln Asn Val Asp Arg Lys Phe Ser Ala Gln Phe Glu His 260 265 270

Thr Ile Val Ile Thr Glu Asp Gly Asn Glu Ile Leu Thr Leu Pro Asp 275 280 285

Asp Ser Val 290

<210> 37

<211> 1644

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1621)

<223> RXA01358

<400> 37

gagggtaaac cttatactcc gattcgtttt gatgtggtgg caatcgtttt ggatccgcac 60

acggggcgcc cagagatcac tgtttatgag gatgtggaac atg gcg ctc ggt aga 115 Met Ala Leu Gly Arg

act ata tcc act gcg caa tta ggt gtg cag gca aaa atc gtt cgt gtg 163 Thr Ile Ser Thr Ala Gln Leu Gly Val Gln Ala Lys Ile Val Arg Val 10 . 15 20

gag gct aat gtt ggc cca gga ttg cct ggt acc tac att gtt gga tta 211

Glu	Ala	Asn	Val 25	Gly	Pro	Gly	Leu	Pro 30	Gly	Thr	Tyr	Ile	Val 35	Gly	Leu	
						gaa Glu										259
						tgg Trp 60										307
tcg Ser 70	ccg Pro	gct Ala	tcc Ser	atg Met	cgt Arg 75	aaa Lys	caa Gln	ggt Gly	tcg Ser	cag Gln 80	tgt Cys	gat Asp	ctc Leu	gcg Ala	atg Met 85	355
acc Thr	gtt Val	gca Ala	gtt Val	ctc Leu 90	gtt Val	gcc Ala	cat His	ggc Gly	tct Ser 95	aac Asn	ccc Pro	aaa Lys	gcg Ala	aag Lys 100	ttt Phe	403
cat His	gcg Ala	cag Gln	aac Asn 105	acg Thr	tta Leu	ttt Phe	ctg Leu	ggt Gly 110	gag Glu	gtg Val	gcg Ala	ctt Leu	gat Asp 115	gga Gly	acc Thr	451
ttg Leu	ctc Leu	cct Pro 120	gtt Val	act Thr	gga Gly	gtt Val	ctt Leu 125	cca Pro	gcg Ala	ctg Leu	ttg Leu	gcc Ala 130	gcg Ala	aag Lys	gag Glu	499
gaa Glu	ggt Gly 135	att Ile	gly ggc	aag Lys	att Ile	gtg Val 140	atc Ile	ccg Pro	gag Glu	gga Gly	aat Asn 145	gcc Ala	caa Gln	gaa Glu	gca Ala	547
gga Gly 150	ctg Leu	gtt Val	gag Glu	gat Asp	cct Pro 155	tca Ser	gtc Val	ttt Phe	ttg Leu	gca Ala 160	cat His	tcc Ser	atc Ile	gac Asp	cag Gln 165	595
						ggg Gly										643
						ctc Leu										691
gga Gly	caa Gln	cca Pro 200	gaa Glu	gct Ala	agg Arg	ttt Phe	gct Ala 205	gca Ala	gaa Glu	gta Val	gct Ala	gct Ala 210	gcc Ala	ggt Gly	ggt Gly	739 .·
cac His	cac His 215	atg Met	ctg Leu	atg Met	att Ile	ggc Gly 220	cct Pro	ccc Pro	ggt Gly	tct Ser	gga Gly 225	aaa Lys	tcc Ser	atg Met	atc Ile	787
						ttg Leu										835
						cat His										883
						ttt Phe										931

265 270 275

									-							
					ggt Gly											979
_	-				ggt Gly		-		-	-		-	_			1027
					gat Asp 315											1075
					tcc Ser											1123
					gcc Ala											1171
					tct Ser											1219
					agg Arg											1267
					ctg Leu 395											1315
					gca Ala											1363
					gga Gly											1411
					ttt Phe											1459
					gaa Glu											1507
gcc Ala 470	ata Ile	aaa Lys	ctg Leu	ggt Gly	tgg Trp 475	acc Thr	ttg Leu	tgc Cys	gat Asp	ttg Leu 480	gat Asp	ggg Gly	gaa Glu	cag Gln	cag Gln 485	1555
					att Ile											1603
				gca Ala		tgattgactc ccgcttgctg gca										

<210> 38

<211> 507

<212> PRT

<213> Corynebacterium glutamicum

<400> 38

Met Ala Leu Gly Arg Thr Ile Ser Thr Ala Gln Leu Gly Val Gln Ala 1 5 10 15

Lys Ile Val Arg Val Glu Ala Asn Val Gly Pro Gly Leu Pro Gly Thr 20 25 30

Tyr Ile Val Gly Leu Ala Asp Thr Ala Ile Ser Glu Ser Arg Asp Arg 35 40 45

Ile Lys Thr Ala Val Gln Asn Ser Gly Leu Met Trp Pro Lys Thr Lys 50 55 60

Val Ile Ile Asn Leu Ser Pro Ala Ser Met Arg Lys Gln Gly Ser Gln 65 70 75 80

Cys Asp Leu Ala Met Thr Val Ala Val Leu Val Ala His Gly Ser Asn 85 90 95

Pro Lys Ala Lys Phe His Ala Gln Asn Thr Leu Phe Leu Gly Glu Val

Ala Leu Asp Gly Thr Leu Leu Pro Val Thr Gly Val Leu Pro Ala Leu 115 120 125

Leu Ala Ala Lys Glu Glu Gly Ile Gly Lys Ile Val Ile Pro Glu Gly 130 135 140

His Ser Ile Asp Gln Val Leu Arg Trp Leu Asp Gly Glu Glu Ala Leu 165 170 175

Pro Gln Pro Gly Leu Phe Asn Asp Glu Asn Ser Leu Lys Leu Pro Asp 180 185 190

Met Arg Asp Val Val Gly Gln Pro Glu Ala Arg Phe Ala Ala Glu Val 195 200 205

Ala Ala Ala Gly Gly His His Met Leu Met Ile Gly Pro Pro Gly Ser 210 215 220

Gly Lys Ser Met Ile Ala Glu Arg Ile Pro Ser Leu Leu Pro Glu Leu 225 230 235 240

Ser Pro Gln Gln Met Ile Glu Ala Thr Ala Val His Ser Val Val Gly
245 250 255

Arg Thr Phe Ser Gly Pro Val Ser Arg Ala Pro Phe Ile Ser Pro His 260 265 270

His Asn Val Ser Lys Ala Ala Leu Leu Gly Gly Gly Ser Gly Ser Pro 275 280 285

Leu Pro Gly Ala Ile Ser Leu Ala His His Gly Val Leu Phe Leu Asp Glu Val Ser Glu Ile Pro Ala Ser Ile Leu Asp Ser Leu Arg Thr Pro Leu Glu Tyr Gly Ser Ile Arg Ile Ile Arg Ser Arg His Asp Val Thr Phe Pro Ala Gln Phe Gln Leu Ile Leu Ala Ala Asn Pro Cys Arg Cys Gly Ala Glu Gln Pro Gln Glu Cys Val Cys Ser Gly Ser Ala Arg Ala Thr Tyr Leu Asn Asn Leu Ser Gly Pro Leu Arg Asp Arg Leu Asp Met Val Val Ala Thr His Ser Lys Gly Ala Val Leu Arg Ser Asp Asp Val 385 390 395 Glu Ala Ser Ala Pro Ile Ala Asp Arg Val Ala Gln Ala Arg Glu Arg Ala Ala Phe Arg Trp Arg Arg Ser Gly Leu Gly Asn Leu Val Asn Ala His Val Asp Pro His Phe Leu Arg Arg Asn Phe Ala Ala Thr Glu Asp 440 Ala Met Val Tyr Leu Gly Ala Phe Leu Ala Glu Gly Thr Ile Ser Gln Arg Gly Cys Asp Arg Ala Ile Lys Leu Gly Trp Thr Leu Cys Asp Leu Asp Gly Glu Gln Gln Pro Asn Leu Asp His Ile Ala Arg Ala Met Glu 485 490 Leu Arg Gly Thr Thr Tyr Ser Glu Val Ala Ala 500 505 <210> 39 <211> 1173 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1150) <223> RXA01458 <400> 39 gccattagag ttcatattta ccaatctaca aggcaactat ttcctattgc tacgatccga 60 acaacgctgt aagcgaacac aggttgtagg gtggatattc gtg aat cgc cga atc Val Asn Arg Arg Ile

						gct Ala										163
-	-		-			ccg Pro						-	_	, ,		211
						ggt Gly										259
						tcc Ser 60										307
						acc Thr										355
						cga Arg										403
			_	-		cct Pro							_	_	-	451
						ttc Phe										499
						aac Asn 140										547
						gca Ala										595
		-		_		acc Thr	-						-	_		643
			_	_		gct Ala			-			-				691
						tct Ser										739
						gcg Ala 220										787
						gtt Val										835
ccg	agc	gct	ggc	atg	atg	ttt	tcg	ttg	gcg	gtc	gtc	gat	aag	ctt	tcg	883

49

Pro Ser Ala Gly Met Met Phe Ser Leu Ala Val Val Asp Lys Leu Ser cct ggc gcg ctg aat ggt ggc aag ttt gtc gct ggc act ggc acc atc 931 Pro Gly Ala Leu Asn Gly Gly Lys Phe Val Ala Gly Thr Gly Thr Ile 265 270 gcg gag gac ggg tcg gtg ggc ccg att ggc ggt att gcg cac aag gtg 979 Ala Glu Asp Gly Ser Val Gly Pro Ile Gly Gly Ile Ala His Lys Val 280 285 cgc gct gcg gag gac gcg ggc gcg gaa gtg ttt ttg agc cct gcg gac 1027 Arg Ala Ala Glu Asp Ala Gly Ala Glu Val Phe Leu Ser Pro Ala Asp 300 305 aat tgc gcg gag gcg atg agt gcg aag cct cag gat atg acg atc ttg 1075 Asn Cys Ala Glu Ala Met Ser Ala Lys Pro Gln Asp Met Thr Ile Leu 315 320 aag gtg gat tcg ttg tct cag gca atc gat cag atg gct gcc tac aac 1123 Lys Val Asp Ser Leu Ser Gln Ala Ile Asp Gln Met Ala Ala Tyr Asn 335 gag ggc tct gat ttc cag acg tgt ggc tagtttttag acgctgaggt 1170 Glu Gly Ser Asp Phe Gln Thr Cys Gly ttc 1173 <210> 40 <211> 350 <212> PRT <213> Corynebacterium glutamicum <400> 40 Val Asn Arg Arg Ile Lys Thr Leu Thr Trp Gly Ala Ile Pro Leu Val Leu Leu Ala Ser Leu Val Ser Ile Asp His Ile Pro Gly Thr Asn Ile Asn Leu Ser Val Pro Tyr Ala Ala Glu Gly Pro Gly Pro Thr Ile Asn Thr Leu Gly Gln Val Asp Gly Glu Asp Val Val Ser Ile Ser Ser Ala Asp Leu Asp Glu Thr Glu Gly Asn Leu Asn Met Thr Thr Val Ser Val 65 70 Arg Ser Gly Met Thr Leu Ser Gln Val Ile Ser Arg Trp Leu Phe Thr Asp Asp Thr Ile Val Pro Ile Glu Gln Val Phe Pro Pro Gly Gln Ser 100 105 Thr Glu Glu Val Glu Glu Ser Asn Arg Thr Ala Phe Ile Ser Ser Glu 120 Ser Ser Ala Thr Ile Ala Ala Met Asn Tyr Leu Asn Ile Pro Val Glu

50

130 135 140

Val Glu Val Ala Glu Val Leu Thr Asp Ser Ala Ala Thr Gly Ile Phe 145 150 155 160

Glu Pro Gly Asp Lys Leu Leu Ser Ile Asp Gly Thr Ala Ile Ser Thr 165 170 175

Pro Gly Asp Ala Gln Thr Ile Val Arg Ser Lys Ala Pro Gly Asp Glu 180 185 190

Ile Thr Ile Ser Tyr Glu Arg Asn Asp Ala Glu Ser Gln Ala Thr Ile 195 200 205

Thr Leu Arg Glu His Pro Asp Asp Ser Ser Val Ala Leu Leu Gly Ile 210 215 220

Ser Met Leu Ser Val Pro Ser Ser Ala Ile Glu Val Asp Tyr Asn Leu 225 230 235 240

Glu Asp Ile Gly Gly Pro Ser Ala Gly Met Met Phe Ser Leu Ala Val 245 250 255

Val Asp Lys Leu Ser Pro Gly Ala Leu Asn Gly Gly Lys Phe Val Ala 260 265 270

Gly Thr Gly Thr Ile Ala Glu Asp Gly Ser Val Gly Pro Ile Gly Gly 275 280 285

Ile Ala His Lys Val Arg Ala Ala Glu Asp Ala Gly Ala Glu Val Phe 290 295 300

Leu Ser Pro Ala Asp Asn Cys Ala Glu Ala Met Ser Ala Lys Pro Gln 305 310 315 320

Asp Met Thr Ile Leu Lys Val Asp Ser Leu Ser Gln Ala Ile Asp Gln 325 330 335

Met Ala Ala Tyr Asn Glu Gly Ser Asp Phe Gln Thr Cys Gly 340 345 350

<210> 41

<211> 1119

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1096)

<223> RXA01654

<400> 41

cttttgctgt tatgaaagtg.aactaaagat atctatgcgc agaccggtct cacgccgcgc 60

cattlttgca acatctgttt tggttgcggg ggtgagcatc atg tca cct tcg gcc $$ 115 Met Ser Pro Ser Ala $$ 1 $$ 5

aac gca gct gag gct ccg gca tcg gaa tgg gtg aat acg aca gcg atc 163 Asn Ala Ala Glu Ala Pro Ala Ser Glu Trp Val Asn Thr Thr Ala Ile 10 15 20

gta Val	gat Asp	caa Gln	gcg Ala 25	aat Asn	gct Ala	cag Gln	ttg Leu	tcg Ser 30	cag Gln	ttt Phe	ggc Gly	gtg Val	agt Ser 35	ctt Leu	gac Asp	211
cga Arg	agt Ser	gca Ala 40	gca Ala	gaa Glu	ctt Leu	ttt Phe	gat Asp 45	gat Asp	cag Gln	gca Ala	aac Asn	tcc Ser 50	caa Gln	att Ile	gat Asp	259
gca Ala	gcg Ala 55	ctt Leu	tca Ser	ccg Pro	tat Tyr	gcc Ala 60	gat Asp	aag Lys	gtt Val	cca Pro	acc Thr 65	tct Ser	ggc Gly	ggc Gly	cag Gln	307
gta Val 70	gtc Val	gag Glu	caa Gln	agt Ser	ctt Leu 75	cag Gln	gtt Val	gtg Val	gag Glu	cag Gln 80	gaa Glu	gtt Val	caa Gln	aag Lys	gca Ala 85	355
ctg Leu	ccc Pro	aac Asn	tat Tyr	gaa Glu 90	atc Ile	cgt Arg	acc Thr	gat Asp	ctg Leu 95	caa Gln	tcc Ser	cag Gln	gtg Val	atg Met 100	ggt Gly	403
gca Ala	act Thr	cta Leu	gga Gly 105	gag Glu	gtg Val	ctg Leu	cac His	cga Arg 110	gtt Val	cct Pro	gga Gly	tca Ser	tgg Trp 115	ttt Phe	gat Asp	451
gcg Ala	cca Pro	gca Ala 120	gtt Val	cct Pro	gaa Glu	gaa Glu	tcc Ser 125	agg Arg	att Ile	gta Val	gag Glu	gaa Glu 130	cag Gln	ggt Gly	aaa Lys	499
tcc Ser	ctg Leu 135	tat Tyr	GJ Y Ggg	ccc Pro	ggt Gly	acc Thr 140	ccg Pro	atc Ile	tat Tyr	ctc Leu	aac Asn 145	gga Gly	aat Asn	tcc Ser	atg Met	547
tgc Cys 150	acg Thr	ctt Leu	gcg Ala	gtg Val	act Thr 155	gga Gly	act Thr	gat Asp	gca Ala	gat Asp 160	ggg Gly	cgc Arg	aag Lys	atc Ile	ggt Gly 165	595
atc Ile	act Thr	gca Ala	ggt Gly	cac His 170	tgt Cys	gga Gly	aaa Lys	tcg Ser	ggc Gly 175	gat Asp	gca Ala	gtc Val	cgt Arg	tcg Ser 180	gct Ala	643
gac Asp	tcc Ser	Phe	tgg Trp 185	Val	Gly	Asp	Thr	gga Gly 190	aca Thr	gtg Val	gtg Val	tac Tyr	aac Asn 195	gcg Ala	cct Pro	691
									ggt Gly							739
aat Asn	acc Thr 215	tac Tyr	aac Asn	ggt Gly	gtc Val	acc Thr 220	gcg Ala	aat Asn	gct Ala	gtc Val	ggc Gly 225	ggt Gly	ggc Gly	gtg Val	act Thr	787
aat Asn 230	ggc Gly	caa Gln	gaa Glu	gta Val	tgc Cys 235	aaa Lys	aac Asn	gga Gly	gtt Val	gct Ala 240	act Thr	ggc Gly	tac Tyr	acc Thr	tgt Cys 245	835
ggt Gly	ttg Leu	gtg Val	tgg Trp	act Thr 250	gct Ala	gat Asp	gag Glu	cgc Arg	atg Met 255	acg Thr	atg Met	tct Ser	cag Gln	gtg Val 260	tgt Cys	883

gcg ggt cgt ggt gat tcg ggt gct ccg ctg att gca gat ggt cgt gtg 931 Ala Gly Arg Gly Asp Ser Gly Ala Pro Leu Ile Ala Asp Gly Arg Val 270 gtt ggt ctt gta tct ggt ggt gta att cct gat tac aac ctg gca tgc 979 Val Gly Leu Val Ser Gly Gly Val Ile Pro Asp Tyr Asn Leu Ala Cys 285 gcc act ccg ttg cag gga cct ttc ttc atg cca acg ctg tca gtg aac 1027 Ala Thr Pro Leu Gln Gly Pro Phe Phe Met Pro Thr Leu Ser Val Asn 305 atg gat act gtc cta act gat ttg gat tcg cag gat ctt ccc ggt cga 1075 Met Asp Thr Val Leu Thr Asp Leu Asp Ser Gln Asp Leu Pro Gly Arg 315 ggt ttt cag cca act gct gga tagaatttag aaaatccgcc gtt 1119 Gly Phe Gln Pro Thr Ala Gly 330 <210> 42 <211> 332 <212> PRT <213> Corynebacterium glutamicum <400> 42 Met Ser Pro Ser Ala Asn Ala Ala Glu Ala Pro Ala Ser Glu Trp Val Asn Thr Thr Ala Ile Val Asp Gln Ala Asn Ala Gln Leu Ser Gln Phe Gly Val Ser Leu Asp Arg Ser Ala Ala Glu Leu Phe Asp Asp Gln Ala Asn Ser Gln Ile Asp Ala Ala Leu Ser Pro Tyr Ala Asp Lys Val Pro Thr Ser Gly Gly Gln Val Val Glu Gln Ser Leu Gln Val Val Glu Gln Glu Val Gln Lys Ala Leu Pro Asn Tyr Glu Ile Arg Thr Asp Leu Gln Ser Gln Val Met Gly Ala Thr Leu Gly Glu Val Leu His Arg Val Pro 105 Gly Ser Trp Phe Asp Ala Pro Ala Val Pro Glu Glu Ser Arg Ile Val 115 120 Glu Glu Gln Gly Lys Ser Leu Tyr Gly Pro Gly Thr Pro Ile Tyr Leu 135 140

170

Asn Gly Asn Ser Met Cys Thr Leu Ala Val Thr Gly Thr Asp Ala Asp

Gly Arg Lys Ile Gly Ile Thr Ala Gly His Cys Gly Lys Ser Gly Asp

Ala Val Arg Ser Ala Asp Ser Phe Trp Val Gly Asp Thr Gly Thr Val 180 185 190

Val Tyr Asn Ala Pro Asn Ala Asp Tyr Ser Val Ile Glu Phe Gly Ser 195 200 205

Asn Ala Glu Leu Ser Asn Thr Tyr Asn Gly Val Thr Ala Asn Ala Val 210 215 220

Gly Gly Gly Val Thr Asn Gly Gln Glu Val Cys Lys Asn Gly Val Ala 225 230 235 240

Thr Gly Tyr Thr Cys Gly Leu Val Trp Thr Ala Asp Glu Arg Met Thr 245 250 255

Met Ser Gln Val Cys Ala Gly Arg Gly Asp Ser Gly Ala Pro Leu Ile 260 265 270

Ala Asp Gly Arg Val Val Gly Leu Val Ser Gly Gly Val Ile Pro Asp 275 280 285

Tyr Asn Leu Ala Cys Ala Thr Pro Leu Gln Gly Pro Phe Phe Met Pro 290 295 300

Thr Leu Ser Val Asn Met Asp Thr Val Leu Thr Asp Leu Asp Ser Gln 305 310 315 320

Asp Leu Pro Gly Arg Gly Phe Gln Pro Thr Ala Gly
325 330

<210> 43

<211> 2049

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(2026)

<223> RXN01868

<400> 43

tgacaggcta ccttctgggg tggacatgat ccccaacgct caacccactt gtggcaccaa 60

ccacaaaccc tgtggcggta aatcccctag agtaggccac atg aag gat ctt tat 115

Met Lys Asp Leu Tyr
1

cgc ttt gtc aat ggc ctg tgg ctt gac acc cac atc att ccc gac gat 163 Arg Phe Val Asn Gly Leu Trp Leu Asp Thr His Ile Ile Pro Asp Asp 10 15 20

cgc gcg gtg gac ggc acg ttc cac aag ctg cgc gat gat gct gaa gaa 211 Arg Ala Val Asp Gly Thr Phe His Lys Leu Arg Asp Asp Ala Glu Glu 25 30 35

gac gtc cat gag atc gtc aag gaa gac act gga cgc gca ggc aca ctt 259 Asp Val His Glu Ile Val Lys Glu Asp Thr Gly Arg Ala Gly Thr Leu

tat gcc tca ttt atg gat act gac gcc atc aac gct gct ggt gtt gca 307

Tyr	Ala 55	Sei	r Ph	e Me	t Ası	Thr 60	Asp	Ala	a Ile	e Asr	n Ala		a Gl	y Va	l Ala	
ccg Pro 70	ctc Leu	gat Asp	ge Ala	g gat a Ası	t cto Let 75	ı Asn	agg Arg	r ctç r Lev	tct Ser	gtt Val	Ala	aac Asr	tca Sea	tco Sei	ttt Phe 85	355
riie	WIG	Ala	i Ala	9 Let	ı GIŞ	/ Glu	Leu	Asp	Arg 95	Glu	Gly	/ Val	Gly	/ Ala 100		403
vai	GIY	rne	105	o vai	. Glu	Lys	Asp	Ser 110	Ser	Ser	Asn	Glu	Ser 115	Val	gcc Ala	451
TYL	vai	120	GIN	ser	GIY	ctc Leu	125	Leu	Pro	Asp	Glu	Ala 130	Туг	Tyr	Arg	499
Giu	135	AIA	nis	АІа	GIU	act Thr 140	Leu	Ala	Ala	Tyr	Lys 145	Glu	His	Val	Glu	547
150	riec	reu	GIY	Tyr	155	gat Asp	Asn	Ser	Arg	Leu 160	Phe	Gly	Leu	Ser	Ala 165	5 95
gct Ala	ser	Ald	АТА	170	Arg	lle	Val	Ala	Leu 175	Glu	Thr	Glu	Ile	Ala 180	Ala	643
ggc (1113	пр	185	vai	vaı	гуѕ	Thr	190	Asp	Ala	Val	Ala	Thr 195	Tyr	Asn	691
Pro 1	1111	200	Leu	GIÀ	Ala	Leu	Pro 205	Pro	Lys	Val	Arg	Thr 210	Leu	Leu	Ser	739
	215	оту	Leu	Pro	Asp	220	Arg	Leu	Val	Ser	Met 225	Met	Pro	Ser	Tyr	787
ctc o Leu <i>P</i> 230	ю.		Deu	N311	235	ren	Leu	vaı	Asp	240	Arg	Leu	Pro	Asp	Trp 245	835
cag c Gln L	ta t eu 1	tgg Trp	gca Ala	acc Thr 250	tgg Trp	cac His	atc Ile	Leu	agg Arg 255	tct Ser	cga Arg	gca Ala	gga Gly	ctg Leu 260	ttgʻ Leu	883
acc g Thr G	ag g lu G) L U	att Ile 265	agc Ser	caa Gln	gca Ala	Asn	ttc Phe 270	gac Asp	ttc Phe	tat Tyr	ggc Gly	acc Thr 275	aaa Lys	ctg Leu	931
tcc g Ser G	- y -	lcc la 180	acc Thr	gag Glu	caa Gln	Lys A	gat d Asp 2 285	cga Arg	tgg Trp	aag Lys .	Arg	gct Ala 290	gtc Val	ggc Gly	ctg Leu	979
gca g Ala G	ag c lu A	gc a	atg Met	gtg Val	ggc Gly	gag (Glu (gaa a Glu :	atc (ggg Gly	caa Gln	cga Arg	ttc Phe	gtc Val	gaa Glu	agg Arg	1027

295 300 305

cat His 310	ttt Phe	cct Pro	gca Ala	agc Ser	tcc Ser 315	aag Lys	gag Glu	cac His	atg Met	ctt Leu 320	gag Glu	ctc Leu	gtc Val	gac Asp	tac Tyr 325	1075
ctg Leu	gtt Val	gcc Ala	gcc Ala	tac Tyr 330	cgt Arg	gat Asp	cgc Arg	att Ile	tcc Ser 335	aac Asn	ctc Leu	gaa Glu	tgg Trp	atg Met 340	acg Thr	1123
ccc Pro	gcc Ala	acc Thr	cgc Arg 345	gag Glu	cgt Arg	gcc Ala	ctg Leu	gaa Glu 350	aag Lys	ttg Leu	ggc Gly	aaa Lys	ttc Phe 355	aac Asn	gcg Ala	1171
aaa Lys	atc Ile	ggc Gly 360	tac Tyr	ccc Pro	gac Asp	aag Lys	tgg Trp 365	cgc Arg	tcc Ser	tac Tyr	gaa Glu	ggc Gly 370	ctc Leu	gaa Glu	ttc Phe	1219
ggc Gly	tcc Ser 375	gac Asp	ctg Leu	gtg Val	gac Asp	aac Asn 380	tcc Ser	cgc Arg	aag Lys	ggc Gly	tcc Ser 385	gcg Ala	ttc Pḥe	ctc Leu	cat His	1267
gac Asp 390	tat Tyr	gag Glu	ctg Leu	Gly	aag Lys 395	atc Ile	ggc Gly	aaa Lys	cca Pro	gcc Ala 400	gac Asp	cgc Arg	gac Asp	gaa Glu	tgg Trp 405	1315
gtc Val	acc Thr	acc Thr	cca Pro	caa Gln 410	acc Thr	gtc Val	aac Asn	gcc Ala	ttc Phe 415	tac Tyr	aac Asn	ccc Pro	gtg Val	gtc Val 420	aac Asn	1363
gac Asp	atc Ile	acc Thr	ttc Phe 425	ccc Pro	gca Ala	gcc Ala	atc Ile	ctg Leu 430	cgc Arg	gca Ala	cca Pro	ttc Phe	ttc Phe 435	gac Asp	ccc Pro	1411
gaa Glu	gca Ala	gaa Glu 440	Ala	gca Ala	gaa Glu	aac Asn	ttc Phe 445	ggt Gly	gca Ala	atc Ile	ggt Gly	gct Ala 450	gtg Val	atc Ile	gga Gly	1459
cac His	gaa Glu 455	atc Ile	ggc Gly	cac His	ggc Gly	ttt Phe 460	gac Asp	gat Asp	caa Gln	ggc Gly	agc Ser 465	caa Gln	tac Tyr	gac Asp	ggc Gly	1507
gac Asp 470	ggc Gly	aac Asn	ctc Leu	aac Asn	tcc Ser 475	tgg Trp	tgg Trp	acc Thr	gac Asp	gaa Glu 480	gac Asp	cgc Arg	tcc Ser	gca Ala	ttc Phe 485	1555
gag Glu	cag Gln	ctc Leu	acc Thr	tca Ser 490	cgt Arg	ctg Leu	gtc Val	acc Thr	caa Gln 495	ttc Phe	agc Ser	gga Gly	ctc Leu	gtc Val 500	cct Pro	1603
gcc Ala	gtc Val	ctg Leu	acc Thr 505	tct Ser	gaa Glu	gga Gly	atc Ile	gac Asp 510	acc Thr	gac Asp	ggc Gly	gtc Val	aac Asn 515	ggt Gly	gaa Glu	1651
ttc Phe	act Thr	ctc Leu 520	ggc Gly	gaa Glu	aac Asn	atc Ile	ggt Gly 525	gac Asp	ctc Leu	ggc Gly	gga Gly	ttg Leu 530	ggc Gly	atc Ile	gct Ala	1699
gtc Val	gtt Val 535	gcc Ala	tac Tyr	gaa Glu	aag Lys	tac Tyr 540	ctc Leu	gca Ala	gac Asp	cgt Arg	ggc Gly 545	caa Gln	acc Thr	ttt Phe	gaa Glu	1747

																	. 1/12/0/0/0/
ac Th 55		a c	ca ro	gtc Val	ca Gl	a aaa n Lys 55	s Pne	gaa Glu	a gca ı Ala	a gaa a Glu	a gge u Gl: 560	y Al	c gad a Glu	g ga u Gl	a gg u Gl	c ctg y Leu 565	1795
gc Al	c ga a Gl	ig c .u G	aa ln	gaa Glu	tto Phe 570	e Asr	ggt Gly	: cto / Lei	caa Glr	a cgo n Aro 575	g Lei	z tte i Phe	c cto e Lei	g tco ı Sei	tge Tr _l 580	g gct p Ala O	1843
cg Ar	c gt g Va	g t l T	rb /	cgc Arg 585	acc Thr	aaa Lys	ato Ile	cgc Arg	cca Pro 590	Glr	g ato Met	g gce : Ala	c gto a Val	caa Glr 595	Ту	c ctg r Leu	1891
gc. Ala	c at a Il	e A	ac d sp H	cca Pro	Cac	tcc Ser	cct Pro	gca Ala 605	Glu	tto Phe	cgc Arg	tgo Cys	aat S Asn 610	Val	ato Ile	gcc Ala	1939
gga Gly	a aa y As 61	11 V	tc ç al <i>P</i>	gct Nla	gaa Glu	ttc Phe	tac Tyr 620	gaa Glu	gca Ala	ttc Phe	gac	gto Val 625	Pro	gaa Glu	gat Asp	gca Ala	1987
cct Pro 630	va.	g ta l Ty	ac a yr I	le	aag Lys	cca Pro 635	gaa Glu	gag Glu	cgc Arg	cta Leu	gct Ala 640	Ile	tgg Trp	tag	ttgt	tag	2036
ttç	gtai	tga	a aa	a													2049
<21 <21 <21	0> 4	542 PRT Cory					lutan							·			
1	БУЗ	, AS	ъr	eu	5	Arg	Phe	Val	Asn	Gly 10	Leu	Trp	Leu	Asp	Thr 15	His	
			•	20					25				His	30			
Asp	Asp	A1 3	a G: 5	lu (Glu	Asp	Val	His 40	Glu	Ile	Val	Lys	Glu 45	Asp	Thr	Gly	
	50						55					60	Asp				
Ala 65	Ala	Gl	y Vá	al A	Ala	Pro 70	Leu	Asp	Ala	Asp	Leu 75	Asn	Arg	Leu	Ser	Val 80	
Ala	Asn	Se	r Se	er I	Phe 85	Phe	Ala	Ala	Ala	Leu 90	Gly	Glu	Leu	Asp	Arg 95	Glu	
Gly	Val	Gl	y Al 10	.a E	Pro	Val	Gly	Phe	Trp 105	Val	Glu	Lys	Asp	Ser 110	Ser	Ser	
Asn	Glu	Ser 115	Va	1 <i>P</i>	Ala	Tyr	Val	Ile 120	Gln	Ser	Gly	Leu	Gly 125	Leu	Pro	Asp	
Glu	Ala 130	Туг	Ту	r A	Arg	Glu	Glu <i>i</i> 135	Ala	His .	Ala		Thr 140	Leu	Ala	Ala	Tyr	

	WO 0	1/008	42												PCT/IB00/00911
Lys 145	Glu	His	Vəl	Glu	Arg 150	Met	Leu	Gly	Tyr	Leu 155	Asp	Asn	Ser	Arg	Leu 160
Phe	Gly	Leu	Ser	Ala 165	Ala	Ser	Ala	Ala	Ala 170	Arg	Ile	Val	Ala	Leu 175	Glu
Thr	Glu	Ile	Ala 180	Ala	Gly	His	Trp	Asp 185	Val	Val	Lys	Thr	Arg 190	Asp	Ala
Val	Ala	Thr 195	Tyr	Asn	Pro	Thr	Glu 200	Leu	Gly	Ala	Leu	Pro 205	Pro	Lys	Val
Arg	Thr 210	Leu	Leu	Ser	Ser	Ala 215	Gly	Leu	Pro	Asp	Gln 220	Arg	Leu	Val	Ser
Met 225	Met	Pro	Ser	Tyr	Leu 230	Asp	His	Leu	Asn	Gly 235	Leu	Leu	Val	Asp	Asp 240
Arg	Leu	Pro	Asp	Trp 245	Gln	Leu	Trp	Ala	Thr 250	Trp	His	Ile	Leu	Arg 255	Ser
Arg	Ala	Gly	Leu 260	Leu	Thr	Glu	Glu	Ile 265	Ser	Gln	Ala	Asn	Phe 270	Asp	Phe
Гуr	Gly	Thr 275	Lys	Leu	Ser	Gly	Ala 280	Thr	Glu	Gln	Lys	Asp 285	Arg	Trp	Lys
Arg	Ala	Val	Gly	Leu	Ala	Glu	Arg	Met	Val	Gly	Glu	Glu	Ile	Glv	Gln

Arg Ala Val Gly Leu Ala Glu Arg Met Val Gly Glu Glu Ile Gly Gln 290 295 300

Arg Phe Val Glu Arg His Phe Pro Ala Ser Ser Lys Glu His Met Leu 305 310 315 320

Glu Leu Val Asp Tyr Leu Val Ala Ala Tyr Arg Asp Arg Ile Ser Asn 325 330 335

Leu Glu Trp Met Thr Pro Ala Thr Arg Glu Arg Ala Leu Glu Lys Leu 340 345 350

Gly Lys Phe Asn Ala Lys Ile Gly Tyr Pro Asp Lys Trp Arg Ser Tyr 355 360 365

Glu Gly Leu Glu Phe Gly Ser Asp Leu Val Asp Asn Ser Arg Lys Gly 370 . 375 380

Ser Ala Phe Leu His Asp Tyr Glu Leu Gly Lys Ile Gly Lys Pro Ala 385 390 395 400

Asp Arg Asp Glu Trp Val Thr Thr Pro Gln Thr Val Asn Ala Phe Tyr 405 410 415

Asn Pro Val Val Asn Asp Ile Thr Phe Pro Ala Ala Ile Leu Arg Ala 420 425 430

Pro Phe Phe Asp Pro Glu Ala Glu Ala Glu Asn Phe Gly Ala Ile 435 440 445

Gly Ala Val Ile Gly His Glu Ile Gly His Gly Phe Asp Asp Gln Gly 450 455 460

Ser Gln Tyr Asp Gly Asp Gly Asn Leu Asn Ser Trp Trp Thr Asp Glu

58

465 470 475 480 Asp Arg Ser Ala Phe Glu Gln Leu Thr Ser Arg Leu Val Thr Gln Phe 490 Ser Gly Leu Val Pro Ala Val Leu Thr Ser Glu Gly Ile Asp Thr Asp 505 Gly Val Asn Gly Glu Phe Thr Leu Gly Glu Asn Ile Gly Asp Leu Gly Gly Leu Gly Ile Ala Val Val Ala Tyr Glu Lys Tyr Leu Ala Asp Arg Gly Gln Thr Phe Glu Thr Ser Pro Val Gln Lys Phe Glu Ala Glu Gly Ala Glu Glu Gly Leu Ala Glu Gln Glu Phe Asn Gly Leu Gln Arg Leu Phe Leu Ser Trp Ala Arg Val Trp Arg Thr Lys Ile Arg Pro Gln Met 585 Ala Val Gln Tyr Leu Ala Ile Asp Pro His Ser Pro Ala Glu Phe Arg 600 Cys Asn Val Ile Ala Gly Asn Val Ala Glu Phe Tyr Glu Ala Phe Asp Val Pro Glu Asp Ala Pro Val Tyr Ile Lys Pro Glu Glu Arg Leu Ala Ile Trp <210> 45 <211> 1734 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1711) <223> FRXA01868 atgcggatct gaacaggctg tctgttgcta actcatcgtt ttcgcagctg ctctcggcqa 60 actggaccgt gaaggcgttg gcgcgccagt aggtttctgg gtg gag aag gat tct Val Glu Lys Asp Ser tee tee aac gaa tee gte gee tat gte ate eag tee gge ete gge etg 163 Ser Ser Asn Glu Ser Val Ala Tyr Val Ile Gln Ser Gly Leu Gly Leu 15 ccc gat gag gct tat tac cgc gag gag gca cac gcc gaa act ctc gcg 211 Pro Asp Glu Ala Tyr Tyr Arg Glu Glu Ala His Ala Glu Thr Leu Ala

						gag Glu										259
						gct Ala 60										307
						gct Ala										355
						aac Asn										403
aag Lys	gtc Val	cgc Arg	acg Thr 105	ctg Leu	ctc Leu	agt Ser	tcc Ser	gca Ala 110	ggc Gly	ctc Leu	ccg Pro	gac Asp	cag Gln 115	cgc Arg	ctg Leu	451
						tac Tyr										499
gac Asp	gac Asp 135	cgc Arg	ctc Leu	ccc Pro	gat Asp	tgg Trp 140	cag Gln	cta Leu	tgg Trp	gcą Ala	acc Thr 145	tgg Trp	cac His	atc Ile	ttg Leu	547
agg Arg 150	tct Ser	cga Arg	gca Ala	gga Gly	ctg Leu 155	ttg L eu	acc Thr	gag Glu	gaa Glu	att Ile 160	agc Ser	caa Gln	gca Ala	aac Asn	ttc Phe 165	595
gac Asp	ttc Phe	tat Tyr	ggc Gly	acc Thr 170	aāa Lys	ctg Leu	tcc Ser	ggc Gly	gcc Ala 175	acc Thr	gag Glu	caa Gln	aaa Lys	gat Asp 180	cga Arg	643
tgg Trp	aag Lys	cgt Arg	gct Ala 185	gtc Val	ggc Gly	ctg Leu	gca Ala	gag Glu 190	cgc Arg	atg Met	gtg Val	ggc Gly	gag Glu 195	gaa Glu	atc Ile	691
						agg Arg										739
atg Met	ctt Leu 215	gag Glu	ctc Leu	gtc Val	gac Asp	tac Tyr 220	ctg Leu	gtt Val	gcc Ala	gcc Ala	tac Tyr 225	cgt Arg	gat Asp	cgc Arg	att Ile	787
tcc Ser 230	aac Asn	ctc Leu	gaa Glu	tgg Trp	atg Met 235	acg Thr	ccc Pro	gcc Ala	acc Thr	cgc Arg 240	gag Glu	cgt Arg	gcc Ala	ctg Leu	gaa Glu 245	835
aag Lys	ttg Leu	ggc Gly	aaa Lys	ttc Phe 250	aac Asn	gcg Ala	aaa Lys	atc Ile	ggc Gly 255	tac Tyr	ccc Pro	gac Asp	aag Lys	tgg Trp 260	cgc Arg	883
						ttc Phe										931
aag	ggċ	tcc	gcg	ttc	ctc	cat	gac	tat	gag	ctg	ggc	aag	atc	ggc	aaa	979

Lys	Gly	Ser 280	Ala	Phe	Leu	His	Asp 285	Tyr	Glu	Leu	Gly	Lys 290	Ile	Gly	Lys	
				gac Asp			Val									1027
ttc Phe 310	tac Tyr	aac Asn	ccc Pro	gtg Val	gtc Val 315	aac Asn	gac Asp	atc Ile	acc Thr	ttc Phe 320	ccc Pro	gca Ala	gcc Ala	atc Ile	ctg Leu 325	1075
				ttc Phe 330												1123
gca Ala	atc Ile	ggt Gly	gct Ala 345	gtg Val	atc Ile	gga Gly	cac His	gaa Glu 350	atc Ile	ggc Gly	cac His	ggc Gly	ttt Phe 355	gac Asp	gat Asp	1171
caa Gln	ggc Gly	agc Ser 360	caa Gln	tac Tyr	gac Asp	ggc Gly	gac Asp 365	ggc Gly	aac Asn	ctc Leu	aac Asn	tcc Ser 370	tgg Trp	tgg Trp	acc Thr	1219
				tcc Ser												1267
caa Gln 390	ttc Phe	agc Ser	gga Gly	ctc Leu	gtc Val 395	cct Pro	gcc Ala	gtc Val	ctg Leu	acc Thr 400	tct Ser	gaa Glu	gga Gly	atc Ile	gac Asp 405	1315
acc Thr	gac Asp	ggc Gly	gtc Val	aac Asn 410	ggt Gly	gaa Glu	ttc Phe	act Thr	ctc Leu 415	ggc Gly	gaa Glu	aac Asn	atc Ile	ggt Gly 420	gac Asp	1363
ctc Leu	ggc Gly	gga Gly	ttg Leu 425	ggc Gly	atc Ile	gct Ala	gtc Val	gtt Val 430	gcc Ala	tac Tyr	gaa Glu	aag Lys	tac Tyr 435	ctc Leu	gca Ala	1411
				acc Thr												1459
gaa Glu	ggc Gly 455	gcc Ala	gag Glu	gaa Glu	ggc Gly	ctg Leu 460	gcc Ala	gag Glu	caa Gln	gaa Glu	ttc Phe 465	aac Asn	ggt Gly	ctc Leu	caa Gln	1507
cgc Arg 470	ctc Leu	ttc Phe	ctg Leu	tcc Ser	tgg Trp 475	gct Ala	cgc Arg	gtg Val	tgg Trp	cgc Arg 480	acc Thr	aaa Lys	atc Ile	cgc Arg	cca Pro 485	1555
cag Gln	atg Met	gcc Ala	gtc Val	caa Gln 490	tac Tyr	ctg Leu	gcc Ala	atc Ile	gac Asp 495	cca Pro	cac His	tcc Ser	cct Pro	gca Ala 500	gaa Glu	1603
ttc Phe	cgc Arg	tgc Cys	aat Asn 505	gtc Val	atc Ile	gcc Ala	gga Gly	aac Asn 510	gtc Val	gct Ala	gaa Glu	ttc Phe	tac Tyr 515	gaa Glu	gca Ala	1651
ttc Phe	gac Asp	gtc Val	ccc Pro	gaa Glu	gat Asp	gca Ala	cct Pro	gtg Val	tac Tyr	atc Ile	aag Lys	cca Pro	gaa Glu	gag Glu	cgc Arg	1699

520 525 530

cta gct atc tgg tagttgttag ttggtattga aaa Leu Ala Ile Trp 535 1734

<210> 46

<211> 537

<212> PRT

<213> Corynebacterium glutamicum

<400> 46

Val Glu Lys Asp Ser Ser Ser Asn Glu Ser Val Ala Tyr Val Ile Gln
1 5 10 15

Ser Gly Leu Gly Leu Pro Asp Glu Ala Tyr Tyr Arg Glu Glu Ala His 20 25 30

Ala Glu Thr Leu Ala Ala Tyr Lys Glu His Val Glu Arg Met Leu Gly $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$

Tyr Leu Asp Asn Ser Arg Leu Phe Gly Leu Ser Ala Ala Ser Ala Ala 50 55 60

Ala Arg Ile Val Ala Leu Glu Thr Glu Ile Ala Ala Gly His Trp Asp 65 70 75 80

Val Val Lys Thr Arg Asp Ala Val Ala Thr Tyr Asn Pro Thr Glu Leu 85 90 95

Gly Ala Leu Pro Pro Lys Val Arg Thr Leu Leu Ser Ser Ala Gly Leu 100 105 110

Pro Asp Gln Arg Leu Val Ser Met Met Pro Ser Tyr Leu Asp His Leu 115 120 125

Asn Gly Leu Leu Val Asp Asp Arg Leu Pro Asp Trp Gln Leu Trp Ala 130 135 140

Thr Trp His Ile Leu Arg Ser Arg Ala Gly Leu Leu Thr Glu Glu Ile
145 150 155 160

Ser Gln Ala Asn Phe Asp Phe Tyr Gly Thr Lys Leu Ser Gly Ala Thr 165 170 175

Glu Gln Lys Asp Arg Trp Lys Arg Ala Val Gly Leu Ala Glu Arg Met 180 185 190

Val Gly Glu Glu Ile Gly Gln Arg Phe Val Glu Arg His Phe Pro Ala 195 200 205

Ser Ser Lys Glu His Met Leu Glu Leu Val Asp Tyr Leu Val Ala Ala 210 215 220

Tyr Arg Asp Arg Ile Ser Asn Leu Glu Trp Met Thr Pro Ala Thr Arg 225 230 235 240

Glu Arg Ala Leu Glu Lys Leu Gly Lys Phe Asn Ala Lys Ile Gly Tyr 245 250 255

Pro Asp Lys Trp Arg Ser Tyr Glu Gly Leu Glu Phe Gly Ser Asp Leu 260 265 270

- Val Asp Asn Ser Arg Lys Gly Ser Ala Phe Leu His Asp Tyr Glu Leu 275 280 285
- Gly Lys Ile Gly Lys Pro Ala Asp Arg Asp Glu Trp Val Thr Thr Pro 290 295 300
- Gln Thr Val Asn Ala Phe Tyr Asn Pro Val Val Asn Asp Ile Thr Phe 305 310 315 320
- Pro Ala Ala Ile Leu Arg Ala Pro Phe Phe Asp Pro Glu Ala Glu Ala 325 330 335
- Ala Glu Asn Phe Gly Ala Ile Gly Ala Val Ile Gly His Glu Ile Gly 340 345 350
- His Gly Phe Asp Asp Gln Gly Ser Gln Tyr Asp Gly Asp Gly Asn Leu 355 360 365
- Asn Ser Trp Trp Thr Asp Glu Asp Arg Ser Ala Phe Glu Gln Leu Thr 370 375 380
- Ser Arg Leu Val Thr Gln Phe Ser Gly Leu Val Pro Ala Val Leu Thr 385 390 395 400
- Ser Glu Gly Ile Asp Thr Asp Gly Val Asn Gly Glu Phe Thr Leu Gly 405 410 415
- Glu Asn Ile Gly Asp Leu Gly Gly Leu Gly Ile Ala Val Val Ala Tyr 420 425 430
- Glu Lys Tyr Leu Ala Asp Arg Gly Gln Thr Phe Glu Thr Ser Pro Val 435 440 445
- Gln Lys Phe Glu Ala Glu Gly Ala Glu Glu Gly Leu Ala Glu Gln Glu 450 455 460
- Phe Asn Gly Leu Gln Arg Leu Phe Leu Ser Trp Ala Arg Val Trp Arg 465 470 475 480
- Thr Lys Ile Arg Pro Gln Met Ala Val Gln Tyr Leu Ala Ile Asp Pro 485 490 495
- His Ser Pro Ala Glu Phe Arg Cys Asn Val Ile Ala Gly Asn Val Ala 500 505 510
- Glu Phe Tyr Glu Ala Phe Asp Val Pro Glu Asp Ala Pro Val Tyr Ile 515 520 525
- Lys Pro Glu Glu Arg Leu Ala Ile Trp 530 535

<210> 47

<211> 426

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS <222> (101)..(403) <223> FRXA01869 <400> 47 tgacaggcta ccttctgggg tggacatgat ccccaacgct caacccactt gtggcaccaa 60 ccacaaaccc tgtggcggta aatcccctag agtaggccac atg aag gat ctt tat 115 Met Lys Asp Leu Tyr ege ttt gte aat gge etg tgg ett gae ace cae ate att eee gae gat 163 Arg Phe Val Asn Gly Leu Trp Leu Asp Thr His Ile Ile Pro Asp Asp 10 ege geg gtg gae gge aeg tte eae aag etg ege gat gat get gaa gaa 211 Arg Ala Val Asp Gly Thr Phe His Lys Leu Arg Asp Asp Ala Glu Glu 30 gac gtc cat gag atc gtc aag gaa gac act gga cgc gca ggc aca ctt 259 Asp Val His Glu Ile Val Lys Glu Asp Thr Gly Arg Ala Gly Thr Leu tat gcc tca ttt atg gat act gac gcc atc aac gct gct ggt gtt gca 307 Tyr Ala Ser Phe Met Asp Thr Asp Ala Ile Asn Ala Ala Gly Val Ala 60 ecg etc gat geg gat etg aac agg etg tet get get aac tea teg ttt 355 Pro Leu Asp Ala Asp Leu Asn Arg Leu Ser Val Ala Asn Ser Ser Phe 80 teg cag etg etc teg geg aac tgg ace gtg aag geg ttg geg ege cag 403 Ser Gln Leu Leu Ser Ala Asn Trp Thr Val Lys Ala Leu Ala Arg Gln 95 taggtttctg ggtggagaag gat 426 <210> 48 <211> 101 <212> PRT <213> Corynebacterium glutamicum <400> 48 Met Lys Asp Leu Tyr Arg Phe Val Asn Gly Leu Trp Leu Asp Thr His Ile Ile Pro Asp Asp Arg Ala Val Asp Gly Thr Phe His Lys Leu Arg Asp Asp Ala Glu Glu Asp Val His Glu Ile Val Lys Glu Asp Thr Gly Arg Ala Gly Thr Leu Tyr Ala Ser Phe Met Asp Thr Asp Ala Ile Asn Ala Ala Gly Val Ala Pro Leu Asp Ala Asp Leu Asn Arg Leu Ser Val

90

Ala Asn Ser Ser Phe Ser Gln Leu Leu Ser Ala Asn Trp Thr Val Lys

85

Ala Leu Ala Arg Gln 100

<210> 49 <211> 2898 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2875) <223> RXN03028 <400> 49 ctaattccaa gccgagctga aaaagtctgg aagttttgcc caataagggc gttaaagtgg 60 gtgaaagcga atttagaaat aaagaattaa ggggagagac atg ttc gag agg ttt Met Phe Glu Arg Phe acc gat cgt gca cgc cgc gtg att gtg ctc gcg cag gaa gag gcg cgc 163 Thr Asp Arg Ala Arg Val Ile Val Leu Ala Gln Glu Glu Ala Arg atg ctc aac cac aat tac atc ggc acg gag cac att ctc ctc ggc ctc 211 Met Leu Asn His Asn Tyr Ile Gly Thr Glu His Ile Leu Leu Gly Leu att cac gag ggc gag ggc gtt gca gcc aag gct ttg gaa tcc atg gga 259 Ile His Glu Gly Glu Gly Val Ala Ala Lys Ala Leu Glu Ser Met Gly 45 att tee etg gae gee gte ege eag gaa gte gaa gag att ate gge eag 307 Ile Ser Leu Asp Ala Val Arg Gln Glu Val Glu Glu Ile Ile Gly Gln 60 ggc tcc cag ccc acc acc ggc cac att cct ttt act cca cgt gcc aag 355 Gly Ser Gln Pro Thr Thr Gly His Ile Pro Phe Thr Pro Arg Ala Lys 80 aag gtc ctg gag ctc agc ctc cgc gaa ggc cta caa atg gga cac aag 403 Lys Val Leu Glu Leu Ser Leu Arg Glu Gly Leu Gln Met Gly His Lys tac atc ggt act gag ttc ctg ctt ctc ggt ttg atc cgt gag ggc gag 451 Tyr Ile Gly Thr Glu Phe Leu Leu Gly Leu Ile Arg Glu Gly Glu 110 ggc gtt gct gcc cag gtc ctg gtc aag ctt ggt gct gat ctg cca cgc 499 Gly Val Ala Ala Gln Val Leu Val Lys Leu Gly Ala Asp Leu Pro Arg 125 gtg cgt cag caa gtt att cag ctt ctc tcc ggc tac gaa ggt ggc cag Val Arg Gln Gln Val Ile Gln Leu Leu Ser Gly Tyr Glu Gly Gln 140 ggc gga tcc cca gag ggc ggc cag ggc gcc cct act ggc ggt gac gct 595 Gly Gly Ser Pro Glu Gly Gly Gln Gly Ala Pro Thr Gly Gly Asp Ala 155 160

					gct Ala											643
					tct Ser											691
					gác Asp											739
					atc Ile											787
aac Asn 230	cca Pro	gtt Val	ctt Leu	att Ile	ggt Gly 235	gag Glu	cca Pro	ggt Gly	gtt Val	ggt Gly 240	aag Lys	acc Thr	gca Ala	gtt Val	gtt Val 245	835
					gac Asp											883
					tac Tyr											931
					gac Asp											979
gag Glu	att Ile 295	aac Asn	cag Gln	cgc Arg	ggc Gly	gac Asp 300	atc Ile	atc Ile	ctg Leu	ttt Phe	atc Ile 305	gat Asp	gag Glu	atc Ile	cac His	1027
					ggt Gly 315											1075
ctg Leu	ctt Leu	aag Lys	cca Pro	aag Lys 330	ctt Leu	gcc Ala	cgc Arg	ggt Gly	gaa Glu 335	ctg Leu	cag Gln	acc Thr	att Ile	ggt Gly 340	gca Ala	1123
					tac Tyr											1171
gag Glu	cgt Arg	cgt Arg 360	ttc Phe	cag Gln	cca Pro	gtg Val	cag Gln 365	gtt Val	cca Pro	gag Glu	cct Pro	tcg Ser 370	gtt Val	gat Asp	ctc Leu	1219
					aag Lys											1267
cgc Arg 390	gta Val	tcc Ser	atc Ile	acc Thr	gat Asp 395	ggt Gly	gct Ala	ctt Leu	act Thr	gca Ala 400	gca Ala	gct Ala	cag Gln	ctt Leu	gct Ala 405	1315

gat Asp	cgc Arg	tac Tyr	atc Ile	aac Asn 410	gac Asp	cgc Arg	ttc Phe	ttg Leu	cca Pro 415	gat Asp	aag Lys	gcc Ala	gtt Val	gac Asp 420	ctc Leu	1363
										aag Lys						1411
tcc Ser	tcc Ser	ctc Leu 440	cgc Arg	gag Glu	gtt Val	gat Asp	gag Glu 445	cgt Arg	atc Ile	gct Ala	gat Asp	gtt Val 450	cgc Arg	cgt Arg	gag Glu	1459
aag Lys	gaa Glu 455	gca Ala	gcg Ala	atc Ile	gat Asp	gct Ala 460	cag Gln	gac Asp	ttt Phe	gag Glu	aag Lys 465	gca Ala	gca Ala	ggt Gly	ctt Leu	1507
cgc Arg 470	gat Asp	aag Lys	gag Glu	cgc Arg	aag Lys 475	ctc Leu	ggc Gly	gaa Glu	gag Glu	cgt Arg 480	tca Ser	gag Glu	aag Lys	gaa Glu	aag Lys 485	1555
										gct Ala						1603
Gln	Ile	Ala	Glu 505	Val	Leu	Ala	Asn	Trp 510	Thr	ggt Gly	Ile	Pro	Val 515	Phe	Lys	1651
ctc Leu	acc Thr	gaa Glu 520	gct Ala	gaa Glu	tct Ser	tca Ser	cgc Arg 525	ctg Leu	ctc Leu	aac Asn	atg Met	gaa Glu 530	gaa Glu	gag Glu	ttg Leu	1699
His	Lys 535	Arg	Ile	Ile	Gly	Gln 540	Asp	Glu	Ala	gtc Val	Lys 545	Āla	Val	Ser	Arg	1747
Ala 550	Ile	Arg	Arg	Thr	Arg 555	Ala	Gly	Leu	Lys	gat Asp 560	Pro -	Lys	Arg	Pro	Ser 565	1795
ggc Gly	tcc Ser	ttc Phe	atc Ile	ttc Phe 570	gct Ala	ggt Gly	cca Pro	tcc Ser	ggc Gly 575	gtt Val	ggt Gly	aag Lys	acc Thr	gag Glu 580	ctg Leu	1843
										gac Asp						1891
										ttc Phe						1939
										gaa Glu						1987
acc Thr 630	gag Glu	aag Lys	gtt Val	cgc Arg	cgt Arg 635	aag Lys	cca Pro	ttc Phe	tcc Ser	gtt Val 640	gtg Val	ctt Leu	ttc Phe	gac Asp	gaa Glu 645	2035
atc	gag	aag	gcc	cac	aag	gag	atc	tac	aac	acc	ttg	ctg	cag	gtg	ttg	2083

Ile	Glu	Lys	Ala	His 650	Lys	Glu	Ile	Tyr	Asn 655	Thr	Leu	Leu	Gln	Val 660	Leu	
			cgc Arg 665													2131
		-	ctg Leu						_			-	_			2179
			ggc Gly													2227
			gac Asp													2275
			cct Pro													2323
			acc Thr 745													2371
			tcc Ser													2419
			gcc Ala													2467
_	_	_	cga Arg		-	-	-			_	_	_		-	_	2515
			gag Glu													2563
gtc Val	acc Thr	gtt Val	gac Asp 825	gtc Val	gaa Glu	ggc Gly	tgg Trp	gac Asp 830	ggc Gly	gag Glu	tcc Ser	aag Lys	gac Asp 835	acc Thr	gac Asp	2611
		-	ttc Phe							-		_		_		2659
			gag Glu													2707
			gct Ala													2755
			gaa Glu													2803

890 895 900

acc gac att gat cag gtg tcc ggt gac tac tac ggc acc gat gat cag
Thr Asp Ile Asp Gln Val Ser Gly Asp Tyr Tyr Gly Thr Asp Asp Gln
905
910
915

gga ggc act gct cca agc aag gag tagcaacctt ttgaaaaagg gcc 2898 Gly Gly Thr Ala Pro Ser Lys Glu 920 925

<210> 50

<211> 925

<212> PRT

<213> Corynebacterium glutamicum

<400> 50

Met Phe Glu Arg Phe Thr Asp Arg Ala Arg Arg Val Ile Val Leu Ala 1 5 10 15

Gln Glu Glu Ala Arg Met Leu Asn His Asn Tyr Ile Gly Thr Glu His 20 25 30

Ile Leu Cly Leu Ile His Glu Gly Glu Gly Val Ala Ala Lys Ala 35 40 45

Leu Glu Ser Met Gly Ile Ser Leu Asp Ala Val Arg Gln Glu Val Glu 50 55 60

Glu Ile Ile Gly Gln Gly Ser Gln Pro Thr Thr Gly His Ile Pro Phe 65 70 . 75 80

Thr Pro Arg Ala Lys Lys Val Leu Glu Leu Ser Leu Arg Glu Gly Leu 85 90 95

Gln Met Gly His Lys Tyr Ile Gly Thr Glu Phe Leu Leu Gly Leu 100 105 110

Ile Arg Glu Gly Glu Gly Val Ala Ala Gln Val Leu Val Lys Leu Gly 115 120 125

Ala Asp Leu Pro Arg Val Arg Gln Gln Val Ile Gln Leu Leu Ser Gly 130 135 140

Tyr Glu Gly Gly Gln Gly Gly Ser Pro Glu Gly Gly Gln Gly Ala Pro 145 150 155 160

Thr Gly Gly Asp Ala Val Gly Ala Gly Ala Ala Pro Gly Gly Arg Pro
165 170 175

Ser Ser Gly Ser Pro Gly Glu Arg Ser Thr Ser Leu Val Leu Asp Gln 180 185 190

Phe Gly Arg Asn Leu Thr Gln Ala Ala Lys Asp Gly Lys Leu Asp Pro 195 200 205

Val Val Gly Arg Asp Lys Glu Ile Glu Arg Ile Met Gln Val Leu Ser 210 215 220

Arg Arg Thr Lys Asn Asn Pro Val Leu Ile Gly Glu Pro Gly Val Gly 225 230 235 240

Lys Thr Ala Val Val Glu Gly Leu Ala Leu Asp Ile Val Asn Gly Lys 245 250 255

- Val Pro Glu Thr Leu Lys Asp Lys Gln Val Tyr Ser Leu Asp Leu Gly 260 265 270
- Ser Leu Val Ala Gly Ser Arg Tyr Arg Gly Asp Phe Glu Glu Arg Leu 275 280 285
- Lys Lys Val Leu Lys Glu Ile Asn Gln Arg Gly Asp Ile Ile Leu Phe 290 295 300
- Ile Asp Glu Ile His Thr Leu Val Gly Ala Gly Ala Ala Glu Gly Ala 305 310 315 320
- Ile Asp Ala Ala Ser Leu Leu Lys Pro Lys Leu Ala Arg Gly Glu Leu 325 330 335
- Gln Thr Ile Gly Ala Thr Thr Leu Asp Glu Tyr Arg Lys His Ile Glu 340 345 350 .
- Lys Asp Ala Ala Leu Glu Arg Arg Phe Gln Pro Val Gln Val Pro Glu 355 360 365
- Pro Ser Val Asp Leu Thr Val Glu Ile Leu Lys Gly Leu Arg Asp Arg 370 375 380
- Tyr Glu Ala His His Arg Val Ser Ile Thr Asp Gly Ala Leu Thr Ala 385 390 395 400
- Ala Ala Gln Leu Ala Asp Arg Tyr Ile Asn Asp Arg Phe Leu Pro Asp 405 410 415
- Lys Ala Val Asp Leu Ile Asp Glu Ala Gly Ala Arg Met Arg Ile Lys 420 425 430
- Arg Met Thr Ala Pro Ser Ser Leu Arg Glu Val Asp Glu Arg Ile Ala 435 440 445
- Asp Val Arg Arg Glu Lys Glu Ala Ala Ile Asp Ala Gln Asp Phe Glu 450 455 460
- Lys Ala Ala Gly Leu Arg Asp Lys Glu Arg Lys Leu Gly Glu Glu Arg
 465 470 475 480
- Ser Glu Lys Glu Lys Gln Trp Arg Ser Gly Asp Leu Glu Asp Ile Ala 485 490 495
- Glu Val Gly Glu Glu Gln Ile Ala Glu Val Leu Ala Asn Trp Thr Gly
 500 505 510
- Ile Pro Val Phe Lys Leu Thr Glu Ala Glu Ser Ser Arg Leu Leu Asn 515 520 525
- Met Glu Glu Glu Leu His Lys Arg Ile Ile Gly Gln Asp Glu Ala Val 530 540
- Lys Ala Val Ser Arg Ala Ile Arg Arg Thr Arg Ala Gly Leu Lys Asp 545 550 555 560

Pro Lys Arg Pro Ser Gly Ser Phe Ile Phe Ala Gly Pro Ser Gly Val 565 570 575

- Gly Lys Thr Glu Leu Ser Lys Ala Leu Ala Gly Phe Leu Phe Gly Asp 580 585 590
- Asp Asp Ser Leu Ile Gln Ile Asp Met Gly Glu Phe His Asp Arg Phe 595 600 605
- Thr Ala Ser Arg Leu Phe Gly Ala Pro Pro Gly Tyr Val Gly Tyr Glu 610 615 620
- Glu Gly Gly Gln Leu Thr Glu Lys Val Arg Arg Lys Pro Phe Ser Val 625 630 635 640
- Val Leu Phe Asp Glu Ile Glu Lys Ala His Lys Glu Ile Tyr Asn Thr 645 650 655
- Leu Leu Gln Val Leu Glu Asp Gly Arg Leu Thr Asp Gly Gln Gly Arg 660 665 670
- Ile Val Asp Phe Lys Asn Thr Val Leu Ile Phe Thr Ser Asn Leu Gly 675 680 685
- Thr Ala Asp Ile Ser Lys Ala Val Gly Leu Gly Phe Ser Gly Ser Ser 690 695 700
- Glu Thr Asp Ser Asp Ala Gln Tyr Asp Arg Met Lys Asn Lys Val His
 705 710 715 720
- Asp Glu Leu Lys Lys His Phe Arg Pro Glu Phe Leu Asn Arg Ile Asp 725 730 735
- Glu Ile Val Val Phe His Gln Leu Thr Lys Asp Gln Ile Val Gln Met 740 745 750
- Val Asp Leu Leu Ile Gly Arg Val Ser Asn Ala Leu Ala Glu Lys Asp 755 760 765
- Met Ser Ile Glu Leu Thr Glu Lys Ala Lys Asp Leu Leu Ala Asn Arg 770 780
- Gly Phe Asp Pro Val Leu Gly Ala Arg Pro Leu Arg Arg Thr Ile Gln
 785 790 795 800
- Arg Glu Ile Glu Asp Gln Met Ser Glu Lys Ile Leu Phe Gly Glu Ile 805 810 815
- Gly Ala Gly Glu Ile Val Thr Val Asp Val Glu Gly Trp Asp Gly Glu 820 825 830
- Ser Lys Asp Thr Asp Arg Ala Lys Phe Thr Phe Thr Pro Arg Pro Lys 835 840 845
- Pro Met Pro Glu Gly Lys Phe Ser Glu Ile Ser Val Glu Ala Ala Glu 850 855 860
- Ala Ile Gln Asp Val Asp Ser Ala Ala Asp Gly Asp Val Pro Glu Thr 865 870 875 880
- Asp Ser Leu Ser Asp Ile Asp Leu Glu Thr Leu Glu Lys Phe Glu Glu

71

885 890 895

Asp Val Glu Asn Gly Thr Asp Ile Asp Gln Val Ser Gly Asp Tyr Tyr 900 905 910

Gly Thr Asp Asp Gln Gly Gly Thr Ala Pro Ser Lys Glu 915 920 925

<210> 51

<211> 1104

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1081)

<223> FRXA02470

<400> 51

ctaattccaa gccgagctga aaaagtctgg aagttttgcc caataagggc gttaaagtgg 60

- gtgaaagcga atttagaaat aaagaattaa ggggagagac atg ttc gag agg ttt 115 Met Phe Glu Arg Phe
- acc gat cgt gca cgc cgc gtg att gtg ctc gcg cag gaa gag gcg cgc 163
 Thr Asp Arg Ala Arg Arg Val Ile Val Leu Ala Gln Glu Glu Ala Arg
 10 15 20
- atg ctc aac cac aat tac atc ggc acg gag cac att ctc ctc ggc ctc 211 Met Leu Asn His Asn Tyr Ile Gly Thr Glu His Ile Leu Leu Gly Leu 25 30 35
- att cac gag ggc gag ggc gtt gca gcc aag gct ttg gaa tcc atg gga 259
 Ile His Glu Gly Glu Gly Val Ala Ala Lys Ala Leu Glu Ser Met Gly
 40 45
- att tcc ctg gac gcc gtc cgc cag gaa gtc gaa gag att atc ggc cag 307 Ile Ser Leu Asp Ala Val Arg Gln Glu Val Glu Glu Ile Ile Gly Gln 55 60 65
- ggc tcc cag ccc acc acc ggc cac att cct ttt act cca cgt gcc aag 355 Gly Ser Gln Pro Thr Thr Gly His Ile Pro Phe Thr Pro Arg Ala Lys 70 80 85
- aag gtc ctg gag ctc agc ctc cgc gaa ggc cta caa atg gga cac aag 403 Lys Val Leu Glu Leu Ser Leu Arg Glu Gly Leu Gln Met Gly His Lys
- tac atc ggt act gag ttc ctg ctt ctc ggt ttg atc cgt gag ggc gag 451 Tyr Ile Gly Thr Glu Phe Leu Leu Gly Leu Ile Arg Glu Gly Glu 105 110 115
- ggc gtt gct gcc cag gtc ctg gtc aag ctt ggt gct gat ctg cca cgc 499
 Gly Val Ala Ala Gln Val Leu Val Lys Leu Gly Ala Asp Leu Pro Arg
 120 125
- gtg cgt cag caa gtt att cag ctt ctc tcc ggc tac gaa ggt ggc cag 547 Val Arg Gln Gln Val Ile Gln Leu Leu Ser Gly Tyr Glu Gly Gln 135 140 145

gg6 G1 ₅ 150	c gga y Gly	tcc Ser	cca Pro	gag Glu	ggc Gly 155	GIA	cag Gln	ggc Gly	gco Alá	cct Pro 160	Thr	ggc Gly	ggt Gly	gac Asp	gct Ala 165	595
gt t Va]	ggt Gly	gca Ala	gga Gly	gct Ala 170	Ala	cct Pro	ggc Gly	ggt Gly	cgt Arc	Pro	tct Ser	tcg Ser	ggc	agc Ser 180	cca Pro	643
ggc Gly	gag Glu	cgt Arg	tct Ser 185	acc Thr	tct Ser	ttg Leu	gtc Val	ctt Leu 190	gac Asp	cag Gln	ttc Phe	ggc Gly	cgc Arg 195	Asn	ctc Leu	691
1111	cag Gln	200	Ala	гÀ2	Asp	Gly	Lys 205	Leu	Asp	Pro	Val	Val 210	Gly	Arg	Asp	739
aag Lys	gaa Glu 215	atc Ile	gag Glu	cgc Arg	atc Ile	atg Met 220	cag Gln	gtg Val	ctc Leu	tcc Ser	cgt Arg 225	cgt Arg	acc Thr	aag Lys	aac Asn	787
aac Asn 230	cca Pro	gtt Val	ctt Leu	att Ile	ggt Gly 235	gag Glu	cca Pro	ggt Gly	gtt Val	ggt Gly 240	aag Lys	acc Thr	gca Ala	gtt Val	gtt Val 245	835
gaa Glu	ggt Gly	ctt Leu	gca Ala	cta Leu 250	gac Asp	att Ile	gtt Val	aac Asn	ggc Gly 255	aag Lys	gtt Val	cca Pro	gag Glu	acc Thr 260	ctc Leu	883
aag Lys	gac Asp	aag Lys	cag Gln 265	gtt Val	tac Tyr	tcc Ser	ctt Leu	gac Asp 270	tta Leu	ggt Gly	tcc Ser	ctg Leu	gtt Val 275	gca Ala	ggt Gly	931
tcc Ser	cgt Arg	tac Tyr 280	cgc Arg	ggt Gly	gac Asp	ttc Phe	gaa Glu 285	gag Glu	cga Arg	ctg Leu	aag Lys	aag Lys 290	gtc Val	ctc Leu	aag Lys	979
gag Glu	att Ile 295	aac Asn	cag Gln	cgc Arg	GIA	gac Asp 300	atc Ile	atc Ile	ctg Leu	ttt Phe	atc Ile 305	gat Asp	gag Glu	atc Ile	cac His	1027
acc Thr 310	ctc Leu	gtg Val	ggt Gly	MIG	ggt Gly , 315	gca Ala	gca Ala	cga Arg .	agg Arg	cgc Arg 320	aat Asn	cga Arg	cgc Arg	Cys	ctc Leu 325	1075
cct Pro	gct Ala	taag	ccaa	ag c	ttgc	ccgc	g gt	g								1104

<210> 52 <211> 327 <212> PRT <213> Corynebacterium glutamicum

<400> 52

Met Phe Glu Arg Phe Thr Asp Arg Ala Arg Arg Val Ile Val Leu Ala
1 5 10 15

Gln Glu Glu Ala Arg Met Leu Asn His Asn Tyr Ile Gly Thr Glu His

- Ile Leu Leu Gly Leu Ile His Glu Gly Glu Gly Val Ala Ala Lys Ala 35 40 45
- Leu Glu Ser Met Gly Ile Ser Leu Asp Ala Val Arg Gln Glu Val Glu 50 60
- Glu Ile Ile Gly Gln Gly Ser Gln Pro Thr Thr Gly His Ile Pro Phe 65 70 75 80
- Thr Pro Arg Ala Lys Lys Val Leu Glu Leu Ser Leu Arg Glu Gly Leu 85 90 95
- Gln Met Gly His Lys Tyr Ile Gly Thr Glu Phe Leu Leu Gly Leu 100 105 110
- Ile Arg Glu Gly Glu Gly Val Ala Ala Gln Val Leu Val Lys Leu Gly 115 120 125
- Ala Asp Leu Pro Arg Val Arg Gln Gln Val Ile Gln Leu Leu Ser Gly 130 135 140
- Tyr Glu Gly Gly Gln Gly Gly Ser Pro Glu Gly Gly Gln Gly Ala Pro 145 150 155 160
- Thr Gly Gly Asp Ala Val Gly Ala Gly Ala Ala Pro Gly Gly Arg Pro 165 170 175
- Ser Ser Gly Ser Pro Gly Glu Arg Ser Thr Ser Leu Val Leu Asp Gln 180 185 190
- Phe Gly Arg Asn Leu Thr Gln Ala Ala Lys Asp Gly Lys Leu Asp Pro 195 200 205
- Val Val Gly Arg Asp Lys Glu Ile Glu Arg Ile Met Gln Val Leu Ser 210 215 220
- Arg Arg Thr Lys Asn Asn Pro Val Leu Ile Gly Glu Pro Gly Val Gly 225 230 235 240
- Lys Thr Ala Val Val Glu Gly Leu Ala Leu Asp Ile Val Asn Gly Lys 245 250 255
- Val Pro Glu Thr Leu Lys Asp Lys Gln Val Tyr Ser Leu Asp Leu Gly 260 265 270
- Ser Leu Val Ala Gly Ser Arg Tyr Arg Gly Asp Phe Glu Glu Arg Leu 275 280 285
- Lys Lys Val Leu Lys Glu Ile Asn Gln Arg Gly Asp Ile Ile Leu Phe 290 295 300
- Ile Asp Glu Ile His Thr Leu Val Gly Ala Gly Ala Ala Arg Arg 305 310 315 320
- Asn Arg Arg Cys Leu Pro Ala 325

<210> 53 <211> 1956

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1933)

<223> FRXA02471

<400> 53

ggtgacttcg aagagcgact gaagaaggtc ctcaaggaga ttaaccagcg cggcgacatc 60

- atcctgttta tcgatgagat ccacacctc gtgggtgcag gtg cag cac gaa ggc 115 Val Gln His Glu Gly 1 5
- gca atc gac gct gcc tcc ctg ctt aag cca aag ctt gcc cgc ggt gaa 163 Ala Ile Asp Ala Ala Ser Leu Leu Lys Pro Lys Leu Ala Arg Gly Glu 10 15 20
- ctg cag acc att ggt gca acc ctg gat gag tac cgt aag cac att 211 Leu Gln Thr Ile Gly Ala Thr Thr Leu Asp Glu Tyr Arg Lys His Ile 25 30 35
- gaa aag gac gca gct ctt gag cgt cgt ttc cag cca gtg cag gtt cca 259 Glu Lys Asp Ala Ala Leu Glu Arg Arg Phe Gln Pro Val Gln Val Pro 40 45 50
- gag cct tcg gtt gat ctc acc gtt gag atc ttg aag ggt ctg cgc gac
 Glu Pro Ser Val Asp Leu Thr Val Glu Ile Leu Lys Gly Leu Arg Asp
 55 60 65
- cgc tac gaa gct cac cac cgc gta tcc atc acc gat ggt gct ctt act 355
 Arg Tyr Glu Ala His His Arg Val Ser Ile Thr Asp Gly Ala Leu Thr
 70 80
- gca gca gct cag ctt gct gat cgc tac atc aac gac cgc ttc ttg cca Ala Ala Ala Gln Leu Ala Asp Arg Tyr Ile Asn Asp Arg Phe Leu Pro
 90 95 100
- gat aag gcc gtt gac ctc atc gat gag gct ggc gcc cgc atg cgc atc
 Asp Lys Ala Val Asp Leu Ile Asp Glu Ala Gly Ala Arg Met Arg Ile
 105
 110
 115
- aag cgc atg acc gca cct tcc tcc ctc cgc gag gtt gat gag cgt atc
 Lys Arg Met Thr Ala Pro Ser Ser Leu Arg Glu Val Asp Glu Arg Ile
 120 125 130
- gct gat gtt cgc cgt gag aag gaa gca gcg atc gat gct cag gac ttt 547 Ala Asp Val Arg Arg Glu Lys Glu Ala Ala Ile Asp Ala Gln Asp Phe 135 140 145
- gag aag gca gca ggt ctt cgc gat aag gag cgc aag ctc ggc gaa gag 595 Glu Lys Ala Ala Gly Leu Arg Asp Lys Glu Arg Lys Leu Gly Glu Glu 155 160 165
- cgt tca gag aag gaa aag cag tgg cgc tcc ggc gac ctc gag gac atc Arg Ser Glu Lys Glu Lys Gln Trp Arg Ser Gly Asp Leu Glu Asp Ile 170 175 180
- gct gag gtt ggc gaa gag cag atc gca gaa gta ctg gcc aac tgg act 691 Ala Glu Val Gly Glu Glu Gln Ile Ala Glu Val Leu Ala Asn Trp Thr

185 190 195

													1)	,		
ggt Gl	att / Ile	e Pro	o Val	tto Phe	aaç Lys	cto Leu	acc Thr 205	Glu	gct Ala	gaa Glu	tct Ser	tca Ser 210	Arg	cto Leu	ctc Leu	739
aac Asr	atg Met 215	Glu	a gaa u Glu	gag Glu	ttg Leu	cac His 220	Lys	g cgc : Arg	: atc	ato Ile	gga Gly 225	Gln	gat Asp	gaa Glu	gct Ala	787
gtc Val 230	. Lys	gct Ala	gto Val	tcc Ser	cgt Arg 235	Ala	atc	cgt Arg	cgt Arg	acc Thr 240	Arg	gca Ala	ggt Gly	ctg Leu	aag Lys 245	835
gat Asp	cct Pro	aag Lys	cgt Arg	cct Pro 250	Ser	ggc Gly	tcc Ser	ttc Phe	atc Ile 255	Phe	gct Ala	ggt Gly	cca Pro	tcc Ser 260	ggc Gly	883
gtt Val	ggt Gly	aag Lys	acc Thr 265	gag Glu	ctg Leu	tcc Ser	aag Lys	gct Ala 270	ctc Leu	gca Ala	gga Gly	ttc Phe	ctc Leu 275	ttc Phe	ggt Gly	931
gac Asp	gat Asp	gat Asp 280	tcc Ser	ctc Leu	atc Ile	caa Gln	atc Ile 285	gac Asp	atg Met	ggt Gly	gag Glu	ttc Phe 290	cac His	gac Asp	cgc Arg	979
ttc Phe	acc Thr 295	gcg Ala	tcc Ser	cga Arg	ctt Leu	ttc Phe 300	ggt Gly	gcc Ala	cct Pro	ccg Pro	gga Gly 305	tac Tyr	gtt Val	ggc Gly	tac Tyr	1027
gaa Glu 310	gaa Glu	ggt Gly	ggc Gly	cag Gln	ctg Leu 315	acc Thr	gag Glu	aag Lys	gtt Val	cgc Arg 320	cgt Arg	aag Lys	cca Pro	ttc Phe	tcc Ser 325	1075
gtt Val	gtg Val	ctt Leu	ttc Phe	gac Asp 330	gaa Glu	atc Ile	gag [.] Glu	aag Lys	gcc Ala 335	cac His	aag Lys	gag Glu	atc Ile	tac Tyr 340	aac Asn	1123
acc Thr	ttg Leu	ctg Leu	cag Gln 345	gtg Val	ttg Leu	gaa Glu	gat Asp	ggt Gly 350	cgc Arg	ctt Leu	acc Thr	Asp	ggt Gly 355	cag Gln	gga Gly	1171
cgc Arg	atc Ile	gtg Val 360	gac Asp	ttc Phe	aag Lys	aac Asn	acc Thr 365	gtc Val	ctg Leu	atc Ile	ttc Phe	acc Thr 370	tcc Ser	aac Asn	ctg Leu	1219
ggc Gly	acc Thr 375	gct Ala	gac Asp	atc Ile	tcc Ser	aag Lys 380	gct Ala	gtt Val	ggc Gly	ctg Leu	ggc Gly 385	ttc Phe	tcc Ser	gga Gly	tcc Ser	1267
tcc Ser 390	gag Glu	act Thr	gac Asp	agc Ser	gat Asp 395	gct Ala	cag Gln	tac Tyr	gac Asp	cgc Arg 400	atg Met	aag Lys	aac Asn	aag Lys	gtc Val 405	1315
cac His	gac Asp	gag Glu	ctg Leu	aag Lys 410	aag Lys	cac His	ttc Phe	cgc Arg	cct Pro 415	gag Glu	ttc Phe	ctg Leu	aac Asn	cgt Arg 420	att Ile	1363
gat Asp	gag Glu	atc Ile	gtg Val 425	gtc Val	ttc Phe	cac His	cag Gln	ctc Leu 430	acc Thr	aag Lys	gat Asp	cag Gln	atc Ile 435	gtt Val	cag Gln	1411

atg Met	gtc Val	Asp 440	rea	ctt Leu	ato Ile	ggt Gly	cgc Arg 445	ya.	tco Ser	aac Asr	gca n Ala	a cto Leu 450	Ala	gaq Gli	g aag u Lys	1459
gac Asp	atg Met 455	ser	atc	gaa Glu	ctg Leu	Thr 460	Glu	aac Lys	gcc Ala	aag Lys	gac Asp 465) Leu	ctg Leu	gct Ala	aac Asn	1507
cga Arg 470	Gly	ttc Phe	gat Asp	cca Pro	gtt Val 475	ctg Leu	ggt Gly	gca Ala	cga Arg	cca Pro 480	Leu	cgt Arg	cgc Arg	acc	atc Ile 485	1555
cag Gln	cgc Arg	gaa Glu	att Ile	gaa Glu 490	gac Asp	cag Gln	atg Met	tcc Ser	gag Glu 495	aag Lys	atc Ile	ctc Leu	ttc Phe	ggt Gly 500	gaa Glu	1603
atc Ile	ggc Gly	gca Ala	ggc Gly 505	gag Glu	atc Ile	gtc Val	acc Thr	gtt Val 510	gac Asp	gtc Val	gaa Glu	ggc Gly	tgg Trp 515	gac Asp	ggc	1651
gag Glu	tcc Ser	aag Lys 520	gac Asp	acc Thr	gac Asp	cgt Arg	gcg Ala 525	aag Lys	ttc Phe	acc Thr	ttc Phe	aca Thr 530	cca Pro	cgt Arg	cca Pro	1699
aag Lys	cca Pro 535	atg Met	cca Pro	gaa Glu	ggt Gly	aag Lys 540	ttc Phe	tct Ser	gag Glu	atc. Ile	tct Ser 545	gtc Val	gag Glu	gct Ala	gcg Ala	1747
gaa Glu 550	gca Ala	att Ile	caa Gln	gat Asp	gta Val 555	gat Asp	tct Ser	gca Ala	gct Ala	gac Asp 560	ggc Gly	gat Asp	gtc Val	cca Pro	gaa Glu 565	1795
acc Thr	gat Asp	tca Ser	ctt Leu	tcc Ser 570	gac Asp	att Ile	gac Asp	ctt Leu	gaa Glu 575	acc Thr	ctt Leu	gaa Glu	aag Lys	ttt Phe 580	gag Glu	1843
gaa Glu	gat Asp	var	gaa Glu 585	aac Asn	Gly ggc	acc Thr	gac Asp	att Ile 590	gat Asp	cag Gln	gtg Val	tcc Ser	ggt Gly 595	gac Asp	tac Tyr	1891
tac Tyr	er A	acc Thr 600	gat Asp	gat Asp	cag Gln	gga Gly	ggc Gly 605	act Thr	gct Ala	cca Pro	agc Ser	aag Lys 610	gag Glu			1933
tago	aacc [.]	tt t	tgaa	aaag	g gc	С										1956
<210: <211: <212: <213:	> 61: > PR:	Г	bacte	erlu	m gl:	utam	icum								·	
<400: Val (dis (Glu (Sly i	Ala :	Ile .	Asp .	Ala	Ala 10	Ser	Leu	Leu	Lys	Pro 15	Lys	
Leu <i>l</i>	Ala <i>P</i>	Arg (31y (Slu 1	Leu (Gln'	Thr :	Ile 25	Gly	Ala	Thr	Thr	Leu 30	Asp	Glu	

Tyr Arg Lys His Ile Glu Lys Asp Ala Ala Leu Glu Arg Arg Phe Gln

PCT/IB00/00911

35 40 45

Pro Val Gln Val Pro Glu Pro Ser Val Asp Leu Thr Val Glu Ile Leu 50 55 60

Lys Gly Leu Arg Asp Arg Tyr Glu Ala His His Arg Val Ser Ile Thr 65 70 75 80

Asp Gly Ala Leu Thr Ala Ala Ala Gln Leu Ala Asp Arg Tyr Ile Asn 85 90 95

Asp Arg Phe Leu Pro Asp Lys Ala Val Asp Leu Ile Asp Glu Ala Gly 100 105 110

Ala Arg Met Arg Ile Lys Arg Met Thr Ala Pro Ser Ser Leu Arg Glu 115 120 125

Val Asp Glu Arg Ile Ala Asp Val Arg Arg Glu Lys Glu Ala Ala Ile 130 135 140

Asp Ala Gln Asp Phe Glu Lys Ala Ala Gly Leu Arg Asp Lys Glu Arg 145 150 155 160

Lys Leu Gly Glu Glu Arg Ser Glu Lys Glu Lys Gln Trp Arg Ser Gly 165 170 175

Asp Leu Glu Asp Ile Ala Glu Val Gly Glu Glu Gln Ile Ala Glu Val 180 185 190

Leu Ala Asn Trp Thr Gly Ile Pro Val Phe Lys Leu Thr Glu Ala Glu 195 200 205

Ser Ser Arg Leu Leu Asn Met Glu Glu Glu Leu His Lys Arg Ile Ile 210 215 220

Gly Gln Asp Glu Ala Val Lys Ala Val Ser Arg Ala Ile Arg Arg Thr 225 230 235 240

Arg Ala Gly Leu Lys Asp Pro Lys Arg Pro Ser Gly Ser Phe Ile Phe 245 250 255

Ala Gly Pro Ser Gly Val Gly Lys Thr Glu Leu Ser Lys Ala Leu Ala 260 265 270

Gly Phe Leu Phe Gly Asp Asp Asp Ser Leu Ile Gln Ile Asp Met Gly 275 280 285

Glu Phe His Asp Arg Phe Thr Ala Ser Arg Leu Phe Gly Ala Pro Pro 290 295 300

Gly Tyr Val Gly Tyr Glu Glu Gly Gly Gln Leu Thr Glu Lys Val Arg 305 310 315 320

Arg Lys Pro Phe Ser Val Val Leu Phe Asp Glu Ile Glu Lys Ala His 325 330 335

Lys Glu Ile Tyr Asn Thr Leu Leu Gln Val Leu Glu Asp Gly Arg Leu 340 345 350

Thr Asp Gly Gln Gly Arg Ile Val Asp Phe Lys Asn Thr Val Leu Ile 355 360 365

Phe Thr Ser Asn Leu Gly Thr Ala Asp Ile Ser Lys Ala Val Gly Leu 370 380

- Gly Phe Ser Gly Ser Ser Glu Thr Asp Ser Asp Ala Gln Tyr Asp Arg 385 390 395 400
- Met Lys Asn Lys Val His Asp Glu Leu Lys Lys His Phe Arg Pro Glu
 405 410 415
- Phe Leu Asn Arg Ile Asp Glu Ile Val Val Phe His Gln Leu Thr Lys 420 425 430
- Asp Gln Ile Val Gln Met Val Asp Leu Leu Ile Gly Arg Val Ser Asn 435 440 445
- Ala Leu Ala Glu Lys Asp Met Ser Ile Glu Leu Thr Glu Lys Ala Lys 450 455 460
- Asp Leu Leu Ala Asn Arg Gly Phe Asp Pro Val Leu Gly Ala Arg Pro 465 470 475 480
- Leu Arg Arg Thr Ile Gln Arg Glu Ile Glu Asp Gln Met Ser Glu Lys 485 490 495
- Ile Leu Phe Gly Glu Ile Gly Ala Gly Glu Ile Val Thr Val Asp Val 500 505 510
- Glu Gly Trp Asp Gly Glu Ser Lys Asp Thr Asp Arg Ala Lys Phe Thr 515 520 525
- Phe Thr Pro Arg Pro Lys Pro Met Pro Glu Gly Lys Phe Ser Glu Ile 530 535 540
- Ser Val Glu Ala Ala Glu Ala Ile Gln Asp Val Asp Ser Ala Ala Asp 545 550 555 560
- Gly Asp Val Pro Glu Thr Asp Ser Leu Ser Asp Ile Asp Leu Glu Thr 565 570 575
- Leu Glu Lys Phe Glu Glu Asp Val Glu Asn Gly Thr Asp Ile Asp Gln 580 585 590
- Val Ser Gly Asp Tyr Tyr Gly Thr Asp Asp Gln Gly Gly Thr Ala Pro 595 600 605
- Ser Lys Glu . 610
- <210> 55
- <211> 1446
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(1423)
- <223> RXA02630
- <400> 55

gcgggttcga aaatgtcgat gattaaacca ctaaagagct cacaggaagt gttcagacta 60 cttagagtga cgccccagcc acagggttca taatcaaatc atg aca aat caa ttc Met Thr Asn Gln Phe ccc aca aac aac ggt gag aac ccg gac cgt gca tcg gaa act cca tca 163 Pro Thr Asn Asn Gly Glu Asn Pro Asp Arg Ala Ser Glu Thr Pro Ser gaa acc aac too tto gaa cat gtg ogt agt toa tat cog cag tgg ggt 211 Glu Thr Asn Ser Phe Glu His Val Arg Ser Ser Tyr Pro Gln Trp Gly 30 aac act gct too aat caa aac coo tat cot ggt gcg ggc tto ggc tot 259 Asn Thr Ala Ser Asn Gln Asn Pro Tyr Pro Gly Ala Gly Phe Gly Ser gaa caa aac act caa caa gga aat gag caa caa gct cca gcc tgg acc 307 Glu Gln Asn Thr Gln Gln Gly Asn Glu Gln Gln Ala Pro Ala Trp Thr agt tgg gat aat cag cct cta agc aca gat gta aag cca gct aaa gaa 355 Ser Trp Asp Asn Gln Pro Leu Ser Thr Asp Val Lys Pro Ala Lys Glu 75 80 aag cga aaa gtt ggc atc gga acg gca ctc gcg tta atg ctt gtt ggt 403 Lys Arg Lys Val Gly Ile Gly Thr Ala Leu Ala Leu Met Leu Val Gly 90 tct att gct acc ggt agc gtt gtg ggt gtt gca gca acc cag ctt ggt 451 Ser Ile Ala Thr Gly Ser Val Val Gly Val Ala Ala Thr Gln Leu Gly tog gad tot toa acc coa gtt aat got ott gag cag coc ago gtg cag 499 Ser Asp Ser Ser Thr Pro Val Asn Ala Leu Glu Gln Pro Ser Val Gln 125 cgc acc act aat gct gaa cca ggt tca gcg gaa cag gtt gct gcc gca 547 Arg Thr Thr Asn Ala Glu Pro Gly Ser Ala Glu Gln Val Ala Ala Ala gtt ttg cct tct gtc gtc tct att cag gcc att act agg acg tct gct 595 Val Leu Pro Ser Val Val Ser Ile Gln Ala Ile Thr Arg Thr Ser Ala 150 155 160 tet gag gge tet gga tee att att tee tet gat ggt tae gte atg ace 643 Ser Glu Gly Ser Gly Ser Ile Ile Ser Ser Asp Gly Tyr Val Met Thr 170 175 aat aat cac gtc gtg gca ggc att gaa caa tct ggt gtg tta gaa gta 691 Asn Asn His Val Val Ala Gly Ile Glu Gln Ser Gly Val Leu Glu Val agt ttc tcc gat gga act aca gcg caa gct gat ttt att gct ggt gat 739 Ser Phe Ser Asp Gly Thr Thr Ala Gln Ala Asp Phe Ile Ala Gly Asp cct tcc aca gat att gct gtg atc aag att agg gat gtg tcc aac ctt 787 Pro Ser Thr Asp Ile Ala Val Ile Lys Ile Arg Asp Val Ser Asn Leu 215 220 225

cca Pro 230	Val	atg Met	agc Ser	ttt Phe	gga Gly 235	Asp	tcg Ser	gac Asp	gca Ala	tta Leu 240	ggc Gly	gtt Val	gga Gly	caa Gln	agt Ser 245	835
gtg Val	atg Met	gct Ala	gtt Val	ggt Gly 250	tct Ser	cca Pro	ctg Leu	ggt Gly	ctg Leu 255	agc Ser	tcc Ser	act Thr	gtg Val	acc Thr 260	acc Thr	883
ggt Gly	att Ile	gtg Val	tcg Ser 265	gcc Ala	gtg Val	aac Asn	cgt Arg	cct Pro 270	gtg Val	cga Arg	gct Ala	tct Ser	ggt Gly 275	gat Asp	ggc Gly	931
gga Gly	gag Glu	tcg Ser 280	tcc Ser	ctc Leu	atc Ile	gat Asp	gct Ala 285	atc Ile	cag Gln	acc Thr	gat Asp	gct Ala 290	gcg Ala	atc Ile	aac Asn	979
cct Pro	ggt Gly 295	aac Asn	tct Ser	ggt Gly	ggt Gly	ccg Pro 300	ctg Leu	gtt Val	gat Asp	atg Met	gat Asp 305	ggc Gly	aac Asn	ctc Leu	att Ile	1027
Gly 310	Met	Asn	tcg Ser	Val	Ile 315	Ala	Ser	Ile	Ser	Ser 320	Thr	Ser	Asp	Ser	Ala 325	1075
Gly	Ser	Ile	ggt Gly	1330	Gly	Phe	Ser	Ile	Pro 335	Ser	Asn	Phe	Ala	Lys 340	Arg	1123
Val	Ala	Asp	caa Gln 345	Leu	Ile	Ser	Thr	Gly 350	Gln	Val	Thr	Gln	Pro 355	Met	Ile	1171
Gly	Val	Gln 360	gtt Val	Gly	Thr	Asp	Asn 365	Ser	Val	Thr	Gly	Ala 370	Val	Ile	Ala	1219
Ser	Val 375	Gln	gat Asp	Gly	Gly	Pro 380	Ala	Ala	Asp	Ala	Gly 385	Leu	Gln	Pro	Gly	1267
390	Ile	Val	acc Thr	Lys	Leu 395	Asn	Asp	Arg	Val	Ile 400	Asp	Ser	Pro	Asp	Ser 405	1315
Leu	Ile	Ala		Val 410	Arg	Ser	His	Asp	Phe 415	Gly	Glu	Thr	Val	Thr 420	Leu	1363
aca Thr	att Ile	aca Thr	cag Gln 425	cca Pro	gat Asp	acc Thr	tcg Ser	cag Gln 430	agc Ser	cgg Arg	gag Glu	gta Val	gag Glu 435	gtt Val	act Thr	1411
ctg Leu	acg Thr	agt Ser 440	gag Glu	tagg	ttta	aa a	gagt	taat	c tg	ic						1446

<210> 56 <211> 441 <212> PRT

<213> Corynebacterium glutamicum

<400> 56

Met Thr Asn Gln Phe Pro Thr Asn Asn Gly Glu Asn Pro Asp Arg Ala
1 5 10 15

Ser Glu Thr Pro Ser Glu Thr Asn Ser Phe Glu His Val Arg Ser Ser 20 25 30

Tyr Pro Gln Trp Gly Asn Thr Ala Ser Asn Gln Asn Pro Tyr Pro Gly 35 40 45

Ala Gly Phe Gly Ser Glu Gln Asn Thr Gln Gln Gly Asn Glu Gln Gln 50 55 60

Ala Pro Ala Trp Thr Ser Trp Asp Asn Gln Pro Leu Ser Thr Asp Val 65 70 75 80

Lys Pro Ala Lys Glu Lys Arg Lys Val Gly Ile Gly Thr Ala Leu Ala 85 90 95

Leu Met Leu Val Gly Ser Ile Ala Thr Gly Ser Val Val Gly Val Ala 100 105 110

Ala Thr Gln Leu Gly Ser Asp Ser Ser Thr Pro Val Asn Ala Leu Glu 115 120 125

Gln Pro Ser Val Gln Arg Thr Thr Asn Ala Glu Pro Gly Ser Ala Glu 130 135 140

Thr Arg Thr Ser Ala Ser Glu Gly Ser Gly Ser Ile Ile Ser Ser Asp 165 170 175

Gly Tyr Val Met Thr Asn Asn His Val Val Ala Gly Ile Glu Gln Ser 180 185 190

Gly Val Leu Glu Val Ser Phe Ser Asp Gly Thr Thr Ala Gln Ala Asp 195 200 205

Phe Ile Ala Gly Asp Pro Ser Thr Asp Ile Ala Val Ile Lys Ile Arg 210 215 220

Asp Val Ser Asn Leu Pro Val Met Ser Phe Gly Asp Ser Asp Ala Leu 225 230 235 240

Gly Val Gly Gln Ser Val Met Ala Val Gly Ser Pro Leu Gly Leu Ser 245 250 255

Ser Thr Val Thr Gly Ile Val Ser Ala Val Asn Arg Pro Val Arg 260 265 270

Ala Ser Gly Asp Gly Gly Glu Ser Ser Leu Ile Asp Ala Ile Gln Thr 275 280 285

Asp Ala Ala Ile Asn Pro Gly Asn Ser Gly Gly Pro Leu Val Asp Met 290 295 300

Asp Gly Asn Leu Ile Gly Met Asn Ser Val Ile Ala Ser Ile Ser Ser

305 310 315 320 Thr Ser Asp Ser Ala Gly Ser Ile Gly Leu Gly Phe Ser Ile Pro Ser 330 Asn Phe Ala Lys Arg Val Ala Asp Gln Leu Ile Ser Thr Gly Gln Val 345 Thr Gln Pro Met Ile Gly Val Gln Val Gly Thr Asp Asn Ser Val Thr Gly Ala Val Ile Ala Ser Val Gln Asp Gly Gly Pro Ala Ala Asp Ala Gly Leu Gln Pro Gly Asp Ile Val Thr Lys Leu Asn Asp Arg Val Ile Asp Ser Pro Asp Ser Leu Ile Ala Ala Val Arg Ser His Asp Phe Gly Glu Thr Val Thr Leu Thr Ile Thr Gln Pro Asp Thr Ser Gln Ser Arg 420 Glu Val Glu Val Thr Leu Thr Ser Glu 435 <210> 57 <211> 518 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(495) <223> RXA02834 <400> 57 gat tot aaa ggt aga agt gtt gac ttt aaa aat acc att atc atc atg 48 Asp Ser Lys Gly Arg Ser Val Asp Phe Lys Asn Thr Ile Ile Ile Met act agt aat att ggt tca caa gta tta ctt gaa aat gta aaa gat gct 96 Thr Ser Asn Ile Gly Ser Gln Val Leu Leu Glu Asn Val Lys Asp Ala 25 ggt gaa att agt gat gat aca gag aaa gca gtt atg gac agt cta cat 144 Gly Glu Ile Ser Asp Asp Thr Glu Lys Ala Val Met Asp Ser Leu His 40 gca tac ttc aaa cct gaa ata tta aat cgt atg gat gac atc gtg tta 192 Ala Tyr Phe Lys Pro Glu Ile Leu Asn Arg Met Asp Asp Ile Val Leu 50 ttt aaa cca tta tca gtt aat gat atg att gta gat aaa att 240 Phe Lys Pro Leu Ser Val Asn Asp Met Ser Met Ile Val Asp Lys Ile

90

288

tta aca caa tta aat atg aga tta tta gat caa cat atc tca att gaa

Leu Thr Gln Leu Asn Met Arg Leu Leu Asp Gln His Ile Ser Ile Glu

85

gtg Val	aca Thr	gaa Glu	gaa Glu 100	gcg Ala	aaa Lys	aaa Lys	tgg Trp	cta Leu 105	ggt Gly	gaa Glu	gaa Glu	gcg Ala	tat Tyr 110	gaa Glu	cca Pro	336
caa Gln	ttt Phe	ggt Gly 115	gca Ala	aga Arg	cca Pro	tta Leu	aaa Lys 120	cgc Arg	ttt Phe	gtt Val	caa Gln	cga Arg 125	caa Gln	ata Ile	gaa Glu	384
act Thr	cca Pro 130	att Ile	gca Ala	cgt Arg	atg Met	atg Met 135	att Ile	aaa Lys	gaa Glu	agt Ser	cta Leu 140	cct Pro	gaa Glu	ggt Gly	aca Thr	432
ata Ile 145	Ile	aaa Lys	gta Val	gat Asp	tta Leu 150	aat Asn	gac Asp	aat Asn	aaa Lys	gaa Glu 155	ctt Leu	gat Asp	ttt Phe	aag Lys	gtt Val 160	480
gtt aaa cct acg tct taatctagca aaatattaat ttg Val Lys Pro Thr Ser 165													518			
<21 <21	0> 58 1> 10 2> PI 3> Co	65 RT	ebact	eri	ım gl	Lutan	nicum	ı								
<40	0> 58	3														
			Gly	Arg 5	Ser	Val	Asp	Phe	Lys 10	Asn	Thr	Ile	Ile	Ile 15	Met	
Thr	Ser	Asn	Ile 20	Gly	Ser	Gln	Val	Leu 25	Leu	Glu	Asn	Val	Lys 30	Asp	Ala	
Gly	Glu	11e 35	Ser	Asp	Asp	Thr	Glu 40	Lys	Ala	Val	Met	Asp 45	Ser	Leu	His	•
Ala	Tyr 50	Phe	Lys	Pro	Glu	Ile 55	Leu	Asn	Arg	Met	Asp 60	Asp	Ile	Val	Leu	
Phe 65	Lys	Pro	Leu	Ser	Val 70	Asn	Asp	Met	Ser	Met 75	Ile	Val	Asp	Lys	Ile 80	
Leu	Thr	Gln	Leu	Asn 85	Met	Arg	Leu	Leu	Asp 90	Gln	His	Ile	Ser	Ile 95	Glu	
Val	Thr	Glu	Glu 100	Ala	Lys	Lys	Trp	Leu 105	Gly	Glu	Glu	Ala	Tyr 110	Glu	Pro	
Gln	Phe	Gly 115	Ala	Arg	Pro	Leu	Lys 120	Arg	Phe	Val	Gln	Arg 125	Gln	Ile	Glu	
Thr	Pro 130	Ile	Ala	Arg	Met	Met 135	Ile	Lys	Glu	Ser	Leu 140	Pro	Glu	Gly	Thr	
Ile 145	Ile	Lys	Val	Asp	Leu 150	Asn	Asp	Asn	Lys	Glu 155	Leu	Asp	Phe	Lys	Val 160	
Val	Lys	Pro	Thr	Ser 165	-	•										

84

<21 <21	.0> 5 .1> 1 .2> 0 .3> 0	.314 NA	iebac	teri	um g	luta	micu	m								
<22	1> C 2> (DS 101) XA00		291)												
	0> 5 ttag		gacg	ggct	cc g	gtgg	ccta	a aa	tcga	agcg	atc	taaa	aat	ttgg	cagtta	60
ata	ttat	cga	tttt	cgaa	ag c	gtag	aaca	с са	aacc	attg		agc Ser				115
gtc Val	gtc Val	gat Asp	gcc Ala	gtc Val 10	atc Ile	gtc Val	ctc Leu	gtt Val	atg Met 15	gca Ala	ttc Phe	gcc Ala	ctg Leu	tgg Trp 20	ggt Gly	163
ggt Gly	tgg Trp	cgt Arg	caa Gln 25	ggc Gly	gcc Ala	ttc Phe	acc Thr	tcg Ser 30	ctg Leu	ctg Leu	tcc Ser	acc Thr	gtc Val 35	ggc Gly	gtc Val	211
gtt Val	tct Ser	ggc Gly 40	ctg Leu	gta Val	gtt Val	ggc Gly	gca Ala 45	Ala	gca Ala	gct Ala	cca Pro	ttt Phe 50	gtc Val	atg Met	ggt Gly	259
ctc Leu	acc Thr 55	gat Asp	tcc Ser	acc Thr	gcg Ala	ctt Leu 60	cgc Arg	ttc Phe	ctc Leu	ctg Leu	gcg Ala 65	atc Ile	ggc Gly	acc Thr	gtg Val	307
gtg Val 70	ctg Leu	ctg Leu	gtt Val	ggt Gly	ttg Leu 75	gga Gly	aat Asn	ctc Leu	atc Ile	ggc Gly 80	gcc Ala	cac His	ttg Leu	ggt Gly	gct Ala 85	355
gcg Ala	att Ile	aga Arg	gac Asp	aac Asn 90	atc Ile	aaa Lys	ttc Phe	cga Arg	agt Ser 95	tcc Ser	agg Arg	acc Thr	tta Leu	gat Asp 100	tct Ser	403
ggg Gly	ctc Leu	ggc Gly	gcc Ala 105	att Ile	ttc Phe	caa Gln	gta Val	ttg Leu 110	gcc Ala	acc Thr	ttg Leu	atc Ile	gtg Val 115	gtg Val	tgg Trp	451
ctc Leu	gtc Val	gca Ala 120	att Ile	ccc Pro	ctg Leu	gcc Ala	aca Thr 125	ggc Gly	ctc Leu	ccc Pro	gga Gly	act Thr 130	gtc Val	gcc Ala	agc Ser	499
gga Gly	att Ile 135	aga Arg	gac Asp	tcc Ser	cgc Arg	atc Ile 140	ctg Leu	ggc Gly	ttt Phe	gta Val	gac Asp 145	aaa Lys	tac Tyr	acc Thr	ccg Pro	547
caa Gln 150	ggc Gly	cta Leu	gat Asp	acc Thr	ctg Leu 155	ccc Pro	tcc Ser	aaa Lys	atc Ile	gct Ala 160	gcg Ala	atg Met	ctc Leu	agc Ser	gaa Glu 165	595
tcc Ser	ggc Gly	ctc Leu	cca Pro	cca Pro 170	ctg Leu	att Ile	tcc Ser	ccc Pro	ttc Phe 175	acc Thr	ggc Gly	gga Gly	tcc Ser	tcg Ser 180	gtg Val	643

gaa Glu	gtg Val	gac Asp	gcc Ala 185	ccc Pro	gaa Glu	atc Ile	aac Asn	gtc Val 190	acc Thr	aac Asn	gtt Val	gac Asp	cta Leu 195	gtc Val	gaa Glu	691
gca Ala	atg Met	cgc Arg 200	ccg Pro	tcc Ser	gtc Val	atc Ile	cac His 205	gtg Val	atg Met	ggt Gly	gac Asp	gcc Ala 210	caa Gln	gaa Glu	tgc Cys	739
agc Ser	cgc Arg 215	cga Arg	ctc Leu	atg Met	ggt Gly	tct Ser 220	ggc Gly	ttt Phe	gtg Val	gca Ala	tcc Ser 225	ccc Pro	gac Asp	tac Tyr	gtt Val	787
gtg Val 230	acc Thr	aac Asn	gcc Ala	cac His	gtt Val 235	gtt Val	gca Ala	ggt Gly	acc Thr	tcc Ser 240	acc Thr	gtc Val	agc Ser	ctg Leu	gat Asp 245	835
acc Thr	atg Met	atc Ile	gga Gly	acc Thr 250	cgc Arg	tcc Ser	gca Ala	gag Glu	gta Val 255	gtg Val	ttc Phe	tac Tyr	gac Asp	ccg Pro 260	aac Asn	883
ctg Leu	gac Asp	atc Ile	gca Ala 265	gtc Val	ctt Leu	tac Tyr	agc Ser	cct Pro 270	gac Asp	ctc Leu	ggc Gly	ttg Leu	gat Asp 275	cca Pro	ctg Leu	931
					ccg Pro											979
gga Gly	ttc Phe 295	cca Pro	cag Gln	tcc Ser	gga Gly	cct Pro 300	ttc Phe	aac Asn	gcc Ala	tcc Ser	cca Pro 305	gcc Ala	agg Arg	gtc Val	cgc Arg	1027
gaa Glu 310	cgc Arg	atc Ile	atg Met	atc Ile	acc Thr 315	ggc Gly	agc Ser	aac Asn	att Ile	tac Tyr 320	gcc Ala	aac Asn	ggc Gly	cag Gln	cac His 325	1075
gaa Glu	cgc Arg	gaa Glu	gcc Ala	tat Tyr 330	tca Ser	gtc Val	cgc Arg	gga Gly	tcc Ser 335	atc Ile	caa Gln	tct Ser	gga Gly	aac Asn 340	tcc Ser	1123
ggc Gly	ggc Gly	cca Pro	atg Met 345	acc Thr	aac Asn	gaa Glu	atg Met	ggt Gly 350	gaa Glu	gtg Val	gtt Val	ggt Gly	gtt Val 355	gtc Val	ttc Phe	1171
ggc Gly	gca Ala	gcg Ala 360	atc Ile	gac Asp	ggc Gly	tcc Ser	gat Asp 365	acc Thr	ggt Gly	tac Tyr	gtt Val	ctc Leu 370	act Thr	gcc Ala	gaa Glu	1219
gag Glu	gta Val 375	cag Gln	gag Glu	cgg Arg	atc Ile	ggc Gly 380	Asp	atc Ile	acc Thr	gcg Ala	ctg Leu 385	act Thr	cag Gln	cct Pro	gtc Val	1267
gat Asp 390	acg Thr	atg Met	cag Gln	tgc Cys	gcg Ala 395	gtt Val	tct Ser	tagt	cgt	gg g	gagct	agga	ac ca	ag		1314

<210> 60 <211> 397 <212> PRT

<213> Corynebacterium glutamicum

<400> 60

Leu Ser Pro Ser Leu Val Val Asp Ala Val Ile Val Leu Val Met Ala 1 5 10 15

Phe Ala Leu Trp Gly Gly Trp Arg Gln Gly Ala Phe Thr Ser Leu Leu 20 25 30

Ser Thr Val Gly Val Val Ser Gly Leu Val Val Gly Ala Ala Ala Ala 35 40 45

Pro Phe Val Met Gly Leu Thr Asp Ser Thr Ala Leu Arg Phe Leu Leu 50 55 60

Ala Ile Gly Thr Val Val Leu Leu Val Gly Leu Gly Asn Leu Ile Gly 65 70 75 80

Ala His Leu Gly Ala Ala Ile Arg Asp Asn Ile Lys Phe Arg Ser Ser 85 90 95

Arg Thr Leu Asp Ser Gly Leu Gly Ala Ile Phe Gln Val Leu Ala Thr 100 105 110

Leu Ile Val Val Trp Leu Val Ala Ile Pro Leu Ala Thr Gly Leu Pro 115 120 125

Gly Thr Val Ala Ser Gly Ile Arg Asp Ser Arg Ile Leu Gly Phe Val 130 135 140

Asp Lys Tyr Thr Pro Gln Gly Leu Asp Thr Leu Pro Ser Lys Ile Ala 145 150 155 160

Ala Met Leu Ser Glu Ser Gly Leu Pro Pro Leu Ile Ser Pro Phe Thr 165 170 175

Gly Gly Ser Ser Val Glu Val Asp Ala Pro Glu Ile Asn Val Thr Asn 180 185 190

Val Asp Leu Val Glu Ala Met Arg Pro Ser Val Ile His Val Met Gly
195 200 205

Asp Ala Gln Glu Cys Ser Arg Arg Leu Met Gly Ser Gly Phe Val Ala 210 215 220

Ser Pro Asp Tyr Val Val Thr Asn Ala His Val Val Ala Gly Thr Ser 225 230 235 240

Thr Val Ser Leu Asp Thr Met Ile Gly Thr Arg Ser Ala Glu Val Val 245 250 255

Phe Tyr Asp Pro Asn Leu Asp Ile Ala Val Leu Tyr Ser Pro Asp Leu 260 265 270

Gly Leu Asp Pro Leu Pro Trp Ala Ser Thr Pro Leu Asp Thr Gly Asp 275 280 285

Glu Ala Ile Val Met Gly Phe Pro Gln Ser Gly Pro Phe Asn Ala Ser 290 295 300

Pro Ala Arg Val Arg Glu Arg Ile Met Ile Thr Gly Ser Asn Ile Tyr

87

305 310 315 320 Ala Asn Gly Gln His Glu Arg Glu Ala Tyr Ser Val Arg Gly Ser Ile Gln Ser Gly Asn Ser Gly Gly Pro Met Thr Asn Glu Met Gly Glu Val 345 Val Gly Val Val Phe Gly Ala Ala Ile Asp Gly Ser Asp Thr Gly Tyr Val Leu Thr Ala Glu Glu Val Gln Glu Arg Ile Gly Asp Ile Thr Ala 370 Leu Thr Gln Pro Val Asp Thr Met Gln Cys Ala Val Ser 390 <210> 61 <211> 729 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(706) <223> RXA00566 <400> 61 cttgttgacc acgtgattac cttggctgaa ggcccaatca gcaactaggc gcacggaaaa 60 ctttaaagga gagaataaga ttatgagcag cggattccaa atg cca acg tcc cgt Met Pro Thr Ser Arg tac gtg ctg cct tcc ttc att gag cag tcc gca tac ggc acc aaa gag 163 Tyr Val Leu Pro Ser Phe Ile Glu Gln Ser Ala Tyr Gly Thr Lys Glu 10 ace aac eet tae gea aaa ete tit gaa gag ege ate ate tie etg gge 211 Thr Asn Pro Tyr Ala Lys Leu Phe Glu Glu Arg Ile Ile Phe Leu Gly 30 acc cag gtc gac gac acc tct gca aac gac atc atg gcg cag ctc ctt 259 Thr Gln Val Asp Asp Thr Ser Ala Asn Asp Ile Met Ala Gln Leu Leu 45 gtc ctc gaa ggc atg gac cca gac cgc gat atc acc ctg tac atc aac 307 Val Leu Glu Gly Met Asp Pro Asp Arg Asp Ile Thr Leu Tyr Ile Asn tca cct ggt gga tcc ttc acc gcg ttg atg gca att tac gac acc atg 355 Ser Pro Gly Gly Ser Phe Thr Ala Leu Met Ala Ile Tyr Asp Thr Met 75 cag tac gtc cgc cca gac gtt cag acc gtc tgc ctt ggt cag gca gca 403 Gln Tyr Val Arg Pro Asp Val Gln Thr Val Cys Leu Gly Gln Ala Ala tcc gca gcc gca gtt ctt ctt gca gcc ggt gca cca ggt aag cgc gct 451 Ser Ala Ala Ala Val Leu Leu Ala Ala Gly Ala Pro Gly Lys Arg Ala

105 110 115

gtt ctt cct aac tcc cgc gtg ctg atc cac cag cca gca acc cag ggc 499 Val Leu Pro Asn Ser Arg Val Leu Ile His Gln Pro Ala Thr Gln Gly 125 acc cag ggt cag gtt tct gac ctc gag atc cag gca gct gaa atc gag 547 Thr Gln Gly Gln Val Ser Asp Leu Glu Ile Gln Ala Ala Glu Ile Glu 140 cgc atg cgt cgt ttg atg gaa acc acc ttg gct gag cac acc ggc aag 595 Arg Met Arg Arg Leu Met Glu Thr Thr Leu Ala Glu His Thr Gly Lys 155 160 acc gcg gag cag atc cgc atc gat acc gac cgt gac aag atc ctc acc 643 Thr Ala Glu Gln Ile Arg Ile Asp Thr Asp Arg Asp Lys Ile Leu Thr 175 gct gag gaa gca ctc gag tat ggc atc gtt gac cag gtc ttc gat tac 691 Ala Glu Glu Ala Leu Glu Tyr Gly Ile Val Asp Gln Val Phe Asp Tyr

Ala Glu Glu Ala Leu Glu Tyr Gly Ile Val Asp Gln Val Phe Asp Tyr 185 190 195

cgc aag ctc aag cgc tagagttttt taaagattcg ggt 729 Arg Lys Leu Lys Arg 200

<210> 62

<211> 202

<212> PRT

<213> Corynebacterium glutamicum

<400> '62

Met Pro Thr Ser Arg Tyr Val Leu Pro Ser Phe Ile Glu Gln Ser Ala 1 5 10 15

Tyr Gly Thr Lys Glu Thr Asn Pro Tyr Ala Lys Leu Phe Glu Glu Arg
20 25 30

Ile Ile Phe Leu Gly Thr Gln Val Asp Asp Thr Ser Ala Asn Asp Ile 35 40 45

Met Ala Gln Leu Leu Val Leu Glu Gly Met Asp Pro Asp Arg Asp Ile 50 55 60

Thr Leu Tyr Ile Asn Ser Pro Gly Gly Ser Phe Thr Ala Leu Met Ala 65 70 75 80

Ile Tyr Asp Thr Met Gln Tyr Val Arg Pro Asp Val Gln Thr Val Cys
85 90 95

Leu Gly Gln Ala Ala Ser Ala Ala Ala Val Leu Leu Ala Ala Gly Ala 100 105 110

Pro Gly Lys Arg Ala Val Leu Pro Asn Ser Arg Val Leu Ile His Gln
115 120 125

Pro Ala Thr Gln Gly Thr Gln Gly Gln Val Ser Asp Leu Glu Ile Gln 130 135 140

Ala Ala Glu Ile Glu Arg Met Arg Arg Leu Met Glu Thr Thr Leu Ala

145 150 155 160 Glu His Thr Gly Lys Thr Ala Glu Gln Ile Arg Ile Asp Thr Asp Arg Asp Lys Ile Leu Thr Ala Glu Glu Ala Leu Glu Tyr Gly Ile Val Asp 185 Gln Val Phe Asp Tyr Arg Lys Leu Lys Arg <210> 63 <211> 714 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(691) <223> RXA00567 <400> 63 cgaacagagg cggtttcatg gaaataccgc cgggtagtct ggtgacattg aaccaaatga 60 acgtacccaa gatttaagaa tgtaggagtt gactgttttc atg agc gat att cgt Met Ser Asp Ile Arg atg gca gcc cag ggt ggg cct ggt ttc gga aat gac gtc ttt gat cgc 163 Met Ala Ala Gln Gly Gly Pro Gly Phe Gly Asn Asp Val Phe Asp Arg 10 15 ctc atg agt gag cgc atc att ttc ctg gga agc cag gta gac gat gag 211 Leu Met Ser Glu Arg Ile Ile Phe Leu Gly Ser Gln Val Asp Asp Glu att gca aac aag cta tgc gct cag atc ctg ctg tcc gct qaq qat 259 Ile Ala Asn Lys Leu Cys Ala Gln Ile Leu Leu Ser Ala Glu Asp 45 cca acc agg gac atc tcc ctg tac att aac tcc cca ggt ggc tcc gtc 307 Pro Thr Arg Asp Ile Ser Leu Tyr Ile Asn Ser Pro Gly Gly Ser Val acc gca ggc atg gca att tat gac acc atg aaa tac tcc cca tgc gac 355 Thr Ala Gly Met Ala Ile Tyr Asp Thr Met Lys Tyr Ser Pro Cys Asp atc gca acc tac ggc atg ggc ctg gca gca tcc atg ggc cag ttc ctg 403 Ile Ala Thr Tyr Gly Met Gly Leu Ala Ala Ser Met Gly Gln Phe Leu ctt too ggt ggc act aag ggc aag ogt tto gca ttg coa cac gca ogt 451 Leu Ser Gly Gly Thr Lys Gly Lys Arg Phe Ala Leu Pro His Ala Arg 105 110 atc atg atg cac cag cct tcc gct ggt gtt ggt acc gca gct qat 499

Ile Met Met His Gln Pro Ser Ala Gly Val Gly Gly Thr Ala Ala Asp 120 125 130

																,
				gct Ala												547
				gag Glu				-				_			_	595
				gac Asp 170												643
				cac His												691
tagg	jegea	acg (gaaaa	actt	a aa	ag										714
<211 <212)> 64 1> 19 2> PE 3> Co	97 RT	ebact	ceri	ım gl	lutan	nicur	n						٠.		
)> 64 Ser	_	Ile	Arg 5	Met	Ala	Ala	Gln	Gly 10	Gly	Pro	Gly	Phe	Gly 15	Asn	
Asp	Val	Phe	Asp 20	Arg	Leu	Met	Ser	Glu 25	Arg	Ile	Ile	Phe	Leu 30	Gly	Ser	
Gln	Val	Asp 35	Asp	Glu	Ile	Ala	Asn 40	Lys	Leu	Cys	Ala	Gln 45	Ile	Leu	Leu	
Leu	Ser 50	Ala	Glu	Asp	Pro	Thr 55	Arg	Asp	Ile	Ser	Leu 60	Tyr	Ile	Asn	Ser	
Pro 65	Gly	Gly	Ser	Val	Thr 70	Ala	Gly	Met	Ala	Ile 75	Tyr	Asp	Thr	Met	Lys 80	
Tyr	Ser	Pro	Cys	Asp 85	Ile	Ala	Thr	Tyr	Gly 90	Met	Gly	Leu	Ala	Ala 95	Ser	
Met	Gly	Gln	Phe 100	Leu	Leu	Ser	Gly	Gly 105	Thr	Lys	Gly	Lys	Arg 110	Phe	Ala	
Leu	Pro	His 115	Ala	Arg	Ile	Met	Met 120	His	Gln	Pro	Ser	Ala 125	Gly	Val	Gly	
Gly	Thr 130	Ala	Ala	Asp	Ile	Ala 135	Ile	Gln	Ala	Glu	Gln 140	Phe	Ala	Ala	Thr	
Lys 145	Arg	Glu	Met	Ala	Gln 150	Leu	Ile	Ala	Glu	His 155	Thr	Gly	Gln	Thr	Phe 160	
Glu	Gln	Ile	Ser	Lys 165	Asp	Ser	Asp	Arg	Asp 170	Arg	Trp	Phe	Thr	Ala 175	Glņ	•
Glu	Ala	Lys ·	Asp 180	Tyr	Gly	Leu	Val	Asp 185	His	Val	Ile	Thr	Leu 190	Ala	Glu	

Gly Pro Ile Ser Asn 195

<210> 65 <211> 1875 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1852) <223> RXN03094 <400> 65 atagatatta gagagttaaa taatggcgct tgacctgcag gaaattgaga tcaacactga 60 ttgtgtaggt tggcgcccaa caaagaaagg gcgttgaaag atg agt tca ttc aat Met Ser Ser Phe Asn cca act acc aaa acc aat gaa gcc atg cag gct gct ctt cag cag gca 163 Pro Thr Thr Lys Thr Asn Glu Ala Met Gln Ala Ala Leu Gln Gln Ala 10 tee teg get gge aac eet gat att egt eea get eac etg ttg get gee 211 Ser Ser Ala Gly Asn Pro Asp Ile Arg Pro Ala His Leu Leu Ala Ala 30 atc ttg gag caa act gat ggc gta gca gcg cca gtc ctc atg gct act Ile Leu Glu Gln Thr Asp Gly Val Ala Ala Pro Val Leu Met Ala Thr ggt gtg gat cct aag gag atc ctc gca gag gcc aag aag ttg gtt gct 307 Gly Val Asp Pro Lys Glu Ile Leu Ala Glu Ala Lys Lys Leu Val Ala 60 tot tac coc aag got tot ggo goo aat atg got aat coa aac tto aac 355 Ser Tyr Pro Lys Ala Ser Gly Ala Asn Met Ala Asn Pro Asn Phe Asn 80 cgg gat gcc ctc aat gcg ttc act gca gct cag gag ctt gcc ggt gag 403 Arg Asp Ala Leu Asn Ala Phe Thr Ala Ala Gln Glu Leu Ala Gly Glu 90 ttg ggc gat gag tac gtc tca acc gaa gta ctt ctt gcc ggt atc gct 451 Leu Gly Asp Glu Tyr Val Ser Thr Glu Val Leu Leu Ala Gly Ile Ala 105 110 cgc gga aag tot gat gct gcg gat ctg ttg acc aac aag ggt gca acc 499 Arg Gly Lys Ser Asp Ala Ala Asp Leu Leu Thr Asn Lys Gly Ala Thr 125 tat gac gcc atc aaa gag gct ttc cct tcg gtt cgt gga tct cag cgt 547 Tyr Asp Ala Ile Lys Glu Ala Phe Pro Ser Val Arg Gly Ser Gln Arg 140 gtc acc act cag gat cca gag gga cag ttc cag gct ttg gaa aag tac 595 Val Thr Thr Gln Asp Pro Glu Gly Gln Phe Gln Ala Leu Glu Lys Tyr 160

tco Ser	act	t gad r Asp	ctç Lev	g aco 1 Thi 170	: Lys	g ctt Leu	get Ala	cgt Arc	gaa g Glu 175	ı Gly	aag / Lys	att Ile	gat Asp	cct Pro 180	gtt Val	643
att Ile	ggo Gly	cgt / Arg	gac Asp 185	GIL	gaa Glu	att Ile	cgt Arg	cgc Arg 190	Val	gtt Val	cag Gln	gtg Val	ctt Leu 195	Ser	cgt Arg	691
cgt Arg	acc Thr	aag Lys 200	Asn	aac Asn	Pro	gtt Val	ctg Leu 205	lle	ggt	gag Glu	cca Pro	ggt Gly 210	Val	ggt Gly	aaa Lys	739
acc Thr	gcc Ala 215	TTE	gtg Val	gaa Glu	ggc Gly	ctt Leu 220	Ala	cgc Arg	cgc Arg	atc Ile	gtt Val 225	gct Ala	ggt Gly	gac Asp	gtt Val	787
cca Pro 230	gaa Glu	tcc Ser	ctc Leu	aag Lys	ggc Gly 235	aaa Lys	act Thr	ctg Leu	atc Ile	agt Ser 240	ctt Leu	gat Asp	ctt Leu	ggt Gly	tcc Ser 245	835
atg Met	gtt Val	gcc Ala	ggc Gly	gct Ala 250	aag Lys	tat Tyr	cgc Arg	ggt Gly	gaa Glu 255	ttc Phe	gag Glu	gag Glu	cga Arg	ctg Leu 260	aag Lys	883
gct Ala	gtt Val	ctg Leu	gat Asp 265	gag Glu	atc Ile	aag Lys	gga Gly	gct Ala 270	aac Asn	ggc Gly	gaa Glu	gtc Val	gtt Val 275	acc Thr	ttc Phe	931
atc Ile	gat Asp	gag Glu 280	ctg Leu	cac His	acc Thr	atc Ile	gtc Val 285	ggc Gly	gct Ala	ggt Gly	gct Ala	tcg Ser 290	ggt Gly	gaa Glu	tcc Ser	979
gcc Ala	atg Met 295	gat Asp	gcc Ala	gga Gly	aac Asn	atg Met 300	att Ile	aag Lys	cca Pro	ctg Leu	ctt Leu 305	gcc Ala	cgc Arg	ggt Gly	gag Glu	1027
ctg Leu 310	cgc Arg	ttg Leu	gtt Val	ggt Gly	gcc Ala 315	acc Thr	acg Thr	ctg Leu	aat Asn	gag Glu 320	tac Tyr	cgc Arg	aag Lys	tac Tyr	atc Ile 325	1075
gaa Glu	aag Lys	gac Asp	gct Ala	gcc Ala 330	ctg Leu	Glu	Arg	agg Arg	Phe	Gln	cag Gln	gtt Val	tat Tyr	gtc Val 340	Gly	1123
gag Glu	cca Pro	acg Thr	gta Val 345	gaa Glu	gat Asp	gcc Ala	atc Ile	ggt Gly 350	att Ile	ctt Leu	cgt Arg	gga Gly	ttg Leu 355	aag Lys	gaa Glu	1171
cgc Arg (tac Tyr	gag Glu 360	gtc Val	cat His	cac His	ggt Gly	gtc Val 365	cgc Arg	atc Ile	cag Gln	gac Asp	tcc Ser 370	gca Ala	ctg Leu	gtc Val	1219
gcc (Ala /	gca Ala 375	gct Ala	gaa Glu	ctc Leu	Ser	aac Asn 380	cgc Arg	tat Tyr	atc Ile	acc Thr	agc Ser 385	cgt Arg	ttc Phe	ctt Leu	cct Pro	1267
gat a Asp I 390	aag Lys	gct Ala	att i	Asp	tta Leu 395	gtt Val	gat Asp	gag Glu	Ala	gca Ala 400	tca Ser	cgc Arg	ctg Leu	cgc Arg	atg Met 405	1315
gag a	att	gat	tct	tca	cct	cag	gaa	atc	gat	gag	ctg	gag	cgt	atc	gtc	1363

Glu Ile As	sp Ser Ser Pro 410	Gln Glu Ile	Asp Glu Leu Gl 415	u Arg Ile Val 420	
			ctg tcc aag ga Leu Ser Lys Gl		411
	's Glu Arg Leu		cgc tcg gaa ct Arg Ser Glu Le 45	u Ala Asp Glu	459
			cgt tgg cag aa Arg Trp Gln As 465	3 2	507
-			gaa gag ctg ga Glu Glu Leu Gl 480		555
			ggc aat tat tg Gly Asn Tyr Cy 495	, ,	603
			ctg gaa aag ca Leu Glu Lys Gl		651
	r Lys Val Glu		aat gcc atg ct Asn Ala Met Le 53	u Thr Glu Glu	699
gtc acg cc Val Thr Pr 535	a gac acg atc o Asp Thr Ile	gcc gat gtg Ala Asp Val 540	gtt tcc gca tg Val Ser Ala Tr 545	g acg ggc att 1' p Thr Gly Ile	747
			acc gag aag ct Thr Glu Lys Le 560	2	795
			ggt cag cta ga Gly Gln Leu Gl 575		843
tgc agt gt Cys Ser Va	c tgacgcggtg l	cgtcgttcac go	eg	,1	875

<210> 66

<211> 584

<212> PRT

<213> Corynebacterium glutamicum

<400> 66

Met Ser Ser Phe Asn Pro Thr Thr Lys Thr Asn Glu Ala Met Gln Ala 1 5 10 15

Ala Leu Gl
n Gl
n Ala Ser Ser Ala Gly As
n Pro Asp Ile Arg Pro Ala 20 . 25 . 30

His Leu Leu Ala Ala Ile Leu Glu Gln Thr Asp Gly Val Ala Ala Pro

94

35 40 45

Val Leu Met Ala Thr Gly Val Asp Pro Lys Glu Ile Leu Ala Glu Ala 50 55 60

Lys Lys Leu Val Ala Ser Tyr Pro Lys Ala Ser Gly Ala Asn Met Ala 65 70 75 80

Asn Pro Asn Phe Asn Arg Asp Ala Leu Asn Ala Phe Thr Ala Ala Gln 85 90 95

Glu Leu Ala Gly Glu Leu Gly Asp Glu Tyr Val Ser Thr Glu Val Leu 100 105 110

Leu Ala Gly Ile Ala Arg Gly Lys Ser Asp Ala Ala Asp Leu Leu Thr 115 120 125

Asn Lys Gly Ala Thr Tyr Asp Ala Ile Lys Glu Ala Phe Pro Ser Val 130 135 140

Arg Gly Ser Gln Arg Val Thr Thr Gln Asp Pro Glu Gly Gln Phe Gln 145 150 155 160

Ala Leu Glu Lys Tyr Ser Thr Asp Leu Thr Lys Leu Ala Arg Glu Gly 165 170 175

Lys Ile Asp Pro Val Ile Gly Arg Asp Gln Glu Ile Arg Arg Val Val 180 185 190

Gln Val Leu Ser Arg Arg Thr Lys Asn Asn Pro Val Leu Ile Gly Glu 195 200 205

Pro Gly Val Gly Lys Thr Ala Ile Val Glu Gly Leu Ala Arg Arg Ile 210 215 220

Val Ala Gly Asp Val Pro Glu Ser Leu Lys Gly Lys Thr Leu Ile Ser 225 230 235 240

Leu Asp Leu Gly Ser Met Val Ala Gly Ala Lys Tyr Arg Gly Glu Phe 245 250 255

Glu Glu Arg Leu Lys Ala Val Leu Asp Glu Ile Lys Gly Ala Asn Gly 260 265 270

Glu Val Val Thr Phe Ile Asp Glu Leu His Thr Ile Val Gly Ala Gly 275 280 285

Ala Ser Gly Glu Ser Ala Met Asp Ala Gly Asn Met Ile Lys Pro Leu 290 295 300

Leu Ala Arg Gly Glu Leu Arg Leu Val Gly Ala Thr Thr Leu Asn Glu 305 310 315 320

Tyr Arg Lys Tyr Ile Glu Lys Asp Ala Ala Leu Glu Arg Arg Phe Gln 325 330 335

Gln Val Tyr Val Gly Glu Pro Thr Val Glu Asp Ala Ile Gly Ile Leu 340 345 350

Arg Gly Leu Lys Glu Arg Tyr Glu Val His His Gly Val Arg Ile Gln 355 360 365

Asp Ser Ala Leu Val Ala Ala Ala Glu Leu Ser Asn Arg Tyr Ile Thr Ser Arg Phe Leu Pro Asp Lys Ala Ile Asp Leu Val Asp Glu Ala Ala Ser Arg Leu Arg Met Glu Ile Asp Ser Ser Pro Gln Glu Ile Asp Glu Leu Glu Arg Ile Val Arg Arg Leu Glu Ile Glu Glu Met Ala Leu Ser Lys Glu Ser Asp Ala Ala Ser Lys Glu Arg Leu Glu Lys Leu Arg Ser Glu Leu Ala Asp Glu Arg Glu Lys Leu Ser Glu Leu Lys Ala Arg Trp Gln Asn Glu Lys Thr Ala Ile Asp Asp Val Arg Glu Met Lys Glu Glu 470 Leu Glu Ala Leu Arg Ser Glu Ser Asp Ile Ala Lys Arg Asp Gly Asn 490 Tyr Cys Arg Val Ala Lys Leu Arg Tyr Gly Arg Ile Pro Glu Leu Glu Lys Gln Ile Glu Asp Ala Glu Ser Lys Val Glu Val Asn Glu Asn Ala 520 Met Leu Thr Glu Glu Val Thr Pro Asp Thr Ile Ala Asp Val Val Ser Ala Trp Thr Gly Ile Pro Ala Gly Lys Met Met Gln Gly Glu Thr Glu Lys Leu Leu Asn Met Glu Arg Val Leu Gly Asn Arg Val Val Gly Gln 565 570 Leu Glu Ser Gly Asn Cys Ser Val 580 <210> 67 <211> 1816 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1816) <223> FRXA01668 <400> 67 atagatatta gagagttaaa taatggcgct tgacctgcag gaaattgaga tcaacactga 60 ttgtgtaggt tggcgcccaa caaagaaagg gcgttgaaag atg agt tca ttc aat

Met Ser Ser Phe Asn

cca Pro	act Thr	acc Thr	aaa Lys	acc Thr 10	aat Asn	gaa Glu	gcc Ala	atg Met	cag Gln 15	gct Ala	gct Ala	ctt Leu	cag Gln	cag Gln 20	gca Ala	163
tcc Ser	tcg Ser	gct Ala	ggc Gly 25	aac Asn	cct Pro	gat Asp	att Ile	cgt Arg 30	cca Pro	gct Ala	cac His	ctg Leu	ttg Leu 35	gct Ala	gcc Ala	211
atc Ile	ttg Leu	gag Glu 40	caa Gln	act Thr	gat Asp	ggc Gly	gta Val 45	gca Ala	gcg Ala	cca Pro	gtc Val	ctc Leu 50	atg Met	gct Ala	act Thr	259
	gtg Val 55															307
tct Ser 70	tac Tyr	ccc Pro	aag Lys	gct Ala	tct Ser 75	ggc Gly	gcc Ala	aat Asn	atg Met	gct Ala 80	aat Asn	cca Pro	aac Asn	ttc Phe	aac Asn 85	355
	gat Asp															403
	ggc Gly															451
	gga Gly															499
	gac Asp 135															547
Val 150	acc Thr	Thr	Gln	Asp	Pro 155	Glu	Gly	Gln	Phe	Gln 160	Ala	Leu	Glu	Lys	Tyr 165	595
tcc Ser	act Thr	gac Asp	ctg Leu	acc Thr 170	aag Lys	Leu	Ala	cgt Arg	Glu	Gly	Lys	Ile	Asp	cct Pro 180	gtt Val	643
att Ile	ggc Gly	cgt Arg	gac Asp 185	cag Gln	gaa Glu	att Ile	cgt Arg	cgc Arg 190	gtc Val	gtt Val	cag Gln	gtg Val	ctt Leu 195	agc Ser	cgt Arg	691
cgt Arg	acc Thr	aag Lys 200	aac Asn	aac Asn	cct Pro	gtt Val	ctg Leu 205	atc Ile	ggt Gly	gag Glu	cca Pro	ggt Gly 210	gtc Val	ggt Gly	aaa Lys	739
acc Thr	gcc Ala 215	atc Ile	gtg Val	gaa Glu	ggc Gly	ctt Leu 220	gca Ala	cgc Arg	cgc Arg	atc Ile	gtt Val 225	gct Ala	ggt Gly	gac Asp	gtt Val	787
cca Pro 230	gaa Glu	tcc Ser	ctc Leu	aag Lys	ggc Gly 235	aaa Lys	act Thr	ctg Leu	atc Ile	agt Ser 240	ctt Leu	gat Asp	ctt Leu	ggt Gly	tcc Ser 245	835
atg	gtt	gcc	ggc	gct	aag	tat	cgc	ggt	gaa	ttc	gag	gag	cga	ctg	aag	883

Met	Val	Ala	Gly	Ala 250	Lys	Tyr	Arg	Gly	Glu 255	Phe	Glu	Glu	Arg	Leu 260	Lys	
	gtt Val	_	-			_		-			-	-	-			931
	gat Asp															979
	atg Met 295															1027
	cgc Arg															1075
	aag Lys	-	-	_	_		_			-	-	_		_		1123
	cca Pro															1171
	tac Tyr		_				_	-		-	_		-	_	_	1219
	gca Ala 375															1267
	aag Lys															1315
	att Ile															1363
cgc Arg	cgc Arg	ctc Leu	gag Glu 425	atc Ile	gaa Glu	gag Glu	atg Met	gcg Ala 430	ctg Leu	tcc Ser	aag Lys	gaa Glu	tcc Ser 435	gat Asp	gca Ala	1411
	tcc Ser															1459
	gaa Glu 455															1507
	att Ile															1555
tct Ser	gag Glu	tcg Ser	gat Asp	att Ile	gca Ala	aaa Lys	cgt Arg	gac Asp	ggc Gly	aat Asn	tat Tyr	tgt Cys	cgt Arg	gtc Val	gca Ala	1603

490 495 500

aag ctt cgc tac ggc cga atc cct gag ctg gaa aag cag atc gag gat 1651 Lys Leu Arg Tyr Gly Arg Ile Pro Glu Leu Glu Lys Gln Ile Glu Asp 505 510 515

gca gaa tcc aag gtc gag gtc aat gaa aat gcc atg ctc act gag gag 1699 Ala Glu Ser Lys Val Glu Val Asn Glu Asn Ala Met Leu Thr Glu Glu 520 525 530

gtc acg cca gac acg atc gcc gat gtg gtt tcc gca tgg acg ggc att 1747 Val Thr Pro Asp Thr Ile Ala Asp Val Val Ser Ala Trp Thr Gly Ile 535 540 545

cct gca ggc aag atg atg cag ggt gag acc gag aag ctg ctc aac atg 1795 Pro Ala Gly Lys Met Met Gln Gly Glu Thr Glu Lys Leu Asn Met 550 565

gag cgc gtc ttg ggc aac ccg
1816
Glu Arg Val Leu Gly Asn Pro
570

<210> 68

<211> 572

<212> PRT

<213> Corynebacterium glutamicum

<400> 68

Met Ser Ser Phe Asn Pro Thr Thr Lys Thr Asn Glu Ala Met Gln Ala $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Ala Leu Gln Gln Ala Ser Ser Ala Gly Asn Pro Asp Ile Arg Pro Ala
20 25 30

His Leu Leu Ala Ala Ile Leu Glu Gln Thr Asp Gly Val Ala Ala Pro 35 40 45

Val Leu Met Ala Thr Gly Val Asp Pro Lys Glu Ile Leu Ala Glu Ala 50 55 60

Lys Lys Leu Val Ala Ser Tyr Pro Lys Ala Ser Gly Ala Asn Met Ala 65 70 75 80

Asn Pro Asn Phe Asn Arg Asp Ala Leu Asn Ala Phe Thr Ala Ala Gln 85 90

Glu Leu Ala Gly Glu Leu Gly Asp Glu Tyr Val Ser Thr Glu Val Leu 100 105 110

Leu Ala Gly Ile Ala Arg Gly Lys Ser Asp Ala Ala Asp Leu Leu Thr 115 120 125

Asn Lys Gly Ala Thr Tyr Asp Ala Ile Lys Glu Ala Phe Pro Ser Val 130 135 140

Arg Gly Ser Gln Arg Val Thr Thr Gln Asp Pro Glu Gly Gln Phe Gln 145 150 155 160

Ala Leu Glu Lys Tyr Ser Thr Asp Leu Thr Lys Leu Ala Arg Glu Gly 165 170 175

Lys Ile Asp Pro Val Ile Gly Arg Asp Gln Glu Ile Arg Arg Val Val
180 185 190

Gln Val Leu Ser Arg Arg Thr Lys Asp Asp Pro Val Leu Ile Gly Glu

- Gln Val Leu Ser Arg Arg Thr Lys Asn Asn Pro Val Leu Ile Gly Glu 195 200 205
- Pro Gly Val Gly Lys Thr Ala Ile Val Glu Gly Leu Ala Arg Arg Ile 210 215 220
- Val Ala Gly Asp Val Pro Glu Ser Leu Lys Gly Lys Thr Leu Ile Ser 225 . 230 235 240
- Leu Asp Leu Gly Ser Met Val Ala Gly Ala Lys Tyr Arg Gly Glu Phe 245 250 255
- Glu Glu Arg Leu Lys Ala Val Leu Asp Glu Ile Lys Gly Ala Asn Gly 260 265 270
- Glu Val Val Thr Phe Ile Asp Glu Leu His Thr Ile Val Gly Ala Gly 275 280 285
- Ala Ser Gly Glu Ser Ala Met Asp Ala Gly Asn Met Ile Lys Pro Leu 290 295 300
- Leu Ala Arg Gly Glu Leu Arg Leu Val Gly Ala Thr Thr Leu Asn Glu 305 310 315 320
- Tyr Arg Lys Tyr Ile Glu Lys Asp Ala Ala Leu Glu Arg Arg Phe Gln 325 . 330 335
- Gln Val Tyr Val Gly Glu Pro Thr Val Glu Asp Ala Ile Gly Ile Leu 340 345 350
- . Arg Gly Leu Lys Glu Arg Tyr Glu Val His His Gly Val Arg Ile Gln 355 360 365
- Asp Ser Ala Leu Val Ala Ala Ala Glu Leu Ser Asn Arg Tyr Ile Thr 370 375 380
- Ser Arg Phe Leu Pro Asp Lys Ala Ile Asp Leu Val Asp Glu Ala Ala 385 390 395. 400
- Ser Arg Leu Arg Met Glu Ile Asp Ser Ser Pro Gln Glu Ile Asp Glu 405 410 415
- Leu Glu Arg Ile Val Arg Arg Leu Glu Ile Glu Glu Met Ala Leu Ser 420 425 430
- Lys Glu Ser Asp Ala Ala Ser Lys Glu Arg Leu Glu Lys Leu Arg Ser 435 440 445
- Glu Leu Ala Asp Glu Arg Glu Lys Leu Ser Glu Leu Lys Ala Arg Trp 450 455 460
- Gln Asn Glu Lys Thr Ala Ile Asp Asp Val Arg Glu Met Lys Glu Glu 465 470 475 480
- Leu Glu Ala Leu Arg Ser Glu Ser Asp Ile Ala Lys Arg Asp Gly Asn 485 490 495

Tyr Cys Arg Val Ala Lys Leu Arg Tyr Gly Arg Ile Pro Glu Leu Glu 500 505 510

Lys Gln Ile Glu Asp Ala Glu Ser Lys Val Glu Val Asn Glu Asn Ala 515 520 525

Met Leu Thr Glu Glu Val Thr Pro Asp Thr Ile Ala Asp Val Val Ser 530 535

Ala Trp Thr Gly Ile Pro Ala Gly Lys Met Met Gln Gly Glu Thr Glu 545 550 555 560

Lys Leu Asn Met Glu Arg Val Leu Gly Asn Pro 565 570

<210> 69

<211> 1401

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1378)

<223> RXN01120

<400> 69

acaggtaaag cgctaagatg gaacaaccca ttgccaatat tgttggttag agttgtacgc 60

agtaaatctt ttcaatcgtg gaagcgggtc tcacagtcta atg gca cgt atg cag 115
Met Ala Arg Met Gln

gaa agc gcc gat ctg ctc aaa tgt tcc ttc tgc gga aag agc caa aag $\,$ 163 Glu Ser Ala Asp Leu Leu Lys Cys Ser Phe Cys Gly Lys Ser Gln Lys $\,$ 10 $\,$ 15 $\,$ 20

cag gta aaa aaa ctc atc gcg ggt ggc gcc gta tat atc tgt gat gag 211 Gln Val Lys Lys Leu Ile Ala Gly Gly Ala Val Tyr Ile Cys Asp Glu 25

tgc att gag ctg tgc aac gag att att gaa gaa gaa ctc ggt caa gct 259 Cys Ile Glu Leu Cys Asn Glu Ile Ile Glu Glu Glu Leu Gly Gln Ala

caa cac gac gag cag gag cgc aac gag ctc ccc aag ccg tcg gag att 307 Gln His Asp Glu Gln Glu Arg Asn Glu Leu Pro Lys Pro Ser Glu Ile 55

tca gcc ttc ctt gat act tat gtc atc ggg cag gac cca gca aaa cgt 355 Ser Ala Phe Leu Asp Thr Tyr Val Ile Gly Gln Asp Pro Ala Lys Arg 70 75 80 85

atc ctg tcg gtt gcg gtg tac aac cat tac aag cgt ctc cgc gca tcg 403 Ile Leu Ser Val Ala Val Tyr Asn His Tyr Lys Arg Leu Arg Ala Ser

gaa acc atc ggt cgt cgc agg aat gac gag cct gaa acc gaa ctg gtt 451 Glu Thr Ile Gly Arg Arg Arg Asn Asp Glu Pro Glu Thr Glu Leu Val 105 110 115

aag Lys	tcc Ser	aat Asn 120	att Ile	ttg Leu	atg Met	ctc Leu	ggc Gly 125	ccc Pro	act Thr	ggc Gly	tcc Ser	ggc Gly 130	aag Lys	act Thr	ttc Phe	499
			act Thr													547
gat Asp 150	gcc Ala	acc Thr	tca Ser	ctg Leu	acc Thr 155	gag Glu	gct Ala	ggt Gly	tat Tyr	gtg Val 160	ggc Gly	gag Glu	gat Asp	gtg Val	gaa Glu 165	595
aac Asn	atc Ile	ttg ∵Leu	ctc Leu	aag Lys 170	ctg Leu	ctt Leu	cag Gln	gct Ala	gct Ala 175	gat Asp	ttt Phe	gat Asp	gtg Val	gaa Glu 180	cgt Arg	643
gca Ala	cag Gln	cgc Arg	ggc Gly 185	atc Ile	att Ile	tac Tyr	atc Ile	gat Asp 190	gaa Glu	gtg Val	gac Asp	aag Lys	att Ile 195	tcc Ser	cgc Arg	691
			aac Asn													739
cag Gln	cag Gln 215	gca Ala	ctg Leu	ctg Leu	aaa Lys	att Ile 220	ttg Leu	gaa Glu	ggc Gly	act Thr	gtc Val 225	gcc Ala	gca Ala	atc Ile	cca Pro	787
ccg Pro 230	cag Gln	gga Gly	gga Gly	cgc Arg	aag Lys 235	cac His	ccc Pro	aac Asn	cag Gln	gat Asp 240	ttc Phe	atc Ile	cag Gln	ctg Leu	gat Asp 245	835
acc Thr	acc Thr	aac Asn	att Ile	ttg Leu 250	ttc Phe	atc Ile	gtt Val	gct Ala	ggt Gly 255	gcg Ala	ttc Phe	tct Ser	ggt Gly	ctg Leu 260	gag Glu	883
aag Lys	gtc Val	atc Ile	gcg Ala 265	gac Asp	cgc Arg	aat Asn	ggc Gly	aag Lys 270	aaa Lys	ggc Gly	ttg Leu	ggc Gly	ttc Phe 275	ggt Gly	gtg Val	931
gag Glu	gtc Val	tct Ser 280	tcc Ser	aag Lys	aag Lys	gaa Glu	gaa Glu 285	gcc Ala	aac Asn	att Ile	gtg Val	gat Asp 290	atc Ile	ttc Phe	aag Lys	979
gat Asp	gtc Val 295	ctc Leu	cct Pro	gag Glu	gac Asp	ctg Leu 300	gtg Val	aag Lys	ttt Phe	ggt Gly	ctc Leu 305	atc Ile	cca Pro	gaa Glu	ttc Phe	1027
att Ile 310	ggg Gly	cgt Arg	ctg Leu	cca Pro	gtc Val 315	gtt Val	gcc Ala	acc Thr	gta Val	tcc Ser 320	aac Asn	ctg Leu	gat Asp	cag Gln	aaa Lys 325	1075
tct Ser	ctg Leu	gtc Val	aag Lys	gtt Val 330	ctc Leu	acg Thr	gag Glu	cct Pro	cgt Arg 335	aac Asn	tca Ser	ttg Leu	gtg Val	aag Lys 340	cag Gln	1123
tat Tyr	cga Arg	cgt Arg	ctg Leu 345	ttt Phe	gaa Glu	atg Met	gat Asp	gac Asp 350	gct Ala	gtg Val	ttg Leu	acc Thr	ttt Phe 355	act Thr	gat Asp	1171
gat	gct	ttg	gag	gag	atc	gct	aat	cag	gca	ctc	gag	cgc	aaa	act	ggc	1219

Asp Ala Leu Glu Glu Ile Ala Asn Gln Ala Leu Glu Arg Lys Thr Gly 360 365 gcc cgt ggc ctg cgc gcg atc atg gaa gag atc ctg gtt ccg atc atg 1267 Ala Arg Gly Leu Arg Ala Ile Met Glu Glu Ile Leu Val Pro Ile Met 380 tat gac ctc cca gac cgt aaa gac gtt ggc gaa gtc atc atc aac ggt 1315 Tyr Asp Leu Pro Asp Arg Lys Asp Val Gly Glu Val Ile Ile Asn Gly 395 400 gcc gtt gcc cgt ggc gaa gcc gaa cca gag atg ttg gaa gct gtc gca 1363 Ala Val Ala Arg Gly Glu Ala Glu Pro Glu Met Leu Glu Ala Val Ala 415 gaa gaa aag acc gcg tagttggcag gagttatcac cgg 1401 Glu Glu Lys Thr Ala 425

<210> 70

<211> 426

<212> PRT

<213> Corynebacterium glutamicum

<400> 70

Gly Lys Ser Gln Lys Gln Val Lys Lys Leu Ile Ala Gly Gly Ala Val 20 25 30

Tyr Ile Cys Asp Glu Cys Ile Glu Leu Cys Asn Glu Ile Ile Glu Glu 35 40 45

Glu Leu Gly Gln Ala Gln His Asp Glu Gln Glu Arg Asn Glu Leu Pro 50 55 60

Lys Pro Ser Glu Ile Ser Ala Phe Leu Asp Thr Tyr Val Ile Gly Gln 65 70 75 80

Asp Pro Ala Lys Arg Ile Leu Ser Val Ala Val Tyr Asn His Tyr Lys 85 90 95

Arg Leu Arg Ala Ser Glu Thr Ile Gly Arg Arg Arg Asn Asp Glu Pro 100 105 110

Glu Thr Glu Leu Val Lys Ser Asn Ile Leu Met Leu Gly Pro Thr Gly 115 120 125

Ser Gly.Lys Thr Phe Leu Ala Gln Thr Leu Ala Lys Leu Leu Asp Val 130 135 140

Pro Phe Ala Ile Ala Asp Ala Thr Ser Leu Thr Glu Ala Gly Tyr Val 145 150 155 160

Gly Glu Asp Val Glu Asn Ile Leu Leu Lys Leu Leu Gln Ala Ala Asp 165 170 175

Phe Asp Val Glu Arg Ala Gln Arg Gly Ile Ile Tyr Ile Asp Glu Val 180 185 190

Asp Lys Ile Ser Arg Lys Ser Glu Asn Pro Ser Ile Thr Arg Asp Val 195 200 205

- Ser Gly Glu Gly Val Gln Gln Ala Leu Leu Lys Ile Leu Glu Gly Thr 210 215 220
- Val Ala Ala Ile Pro Pro Gln Gly Gly Arg Lys His Pro Asn Gln Asp 225 230 235 240
- Phe Ile Gln Leu Asp Thr Thr Asn Ile Leu Phe Ile Val Ala Gly Ala 245 250 255
- Phe Ser Gly Leu Glu Lys Val Ile Ala Asp Arg Asn Gly Lys Lys Gly 260 265 270
- Leu Gly Phe Gly Val Glu Val Ser Ser Lys Lys Glu Glu Ala Asn Ile 275 280 285
- Val Asp Ile Phe Lys Asp Val Leu Pro Glu Asp Leu Val Lys Phe Gly 290 295 300
- Leu Ile Pro Glu Phe Ile Gly Arg Leu Pro Val Val Ala Thr Val Ser 305 310 315 320
- Asn Leu Asp Gln Lys Ser Leu Val Lys Val Leu Thr Glu Pro Arg Asn 325 330 335
- Ser Leu Val Lys Gln Tyr Arg Arg Leu Phe Glu Met Asp Asp Ala Val 340 345 350
- Leu Thr Phe Thr Asp Asp Ala Leu Glu Glu Ile Ala Asn Gln Ala Leu 355 360 365
- Glu Arg Lys Thr Gly Ala Arg Gly Leu Arg Ala Ile Met Glu Glu Ile 370 375 380
- Leu Val Pro Ile Met Tyr Asp Leu Pro Asp Arg Lys Asp Val Gly Glu 385 390 395
- Val Ile Ile Asn Gly Ala Val Ala Arg Gly Glu Ala Glu Pro Glu Met
 405 410 415
- Leu Glu Ala Val Ala Glu Glu Lys Thr Ala 420 425
- <210> 71
- <211> 1401
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(1378)
- <223> FRXA01120
- <400> 71
- acaggtaaag cgctaagatg gaacaaccca ttgccaatat tgttggttag agttgtacgc 60
- agtaaatett tteaategtg gaagegggte teacagteta atg gea egt atg eag . 115

Met Ala Arg Met Gln gaa agc gcc gat ctg ctc aaa tgt tcc ttc tgc gga aag agc caa aag 163 Glu Ser Ala Asp Leu Leu Lys Cys Ser Phe Cys Gly Lys Ser Gln Lys cag gta aaa aaa ctc atc gcg ggt ggc gcc gta tat atc tgt gat gag 211 Gln Val Lys Lys Leu Ile Ala Gly Gly Ala Val Tyr Ile Cys Asp Glu tgc att gag ctg tgc aac gag att att gaa gaa gaa ctc ggt caa gct 259 Cys Ile Glu Leu Cys Asn Glu Ile Ile Glu Glu Glu Leu Gly Gln Ala caa cac gac gag cag gag cgc aac gag ctc ccc aag ccg tcg gag att 307 Gln His Asp Glu Gln Glu Arg Asn Glu Leu Pro Lys Pro Ser Glu Ile tca gcc ttc ctt gat act tat gtc atc ggg cag gac cca gca aaa cgt 355 Ser Ala Phe Leu Asp Thr Tyr Val Ile Gly Gln Asp Pro Ala Lys Arg 75 atc ctg tcg gtt gcg gtg tac aac cat tac aag cgt ctc cgc gca tcg 403 Ile Leu Ser Val Ala Val Tyr Asn His Tyr Lys Arg Leu Arg Ala Ser gaa acc atc ggt cgt cgc agg aat gac gag cct gaa acc gaa ctg gtt 451 Glu Thr Ile Gly Arg Arg Arg Asn Asp Glu Pro Glu Thr Glu Leu Val 105 110 aag too aat att ttg atg oto ggo coo act ggo too ggo aag act tto Lys Ser Asn Ile Leu Met Leu Gly Pro Thr Gly Ser Gly Lys Thr Phe 125 ctt gcc cag act ttg gca aag ctg ctg gat gtt cct ttt gct atc gcg 547 Leu Ala Gln Thr Leu Ala Lys Leu Leu Asp Val Pro Phe Ala Ile Ala gat gcc acc tca ctg acc gag gct ggt tat gtg ggc gag gat gtg gaa Asp Ala Thr Ser Leu Thr Glu Ala Gly Tyr Val Gly Glu Asp Val Glu 155 aac atc ttg ctc aag ctg ctt cag gct gct gat ttt gat gtg gaa cgt 643 Asn Ile Leu Leu Lys Leu Cln Ala Ala Asp Phe Asp Val Glu Arg 170 175 gca cag cgc ggc atc att tac atc gat gaa gtg gac aag att tcc cgc 691 Ala Gln Arg Gly Ile Ile Tyr Ile Asp Glu Val Asp Lys Ile Ser Arg 185 190 aag tot gaa aac oca tog ato act ogo gat gtt too ggt gaa ggo gtg 739 Lys Ser Glu Asn Pro Ser Ile Thr Arg Asp Val Ser Gly Glu Gly Val 200 cag cag gca ctg ctg aaa att ttg gaa ggc act gtc gcc gca atc cca Gln Gln Ala Leu Leu Lys Ile Leu Glu Gly Thr Val Ala Ala Ile Pro 215 ccg cag gga gga cgc aag cac ccc aac cag gat ttc atc cag ctg gat Pro Gln Gly Gly Arg Lys His Pro Asn Gln Asp Phe Ile Gln Leu Asp

	wo (01/008	42												PCT/	IB00/00911
230					235					240					245	
acc Thr	acc Thr	aac Asn	att Ile	ttg Leu 250	ttc Phe	atc Ile	gtt Val	gct Ala	ggt Gly 255	gcg Ala	ttc Phe	tct Ser	ggt Gly	ctg Leu 260	gag Glu	883
						aat Asn										931
						gaa Glu										979
gat Asp	gtc Val 295	ctc Leu	cct Pro	gag Glu	gac Asp	ctg Leu 300	gtg Val	aag Lys	ttt Phe	ggt Gly	ctc Leu 305	atc Ile	cca Pro	gaa Glu	ttc Phe	1027
att Ile 310	G] y ggg	cgt Arg	ctg Leu	cca Pro	gtc Val 315	gtt Val	gcc Ala	acc Thr	gta Val	tcc Ser 320	aac Asn	ctg Leu	gat Asp	cag Gln	aaa Lys 325	1075
tct Ser	ctg Leu	gtc Val	aag Lys	gtt Val 330	ctc Leu	acg Thr	gag Glu	cct Pro	cgt Arg 335	aac Asn	tca Ser	ttg Leu	gtg Val	aag Lys 340	cag Gln	1123
						atg Met										1171
						gct Ala										1219
						atc Ile 380										1267
tat Tyr	Asp	ctc Leu	Pro	Asp	Arg	aaa Lys	Asp	Val	Gly	gaa Glu	Val	atc Ile	atc Ile	aac Asn	ggt Gly	1315

<210> 72 <211> 426 <212> PRT <213> Corynebacterium glutamicum <400> 72

425

Glu Glu Lys Thr Ala

410

gaa gaa aag acc gcg tagttggcag gagttatcac cgg

Met Ala Arg Met Gln Glu Ser Ala Asp Leu Leu Lys Cys Ser Phe Cys

1 5 10 15

gcc gtt gcc cgt ggc gaa gcc gaa cca gag atg ttg gaa gct gtc gca

Ala Val Ala Arg Gly Glu Ala Glu Pro Glu Met Leu Glu Ala Val Ala

415

1363

1401

Gly Lys Ser Gln Lys Gln Val Lys Lys Leu Ile Ala Gly Gly Ala Val

20 25 30

PCT/IB00/00911

Tyr Ile Cys Asp Glu Cys Ile Glu Leu Cys Asn Glu Ile Ile Glu Glu 35 40 45

- Glu Leu Gly Gln Ala Gln His Asp Glu Gln Glu Arg Asn Glu Leu Pro 50 55 60
- Lys Pro Ser Glu Ile Ser Ala Phe Leu Asp Thr Tyr Val Ile Gly Gln 65 70 75 80
- Asp Pro Ala Lys Arg Ile Leu Ser Val Ala Val Tyr Asn His Tyr Lys
 85 90 95
- Arg Leu Arg Ala Ser Glu Thr Ile Gly Arg Arg Arg Asn Asp Glu Pro 100 105 110
- Glu Thr Glu Leu Val Lys Ser Asn Ile Leu Met Leu Gly Pro Thr Gly 115 120 125
- Ser Gly Lys Thr Phe Leu Ala Gln Thr Leu Ala Lys Leu Leu Asp Val 130 135 140
- Gly Glu Asp Val Glu Asn Ile Leu Leu Lys Leu Leu Gln Ala Ala Asp 165 170 175
- Phe Asp Val Glu Arg Ala Gln Arg Gly Ile Ile Tyr Ile Asp Glu Val 180 185 190
- Asp Lys Ile Ser Arg Lys Ser Glu Asn Pro Ser Ile Thr Arg Asp Val
- Ser Gly Glu Gly Val Gln Gln Ala Leu Leu Lys Ile Leu Glu Gly Thr 210 215 220
- Val Ala Ala Ile Pro Pro Gln Gly Gly Arg Lys His Pro Asn Gln Asp 225 230 235 240
- Phe Ile Gln Leu Asp Thr Thr Asn Ile Leu Phe Ile Val Ala Gly Ala 245 250 255
- Phe Ser Gly Leu Glu Lys Val Ile Ala Asp Arg Asn Gly Lys Lys Gly 260 265 270
- Leu Gly Phe Gly Val Glu Val Ser Ser Lys Lys Glu Glu Ala Asn Ile 275 280 285
- Val Asp Ile Phe Lys Asp Val Leu Pro Glu Asp Leu Val Lys Phe Gly 290 295 300
- Leu Ile Pro Glu Phe Ile Gly Arg Leu Pro Val Val Ala Thr Val Ser 310 315 315
- Asn Leu Asp Gln Lys Ser Leu Val Lys Val Leu Thr Glu Pro Arg Asn 325 330 335
- Ser Leu Val Lys Gln Tyr Arg Arg Leu Phe Glu Met Asp Asp Ala Val 340 345 350

Leu Thr Phe Thr Asp Asp Ala Leu Glu Glu Ile Ala Asn Gln Ala Leu Glu Arg Lys Thr Gly Ala Arg Gly Leu Arg Ala Ile Met Glu Glu Ile Leu Val Pro Ile Met Tyr Asp Leu Pro Asp Arg Lys Asp Val Gly Glu 390 395 Val Ile Ile Asn Gly Ala Val Ala Arg Gly Glu Ala Glu Pro Glu Met Leu Glu Ala Val Ala Glu Glu Lys Thr Ala 420 <210> 73 <211> 1065 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1042) <223> RXA00744 <400> 73 tctgagtcgg tagaagtatt acccagtgac ttaagtttct tagattttt tgagcaacag 60 cgaccagcca cgttagtgtg gtcgagtaga ggatagctac atg ggg aac tgg gca Met Gly Asn Trp Ala gag att act gat gaa att tct aag att tac caa gat aat cag tac aag 163 Glu Ile Thr Asp Glu Ile Ser Lys Ile Tyr Gln Asp Asn Gln Tyr Lys 10 att aga caa ata aat gat gtt gac gca gta agc gat aaa cgt aga gaa 211 Ile Arg Gln Ile Asn Asp Val Asp Ala Val Ser Asp Lys Arg Arg Glu gcg cta caa gca ctg ttt gaa cat act ggt cga aat gta atc gtc tat 259 Ala Leu Gln Ala Leu Phe Glu His Thr Gly Arg Asn Val Ile Val Tyr tat tca gcg tgg tta gaa aat ggt cga cqa ttt tcc ggg caa tct acg 307 Tyr Ser Ala Trp Leu Glu Asn Gly Arg Arg Phe Ser Gly Gln Ser Thr gat ttt tcg gta aat gat act gat aaa aac agt ttt atg act gcg ctc 355 Asp Phe Ser Val Asn Asp Thr Asp Lys Asn Ser Phe Met Thr Ala Leu cat aag ttg gat cag agt aaa ggt ctc gat ctt atc ctc cac act ccg 403 His Lys Leu Asp Gln Ser Lys Gly Leu Asp Leu Ile Leu His Thr Pro ggt gga gat gtt gct gcg aca gag tcg tta gta gat tac att cac gca 451 Gly Gly Asp Val Ala Ala Thr Glu Ser Leu Val Asp Tyr Ile His Ala 105 110

cto Leu	ttt Phe	ggt Gly 120	GIn	gat Asp	ttc Phe	aga Arg	gtc Val 125	Ile	gto Val	ccc Pro	caa Gln	ctc Leu 130	Ala	atg Met	tca Ser	499
gca Ala	gga Gly 135	Inr	atg Met	atc Ile	gca Ala	ctt Leu 140	tcg Ser	tcc Ser	aaa Lys	gag Glu	att Ile 145	gtt Val	atg Met	ggg Gly	aag Lys	547
cat His 150	ser	agt Ser	ctt Leu	ggc Gly	ccc Pro 155	att Ile	gat Asp	cct Pro	cag Gln	ttt Phe 160	aac Asn	Gly	cta Leu	ccg Pro	gca Ala 165	595
cac His	ggg Gly	tta Leu	ttg Leu	gaa Glu 170	gaa Glu	ttt Phe	gag Glu	caa Gln	gcg Ala 175	aag Lys	aaa Lys	gag Glu	gtc Val	tct Ser 180	gag Glu	643
aat Asn	ccg Pro	cag Gln	act Thr 185	gct Ala	cat His	ata Ile	tgg Trp	cag Gln 190	gtg Val	atc Ile	ttg Leu	aat Asn	aaa Lys 195	tac .Tyr	aac Asn	691
ccc Pro	acg Thr	atg Met 200	ttg Leu	ggt Gly	gaa Glu	gct Ala	aaa Lys 205	aaa Lys	gct Ala	att Ile	cag Gln	tgg Trp 210	tcc Ser	aac Asn	tcg Ser	739
atg Met	gtt Val 215	aag Lys	cag Gln	tgg Trp	ctt Leu	gaa Glu 220	aag Lys	ggt Gly	atg Met	ttt Phe	tta Leu 225	gac Asp	gag Glu	cct Pro	gac Asp	787
aaa Lys 230	gaa Glu	gaa Glu	aaa Lys	gcc Ala	act Thr 235	cgc Arg	gct Ala	atc Ile	aaa Lys	gag Glu 240	ctc Leu	gct Ala	gat Asp	cat	tcc Ser 245	835
gtt Val	act Thr	ctt Leu	gcg Ala	cat His 250	aat Asn	cga Arg	cac His	att Ile	tcg Ser 255	gtc Val	agt Ser	aaa Lys	gca Ala	ctt Leu 260	gag Glu	883
ctg Leu	gga Gly	ttg Leu	aat Asn 265	atc Ile	aaa Lys	gaa Glu	ctt Leu	gag Glu 270	agc Ser	gat Asp	cca Pro	aag Lys	ctt Leu 275	caa Gln	gat Asp	931
tta Leu	val	ctt Leu 280	act Thr	ctt Leu	cac His	cac His	ctg Leu 285	tcc Ser	gtt Val	att Ile	gct Ala	gcg Ala 290	caa Gln	cga Arg	gga Gly	979
PLO	tta Leu 295	att Ile	aag Lys	ttt Phe	gtc Val	gtc Val 300	aat Asn	cat His	gac Asp	Asn	cgt Arg 305	ggc Gly	act Thr	ttt Phe	ctg Leu	1027
cag Gln 310	ggg Gly	cat His	gaa Glu	aac Asn	taat	taag	tg a	tgca	atag	t ct	a					1065
<210 <211 <212 <213	> 31 > PR'	r	baat.	~ ···												
-400		- J 11G1		ui	yı	u caill	r cum									

Met Gly Asn Trp Ala Glu Ile Thr Asp Glu Ile Ser Lys Ile Tyr Gln

5 10 15

Asp Asn Gln Tyr Lys Ile Arg Gln Ile Asn Asp Val Asp Ala Val Ser 20 25 30

Asp Lys Arg Arg Glu Ala Leu Gln Ala Leu Phe Glu His Thr Gly Arg 35 40 45

Asn Val Ile Val Tyr Tyr Ser Ala Trp Leu Glu Asn Gly Arg Arg Phe 50 60

Ser Gly Gln Ser Thr Asp Phe Ser Val Asn Asp Thr Asp Lys Asn Ser 65 70 75 80

Phe Met Thr Ala Leu His Lys Leu Asp Gln Ser Lys Gly Leu Asp Leu 85 90 95

Ile Leu His Thr Pro Gly Gly Asp Val Ala Ala Thr Glu Ser Leu Val 100 105 110

Asp Tyr Ile His Ala Leu Phe Gly Gln Asp Phe Arg Val Ile Val Pro 115 120 125

Gln Leu Ala Met Ser Ala Gly Thr Met Ile Ala Leu Ser Ser Lys Glu 130 135 140

Ile Val Met Gly Lys His Ser Ser Leu Gly Pro Ile Asp Pro Gln Phe 145 150 155 160

Asn Gly Leu Pro Ala His Gly Leu Leu Glu Glu Phe Glu Gln Ala Lys . 165 170 175

Lys Glu Val Ser Glu Asn Pro Gln Thr Ala His Ile Trp Gln Val Ile 180 185 190

Leu Asn Lys Tyr Asn Pro Thr Met Leu Gly Glu Ala Lys Lys Ala Ile 195 200 205

Gln Trp Ser Asn Ser Met Val Lys Gln Trp Leu Glu Lys Gly Met Phe 210 215 220

Leu Asp Glu Pro Asp Lys Glu Glu Lys Ala Thr Arg Ala Ile Lys Glu 225 230 235 240

Leu Ala Asp His Ser Val Thr Leu Ala His Asn Arg His Ile Ser Val 245 250 255

Ser Lys Ala Leu Glu Leu Gly Leu Asn Ile Lys Glu Leu Glu Ser Asp 260 265 270

Pro Lys Leu Gln Asp Leu Val Leu Thr Leu His His Leu Ser Val Ile 275 280 285

Ala Ala Gln Arg Gly Pro Leu Ile Lys Phe Val Val Asn His Asp Asn 290 295300

Arg Gly Thr Phe Leu Gln Gly His Glu Asn 305

<210> 75

<211> 957 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(934) <223> RXA00844 <400> 75 ggtgacggcc aaaggcgcgc gcattgcgcg ccccaaaatc gacgtcattg acagcatctt 60 gtgacaacat tttgtagagc aaccatctag actgttcttt atg tct tct gcg tca 115 Met Ser Ser Ala Ser ttt acc acc aaa gca ctg tcc gta ctc gca gct tta acg gct gcg tct 163 Phe Thr Thr Lys Ala Leu Ser Val Leu Ala Ala Leu Thr Ala Ala Ser 10 gcc ccc tta gtg gcg gcg tca cct gca cat gct ttg gca aat gct cgc 211 Ala Pro Leu Val Ala Ala Ser Pro Ala His Ala Leu Ala Asn Ala Arg 30 aac gtt acg ggt tca agc acc act tca gat tca att gtt cgt ctg cac 259 Asn Val Thr Gly Ser Ser Thr Thr Ser Asp Ser Ile Val Arg Leu His 45 atc ggt aac act gca tgt aca gga acc atg atc acc cca acg tgg gcg 307 Ile Gly Asn Thr Ala Cys Thr Gly Thr Met Ile Thr Pro Thr Trp Ala atc acc gcc cgc cac tgt atc cct gag ggc ggt att gcc ggt gca gct 355 Ile Thr Ala Arg His Cys Ile Pro Glu Gly Gly Ile Ala Gly Ala Ala 70 att ggt tca agc act ttg agc caa ttt cag cag gtg tcc caa gcg atc 403 Ile Gly Ser Ser Thr Leu Ser Gln Phe Gln Gln Val Ser Gln Ala Ile 90 95 100 ttg cac cct act gcg gac tta gct ctc gtt gag ctt ccc aat cag gca 451 Leu His Pro Thr Ala Asp Leu Ala Leu Val Glu Leu Pro Asn Gln Ala 105 agt tcc aac acg gtt gat ctc tac ggt gca cac gtg cag cct ggt gaa 499 Ser Ser Asn Thr Val Asp Leu Tyr Gly Ala His Val Gln Pro Gly Glu 120 125 aat ggt caa gcc ggc tgg ggt ggg tac tct gcc ttt ggc caa aat Asn Gly Gln Ala Ala Gly Trp Gly Gly Tyr Ser Ala Phe Gly Gln Asn gtt gca cag caa gcc gat gtg caa att caa cgc agg gta gtc aat gtg 595 Val Ala Gln Gln Ala Asp Val Gln Ile Gln Arg Arg Val Val Asn Val 150 cca ago ccc gac cgc acc gct gtg ctg ctt gaa ggc act gtt tct aac 643 Pro Ser Pro Asp Arg Thr Ala Val Leu Leu Glu Gly Thr Val Ser Asn 170 180 ggt cgt ctc gta cca ggc gat tcc ggc gga cct ttg tac atc aat ggt 691

Gly Arg Leu Val Pro Gly Asp Ser Gly Gly Pro Leu Tyr Ile Asn Gly 190 caa ctg gct ggt gtg ctc agc atg tcc act gac gta gaa aac gat gca 739 Gln Leu Ala Gly Val Leu Ser Met Ser Thr Asp Val Glu Asn Asp Ala cta gac ggc acc gtc ggc tgg tac atc ccc gtt gct gaa cac gcc gag 787 Leu Asp Gly Thr Val Gly Trp Tyr Ile Pro Val Ala Glu His Ala Glu 220 tgg atc gcc tac tac acc ggc aag cac att gcc ccc att gct ggt gcg 835 Trp Ile Ala Tyr Tyr Thr Gly Lys His Ile Ala Pro Ile Ala Gly Ala 235 240 ccc gca gaa ctt gtt gac gcc acc gcc aac ccc acc ttc atc cct gct 883 Pro Ala Glu Leu Val Asp Ala Thr Ala Asn Pro Thr Phe Ile Pro Ala 255 cca cag cct ttc acc ggt tca tcc atc ggt ggt tgg gcg ctg ggc agc 931 Pro Gln Pro Phe Thr Gly Ser Ser Ile Gly Gly Trp Ala Leu Gly Ser ·tcc tagaatatgc tgatctccct gct 957 Ser <210> 76 <211> 278 <212> PRT <213> Corynebacterium glutamicum <400> 76 Met Ser Ser Ala Ser Phe Thr Thr Lys Ala Leu Ser Val Leu Ala Ala 10 Leu Thr Ala Ala Ser Ala Pro Leu Val Ala Ala Ser Pro Ala His Ala 25 Leu Ala Asn Ala Arg Asn Val Thr Gly Ser Ser Thr Thr Ser Asp Ser Ile Val Arg Leu His Ile Gly Asn Thr Ala Cys Thr Gly Thr Met Ile Thr Pro Thr Trp Ala Ile Thr Ala Arg His Cys Ile Pro Glu Gly Gly Ile Ala Gly Ala Ala Ile Gly Ser Ser Thr Leu Ser Gln Phe Gln Gln Val Ser Gln Ala Ile Leu His Pro Thr Ala Asp Leu Ala Leu Val Glu 100 Leu Pro Asn Gln Ala Ser Ser Asn Thr Val Asp Leu Tyr Gly Ala His Val Gln Pro Gly Glu Asn Gly Gln Ala Ala Gly Trp Gly Gly Tyr Ser 135

Ala Phe Gly Gln Asn Val Ala Gln Gln Ala Asp Val Gln Ile Gln Arg 150 Arg Val Val Asn Val Pro Ser Pro Asp Arg Thr Ala Val Leu Leu Glu 170 Gly Thr Val Ser Asn Gly Arg Leu Val Pro Gly Asp Ser Gly Gly Pro 185 Leu Tyr Ile Asn Gly Gln Leu Ala Gly Val Leu Ser Met Ser Thr Asp 200 Val Glu Asn Asp Ala Leu Asp Gly Thr Val Gly Trp Tyr Ile Pro Val 215 Ala Glu His Ala Glu Trp Ile Ala Tyr Tyr Thr Gly Lys His Ile Ala 230 Pro Ile Ala Gly Ala Pro Ala Glu Leu Val Asp Ala Thr Ala Asn Pro Thr Phe Ile Pro Ala Pro Gln Pro Phe Thr Gly Ser Ser Ile Gly Gly 260 Trp Ala Leu Gly Ser Ser 275 <210> 77 <211> 958 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(958) <223> RXA01151 ccaggcgttt ggctgatggc gtggagcctc ctcgtccgca gcgtaaggca cgtcgataaa 60 aagacctagt tggagggcgt aaagggttag agtggtgacc atg agt tca cca act 115 Met Ser Ser Pro Thr gat tot tog coc tot aat tot ttt ago gao tto aac ogg gag gaa cag 163 Asp Ser Ser Pro Ser Asn Ser Phe Ser Asp Phe Asn Arg Glu Glu Gln 10 tcc cgg tta tct gat gag gtg cgc cag ctc aag cgc acc aac tct gat 211 Ser Arg Leu Ser Asp Glu Val Arg Gln Leu Lys Arg Thr Asn Ser Asp 30 ctt ggg gca cgt aat gcc aag ctc gcg gag atg ctg aag tcg tct cgg 259 Leu Gly Ala Arg Asn Ala Lys Leu Ala Glu Met Leu Lys Ser Ser Arg 45 gat aaa ttg tct gtg ctg tft tct cag ttg gag gat atg gct cag ccg 307 Asp Lys Leu Ser Val Leu Phe Ser Gln Leu Glu Asp Met Ala Gln Pro 55

					act Thr 75											355
					ggt Gly											403
					gat Asp											451
					ctt Leu											499
				-	gaa Glu	_				-	-	-	_	-		547
	-	-			gag Glu 155	-	_	-	_		_		-	-	-	595
					ctg Leu											643
-					gct Ala					_	-	_	_		_	691
			_	_	gag Glu			_				-	-			739
					att Ile											787
					atg Met 235											835
			-		ggc Gly				-		_	_	_		_	883
					tct Ser											931
					gtc Val											958

<210> 78

<211> 286

<212> PRT

<213> Corynebacterium glutamicum

<400> 78

Met Ser Ser Pro Thr Asp Ser Ser Pro Ser Asn Ser Phe Ser Asp Phe $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

- Asn Arg Glu Glu Gln Ser Arg Leu Ser Asp Glu Val Arg Gln Leu Lys 20 25 30
- Arg Thr Asn Ser Asp Leu Gly Ala Arg Asn Ala Lys Leu Ala Glu Met 35 40
- Leu Lys Ser Ser Arg Asp Lys Leu Ser Val Leu Phe Ser Gln Leu Glu
 50 55 60
- Asp Met Ala Gln Pro Pro Ser Val Tyr Gly Thr Phe Leu Glu Thr Ala 65 70 75 80
- Lys Asp Gly Ser Asn Ala Glu Ile Phe Ala Gly Gly Arg Arg Met Arg 85 90 95
- Val Ala Val Ser Pro Met Leu Cys Ala Ala Asp Leu Met Pro Gly Val 100 105 110
- Gln Val Arg Leu Gly Glu Gly Asn Gln Val Leu Glu Ala Cys Asp Phe 115 120 125
- Glu Gln Thr Gly Glu Leu Ala Thr Leu Met Glu Met Ile Gly Arg Asp 130 135 140
- Arg Ala Leu Val Ser Asp Arg Ser Gly Glu Glu Arg Val Val Lys Leu 145 150 155 160
- Ala Gly Pro Leu Met Asp Arg Thr Ala Lys Leu Pro Arg Pro Gly Asp 165 170 175
- Thr Leu Leu-Val Asp Arg Lys Ala Gly Tyr-Ala Phe Glu Ala Ile Ala 180 185 190
- Lys Thr Glu Ile Ser Arg Leu Ala Leu Glu Glu Ala Pro Asp Val Ser 195 200 205
- Tyr Gln Asp Ile Gly Gly Leu Asp Asp Gln Ile Glu Leu Ile Gln Asp 210 215 220
- Ala Val Glu Leu Pro Phe Leu His Pro Glu Met Tyr Arg Ala Tyr Asn 225 230 235 240
- Leu His Pro Pro Lys Gly Val Leu Leu Tyr Gly Pro Pro Gly Cys Gly 245 250 255
- Lys Thr Leu Ile Ala Lys Ala Val Ala Asn Ser Leu Ala Asn Arg Ile 260 265 270
- Gly Glu Thr Gly Thr Ser Tyr Phe Ile Asn Val Lys Gly Pro 275 280 285

<210> 79

<211> 735

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(712) <223> RXA02317 <400> 79 gaattttccg gtgttaaaat gtgcggtgag cttggcgttg gcggaggacc agtgtgggga 60 gacgtcgaaa agcgaattca tggccccatc ttgccttaaa atg gcg cac atg cgc Met Ala His Met Arg tta ctg ctg acc tcc ttt ggc cat gat cat att cgg gat ttt gta cgc 163 Leu Leu Leu Thr Ser Phe Gly His Asp His Ile Arg Asp Phe Val Arg ggt acc gtg gcg tat atc cct gat gcg acc agg ctt ttt gct gat agt 211 Gly Thr Val Ala Tyr Ile Pro Asp Ala Thr Arg Leu Phe Ala Asp Ser 30 ccc gag gct gct cct ttt atg gag acg gag cga aat atg ctg cgc gag 259 Pro Glu Ala Ala Pro Phe Met Glu Thr Glu Arg Asn Met Leu Arg Glu 45 cac ggc ttg agc att cgt gag ctg ccg att tcc acg tcg act ccg gag 307 His Gly Leu Ser Ile Arg Glu Leu Pro Ile Ser Thr Ser Thr Pro Glu gaa gtg gat cgg gtg ctt ggt gag gtt gat ggg gtg tat gtg gcg ggc 355 Glu Val Asp Arg Val Leu Gly Glu Val Asp Gly Val Tyr Val Ala Gly 80 ggt gag act ttt gat ctg atg tgg ctg ctg cgt tcc aca ggc aat gat 403 Gly Glu Thr Phe Asp Leu Met Trp Leu Leu Arg Ser Thr Gly Asn Asp 95 gag gtg ttg att aag cat gtt cgc gct ggt cta ccg tat att gga acg 451 Glu Val Leu Ile Lys His Val Arg Ala Gly Leu Pro Tyr Ile Gly Thr 105 age gee gge geg gta att gea ggt eet teg att gaa eeg ate age ttt . 499 Ser Ala Gly Ala Val Ile Ala Gly Pro Ser Ile Glu Pro Ile Ser Phe 120 125 ttg gat agc ccc gat gtc gcg ccg aat tta agc gac tat tca ggt cta 547 Leu Asp Ser Pro Asp Val Ala Pro Asn Leu Ser Asp Tyr Ser Gly Leu 135 ggc ctg tgc gag cat gtc gtg gtg ccc cat gct ggt ggc acg atc ccg 595 Gly Leu Cys Glu His Val Val Pro His Ala Gly Gly Thr Ile Pro 150 155 caa ttt ccc atc gat gtg ttt gcg gaa acc gtg cgc acc tac ggc gcc 643 Gln Phe Pro Ile Asp Val Phe Ala Glu Thr Val Arq Thr Tyr Gly Ala 170 175

691

gaa ttc ccg ctg gtc ctg ctt aaa gat gga cag gca ctg ctt atc gac

Glu Phe Pro Leu Val Leu Leu Lys Asp Gly Gln Ala Leu Leu Ile Asp

190

185

gac cac ggc gtc cac cta att taggatggtt ccccatgagc acc Asp His Gly Val His Leu Ile 200

735

<210> 80

<211> 204

<212> PRT

<213> Corynebacterium glutamicum

<400> 80

Met Ala His Met Arg Leu Leu Leu Thr Ser Phe Gly His Asp His Ile
1 5 10 15

Arg Asp Phe Val Arg Gly Thr Val Ala Tyr Ile Pro Asp Ala Thr Arg

Leu Phe Ala Asp Ser Pro Glu Ala Ala Pro Phe Met Glu Thr Glu Arg 35 40 45

Asn Met Leu Arg Glu His Gly Leu Ser Ile Arg Glu Leu Pro Ile Ser 50 55 60

Thr Ser Thr Pro Glu Glu Val Asp Arg Val Leu Gly Glu Val Asp Gly 65 70 75 80

Val Tyr Val Ala Gly Gly Glu Thr Phe Asp Leu Met Trp Leu Leu Arg

Ser Thr Gly Asn Asp Glu Val Leu Ile Lys His Val Arg Ala Gly Leu 100 105 110

Pro Tyr Ile Gly Thr Ser Ala Gly Ala Val Ile Ala Gly Pro Ser Ile
115 120 125

Glu Pro Ile Ser Phe Leu Asp Ser Pro Asp Val Ala Pro Asn Leu Ser 130 135 140

Asp Tyr Ser Gly Leu Gly Leu Cys Glu His Val Val Val Pro His Ala 145 150 155 160

Gly Gly Thr Ile Pro Gln Phe Pro Ile Asp Val Phe Ala Glu Thr Val 165 170 175

Arg Thr Tyr Gly Ala Glu Phe Pro Leu Val Leu Leu Lys Asp Gly Gln 180 185 190

Ala Leu Leu Ile Asp Asp His Gly Val His Leu Ile 195 200

<210> 81

<211> 774

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(751)

<223> RXA02644

PCT/IB00/00911

WO 01/00842 <400> 81 cgtggggaag tggagcccac actgaaaagc tttgcgaggt caacatggcc accaggctag 60 tgaaaatgct gccggttggc gagctaagat gtgagatgct atg gca cat ctc acg 115 Met Ala His Leu Thr caa tac caa ctc cct cag gcc ggt caa gtc ttt gag cat gaa cta gag 163 Gln Tyr Gln Leu Pro Gln Ala Gly Gln Val Phe Glu His Glu Leu Glu 10 15 atc aag cgc tcg cga ttt ctg acc tat atc acg cgt gtg caa gat cag 211 Ile Lys Arg Ser Arg Phe Leu Thr Tyr Ile Thr Arg Val Gln Asp Gln 30 gag cag gct cgc gaa ttt att cac tcc atc aag gag ctg tat ccg gat 259 Glu Gln Ala Arg Glu Phe Ile His Ser Ile Lys Glu Leu Tyr Pro Asp 45 gcg cgt cat cat tgc agt gcc ttt att ttc cat gtg gat ggc tca aat 307 Ala Arg His His Cys Ser Ala Phe Ile Phe His Val Asp Gly Ser Asn gat gtg gag cgt tcc tct gat gat ggc gaa cct tcc ggt acc gcg gga 355 Asp Val Glu Arg Ser Ser Asp Asp Gly Glu Pro Ser Gly Thr Ala Gly 75 aaa ccc atg cta gag gcg ttg cgt ggc tcg gga atg aaa gat att gcc 403 Lys Pro Met Leu Glu Ala Leu Arg Gly Ser Gly Met Lys Asp Ile Ala 90 gct gtg gtg gtg cgt tat ttc ggt ggc gta aaa ctg ggc act ggc gga 451 Ala Val Val Arg Tyr Phe Gly Gly Val Lys Leu Gly Thr Gly Gly 105 110 tta gtt aat gcc tac acc aac gcg gtg acg gag ctt cta cct gag gtt 499 Leu Val Asn Ala Tyr Thr Asn Ala Val Thr Glu Leu Leu Pro Glu Val ttg caa gtc acc cgc tct gtt cgg gag att ttc aag att gac ctt ccg 547

Leu Gln Val Thr Arg Ser Val Arg Glu Ile Phe Lys Ile Asp Leu Pro cat tct gat gcg ggg cgc att gaa gcg aat ctg cgc ggc atg ggc atc 595 His Ser Asp Ala Gly Arg Ile Glu Ala Asn Leu Arg Gly Met Gly Ile 150 atc att act gac act gaa tat ggt gca gaa gtc aca tac acc ttg gct 643 Ile Ile Thr Asp Thr Glu Tyr Gly Ala Glu Val Thr Tyr Thr Leu Ala 170 tta ttg cct ggt gaa cag gct gcg gtg gaa tct caa ttg tca tcc atg 691 Leu Leu Pro Gly Glu Gln Ala Ala Val Glu Ser Gln Leu Ser Ser Met 185 atg ggt gca gaa att gaa ttg aaa gaa tcc ggg cac atg tgg gtg gaa 739 Met Gly Ala Glu Ile Glu Leu Lys Glu Ser Gly His Met Trp Val Glu 200 205 tcc ccg agt gac tagtgcggtg taagagcact aga 774 Ser Pro Ser Asp

215

<210> 82

<211> 217

<212> PRT

<213> Corynebacterium glutamicum

<400> 82

Met Ala His Leu Thr Gln Tyr Gln Leu Pro Gln Ala Gly Gln Val Phe $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Glu His Glu Leu Glu Ile Lys Arg Ser Arg Phe Leu Thr Tyr Ile Thr 20 25 30

Arg Val Gln Asp Gln Glu Gln Ala Arg Glu Phe Ile His Ser Ile Lys $35 \hspace{1cm} 40 \hspace{1cm} 45$

Glu Leu Tyr Pro Asp Ala Arg His His Cys Ser Ala Phe Ile Phe His 50 60

Val Asp Gly Ser Asn Asp Val Glu Arg Ser Ser Asp Asp Gly Glu Pro
65 70 75 80

Ser Gly Thr Ala Gly Lys Pro Met Leu Glu Ala Leu Arg Gly Ser Gly 85 90 95

Met Lys Asp Ile Ala Ala Val Val Val Arg Tyr Phe Gly Gly Val Lys 100 105 110

Leu Gly Thr Gly Gly Leu Val Asn Ala Tyr Thr Asn Ala Val Thr Glu 115 120 125

Leu Leu Pro Glu Val Leu Gln Val Thr Arg Ser Val Arg Glu Ile Phe 130 135 140

Lys Ile Asp Leu Pro His Ser Asp Ala Gly Arg Ile Glu Ala Asn Leu 145 150 155 160

Arg Gly Met Gly Ile Ile Ile Thr Asp Thr Glu Tyr Gly Ala Glu Val 165 170 175

Thr Tyr Thr Leu Ala Leu Leu Pro Gly Glu Gln Ala Ala Val Glu Ser 180 185 190

Gln Leu Ser Ser Met Met Gly Ala Glu Ile Glu Leu Lys Glu Ser Gly 195 200 205

His Met Trp Val Glu Ser Pro Ser Asp 210 215

<210> 83

<211> 1411

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1411)

<223> RXN02820

<400> 83 caacgaaaca aatgcaagcc cccaatcatg ggtttctacc aattaaattt tctttcagaa 60 aatatctccc cacataaaag ttccttgata ggctcgagag atg aaa gtg acc caa 115 Met Lys Val Thr Gln age aca tte ett aaa teg gta get geg tte act gte gea gee tta ace 163 Ser Thr Phe Leu Lys Ser Val Ala Ala Phe Thr Val Ala Ala Leu Thr 10 ctg acc atc tct tcg tgt tcc agc ggt gaa gac acc tcc gca agc tcc 211 Leu Thr Ile Ser Ser Cys Ser Ser Gly Glu Asp Thr Ser Ala Ser Ser 30 acg gat act gaa aac tcc tca acc caa gca gcg tct ccc cca ctt 259 Thr Asp Thr Glu Asn Ser Ser Thr Gln Ala Ala Ser Pro Pro Leu gcg cct tgt gaa ctt ccc gcc gac gct tct gct gaa gag gaa gta gaa 307 Ala Pro Cys Glu Leu Pro Ala Asp Ala Ser Ala Glu Glu Glu Val Glu ggc act cac aca ggt gaa gat att tot gtt gcc ccg gaa atc ggt acc 355 Gly Thr His Thr Gly Glu Asp Ile Ser Val Ala Pro Glu Ile Gly Thr ggc tac cgc gag ggc atg acc cct gtt caa acc caa ggt tat gcg gtg 403 Gly Tyr Arg Glu Gly Met Thr Pro Val Gln Thr Gln Gly Tyr Ala Val 90 gca act gca aac ccc atc gct tct gaa gca gcc tgc gcg gtg tta aga 451 Ala Thr Ala Asn Pro Ile Ala Ser Glu Ala Ala Cys Ala Val Leu Arg 105 110 gaa ggc ggc act gca gct gat gct ctt gtc acc gcg cag ttt gtt ttg 499 Glu Gly Gly Thr Ala Ala Asp Ala Leu Val Thr Ala Gln Phe Val Leu 120 130 gga ctg acg gaa ccg cag tcg tct ggc ctt ggt ggt ggc gga tac att 547 Gly Leu Thr Glu Pro Gln Ser Ser Gly Leu Gly Gly Gly Tyr Ile 140 ctg tac tac gac gcc gaa gcc aat gcg gtg aca gcc att gat ggc cgt 595 Leu Tyr Tyr Asp Ala Glu Ala Asn Ala Val Thr Ala Ile Asp Gly Arg 150 gaa aca gcg cca gtt gct gct gat gaa aac tat ctc att cat gtt tct 643 Glu Thr Ala Pro Val Ala Ala Asp Glu Asn Tyr Leu Ile His Val Ser 170 gca gag gat caa acg gca cct gtt cct gat gcc cga cgt tcc ggc agg 691 Ala Glu Asp Gln Thr Ala Pro Val Pro Asp Ala Arg Arg Ser Gly Arg 185 190 tca att ggt gtg cca gga atc gtg gca gcc ctt gga cag ctg cat gat 739 Ser Ile Gly Val Pro Gly Ile Val Ala Ala Leu Gly Gln Leu His Asp tca ttc gga aag acc tcc tgg cag gac gtg ctg aca act ccg cag cag 787

Ser	Phe 215	Gly	Lys	Thr	Ser	Trp 220	Gln	Asp	Val	Leu	Thr 225	Thr	Pro	Gln	Gln	
ctc Leu 230	gca Ala	act Thr	gat Asp	ggt Gly	ttt Phe 235	tcc Ser	atc Ile	agc Ser	cct Pro	cgc Arg 240	atg Met	tca Ser	gca Ala	tca Ser	att Ile 245	835
gct Ala	aac Asn	tcc Ser	gct Ala	gag Glu 250	gat Asp	ctc Leu	tcc Ser	cac His	gat Asp 255	ccg Pro	gaa Glu	gct Ala	gcc Ala	gca Ala 260	tat Tyr	883
					ggt Gly											931
					gaa Glu											979
					ggt Gly											1027
acc Thr 310	cgt Arg	gag Glu	gtt Val	gac Asp	ggt Gly 315	ttc Phe	aca Thr	cca Pro	tca Ser	ctg Leu 320	atg Met	agc Ser	acg Thr	gca Ala	gat Asp 325	1075
					ccg Pro											1123
					tgt Cys											1171
aca Thr	gtg Val	atg Met 360	gaa Glu	acc Thr	ctg Leu	ggt Gly	atc Ile 365	ttg Leu	aac Asn	aac Asn	ttt Phe	gat Asp 370	ctc Leu	gcc Ala	caa Gln	1219
tac Tyr	cca Pro 375	ccc Pro	act Thr	gag Glu	gtt Val	ggt Gly 380	ttg Leu	gat Asp	ggc Gly	gga Gly	ttg Leu 385	cca Pro	aat Asn	gcg Ala	gaa Glu	1267
Ala 390	Val	His	Leu	Ile	tca Ser 395	Glu	Ala	Glu	Arg	Leu 400	Ala	Tyr	Ala	Āsp	Arg 405	1315
gat Asp	gct Ala	tac Tyr	atc Ile	ggt Gly 410	gat Asp	cct Pro	gct Ala	ttc Phe	gtg Val 415	gaa Glu	gtt Val	cca Pro	gca Ala	ggt Gly 420	ggt Gly	1363
gtc Val	caa Gln	cag Gln	tgg Trp 425	atc Ile	aac Asn	cat His	gtc Val	cac His 430	acg Thr	ggc Gly	gaa Glu	cac His	tcc Ser 435	aaa Lys	ctt Leu	1411

<210> 84

<211> 437 <212> PRT

<213> Corynebacterium glutamicum

<400> 84

Met Lys Val Thr Gln Ser Thr Phe Leu Lys Ser Val Ala Ala Phe Thr 1 5 10 15

- Val Ala Ala Leu Thr Leu Thr Ile Ser Ser Cys Ser Ser Gly Glu Asp 20 25 30
- Thr Ser Ala Ser Ser Thr Asp Thr Glu Asn Ser Ser Thr Gln Ala Ala 35 40 45
- Ala Ser Pro Pro Leu Ala Pro Cys Glu Leu Pro Ala Asp Ala Ser Ala 50 55 60
- Glu Glu Glu Val Glu Gly Thr His Thr Gly Glu Asp Ile Ser Val Ala 65 70 75 80
- Pro Glu Ile Gly Thr Gly Tyr Arg Glu Gly Met Thr Pro Val Gln Thr 85 90 95
- Gln Gly Tyr Ala Val Ala Thr Ala Asn Pro Ile Ala Ser Glu Ala Ala 100 105 110
- Cys Ala Val Leu Arg Glu Gly Gly Thr Ala Ala Asp Ala Leu Val Thr 115 120 125
- Ala Gln Phe Val Leu Gly Leu Thr Glu Pro Gln Ser Ser Gly Leu Gly 130 135 140
- Gly Gly Gly Tyr Ile Leu Tyr Tyr Asp Ala Glu Ala Asn Ala Val Thr 145 150 155 160
- Ala Ile Asp Gly Arg Glu Thr Ala Pro Val Ala Ala Asp Glu Asn Tyr 165 170 175
- Leu Ile His Val Ser Ala Glu Asp Gln Thr Ala Pro Val Pro Asp Ala 180 185 190
- Arg Arg Ser Gly Arg Ser Ile Gly Val Pro Gly Ile Val Ala Ala Leu 195 200 205
- Gly Gln Leu His Asp Ser Phe Gly Lys Thr Ser Trp Gln Asp Val Leu 210 215 220
- Thr Thr Pro Gln Gln Leu Ala Thr Asp Gly Phe Ser Ile Ser Pro Arg 225 230 235 240
- Met Ser Ala Ser Ile Ala Asn Ser Ala Glu Asp Leu Ser His Asp Pro 245 250 255
- Glu Ala Ala Tyr Phe Leu Asp Glu Asn Gly Asp Ala Lys Ala Pro 260 265 270
- Gly Thr Leu Leu Gln Asn Pro Asp Tyr Ala Glu Thr Ile Arg Leu Ile 275 280 285
- Ser Glu Gly Gly Pro Asp Ala Phe Tyr Thr Gly Glu Ile Ala Ala Asp 290 295 300
- Ile Val Glu Arg Ala Thr Arg Glu Val Asp Gly Phe Thr Pro Ser Leu 305 310 315 320

Met Ser Thr Ala Asp Leu Ala Ala Tyr Thr Pro Glu Thr Arg Glu Ala 325 330 335

Leu Cys Ala Pro Tyr Arg Asp Lys Ile Val Cys Gly Met Pro Pro Ser 340 345 350

Ser Ser Gly Gly Val Thr Val Met Glu Thr Leu Gly Ile Leu Asn Asn 355 360 365

Phe Asp Leu Ala Gln Tyr Pro Pro Thr Glu Val Gly Leu Asp Gly Gly 370 375 380

Leu Pro Asn Ala Glu Ala Val His Leu Ile Ser Glu Ala Glu Arg Leu 385 390 395 400

Ala Tyr Ala Asp Arg Asp Ala Tyr Ile Gly Asp Pro Ala Phe Val Glu 405 410 415

Val Pro Ala Gly Gly Val Gln Gln Trp Ile Asn His Val His Thr Gly
420 425 430

Glu His Ser Lys Leu 435

<210> 85

<211> 507

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(507)

<223> FRXA02820

<400> 85

gct aac tcc gct gag gat ctc tcc cac gat ccg gaa gct gcc gca tat 48 Ala Asn Ser Ala Glu Asp Leu Ser His Asp Pro Glu Ala Ala Ala Tyr 1 5 10 15

ttc ctt gat gaa aac ggt gat gcg aag gca ccc ggc aca ctt tta caa 96
Phe Leu Asp Glu Asn Gly Asp Ala Lys Ala Pro Gly Thr Leu Leu Gln
20 25 30

aac cct gac tat gca gaa acg att cgt ctc atc tct gaa ggt ggc ccc $$ 144 Asn Pro Asp Tyr Ala Glu Thr Ile Arg Leu Ile Ser Glu Gly Gly Pro $$ 35 $$ 40 $$ 45

gat gcg ttc tac acg ggt gag att gca gca gac atc gtg gaa cgc gcc 192
Asp Ala Phe Tyr Thr Gly Glu Ile Ala Ala Asp Ile Val Glu Arg Ala
50 55 60

acc cgt gag gtt gac ggt ttc aca cca tca ctg atg agc acg gca gat
Thr Arg Glu Val Asp Gly Phe Thr Pro Ser Leu Met Ser Thr Ala Asp
65 70 75 80

ttg gct gcc tac act ccg gaa act cgt gaa gct ttg tgt gct ccc tac 288 Leu Ala Ala Tyr Thr Pro Glu Thr Arg Glu Ala Leu Cys Ala Pro Tyr 85 90 95

ege gae aag att gtt tgt gge atg eea eeg tea tea teg ggt gge gte

Arg Asp Lys Ile Val Cys Gly Met Pro Pro Ser Ser Ser Gly Gly Val 100 105 110

aca gtg atg gaa acc ctg ggt atc ttg aac aac ttt gat ctc gcc caa $\,$ 384 Thr Val Met Glu Thr Leu Gly Ile Leu Asn Asn Phe Asp Leu Ala Gln $\,$ 115 $\,$ 120 $\,$ 125

tac cca ccc act gag gtt ggt ttg gat ggc gga ttg cca aat gcg gaa 432 Tyr Pro Pro Thr Glu Val Gly Leu Asp Gly Gly Leu Pro Asn Ala Glu 130 135 140

gct gtt cac ctg att tca gag gct gag cgc ctg gct tat gct gat cgc 480 Ala Val His Leu Ile Ser Glu Ala Glu Arg Leu Ala Tyr Ala Asp Arg 145 150 155 160

gat gct tac atc ggt gat cct gct ttc 507 Asp Ala Tyr Ile Gly Asp Pro Ala Phe 165

<210> 86

<211> 169

<212> PRT

<213> Corynebacterium glutamicum

<400> 86

Ala Asn Ser Ala Glu Asp Leu Ser His Asp Pro Glu Ala Ala Ala Tyr $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Phe Leu Asp Glu Asn Gly Asp Ala Lys Ala Pro Gly Thr Leu Leu Gln
20 25 30

Asn Pro Asp Tyr Ala Glu Thr Ile Arg Leu Ile Ser Glu Gly Gly Pro 35 40 45

Asp Ala Phe Tyr Thr Gly Glu Ile Ala Ala Asp Ile Val Glu Arg Ala 50 55 60

Thr Arg Glu Val Asp Gly Phe Thr Pro Ser Leu Met Ser Thr Ala Asp 65 70 75 80

Leu Ala Ala Tyr Thr Pro Glu Thr Arg Glu Ala Leu Cys Ala Pro Tyr 85 90 95

Arg Asp Lys Ile Val Cys Gly Met Pro Pro Ser Ser Ser Gly Gly Val

Thr Val Met Glu Thr Leu Gly Ile Leu Asn Asn Phe Asp Leu Ala Gln 115 120 125

Tyr Pro Pro Thr Glu Val Gly Leu Asp Gly Gly Leu Pro Asn Ala Glu 130 135 140

Ala Val His Leu Ile Ser Glu Ala Glu Arg Leu Ala Tyr Ala Asp Arg 145 150 155 160

Asp Ala Tyr Ile Gly Asp Pro Ala Phe 165

<210> 87

<211> 604 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(604) <223> FRXA02000 <400> 87 caacgaaaca aatgcaagcc cccaatcatg ggtttctacc aattaaattt tctttcagaa 60 aatatctccc cacataaaag ttccttgata ggctcgagag atg aaa gtg acc caa Met Lys Val Thr Gln age aca tte ett aaa teg gta get geg tte act gte gea gee tta ace 163 Ser Thr Phe Leu Lys Ser Val Ala Ala Phe Thr Val Ala Ala Leu Thr 10 ctg acc atc tct tcg tgt tcc agc ggt gaa gac acc tcc gca agc tcc 211 Leu Thr Ile Ser Ser Cys Ser Ser Gly Glu Asp Thr Ser Ala Ser Ser 30 35 acg gat act gaa aac tcc tca acc caa gca gcg tct ccc cca ctt 259 Thr Asp Thr Glu Asn Ser Ser Thr Gln Ala Ala Ser Pro Pro Leu gcg cct tgt gaa ctt ccc gcc gac gct tct gct gaa gag gaa gta gaa 307 Ala Pro Cys Glu Leu Pro Ala Asp Ala Ser Ala Glu Glu Glu Val Glu ggc act cac aca ggt gaa gat att tot gtt gcc ccg gaa atc ggt acc 355 Gly Thr His Thr Gly Glu Asp Ile Ser Val Ala Pro Glu Ile Gly Thr 75 ggc tac cgc gag ggc atg acc cct gtt caa acc caa ggt tat gcg gtg 403 Gly Tyr Arg Glu Gly Met Thr Pro Val Gln Thr Gln Gly Tyr Ala Val 90 gca act gca aac ccc atc gct tct gaa gca gcc tgc gcg gtg tta aga 451 Ala Thr Ala Asn Pro Ile Ala Ser Glu Ala Ala Cys Ala Val Leu Arg 105 110 115 gaa ggc ggc act gca gct gat gct ctt gtc acc gcg cag ttt gtt ttg 499 Glu Gly Gly Thr Ala Ala Asp Ala Leu Val Thr Ala Gln Phe Val Leu 125 gga ctg acg gaa ccg cag tcg tct ggc ctt ggt ggc gga tac att 547 Gly Leu Thr Glu Pro Gln Ser Ser Gly Leu Gly Gly Gly Tyr Ile ctg tac tac gac gcc gaa gcc aat gcg gtg aca gcc att gat ggc cgt 595 Leu Tyr Tyr Asp Ala Glu Ala Asn Ala Val Thr Ala Ile Asp Gly Arg 150 155 160 gaa aca gcg 604 Glu Thr Ala

<210> 88

<211> 168

<212> PRT

<213> Corynebacterium glutamicum

<400> 88

Met Lys Val Thr Gln Ser Thr Phe Leu Lys Ser Val Ala Ala Phe Thr 1 5 10 15

Val Ala Ala Leu Thr Leu Thr Ile Ser Ser Cys Ser Ser Gly Glu Asp 20 25 30

Thr Ser Ala Ser Ser Thr Asp Thr Glu Asn Ser Ser Thr Gln Ala Ala 35 40 45

Ala Ser Pro Pro Leu Ala Pro Cys Glu Leu Pro Ala Asp Ala Ser Ala 50 55 60

Glu Glu Glu Val Glu Gly Thr His Thr Gly Glu Asp Ile Ser Val Ala 65 70 75 80

Pro Glu Ile Gly Thr Gly Tyr Arg Glu Gly Met Thr Pro Val Gln Thr 85 90 95

Gln Gly Tyr Ala Val Ala Thr Ala Asn Pro Ile Ala Ser Glu Ala Ala 100 105 110

Cys Ala Val Leu Arg Glu Gly Gly Thr Ala Ala Asp Ala Leu Val Thr 115 120 125

Ala Gln Phe Val Leu Gly Leu Thr Glu Pro Gln Ser Ser Gly Leu Gly 130 135 140

Gly Gly Gly Tyr Ile Leu Tyr Tyr Asp Ala Glu Ala Asn Ala Val Thr 145 150 155 160

Ala Ile Asp Gly Arg Glu Thr Ala 165

<210> 89

<211> 824

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(801)

<223> RXN03178

<400> 89

ccc acc acc gtg gtc acg ggc acg atg gaa gcc gcc aac atc gag ggc $$ 48 Pro Thr Thr Val Val Thr Gly Thr Met Glu Ala Ala Asn Ile Glu Gly $$ 1 $$ 5 $$ 10

tcc cgc gtg ggt gtc ggc gag gcc ggc cag tat acc gtt gat cag ctg 96 Ser Arg Val Gly Val Gly Glu Ala Gly Gln Tyr Thr Val Asp Gln Leu 20 25 30

ctg cac ggt ctt ctt tta gcc agc ggt aac gat gcg gcg tat atg ttg 144 Leu His Gly Leu Leu Leu Ala Ser Gly Asn Asp Ala Ala Tyr Met Leu

35 40 45

			ctt Leu													192
ctg Leu 65	gcc Ala	aag Lys	gag Glu	ttg Leu	ggc Gly 70	act Thr	caa Gln	gac Asp	acc Thr	ttc Phe 75	gtt Val	gcc Ala	act Thr	tat Tyr	tcc Ser 80	240
			gcg Ala													288
att Ile	tat Tyr	cag Gln	cat His 100	gcg Ala	tgg Trp	cag Gln	aac Asn	ccg Pro 105	gtt Val	ttc Phe	gag Glu	tcg Ser	att Ile 110	atc Ile	tcc Ser	336
			att Ile													384
gtc Val	tgg Trp 130	aac Asn	gat Asp	aac Asn	gcc Ala	ttg Leu 135	ttc Phe	atg Met	aac Asn	gat Asp	cct Pro 140	gat Asp	ggc Gly	atc Ile	ggc Gly	432
ggc Gly 145	aag Lys	acc Thr	ggc Gly	tac Tyr	acc Thr 150	gac Asp	gac Asp	gcg Ala	aac Asn	cac His 155	acc Thr	ttt Phe	gtc Val	ggc Gly	ggt Gly 160	480
			ggt Gly													528
gtc Val	agc Ser	gac Asp	att Ile 180	cgt Arg	ccg Pro	tgg Trp	gaa Glu	caa Gln 185	gca Ala	cga Arg	ttg Leu	ctt Leu	atc Ile 190	gac Asp	gcc Ala	576
			atc Ile													624
			gat Asp		Ala		Ala									672
gac Asp 225	aac Asn	ctg Leu	act Thr	tca Ser	ggt Gly 230	gag Glu	ggt Gly	ggg Gly	tcg Ser	cag Gln 235	aac Asn	acg Thr	ctt Leu	ctt Leu	aag Lys 240	720
ctc Leu	gtg Val	gtg Val	ccc Pro	atc Ile 245	gga Gly	atc Ile	atc Ile	gtg Val	ctg Leu 250	ttg Leu	cta Leu	atc Ile	gcc Ala	gca Ala 255	cta Leu	768
gcg Ala	tgg Trp	aca Thr	ttc Phe 260	aga Arg	tct Ser	ccc Pro	aag Lys	aaa Lys 265	aag Lys	aac Asn	tago	gtgti	ct (tctt	cacgac	821
ctc																824

- <210> 90
- <211> 267
- <212> PRT
- <213> Corynebacterium glutamicum

<400> 90

- Pro Thr Thr Val Val Thr Gly Thr Met Glu Ala Ala Asn Ile Glu Gly 1 5 10 15
- Ser Arg Val Gly Val Gly Glu Ala Gly Gln Tyr Thr Val Asp Gln Leu 20 25 30
- Leu His Gly Leu Leu Leu Ala Ser Gly Asn Asp Ala Ala Tyr Met Leu 35 40 45
- Ala Gln Glu Leu Gly Gly Asp Gln Ala Thr Leu Glu Lys Val Asn Ala 50 · 55 60
- Leu Ala Lys Glu Leu Gly Thr Gln Asp Thr Phe Val Ala Thr Tyr Ser 65. 70 75 80
- Gly Leu Asp Ala Pro Gly Met Ser Thr Ser Ala Tyr Asp Met Ser Leu 85 90 95
- Ile Tyr Gln His Ala Trp Gln Asn Pro Val Phe Glu Ser Ile Ile Ser 100 105 110
- Thr Asp His Ile Asp Phe Pro Gly Trp Gly Asp Asn Glu Gly Phe Gln 115 120 125
- Val Trp Asn Asp Asn Ala Leu Phe Met Asn Asp Pro Asp Gly Ile Gly 130 135 140
- Gly Lys Thr Gly Tyr Thr Asp Asp Ala Asn His Thr Phe Val Gly Gly 145 150 155 160
- Leu Asp Arg Gly Gly Arg Arg Leu Ala Ala Val Leu Leu Asp Ser Thr 165 170 175
- Val Ser Asp Ile Arg Pro Trp Glu Gln Ala Arg Leu Leu Ile Asp Ala 180 185 190
- Ser Leu Pro Ile Thr Pro Gly Ser Gly Val Gly Gln Leu Gly Ser Gly 195 200 205
- Ser Ala Asn Asp Val Ala Pro Ala Thr Pro Glu Leu Pro Glu Pro Thr 210 215 220
- Asp Asn Leu Thr Ser Gly Glu Gly Gly Ser Gln Asn Thr Leu Leu Lys 235 230 240
- Leu Val Val Pro Ile Gly Ile Ile Val Leu Leu Leu Ile Ala Ala Leu 245 250 255
- Ala Trp Thr Phe Arg Ser Pro Lys Lys Asn 260

<210> 91

<211> 749

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (1)..(726) <223> FRXA02859 <400> 91 cag tat acc gtt gat cag ctg ctg cac ggt ctt ctt tta gcc agc ggt Gln Tyr Thr Val Asp Gln Leu Leu His Gly Leu Leu Leu Ala Ser Gly aac gat gcg gcg tat ctg ttg gct cag gaa ctt ggt ggg gat caa gca 96 Asn Asp Ala Ala Tyr Leu Leu Ala Gln Glu Leu Gly Gly Asp Gln Ala 20 acc ctg gag aaa gta aac gcg ctg gcc aag gag ttg ggc act caa gac 144 Thr Leu Glu Lys Val Asn Ala Leu Ala Lys Glu Leu Gly Thr Gln Asp 35 40 acc ttc gtt gcc act tat tcc ggt ttg gat gcg ccg gga atg tcg acc 192 Thr Phe Val Ala Thr Tyr Ser Gly Leu Asp Ala Pro Gly Met Ser Thr tcc gca tac gac atg tca ttg att tat cag cat gcg tgg cag aac ccg 240 Ser Ala Tyr Asp Met Ser Leu İle Tyr Gln His Ala Trp Gln Asn Pro gtt ttc gag tcg att atc tcc acc gat cac att gat ttc cct ggt tgg 288 Val Phe Glu Ser Ile Ile Ser Thr Asp His Ile Asp Phe Pro Gly Trp ggc gac aat gag ggt ttc caa gtc tgg aac gat aac gcc ttg ttc atg 336 Gly Asp Asn Glu Gly Phe Gln Val Trp Asn Asp Asn Ala Leu Phe Met 100 aac gat cot gat ggc atc ggc ggc aag acc ggc tac acc gac gac gcg 384 Asn Asp Pro Asp Gly Ile Gly Gly Lys Thr Gly Tyr Thr Asp Asp Ala 115 120 aac cac acc ttt gtc ggc ggt ctc gat cgg ggt ggt cgc cgc ctc gcc 432 Asn His Thr Phe Val Gly Gly Leu Asp Arg Gly Gly Arg Arg Leu Ala gcc gta ctc ttg gat tcc acc gtc agc gac att cgt ccg tgg gaa caa 480 Ala Val Leu Leu Asp Ser Thr Val Ser Asp Ile Arg Pro Trp Glu Gln 145 150 gca cga ttg ctt atc gac gcc tcc ctc ccc atc acg ccg ggg tcc ggc 528 Ala Arg Leu Leu Ile Asp Ala Ser Leu Pro Ile Thr Pro Gly Ser Gly 165 gtg ggc cag ctg ggc tcc ggc agc gcg aac gat gtg gca ccg gcg acc 576 Val Gly Gln Leu Gly Ser Gly Ser Ala Asn Asp Val Ala Pro Ala Thr 185 cca gaa tta cca gaa ccc acc gac aac ctg act tca ggt gag ggt ggg 624 Pro Glu Leu Pro Glu Pro Thr Asp Asn Leu Thr Ser Gly Glu Gly Gly tcg cag aac acg ctg ctt aag ctc gtg gtg ccc atc gga atc atc gtg 672

Ser Gln Asn Thr Leu Leu Lys Leu Val Val Pro Ile Gly Ile Ile Val 210 215 220

ctg ttg cta atc gcc gca cta gcg tgg aca ttc aga tct ccc aag aaa 720 Leu Leu Leu Ile Ala Ala Leu Ala Trp Thr Phe Arg Ser Pro Lys Lys 225 230 235 240

aag aac taggtgttct tcttcacgac ctc Lys Asn

749

<210> 92

<211> 242

<212> PRT

<213> Corynebacterium glutamicum

<400> 92

Gln Tyr Thr Val Asp Gln Leu Leu His Gly Leu Leu Ala Ser Gly
1 10 15

Asn Asp Ala Ala Tyr Leu Leu Ala Gln Glu Leu Gly Gly Asp Gln Ala
20 25 30

Thr Leu Glu Lys Val Asn Ala Leu Ala Lys Glu Leu Gly Thr Gln Asp 35 40 45

Thr Phe Val Ala Thr Tyr Ser Gly Leu Asp Ala Pro Gly Met Ser Thr 50 55 60

Ser Ala Tyr Asp Met Ser Leu Ile Tyr Gln His Ala Trp Gln Asn Pro 65 70 75 80

Val Phe Glu Ser Ile Ile Ser Thr Asp His Ile Asp Phe Pro Gly Trp 85 90 95

Gly Asp Asn Glu Gly Phe Gln Val Trp Asn Asp Asn Ala Leu Phe Met 100 105 110

Asn Asp Pro Asp Gly Ile Gly Gly Lys Thr Gly Tyr Thr Asp Asp Ala 115 120 125

Asn His Thr Phe Val Gly Gly Leu Asp Arg Gly Gly Arg Arg Leu Ala 130 135 140

Ala Val Leu Leu Asp Ser Thr Val Ser Asp Ile Arg Pro Trp Glu Gln 145 150 155 160

Ala Arg Leu Leu Ile Asp Ala Ser Leu Pro Ile Thr Pro Gly Ser Gly
165 170 175

Val Gly Gln Leu Gly Ser Gly Ser Ala Asn Asp Val Ala Pro Ala Thr 180 185 190

Pro Glu Leu Pro Glu Pro Thr Asp Asn Leu Thr Ser Gly Glu Gly 195 200 205

Ser Gln Asn Thr Leu Leu Lys Leu Val Val Pro Ile Gly Ile Ile Val 210 215 220

Leu Leu Leu Ile Ala Ala Leu Ala Trp Thr Phe Arg Ser Pro Lys Lys

225 230 235 240

Lys Asn

<210> 93 <211> 1212 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1189) <223> RXA00137 <400> 93 tttacagagt gcttatgagg caatcagcca ctaagtgttg agtaatctac tagtttggac 60 tagaagttac ccactttcag tgaattttta aggagagaac atg gct ttg gct gat Met Ala Leu Ala Asp acc cga ttt gcc act cgt cgc gca ctt gcc gca aaa ctg gca gct Thr Arg Phe Ala Thr Arg Arg Arg Ala Leu Ala Ala Lys Leu Ala Ala caa cgg atc gac tca att ttg gtg aca agc ccg atc cat gtt cgc tat 211 Gln Arg Ile Asp Ser Ile Leu Val Thr Ser Pro Ile His Val Arg Tyr 30 ctc age gga ttc ace gge tcc aac gge gca etg ate gtg aac aaa gat 259 Leu Ser Gly Phe Thr Gly Ser Asn Gly Ala Leu Ile Val Asn Lys Asp 45 ctc tcc gcg cag atc tgc acc gac ggt cgc tac acc cag atc gca 307 Leu Ser Ala Gln Ile Cys Thr Asp Gly Arg Tyr Thr Thr Gln Ile Ala 55 gaa gaa gtc ccg gac atc gag gcg ctg att gag cgt gcc tcg gca acg 355 Glu Glu Val Pro Asp Ile Glu Ala Leu Ile Glu Arg Ala Ser Ala Thr 70 75 80 acg ctg cta gcg cag gtc gaa ggg ccg cgt cgt ata gca atc gaa qcc 403 Thr Leu Leu Ala Gln Val Glu Gly Pro Arg Arg Ile Ala Ile Glu Ala 90 gca caa acc acc ctg gac cag cta gac agc ctg cgt gaa gca acc cag 451 Ala Gln Thr Thr Leu Asp Gln Leu Asp Ser Leu Arg Glu Ala Thr Gln 105 110 gaa gac gtc gag ctg atc ccc gtg tca ggt gtt gtg gaa tcc att cgc 499 Glu Asp Val Glu Leu Ile Pro Val Ser Gly Val Val Glu Ser Ile Arg 120 125 ctg acc aaa gac agc ttc gaa ctc gac cgc ctc cgc gat gca gcg Leu Thr Lys Asp Ser Phe Glu Leu Asp Arg Leu Arg Asp Val Ala Ala 140 . 145

ctg gct tcc caa gca ttc gaa gat tta ctc gca gca gga gaa ctc gcc Leu Ala Ser Gln Ala Phe Glu Asp Leu Leu Ala Ala Gly Glu Leu Ala

	wo (1/008	342												PCT/	TB00/00911
150					155					160					165	
gaa Glu	ggc Gly	cga Arg	tca Ser	gag Glu 170	cgc Arg	caa Gln	gtc Val	gcc Ala	gcc Ala 175	gat Asp	ctg Leu	gaa Glu	tac Tyr	cgc Arg 180	atg Met	643
cgc Arg	ctg Leu	ttg Leu	gga Gly 185	gca Ala	gaa Glu	cgc Arg	ccc Pro	agc Ser 190	ttc Phe	gac Asp	acc Thr	atc Ile	gtg Val 195	gcc Ala	tct Ser	691
gga Gly	cct Pro	aac Asn 200	tcc Ser	gcg Ala	aaa Lys	cca Pro	cac His 205	cac His	ggc Gly	gca Ala	ggc Gly	gac Asp 210	cgc Arg	atc Ile	ctc Leu	739
cag Gln	cgc Arg 215	ggc Gly	gat Asp	cta Leu	gtc Val	acc Thr 220	atc Ile	gat Asp	ttc Phe	ggc Gly	gca Ala 225	cac His	gca Ala	cgc Arg	gga Gly	787
ttc Phe 230	aac Asn	tcc Ser	gat Asp	atg Met	acc Thr 235	cgc Arg	acc Thr	ctc Leu	gtt Val	atg Met 240	ggc Gly	gaa Glu	gca Ala	ggg Gly	gag Glu 245	835
ttc Phe	gaa Glu	gca Ala	gaa Glu	atc Ile 250	tac Tyr	gac Asp	atc Ile	gtc Val	ctg Leu 255	cgc Arg	tcc Ser	caa Gln	ctc Leu	gct Ala 260	ggt Gly	883
gtt Val	gaa Glu	gca Ala	gcc Ala 265	tac Tyr	tca Ser	ggc Gly	gcc Ala	aac Asn 270	ctc Leu	ttc Phe	gac Asp	atc Ile	gac Asp 275	gca Ala	gca Ala	931
gc Cys	cgc Arg	aaa Lys 280	atc Ile	atc Ile	gaa Glu	gac Asp	gca Ala 285	ggc Gly	tac Tyr	ggc Gly	gaa Glu	tac Tyr 290	ttc Phe	gtg Val	cac His	979
cc Ser	acc Thr 295	ggc Gly	cac His	ggc Gly	atc [°] Ile	gga Gly 300	ctt Leu	gaa Glu	gtc Val	cac His	gaa Glu 305	gcc Ala	cca Pro	agc Ser	gca Ala	1027
Ser Bl0	aaa Lys	acc Thr	tca Ser	caa Gln	gga Gly 315	gtc Val	cta Leu	gaa Glu	acc Thr	ggc Gly 320	tcc Ser	aca Thr	ctg Leu	acc Thr	atc Ile 325	1075
gaa Slu	ccc Pro	gga Gly	att Ile	tac Tyr 330	gtc Val	ccc Pro	gga Gly	aag Lys	ggc Gly 335	ggc Gly	gta Val	cgc Arg	atc Ile	gaa Glu 340	gac Asp	1123
icc hr	ctg Leu	att Ile	att Ile 345	acc Thr	tca Ser	gga Gly	gca Ala	ccg Pro 350	gaa Glu	atc Ile	atc Ile	Thr	aag Lys 355	gtg Val	agt Ser	1171
ıag .ys	gac Asp	ctc Leu 360	atc Ile	gtg Val	gtg Val	taat	ctag	ıgt g	jaget	aato	g gt:	c				1212
211	> 94 > 36 > PR															

<213> Corynebacterium glutamicum <400> 94

Met Ala Leu Ala Asp Thr Arg Phe Ala Thr Arg Arg Arg Ala Leu Ala 1 5 10 15

- Ala Lys Leu Ala Ala Gln Arg Ile Asp Ser Ile Leu Val Thr Ser Pro 20 25 30
- Ile His Val Arg Tyr Leu Ser Gly Phe Thr Gly Ser Asn Gly Ala Leu 35 40 45
- Ile Val Asn Lys Asp Leu Ser Ala Gln Ile Cys Thr Asp Gly Arg Tyr 50 55 60
- Thr Thr Gln Ile Ala Glu Glu Val Pro Asp Ile Glu Ala Leu Ile Glu 65 70 75 80
- Arg Ala Ser Ala Thr Thr Leu Leu Ala Gl
n Val Glu Gly Pro Arg Arg 85 90 95
- Ile Ala Ile Glu Ala Ala Gln Thr Thr Leu Asp Gln Leu Asp Ser Leu 100 105 110
- Arg Glu Ala Thr Gln Glu Asp Val Glu Leu Ile Pro Val Ser Gly Val 115 120 125
- Val Glu Ser Ile Arg Leu Thr Lys Asp Ser Phe Glu Leu Asp Arg Leu 130 135 140
- Arg Asp Val Ala Ala Leu Ala Ser Gln Ala Phe Glu Asp Leu Leu Ala 145 150 155 160
- Ala Gly Glu Leu Ala Glu Gly Arg Ser Glu Arg Gln Val Ala Ala Asp 165 170 175
- Leu Glu Tyr Arg Met Arg Leu Leu Gly Ala Glu Arg Pro Ser Phe Asp 180 185 190
- Thr Ile Val Ala Ser Gly Pro Asn Ser Ala Lys Pro His His Gly Ala 195 200 205
- Gly Asp Arg Ile Leu Gln Arg Gly Asp Leu Val Thr Ile Asp Phe Gly 210 215 220
- Ala His Ala Arg Gly Phe Asn Ser Asp Met Thr Arg Thr Leu Val Met 225 230 235 240
- Gly Glu Ala Gly Glu Phe Glu Ala Glu Ile Tyr Asp Ile Val Leu Arg 245 250 255
- Ser Gln Leu Ala Gly Val Glu Ala Ala Tyr Ser Gly Ala Asn Leu Phe 260 265 270
- Asp Ile Asp Ala Ala Cys Arg Lys Ile Ile Glu Asp Ala Gly Tyr Gly 275 280 285
- Glu Tyr Phe Val His Ser Thr Gly His Gly Ile Gly Leu Glu Val His 290 295 300
- Glu Ala Pro Ser Ala Ser Lys Thr Ser Gln Gly Val Leu Glu Thr Gly 305 310 315 320
- Ser Thr Leu Thr Ile Glu Pro Gly Ile Tyr Val Pro Gly Lys Gly Gly

325 330 335

Val Arg Ile Glu Asp Thr Leu Ile Ile Thr Ser Gly Ala Pro Glu Ile 340 345 350

Ile Thr Lys Val Ser Lys Asp Leu Ile Val Val 355

<210> 95

<211> 1404

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1381)

<223> RXN00499

<400> 95

tgccaacagg ggatatgcca ctgtgtaccc cacggcgatg atcggtaaaa tcctcggcgc 60

gcagatattg ttcttgctgc tctaaggtga tttttgggca gtg gtg gtg gtg 115

Val Val Gly Val Val

1 5

tcc acc cct gcg cgt aac ctg gga agc atg act aaa aca ctt ggt tcc 163 Ser Thr Pro Ala Arg Asn Leu Gly Ser Met Thr Lys Thr Leu Gly Ser 10 15 20

ctt cag ctg gaa gaa atc acg ctg acc ctc ctt ctg act gaa gat gtg 211 Leu Gln Leu Glu Glu Ile Thr Leu Thr Leu Pro Leu Thr Glu Asp Val 25 30 35

gcc gat gaa cgc acc att gat gtg ttc gca cgc att gcc aca cgc gtc 259 Ala Asp Glu Arg Thr Ile Asp Val Phe Ala Arg Ile Ala Thr Arg Val 40 45

ggt ggg gaa gac ctt cca tat tta gta ttc ctg cag ggt ggg cct ggc 307 Gly Gly Glu Asp Leu Pro Tyr Leu Val Phe Leu Gln Gly Gly Pro Gly 55 60

aat gaa get eea egt eea age ett aat eee ete aac eee aat tgg ttg 355 Asn Glu Ala Pro Arg Pro Ser Leu Asn Pro Leu Asn Pro Asn Trp Leu

ggc gtg gcc ttg gag gaa tac cgc gtg gtc atg ttg gat caa cgt ggc 403 Gly Val Ala Leu Glu Glu Tyr Arg Val Val Met Leu Asp Gln Arg Gly 90 95

acc ggc cgt tcc acc cca gtg ggt aat gat att ttg gaa aaa ccc aca 451 Thr Gly Arg Ser Thr Pro Val Gly Asn Asp Ile Leu Glu Lys Pro Thr 105 110

gca gaa gta gtg gag tac tta tcc cac ctg cgc gca gat ggc att gtg 499 Ala Glu Val Val Glu Tyr Leu Ser His Leu Arg Ala Asp Gly Ile Val 120 125 130

cga gat gct gaa gcc ctg cgt aag cat ttg ggt gtg aat cag tgg aac 547 Arg Asp Ala Glu Ala Leu Arg Lys His Leu Gly Val Asn Gln Trp Asn 135 140 145

ctt Leu 150	tta Leu	ggc Gly	cag Gln	tcc Ser	ttc Phe 155	gga Gly	ggt Gly	ttc Phe	acc Thr	acc Thr 160	ctg Leu	cat His	tac Tyr	ttg Leu	tcc Ser 165	595
	cac His															643
	att Ile															691
atg Met	cgc Arg	cga Arg 200	aac Asn	tct Ser	gag Glu	gaa Glu	ttc Phe 205	tac Tyr	cgt Arg	cgc Arg	ttc Phe	ccg Pro 210	caa Gln	tta Leu	cgg Arg	739
gaa Glu	act Thr 215	ttc Phe	cga Arg	Gly ggg	ttg Leu	gtt Val 220	aat Asn	cgt Arg	gct Ala	cgc Arg	gcc Ala 225	ggg Gly	gag Glu	att Ile	gtg Val	787
ctt Leu 230	ccc Pro	acc Thr	ggc Gly	gaa Glu	gtt Val 235	gtg Val	tca Ser	gaa Glu	acc Thr	agg Arg 240	ctg Leu	cga Arg	tcc Ser	ctt Leu	ggt Gly 245	835
cac His	ttg Leu	ttg Leu	ggt Gly	agc Ser 250	aat Asn	gac Asp	ggc Gly	tgg Trp	ttt Phe 255	gat Asp	ctg Leu	tac Tyr	aac Asn	ctg Leu 260	ctg Leu	883
gaa Glu	tta Leu	gat Asp	ccc Pro 265	acc Thr	tcc Ser	aac Asn	gct Ala	ttt Phe 270	gtc Val	cat His	gac Asp	ctg Leu	gca Ala 275	gga Gly	ctt Leu	931
ttg Leu	cct Pro	ttc Phe 280	ggc Gly	aac Asn	cgc Arg	aac Asn	cca Pro 285	att Ile	tat Tyr	tac Tyr	gtg Val	ctc Leu 290	cat His	gag Glu	tcc Ser	979
tct Ser	tac Tyr 295	gcc Ala	gac Asp	ggt Gly	gtg Val	gtg Val 300	aca Thr	aat Asn	tgg Trp	gca Ala	gca Ala 305	gag Glu	cgt Arg	gtg Val	ctt Leu	1027
cca Pro 310	gag Glu	gat Asp	ttc Phe	cgc Arg	gag Glu 315	gat Asp	cca Pro	aca Thr	ctg Leu	ctc Leu 320	acc Thr	ggt Gly	gag Glu	cac His	gtg Val 325	1075
ttc Phe	cag Gln	gag Glu	tgg Trp	aca Thr 330	gac Asp	acc Thr	gtg Val	ccg Pro	tcg Ser 335	ctc Leu	aag Lys	ccg Pro	tgg Trp	aag Lys 340	gac Asp	1123
gtt Val	gcc Ala	ctg Leu	gca Ala 345	ttg Leu	gct Ala	cag Gln	cag Gln	gaa Glu 350	tgg Trp	ccc Pro	aag Lys	ctt Leu	tat Tyr 355	gat Asp	gcg Ala	1171
aag Lys	gca Ala	ttg Leu 360	gaa Glu	aac Asn	tca Ser	cag Gln	gcc Ala 365	aag Lys	ggc Gly	gct Ala	gca Ala	gca Ala 370	gtg Val	tat Tyr	gcc Ala	1219
aat Asn	gac Asp 375	gtt Val	ttc Phe	gtc Val	cca Pro	gtg Val 380	gat Asp	tac Tyr	tct Ser	ctg Leu	gaa Glu 385	acc Thr	gca Ala	caa Gln	cac His	1267

ctg ccc ggt gtg cag ctg ttt atc acc agc cag cat gaa cac aat gga 1315

Leu Pro Gly Val Gln Leu Phe Ile Thr Ser Gln His Glu His Asn Gly 405

ctt cgt gcc agc tca ggc gca gta ctg aag cac ctt ttc gat ctg gcc 1363

Leu Arg Ala Ser Ser Gly Ala Val Leu Lys His Leu Phe Asp Leu Ala 410

cac ggc cga gag gta cgc tgattcctcg tgttagtact agc 1404

His Gly Arg Glu Val Arg 425

<210> 96

<211> 427

<212> PRT

<213> Corynebacterium glutamicum

<400> 96

Val Val Gly Val Val Ser Thr Pro Ala Arg Asn Leu Gly Ser Met Thr 1 5 10 15

Lys Thr Leu Gly Ser Leu Gln Leu Glu Glu Ile Thr Leu Thr Leu Pro 20 25 30

Leu Thr Glu Asp Val Ala Asp Glu Arg Thr Ile Asp Val Phe Ala Arg . 35 40 45

Ile Ala Thr Arg Val Gly Glu Asp Leu Pro Tyr Leu Val Phe Leu 50 55 60

Gln Gly Gly Pro Gly Asn Glu Ala Pro Arg Pro Ser Leu Asn Pro Leu 65 70 75 80

Asn Pro Asn Trp Leu Gly Val Ala Leu Glu Glu Tyr Arg Val Val Met 85 90 95

Leu Asp Gln Arg Gly Thr Gly Arg Ser Thr Pro Val Gly Asn Asp Ile 100 105 110

Leu Glu Lys Pro Thr Ala Glu Val Val Glu Tyr Leu Ser His Leu Arg 115 120 125

Ala Asp Gly Ile Val Arg Asp Ala Glu Ala Leu Arg Lys His Leu Gly 130 135 140

Val Asn Gln Trp Asn Leu Leu Gly Gln Ser Phe Gly Gly Phe Thr Thr 145 150 155 160

Leu His Tyr Leu Ser Arg His Ala Asp Ser Leu Asp Asn Val Phe Ile 165 170 175

Thr Gly Gly Leu Ser Ala Ile Asp Arg Pro Ala Glu Asp Val Tyr Ala 180 185 190

Asn Cys Tyr Asn Arg Met Arg Arg Asn Ser Glu Glu Phe Tyr Arg Arg 195 200 205

Phe Pro Gln Leu Arg Glu Thr Phe Arg Gly Leu Val Asn Arg Ala Arg 210 215 220

Ala Gly Glu Ile Val Leu Pro Thr Gly Glu Val Val Ser Glu Thr Arg 225 230 235 240

- Leu Arg Ser Leu Gly His Leu Leu Gly Ser Asn Asp Gly Trp Phe Asp 245 250 255
- Leu Tyr Asn Leu Leu Glu Leu Asp Pro Thr Ser Asn Ala Phe Val His 260 265 270
- Asp Leu Ala Gly Leu Leu Pro Phe Gly Asn Arg Asn Pro Ile Tyr Tyr 275 280 285
- Val Leu His Glu Ser Ser Tyr Ala Asp Gly Val Val Thr Asn Trp Ala 290 295 300
- Ala Glu Arg Val Leu Pro Glu Asp Phe Arg Glu Asp Pro Thr Leu Leu 305 310 315 320
- Thr Gly Glu His Val Phe Gln Glu Trp Thr Asp Thr Val Pro Ser Leu 325 330 335
- Lys Pro Trp Lys Asp Val Ala Leu Ala Leu Ala Gln Gln Glu Trp Pro 340 345 350
- Lys Leu Tyr Asp Ala Lys Ala Leu Glu Asn Ser Gln Ala Lys Gly Ala 355 360 365
- Ala Ala Val Tyr Ala Asn Asp Val Phe Val Pro Val Asp Tyr Ser Leu 370 380
- Glu Thr Ala Gln His Leu Pro Gly Val Gln Leu Phe Ile Thr Ser Gln 385 390 395 400
- His Glu His Asn Gly Leu Arg Ala Ser Ser Gly Ala Val Leu Lys His
- Leu Phe Asp Leu Ala His Gly Arg Glu Val Arg 420 425
- <210> 97
- <211> 980
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (1)..(957)
- <223> FRXA00499
- <400> 97
- ggt aat gat att ttg gaa aaa ccc aca gca gaa gta gtg gag tac tta 48 Gly Asn Asp Ile Leu Glu Lys Pro Thr Ala Glu Val Val Glu Tyr Leu 1 5 10
- tcc cac ctg cgc gca gat ggc att gtg cga gat gct gaa gcc ctg cgt 96 Ser His Leu Arg Ala Asp Gly Ile Val Arg Asp Ala Glu Ala Leu Arg
- aag cat ttg ggt gtg aat cag tgg aac ctt tta ggc cag tcc ttc gga 144 Lys His Leu Gly Val Asn Gln Trp Asn Leu Leu Gly Gln Ser Phe Gly

35 40 45

ggt Gly	ttc Phe 50	acc Thr	acc Thr	ctg Leu	cat His	tac Tyr 55	ttg Leu	tcc Ser	cgg Arg	cac His	gcc Ala 60	gat Asp	tcc Ser	ttg Leu	gac Asp	192
aac Asn 65	gtg Val	ttt Phe	att Ile	acc Thr	ggc Gly 70	ggt Gly	ctc Leu	agc Ser	gct Ala	att Ile 75	gat Asp	cgc Arg	cca Pro	gca Ala	gaa Glu 80	240
gac Asp	gtg Val	tat Tyr	gcc Ala	aac Asn 85	tgt Cys	tac Tyr	aac Asn	cgc Arg	atg Met 90	cgc Arg	cga Arg	aac Asn	tct Ser	gag Glu 95	gaa Glu	288
ttc Phe	tac Tyr	cgt Arg	cgc Arg 100	ttc Phe	ccg Pro	caa Gln	tta Leu	cgg Arg 105	gaa Glu	act Thr	ttc Phe	cga Arg	ggg Gly 110	ttg Leu	gtt Val	336
aat Asn	cgt Arg	gct Ala 115	cgc Arg	gcc Ala	ggg Gly	gag Glu	att Ile 120	gtg Val	ctt Leu	ccc Pro	acc Thr	ggc Gly 125	gaa Glu	gtt Val	gtg Val	384
tca Ser	gaa Glu 130	acc Thr	agg Arg	ctg Leu	cga Arg	tcc Ser 135	ctt Leu	ggt Gly	cac His	ttg Leu	ttg Leu 140	ggt Gly	agc Ser	aat Asn	gac Asp	432
ggc Gly 145	tgg Trp	ttt Phe	gat Asp	ctg Leu	tac Tyr 150	aac Asn	ctg Leu	ctg Leu	gaa Glu	tta Leu 155	gat Asp	ccc Pro	acc Thr	tcc Ser	aac Asn 160	480
					ctg Leu											528
					ctc Leu											576
aca Thr	aat Asn	tgg Trp 195	gca Ala	gca Ala	gag Glu	cgt Arg	gtg Val 200	ctt Leu	cca Pro	gag Glu	gat Asp	ttc Phe 205	cgc Arg	gag Glu	gat Asp	624
cca Pro	aca Thr 210	ctg Leu	ctc Leu	acc Thr	ggt Gly	gag Glu 215	cac His	gtg Val	ttc Phe	cag Gln	gag Glu 220	tgg Trp	aca Thr	gac Asp	acc Thr	672
gtg Val 225	ccg Pro	tcg Ser	ctc Leu	aag Lys	ccg Pro 230	tgg Trp	aag Lys	gac Asp	gtt Val	gcc. Ala 235	ctg Leu	gca Ala	ttg Leu	gct Ala	cag Gln 240	720
					ctt Leu											768
					gca Ala											816
gat Asp	tac Tyr	tct Ser 275	ctg Leu	gaa Glu	acc Thr	gca Ala	caa Gln 280	cac His	ctg Leu	ccc Pro	ggt Gly	gtg Val 285	cag Gln	ctg Leu	ttt Phe	864

														ggc Gly		912
								gcc Ala								957
tgai	ttcc	tcg (tgtta	agtad	ct a	gc										980
<212 <212	0> 98 1> 3: 2> Pi 3> Co	19 RT	ebact	eri	um gl	lutan	nicur	n								
)> 98															
Gly 1	Asn	Asp	Ile	Leu 5	Glu	Lys	Pro	Thr	Ala 10	Glu	Val	Val	Glu	Tyr 15	Leu	
Ser	His	Leu	Arg 20	Ala	Asp	Gly	Ile	Val 25	Arg	Asp	Ala	Glu	Ala 30	Leu	Arg	
Lys	His	Leu 35	Gly	Val	Asn	Gln	Trp 40	Asn	Leu	Leu	Gly	Gln 45	Ser	Phe	Gly	
Gly	Phe 50	Thr	Thr	Leu	His	Tyr 55	Leu	Ser	Arg	His	Ala 60	Asp	Ser	Leu	Asp	
Asn 65	Val	Phe	Ile	Thr	Gly 70	Gly	Leu	Ser	Ala	Ile 75	Asp	Arg	Pro	Ala	Glu 80	
Asp	Val	Tyr	Ala	Asn 85	Cys	Tyr	Asn	Arg	Met 90	Arg	Arg	Asn	Ser	Glu 95	Glu	
Phe	Tyr	Arg	Arg 100	Phe	Pro	Gln	Leu	Arg 105	Glu	Thr	Phe	Arg	Gly 110	Leu	Val	
Asn	Arg	Ala 115	Arg	Ala	Gly	Glu	Ile 120	Val	Leu	Pro	Thr	Gly 125	Glu	Val	Val	
Ser	Glu 130	Thr	Arg	Leu	Arg	Ser 135	Leu	Gly	His	Leu	Leu 140	Gly	Ser	Asn	Asp	
Gly 145	Trp	Phe	Asp	Leu	Tyr 150	Asn	Leu	Leu	Glu	Leu 155	Asp	Pro	Thr	Ser	Asn 160	
Ala	Phe	Val	His	Asp 165	Leu	Ala	Ġly	Leu	Leu 170	Pro	Phe	Gly	Asn	Arg 175	Asn	
Pro	Ile	Tyr	Tyr 180	Val	Leu	His	Glu	Ser 185	Ser	Туr	Ala	Asp	Gly 190	Val	Val	
Thr	Asn	Trp 195	Ala	Ala	Glu	Arg	Val 200	Leu	Pro	Glu	Asp	Phe 205	Arg	Glu	Asp	
Pro	Thr 210	Leu	Leu	Thr	Gly	Glu 215	His	Val	Phe	Gln	Glu 220	Trp	Thr	Asp	Thr	
Val	Pro	Ser	Leu	Lys	Pro	Trp	Lys	Asp	Val	Ala	Leu	Ala	Leu	Ala	Gln	

PCT/IB00/00911

WO 01/00842 225 230 235 240 Gln Glu Trp Pro Lys Leu Tyr Asp Ala Lys Ala Leu Glu Asn Ser Gln 250 Ala Lys Gly Ala Ala Ala Val Tyr Ala Asn Asp Val Phe Val Pro Val 260 Asp Tyr Ser Leu Glu Thr Ala Gln His Leu Pro Gly Val Gln Leu Phe 280 Ile Thr Ser Gln His Glu His Asn Gly Leu Arg Ala Ser Ser Gly Ala 290 295 300 Val Leu Lys His Leu Phe Asp Leu Ala His Gly Arg Glu Val Arg 310 315 <210> 99 <211> 1788 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1765) <223> RXN00877 aaataatggg gctcgccggt gatggttccc gccgggcatt caacggtgac ggaagaggtg 60 gcagacatga tgaaaactct agcaactagt atcggtcact atg act gtt gaa cac 115 Met Thr Val Glu His ctg ctc aag ccc agc acc ttg ccc tac cag ctg ccc gat ttc gca gcg 163 Leu Leu Lys Pro Ser Thr Leu Pro Tyr Gln Leu Pro Asp Phe Ala Ala 15 atc aag gtg gct gat ttc ccg ccc gcc ttc gaa ctc gca tta gct gaa 211 Ile Lys Val Ala Asp Phe Pro Pro Ala Phe Glu Leu Ala Leu Ala Glu cac gat gct gaa att aca gcg atc gct acc aat gag gac gct cct acc 259 His Asp Ala Glu Ile Thr Ala Ile Ala Thr Asn Glu Asp Ala Pro Thr 45 tgg gag aac acc att gag gcc ctg gaa cgc gca ggc ctg tcc ctc aac 307 Trp Glu Asn Thr Ile Glu Ala Leu Glu Arg Ala Gly Leu Ser Leu Asn

55

ege gte gee gta tte tte aac ttg cag gge ace gat tee tee cet 355 Arg Val Ala Ala Val Phe Phe Asn Leu Gln Gly Thr Asp Ser Ser Pro 70 75

gaa atg gat gaa atc gca gcc act atc gcg ccg aaa ctc tcc gcg cat 403 Glu Met Asp Glu Ile Ala Ala Thr Ile Ala Pro Lys Leu Ser Ala His 90 95

tcg gat gcg att ttc cac aat gct gcg ctt ttc gcg cgc att gag gcc 451 Ser Asp Ala Ile Phe His Asn Ala Ala Leu Phe Ala Arg Ile Glu Ala

105 110 115

													_			
					gac Asp											499
aag Lys	cgc Arg 135	gct Ala	ttt Phe	cga Arg	cgt Arg	cgc Arg 140	ggt Gly	gca Ala	gca Ala	ctc Leu	aac Asn 145	gcc Ala	gac Asp	ggc Gly	aag Lys	547
gcc Ala 150	cga Arg	ctg Leu	agc Ser	acc Thr	atc Ile 155	aac Asn	cag Gln	cgc Arg	cta Leu	tcg Ser 160	gca Ala	ctg Leu	tcc Ser	gaa Glu	cag Gln 165	595
ttc Phe	ggc Gly	cgc Arg	aac Asn	ctg Leu 170	ctt Leu	cag Gln	gac Asp	acc Thr	cgc Arg 175	gat Asp	ctg Leu	gcg Ala	gtc Val	aac Asn 180	ttt Phe	643
					gcc Ala											691
gct Ala	gac Asp	tac Tyr 200	gca Ala	gca Ala	gca Ala	gtt Val	ggc Gly 205	acc Thr	gaa Glu	ggc Gly	tac Tyr	gtg Val 210	gtt Val	cca Pro	ctg Leu	739
gaa Glu	ctg Leu 215	ccc Pro	acc Thr	gtg Val	cag Gln	tca Ser 220	gag Glu	cag Gln	gca Ala	gta Val	tta Leu 225	acc Thr	gaa Glu	tcc Ser	gcc Ala	787
tcg Ser 230	cgt Arg	gca Ala	aag Lys	ctt Leu	tat Tyr 235	gaa Glu	gcc Ala	tcc Ser	cag Gln	aag Lys 240	cgt Arg	ggc Gly	gcc Ala	agc Ser	ctg Leu 245	835
aac Asn	aag Lys	gac Asp	gtg Val	ctg Leu 250	ctc Leu	gaa Glu	acc Thr	gtg Val	cgt Arg 255	ctg Leu	cgt Arg	gct Ala	gaa Glu	cgc Arg 260	gcc Ala	883
aca Thr	ctt Leu	tta Leu	ggc Gly 265	tac Tyr	gac Asp	acc Thr	cac His	gcc Ala 270	gat Asp	tac Tyr	gtc Val	atc Ile	gaa Glu 275	gaa Glu	gaa Glu	931
acc Thr	gcc Ala	gat Asp 280	gac Asp	gtc Val	gca Ala	gcc Ala	gtg Val 285	cgc Arg	gcc Ala	ttg Leu	ctt Leu	tat Tyr 290	gat Asp	ctc Leu	gcc Ala	979
cca Pro	gcc Ala 295	gcc Ala	tct Ser	gcc Ala	aat Asn	gcg Ala 300	aaa Lys	gcc Ala	gaa Glu	tac. Tyr	aaa Lys 305	ctc Leu	tcc Ser	gca Ala	gaa Glu	1027
gaa Glu 310	gca Ala	gaa Glu	gaa Glu	cac His	ggc Gly 315	caa Gln	aaa Lys	gtc Val	ggc Gly	gca Ala 320	gct Ala	gac Asp	tgg Trp	agc Ser	ttc. Phe 325	1075
tgg Trp	gaa Glu	gcc Ala	aaa Lys	gtc Val 330	cgc Arg	gcc Ala	cgc Arg	gac Asp	tac Tyr 335	gcc Ala	ctg Leu	gac Asp	gaa Glu	acc Thr 340	gaa Glu	1123
ctg Leu	cgc Arg	aac Asn	tac Tyr 345	ttc Phe	cca Pro	ttg Leu	aac Asn	caa Gln 350	gta Val	ctc Leu	cgt Arg	gac Asp	ggc Gly 355	gtc Val	ttc Phe	1171

						tac Tyr										1219
						ggc Gly 380										1267
						ctg Leu										1315
	_				-	tgg Trp	-		-	Phe	-	-				1363
-				_		gtc Val		-		-	_					1411
				-	-	cta Leu		_		-	-	-				1459
		-				ggc Gly 460	_			_	_		_		-	1507
						acc Thr				_	_		-	-		1555
		_			-	aac Asn		-		_		_	_	-	_	1603
						gac Asp										1651
		_		_	-	tgt Cys				-	-		-	-		1699
	_		_			cta Leu 540		-		-		-			-	1747
	_	cgg Arg	_	_		tagt	caat	tga (catto	gacca	aa t	ta				1788

<210> 100

<211> 555

<212> PRT

<213> Corynebacterium glutamicum

<400> 100

Met Thr Val Glu His Leu Leu Lys Pro Ser Thr Leu Pro Tyr Gln Leu

1 5 10 15

Pro Asp Phe Ala Ala Ile Lys Val Ala Asp Phe Pro Pro Ala Phe Glu 20 25 30

Leu Ala Leu Ala Glu His Asp Ala Glu Ile Thr Ala Ile Ala Thr Asn $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$

Glu Asp Ala Pro Thr Trp Glu Asn Thr Ile Glu Ala Leu Glu Arg Ala 50 55 60

Gly Leu Ser Leu Asn Arg Val Ala Ala Val Phe Phe Asn Leu Gln Gly 65 70 75 80

Thr Asp Ser Ser Pro Glu Met Asp Glu Ile Ala Ala Thr Ile Ala Pro 85 90 95

Lys Leu Ser Ala His Ser Asp Ala Ile Phe His Asn Ala Ala Leu Phe 100 . 105 110

Ala Arg Ile Glu Ala Val Glu Ala Pro Ala Asp Glu Glu Ser Gln Arg 115 120 125

Leu Leu Ser His Thr Lys Arg Ala Phe Arg Arg Gly Ala Ala Leu 130 135 140

Asn Ala Asp Gly Lys Ala Arg Leu Ser Thr Ile Asn Gln Arg Leu Ser 145 150 155 160

Ala Leu Ser Glu Gln Phe Gly Arg Asn Leu Leu Gln Asp Thr Arg Asp 165 170 175

Leu Ala Val Asn Phe Glu Glu Ser Glu Leu Ala Gly Phe Ser Glu Ala 180 185 190

Arg Ile Ser Ala Ala Ala Asp Tyr Ala Ala Ala Val Gly Thr Glu Gly 195 200 205

Tyr Val Val Pro Leu Glu Leu Pro Thr Val Gln Ser Glu Gln Ala Val 210 215 220

Leu Thr Glu Ser Ala Ser Arg Ala Lys Leu Tyr Glu Ala Ser Gln Lys 225 230 235 240

Arg Gly Ala Ser Leu Asn Lys Asp Val Leu Leu Glu Thr Val Arg Leu 245 250 255

Arg Ala Glu Arg Ala Thr Leu Leu Gly Tyr Asp Thr His Ala Asp Tyr 260 265 270

Val Ile Glu Glu Ghr Ala Asp Asp Val Ala Ala Val Arg Ala Leu 275 280 285

Leu Tyr Asp Leu Ala Pro Ala Ala Ser Ala Asn Ala Lys Ala Glu Tyr 290 295 300

Lys Leu Ser Ala Glu Glu Ala Glu Glu His Gly Gln Lys Val Gly Ala 305 310 315 320

Ala Asp Trp Ser Phe Trp Glu Ala Lys Val Arg Ala Arg Asp Tyr Ala 325 330 335

Leu Asp Glu Thr Glu Leu Arg Asn Tyr Phe Pro Leu Asn Gln Val Leu 340 345 350

- Arg Asp Gly Val Phe Phe Ala Ala Asn Arg Leu Tyr Gly Ile Thr Val 355 360 365
- Glu Pro Arg Pro Asp Leu Arg Gly Tyr Ala Glu Gly Val Asp Val Trp 370 380
- Glu Val Leu Asp Ser Asp Gly Ser Gly Ile Gly Leu Ile Leu Thr Asp 385 390 395 400
- Tyr Tyr Gly Arg Pro Ser Lys Arg Gly Gly Ala Trp Met Ser Ser Phe 405 410 415
- Val Asp Gln Ser Glu Leu Leu Gly Thr Lys Pro Val Val Asn Val 420 425 430
- Met Gly Ile Thr Lys Pro Thr Thr Gly Glu Ala Leu Leu Ser Leu Asp 435 440 445
- Glu Val Thr Thr Ile Phe His Glu Phe Gly His Gly Leu His Gly Leu 450 455 460
- Leu Ser Lys Val Arg Tyr Pro Ser Phe Ser Gly Thr Ser Val Pro Arg 465 470 475 480
- Asp Tyr Val Glu Phe Pro Ser Gln Ile Asn Glu Asn Trp Ala Phe Asp 485 490 495
- Pro Ala Val Val Arg Asn Tyr Ala Arg His Val Asp Thr Gly Asp Ile 500 505 510
- Ile Pro Asp Ser Leu Leu Glu Ala Val Glu Ala Cys Gly Ile Ser Asp 515 520 525
- Arg Val Val Glu His Val Ser Thr Cys Pro His Leu Leu Ser Thr Cys 530 535 540
- Pro Val Ser Pro Cys Pro Gln Arg Met Pro His 545 550 555
- <210> 101
- <211> 1088
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (1)..(1065)
- <223> FRXA00877
- <400> 101
- gca gca gca gtt ggc acc gaa ggc tac gtg gtt cca ctg gaa ctg ccc 48 Ala Ala Ala Val Gly Thr Glu Gly Tyr Val Val Pro Leu Glu Leu Pro 1 5 10
- acc gtg cag tca gag cag gca gta tta acc gaa tcc gcc tcg cgt gca 96 Thr Val Gln Ser Glu Gln Ala Val Leu Thr Glu Ser Ala Ser Arg Ala

20 25 30

aag Lys	ctt Leu	tat Tyr 35	gaa Glu	gcc Ala	tcc Ser	cag Gln	aag Lys 40	cgt Arg	ggc Gly	gcc Ala	agc Ser	ctg Leu 45	aac Asn	aag Lys	gac Asp	144
gtg Val	ctg Leu 50	ctc Leu	gaa Glu	acc Thr	gtg Val	cgt Arg 55	ctg Leu	cgt Arg	gct Ala	gaa Glu	cgc Arg 60	gcc Ala	aca Thr	ctt Leu	tta Leu	192
ggc Gly 65	tac Tyr	gac Asp	acc Thr	cac His	gcc Ala 70	gat Asp	tac Tyr	gtc Val	atc Ile	gaa Glu 75	gaa Glu	gaa Glu	acc Thr	gcc Ala	gat Asp 80	240
gac Asp	gtc Val	gca Ala	gcc Ala	gtg Val 85	cgc Arg	gcc Ala	ttg Leu	ctt Leu	tat Tyr 90	gat Asp	ctc Leu	gcc Ala	cca Pro	gcc Ala 95	gcc Ala	288
tct Ser	gcc Ala	aat Asn	gcg Ala 100	aaa Lys	gcc Ala	gaa Glu	tac Tyr	aaa Lys 105	ctc Leu	tcc Ser	gca Ala	gaa Glu	gaa Glu 110	gca Ala	gaa Glu	336
gaa Glu	cac His	ggc Gly 115	caa Gln	aaa Lys	gtc Val	ggc Gly	gca Ala 120	gct Ala	gac Asp	tgg Trp	agc Ser	ttc Phe 125	tgg Trp	gaa Glu	gcc Ala	384
aaa Lys	gtc Val 130	cgc Arg	gcc Ala	cgc Arg	gac Asp	tac Tyr 135	gcc Ala	ctg Leu	gac Asp	gaa Glu	acc Thr 140	gaa Glu	ctg Leu	cgc Arg	aac Asn	432
tac Tyr 145	ttc Phe	cca Pro	ttg Leu	aac Asn	caa Gln 150	gta Val	ctc Leu	cgt Arg	gac Asp	ggc Gly 155	gtc Val	ttc Phe	ttc Phe	Ala	gct Ala 160	480
aac Asn	cgc Arg	ctc Leu	tac Tyr	gga Gly 165	atc Ile	acc Thr	gtg Val	gaa Glu	cca Pro 170	cgc Arg	cct Pro	gac Asp	ctg Leu	cgc Arg 175	ggt Gly	528
tac Tyr	gcc Ala	gag Glu	ggc Gly 180	gtg Val	gac Asp	gtc Val	tgg Trp	gaa Glu 185	gtc Val	ctc Leu	gat Asp	tct Ser	gac Asp 190	ggc Gly	tcc Ser	576
ggc Gly	atc Ile	ggc Gly 195	ctg Leu	atc Ile	ctt Leu	acc Thr	gac Asp 200	tac Tyr	tac Tyr	ggc Gly	cga Arg	cca Pro 205	tcc Ser	aag Lys	cgg Arg	624
ggc Gly	ggc Gly 210	gct Ala	tgg Trp	atg Met	tcc Ser	agc Ser 215	ttt Phe	gtc Val	gac Asp	caa Gln	tcc Ser 220	gag Glu	ctg Leu	cta Leu	ggc Gly	672
acc Thr 225	aag Lys	cca Pro	gtc Val	gtg Val	gtc Val 230	aac Asn	gtt Val	atg Met	ggt Gly	att Ile 235	acc Thr	aaa Lys	cca Pro	acc Thr	acc Thr 240	720
ggc Gly	gaa Glu	gca Ala	cta Leu	ctc Leu 245	agc Ser	ctc Leu	gat Asp	gaa Glu	gta Val 250	acc Thr	acc Thr	atc Ile	ttc Phe	cac His 255	gaa Glu	768
ttc Phe	ggc Gly	cac His	ggc Gly 260	ctg Leu	cac His	ggc Gly	ttg Leu	ctg Leu 265	tcc Ser	aag Lys	gtg Val	cgc Arg	tac Tyr 270	cca Pro	agc Ser	816

Phe	tcc Ser	gga Gly 275	Thr	tcc Ser	gtg Val	ccc Pro	cgc Arg 280	gac Asp	tac Tyr	gta Val	gaa Glu	ttc Phe 285	ccc Pro	tcc Ser	cag Gln	864
atc Ile	aac Asn 290	Glu	aac Asn	tgg Trp	gca Ala	ttc Phe 295	gac Asp	cct Pro	gca Ala	gta Val	gtc Val 300	cgc Arg	aac Asn	tac Tyr	gcc Ala	912
cgc Arg 305	His	gtg Val	gac Asp	acc Thr	ggc Gly 310	gac Asp	atc Ile	att Ile	cca Pro	gac Asp 315	tcc Ser	ctg Leu	ctt Leu	gag Glu	gca Ala 320	960
gtg Val	gaa Glu	gca Ala	tgt Cys	ggc Gly 325	att Ile	tca Ser	gac Asp	aga Arg	gtg Val 330	gtg Val	gaa Glu	cat His	gtg Val	agt Ser 335	act Thr	1008
tgt Cys	ccc Pro	cat His	cta Leu 340	tta Leu	tcg Ser	acc Thr	tgc Cys	cct Pro 345	gtc Val	tct Ser	ccc Pro	tgt Cys	cca Pro 350	cag Gln	cgg Arg	1056
	ccg Pro		tagi	caai	tga d	atto	gacca	aa tt	a							1088
<21 <21	0> 10 1> 3! 2> PI 3> Co	55 RT	ebact	eri	ow gj	.utaπ	nicum	n								
	0> 10 Ala		Val	Gly 5	Thr	Glu	Gly	Tyr	Val 10	Val	Pro	Leu	Glu	Leu 15	Pro	
Thr	Val	Gln	Ser 20	Glu	Gln	Ala	Val	Leu 25	Thr	Glu	Ser	Ala	Ser 30	Arg	Ala	
Lys	Leu	Tyr 35	Glu	Ala	Ser	Gln	Lys 40	Arg	Gly	Ala	Ser	Leu 45	Asn	Lys	Asp	
Val	Leu 50	Leu	Glu	Thr	Val	Arg 55	Leu	Arg	Ala	Glu	Arg 60	Ala	Thr	Leu	Leu	÷
Gly 65	Tyr	Asp	Thr	His	Ala 70	Asp	Tyr	Val	Ile	Glu 75	Glu	Glu	Thr	Ala	Asp 80	
Asp	Val	Ala	Ala	Val 85	Arg	Ala	Leu	Leu	Tyr 90	Asp	Leu	Ala	Pro	Ala 95	Ala	
Ser	Ala	Asn	Ala 100	Lys	Ala	Glu	Tyr	Lys 105	Leu	Ser	Ala	Glu	Glu 110	Ala	Glu	
Glu	His	Gly 115	Gln	Lys	Val	Gly	Ala 120	Ala	Asp	Trp	Ser	Phe 125	Trp	Glu	Ala	-
Lys	Val 130	Arg	Ala	Arg	Asp	Tyr 135	Ala	Leu	Asp	Glú	Thr 140	Glu	Leu	Arg	Asn	
Tyr 145	Phe	Pro	Leu	Asn	Gln 150	Val	Leu	Arg	Asp	Gly 155	Val	Phe	Phe	Ala	Ala 160	

Asn Arg Leu Tyr Gly Ile Thr Val Glu Pro Arg Pro Asp Leu Arg Gly 165 Tyr Ala Glu Gly Val Asp Val Trp Glu Val Leu Asp Ser Asp Gly Ser 185 Gly Ile Gly Leu Ile Leu Thr Asp Tyr Tyr Gly Arg Pro Ser Lys Arg 200 Gly Gly Ala Trp Met Ser Ser Phe Val Asp Gln Ser Glu Leu Leu Gly 215 Thr Lys Pro Val Val Val Asn Val Met Gly Ile Thr Lys Pro Thr Thr 235 Gly Glu Ala Leu Leu Ser Leu Asp Glu Val Thr Thr Ile Phe His Glu Phe Gly His Gly Leu His Gly Leu Leu Ser Lys Val Arg Tyr Pro Ser Phe Ser Gly Thr Ser Val Pro Arg Asp Tyr Val Glu Phe Pro Ser Gln 280 Ile Asn Glu Asn Trp Ala Phe Asp Pro Ala Val Val Arg Asn Tyr Ala Arg His Val Asp Thr Gly Asp Ile Ile Pro Asp Ser Leu Leu Glu Ala 310 Val Glu Ala Cys Gly Ile Ser Asp Arg Val Val Glu His Val Ser Thr 330 Cys Pro His Leu Leu Ser Thr Cys Pro Val Ser Pro Cys Pro Gln Arg Met Pro His 355 <210> 103 <211> 2724 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2701) <223> RXN01014 tcttaaagtt ttctagcaat ccacactagg cgcgaactat cgtggtgtca ttgcgcacct 60 tctaagggta gcgccccctc aaatttcaag gagcattaaa ttg acg tcc act aat Leu Thr Ser Thr Asn ctc acc cga cag gaa get tcg gat cgt tcg agg tta ctg agt gta gaa 163 Leu Thr Arg Gln Glu Ala Ser Asp Arg Ser Arg Leu Leu Ser Val Glu 10 15

aac Asn	tat Tyr	gac Asp	att Ile 25	Ala	ctt Leu	gat Asp	ctc Leu	aac Asn 30	aac Asn	ggt Gly	gat Asp	gag Glu	ttt Phe 35	ttt Phe	agt Ser	211
tcc Ser	tcc Ser	acc Thr 40	gtt Val	gtc Val	agc Ser	ttc Phe	act Thr 45	gtc Val	agg Arg	aag Lys	gct Ala	ggc Gly 50	gat Asp	acc Thr	ttt Phe	259
att Ile	gat Asp 55	Leu	cgc Arg	gca Ala	gca Ala	agc Ser 60	gtt Val	gag Glu	gag Glu	gtt Val	cgc Arg 65	ctg Leu	gac Asp	aat Asn	gtg Val	307
tcc Ser 70	Ile	aaa Lys	gat Asp	gag Glu	gct Ala 75	cta Leu	acc Thr	ctt Leu	ggc Gly	aag Lys 80	aac Asn	ggc Gly	tac Tyr	gac Asp	gag Glu 85	355
acg Thr	ttc Phe	ggc	atc Ile	gcc Ala 90	ctg Leu	aag Lys	ggt Gly	ctt Leu	act Thr 95	ccc Pro	ggc Gly	gcg Ala	cac His	acc Thr 100	ttg Leu	403
cgg Arg	gta Val	acg Thr	gcg Ala 105	tct Ser	atc Ile	ccc Pro	tat Tyr	tcc Ser 110	cgc Arg	acc Thr	ggt Gly	gaa Glu	ggc Gly 115	ctg Leu	cac His	451
cgc Arg	atg Met	gtg Val 120	gat Asp	cca Pro	gca Ala	gac Asp	aat Asn 125	gag Glu	gtg Val	tat Tyr	ttg Leu	tac Tyr 130	acc Thr	cag Gln	ttt Phe	499
gag Glu	acc Thr 135	gcc Ala	gat Asp	gcc Ala	aag Lys	cgt Arg 140	atg Met	ttc Phe	gcg Ala	tgt Cys	ttc Phe 145	gat Asp	cag Gln	cca Pro	gac Asp	547
ctc Leu 150	aag Lys	gct Ala	acc Thr	tat Tyr	gat Asp 155	ctg Leu	aac Asn	atc Ile	aaa Lys	act Thr 160	cct Pro	aag Lys	ggt Gly	tgg Trp	aag Lys 165	595
atc Ile	att Ile	tcc Ser	aac Asn	tct Ser 170	gag Glu	cag Gln	cag Gln	gtt Val	tcc Ser 175	act Thr	cag Gln	cac His	act Thr	gat Asp 180	tac Tyr	643
gat Asp	acc Thr	cac His	att Ile 185	tcc Ser	cga Arg	gtg Val	gac Asp	tat Tyr 190	ccc Pro	ctc Leu	tcc Ser	Thr	tac Tyr 195	ctg Leu	att Ile	691
gcg Ala	gtg Val	tgc Cys 200	gcg Ala	ggt Gly	cgt Arg	tac Tyr	cac His 205	gag Glu	gtg Val	tgc Cys	gat Asp	gtc Val 210	tgg Trp	aag Lys	ggt Gly	739
acg Thr	ctc Leu 215	acc Thr	cac His	cat His	gca Ala	gaa Glu 220	aca Thr	cct Pro	gcc Ala	gat Asp	cag Gln 225	cca Pro	act Thr	gag Glu	ctg Leu	787
act Thr 230	gtt Val	ccg Pro	ctt Leu	gct Ala	ctc Leu 235	tac Tyr	tgc Cys	cgc Arg	agt Ser	tct Ser 240	ttg Leu	gct Ala	aaa Lys	gat Asp	ctt Leu 245	835
gat Asp	gcg Ala	gtg Val	cgt Arg	ctg Leu 250	ttt Phe	acc Thr	gaa Glu	acg Thr	aag Lys 255	cag Gln	ggç Gly	ttt Phe	gat Asp	tgg Trp 260	tac Tyr	883

WO 01/00842 PCT/IB00/00911 cac ege aac tte ggt gtg geg tac eea tte gge aag tac gat eag ate 931 His Arg Asn Phe Gly Val Ala Tyr Pro Phe Gly Lys Tyr Asp Gln Ile 270 ttc gtc cct gaa ttt aat gct ggc gcg atg gag aac gcc ggc gct gtc 979 Phe Val Pro Glu Phe Asn Ala Gly Ala Met Glu Asn Ala Gly Ala Val acc atc cgc gat gag tac gtt ttt gca tcc aag gca acc cgt tac cgc 1027 Thr Ile Arg Asp Glu Tyr Val Phe Ala Ser Lys Ala Thr Arg Tyr Arg 300 tac gag ege ege get gaa ace ate ett eae gag ete get eae atg tgg 1075 Tyr Glu Arg Arg Ala Glu Thr Ile Leu His Glu Leu Ala His Met Trp 315 320 325 ttc ggt gtg ctg gtg acc atg cag tgg tgg gat gat ctg tgg ctc aac 1123 Phe Gly Val Leu Val Thr Met Gln Trp Trp Asp Asp Leu Trp Leu Asn 330 gag tee tte gee act tgg tee geg gea att tet eag get gag gaa act 1171 Glu Ser Phe Ala Thr Trp Ser Ala Ala Ile Ser Gln Ala Glu Glu Thr 345 gaa tac aac act gca tgg gtg act ttc gcc aat gtg gag aag tcg tgg 1219 Glu Tyr Asn Thr Ala Trp Val Thr Phe Ala Asn Val Glu Lys Ser Trp 360 365 gcg tac cag cag gat cag ctg cct tcc acc cac ccg gtg ttc tct gac 1267 Ala Tyr Gln Gln Asp Gln Leu Pro Ser Thr His Pro Val Phe Ser Asp 380 385 gga tac gac att gag act gtc gac cag aac ttc gac ggc atc acc tac 1315 Gly Tyr Asp Ile Glu Thr Val Asp Gln Asn Phe Asp Gly Ile Thr Tyr 395 405 gca aag ggc gcc tcg gtg ctc aag cag ctg cag gca tac gtt ggc cgt 1363 Ala Lys Gly Ala Ser Val Leu Lys Gln Leu Gln Ala Tyr Val Gly Arg 415 gag gaa ttc ctg gca ggc gta cgc agg cac ttt gcc aac cac gca tgg 1411 Glu Glu Phe Leu Ala Gly Val Arg Arg His Phe Ala Asn His Ala Trp 425 430 ggc aac gcc agc ttt gat gat ctg ctc ggc gcc ctc gag cag tcc tcc 1459 Gly Asn Ala Ser Phe Asp Asp Leu Leu Gly Ala Leu Glu Gln Ser Ser 445 ggc cgc gac ctc tcc gac tgg gca aac cag tgg ctc aag acc acc ggc 1507 Gly Arg Asp Leu Ser Asp Trp Ala Asn Gln Trp Leu Lys Thr Thr Gly 460 465 atc aac acc ctc ggc gca aag ttc acc acc gac aac ggc aaa tac acc 1555 Ile Asn Thr Leu Gly Ala Lys Phe Thr Thr Asp Asn Gly Lys Tyr Thr 475 480 tee tte tee gte ace cag ace gge gee geg eeg ggt gee ggt gag etg 1603 Ser Phe Ser Val Thr Gln Thr Gly Ala Ala Pro Gly Ala Gly Glu Leu

495

cgg act cac cgc atc gcg gtg ggt ctt tat aag ctt gtc gac gga tcc

500

1651

490

Arg	Thr	His	Arg 505	Ile	Ala	Val	Gly	Leu 510	Tyr	Lys	Leu	Val	Asp 515	Gly	Ser	
ctc Leu	aac Asn	cgc Arg 520	tac Tyr	gca Ala	cga Arg	gta Val	gaa Glu 525	ctt Leu	gac Asp	tgc Cys	agt Ser	ggc Gly 530	gcg Ala	tcg Ser	aca Thr	1699
agc Ser	gtt Val 535	gaa Glu	gag Glu	atc Ile	gtt Val	gga Gly 540	ctt Leu	gag Glu	cag Gln	gct Ala	gac Asp 545	ttc Phe	gtg Val	ctg Leu	gtc Val	1747
aac Asn 550	gat Asp	gat Asp	gat Asp	ctg Leu	acg Thr 555	tat Tyr	gcg Ala	ctg Leu	ctg Leu	gat Asp 560	ctg Leu	gat Asp	gat Asp	gat Asp	tca Ser 565	1795
cgc Arg	aat Asn	ttt Phe	gtc Val	atc Ile 570	gac Asp	aat Asn	att Ile	gat Asp	aag Lys 575	ttc Phe	agc Ser	gac Asp	cct Pro	atg Met 580	cct Pro	1843
cgc Arg	acg Thr	ctg Leu	gtg Val 585	tgg Trp	tcc Ser	gct Ala	gcg Ala	tgg Trp 590	gag Glu	atg Met	act Thr	cgc Arg	gct Ala 595	ggt Gly	cag Gln	1891
atg Met	aag Lys	gct Ala 600	cgt Arg	gat Asp	ttc Phe	atc Ile	gcg Ala 605	ctg Leu	gtt Val	gct Ala	cgt Arg	ggc Gly 610	gct Ala	gct Ala	gcg Ala	1939
gaa Glu	act Thr 615	gaa Glu	att Ile	gct Ala	gtg Val	ctg Leu 620	gag Glu	cgc Arg	att Ile	ctc Leu	gcg Ala 625	cag Gln	gct Ala	acc Thr	tct Ser	1987
gcg Ala 630	ctg Leu	aag Lys	agc Ser	tac Tyr	gcc Ala 635	gac Asp	cca Pro	gcg Ala	tgg Trp	gca Ala 640	gaa Glu	gca Ala	act Thr	gga Gly	aat Asn 645	2035
gac Asp	ctg Leu	ctg Leu	gcc Ala	gat Asp 650	gct Ala	ttc Phe	ctt Leu	gag Glu	ggt Gly 655	gct Ala	cgc Arg	tcc Ser	gca Ala	gaa Glu 660	cca Pro	2083
gac Asp	tcc Ser	gac Asp	act Thr 665	cag Gln	ttg Leu	gcg Ala	ttc Phe	att Ile 670	cag Gln	gct Ala	ctg Leu	gca Ala	aaa Lys 675	gca Ala	acg Thr	2131
ctc Leu	aat Asn	gat Asp 680	gct Ala	gct Ala	gcc Ala	gat Asp	tac Tyr 685	ttc Phe	cgc Arg	gac Asp	att Ile	ctt Leu 690	gcc Ala	ggc Gly	aac Asn	2179
gtc Val	gaa Glu 695	ggc Gly	ctg Leu	acc Thr	gtg Val	gat Asp 700	cct Pro	gac Asp	ctg Leu	cgt Arg	tgg Trp 705	tgg Trp	gca Ala	ctg Leu	act Thr	2227
gcg Ala 710	ctt Leu	atc Ile	gcc Ala	cgt Arg	ggt Gly 715	gac Asp	atc Ile	gag Glu	gct Ala	gtc Val 720	gaa Glu	gat Asp	gca Ala	atc Ile	gcc Ala 725	2275
gct Ala	gaa Glu	ctt Leu	tcc Ser	cgc Arg 730	gac Asp	aac Asn	tcc Ser	agt Ser	gcc Ala 735	tcc Ser	ttc Phe	ctc Leu	gca Ala	tca Ser 740	ctt Leu	2323
cga Arg	gcc Ala	ggt Gly	gcc Ala	gct Ala	gtg Val	aac Asn	act Thr	gaa Glu	gaa Glu	gtg Val	aag Lys	gct Ala	gct Ala	gca Ala	tac Tyr	2371

745 750 755

aag cat gtc acg gca gtt gat agt ggc cta tcc aac ctg gag ctg cgc 2419 Lys His Val Thr Ala Val Asp Ser Gly Leu Ser Asn Leu Glu Leu Arg cac aag att gaa ggc ctc aca ttc act ggc tct tct gaa ctg ctg caa 2467 His Lys Ile Glu Gly Leu Thr Phe Thr Gly Ser Ser Glu Leu Leu Gln 775 gcc tac aac gag cag tac ttc gaa atc ctt gat gat gtg tgg gcg aac 2515 Ala Tyr Asn Glu Gln Tyr Phe Glu Ile Leu Asp Asp Val Trp Ala Asn 795 ttc tcc ggc gaa atg gca cag cag atc gtc ctc gga ctg ttc cct tca 2563 Phe Ser Gly Glu Met Ala Gln Gln Ile Val Leu Gly Leu Phe Pro Ser tgg aac gtt too gaa gag ggt oto aag ogt acc gac gag ttt ott gat 2611 Trp Asn Val Ser Glu Glu Gly Leu Lys Arg Thr Asp Glu Phe Leu Asp 825 ggc gaa cat gtc gca ggc atc aag cga att gtt tcc gaa tcc ctc gac 2659 Gly Glu His Val Ala Gly Ile Lys Arg Ile Val Ser Glu Ser Leu Asp 84C 845 cgc act gcc cgt gct ctg cgc aac cgt gcg gca gat gct gcg 2701 Arg Thr Ala Arg Ala Leu Arg Asn Arg Ala Ala Asp Ala Ala

taagtaaaag attctcaatc cca

2724

<210> 104

<211> 867

<212> PRT

<213> Corynebacterium glutamicum

<400> 104

Leu Thr Ser Thr Asn Leu Thr Arg Gln Glu Ala Ser Asp Arg Ser Arg

1 5 10 15

Leu Leu Ser Val Glu Asn Tyr Asp Ile Ala Leu Asp Leu Asn Asn Gly
20 25 30

Asp Glu Phe Phe Ser Ser Ser Thr Val Val Ser Phe Thr Val Arg Lys
35 40 45

Ala Gly Asp Thr Phe Ile Asp Leu Arg Ala Ala Ser Val Glu Glu Val 50 55 60

Arg Leu Asp Asn Val Ser Ile Lys Asp Glu Ala Leu Thr Leu Gly Lys
65 70 75 80

Asn Gly Tyr Asp Glu Thr Phe Gly Ile Ala Leu Lys Gly Leu Thr Pro 85 90 95

Gly Ala His Thr Leu Arg Val Thr Ala Ser Ile Pro Tyr Ser Arg Thr 100 105 110

Gly Glu Gly Leu His Arg Met Val Asp Pro Ala Asp Asn Glu Val Tyr

PCT/IB00/00911

115 120 125

Leu Tyr Thr Gln Phe Glu Thr Ala Asp Ala Lys Arg Met Phe Ala Cys 130 135 140

Phe Asp Gln Pro Asp Leu Lys Ala Thr Tyr Asp Leu Asn Ile Lys Thr 145 150 155 160

Pro Lys Gly Trp Lys Ile Ile Ser Asn Ser Glu Gln Gln Val Ser Thr 165 170 175

Gln His Thr Asp Tyr Asp Thr His Ile Ser Arg Val Asp Tyr Pro Leu 180 185 190

Ser Thr Tyr Leu Ile Ala Val Cys Ala Gly Arg Tyr His Glu Val Cys 195 200 205

Asp Val Trp Lys Gly Thr Leu Thr His His Ala Glu Thr Pro Ala Asp 210 215 220

Gln Pro Thr Glu Leu Thr Val Pro Leu Ala Leu Tyr Cys Arg Ser Ser 225 230 235 240

Leu Ala Lys Asp Leu Asp Ala Val Arg Leu Phe Thr Glu Thr Lys Gln 245 250 255

Gly Phe Asp Trp Tyr His Arg Asn Phe Gly Val Ala Tyr Pro Phe Gly 260 265 270

Lys Tyr Asp Gln Ile Phe Val Pro Glu Phe Asn Ala Gly Ala Met Glu 275 280 285

Asn Ala Gly Ala Val Thr Ile Arg Asp Glu Tyr Val Phe Ala Ser Lys 290 295 300

Ala Thr Arg Tyr Arg Tyr Glu Arg Arg Ala Glu Thr Ile Leu His Glu 305 310 315 320

Leu Ala His Met Trp Phe Gly Val Leu Val Thr Met Gln Trp Trp Asp 325 330 335

Asp Leu Trp Leu Asn Glu Ser Phe Ala Thr Trp Ser Ala Ala Ile Ser 340 345 350

Gln Ala Glu Glu Thr Glu Tyr Asn Thr Ala Trp Val Thr Phe Ala Asn 355 360 365

Val Glu Lys Ser Trp Ala Tyr Gln Gln Asp Gln Leu Pro Ser Thr His 370 375 380

Pro Val Phe Ser Asp Gly Tyr Asp Ile Glu Thr Val Asp Gln Asn Phe 385 390 395 400

Asp Gly Ile Thr Tyr Ala Lys Gly Ala Ser Val Leu Lys Gln Leu Gln 405 410 415

Ala Tyr Val Gly Arg Glu Glu Phe Leu Ala Gly Val Arg Arg His Phe
420 425 430

Ala Asn His Ala Trp Gly Asn Ala Ser Phe Asp Asp Leu Leu Gly Ala 435 440 445

Leu Glu Gln Ser Ser Gly Arg Asp Leu Ser Asp Trp Ala Asn Gln Trp 450 455 460

- Leu Lys Thr Thr Gly Ile Asn Thr Leu Gly Ala Lys Phe Thr Thr Asp 465 470 475 480
- Asn Gly Lys Tyr Thr Ser Phe Ser Val Thr Gln Thr Gly Ala Ala Pro 485 490 495
- Gly Ala Gly Glu Leu Arg Thr His Arg Ile Ala Val Gly Leu Tyr Lys
 500 505 510
- Leu Val Asp Gly Ser Leu Asn Arg Tyr Ala Arg Val Glu Leu Asp Cys 515 520 525
- Ser Gly Ala Ser Thr Ser Val Glu Glu Ile Val Gly Leu Glu Gln Ala 530 540
- Asp Phe Val Leu Val Asn Asp Asp Asp Leu Thr Tyr Ala Leu Leu Asp 545 550 560
- Leu Asp Asp Asp Ser Arg Asn Phe Val Ile Asp Asn Ile Asp Lys Phe 565 570 575
- Ser Asp Pro Met Pro Arg Thr Leu Val Trp Ser Ala Ala Trp Glu Met 580 585 590
- Thr Arg Ala Gly Gln Met Lys Ala Arg Asp Phe Ile Ala Leu Val Ala 595 600 605
- Arg Gly Ala Ala Ala Glu Thr Glu Ile Ala Val Leu Glu Arg Ile Leu 610 615 620
- Ala Gln Ala Thr Ser Ala Leu Lys Ser Tyr Ala Asp Pro Ala Trp Ala 625 630 635 640
- Glu Ala Thr Gly Asn Asp Leu Leu Ala Asp Ala Phe Leu Glu Gly Ala 645 650 655
- Arg Ser Ala Glu Pro Asp Ser Asp Thr Gln Leu Ala Phe Ile Gln Ala 660 665 670
- Leu Ala Lys Ala Thr Leu Asn Asp Ala Ala Ala Asp Tyr Phe Arg Asp 675 680 685
- Ile Leu Ala Gly Asn Val Glu Gly Leu Thr Val Asp Pro Asp Leu Arg 690 695 700
- Trp Trp Ala Leu Thr Ala Leu Ile Ala Arg Gly Asp Ile Glu Ala Val 705 710 715 720
- Glu Asp Ala Ile Ala Ala Glu Leu Ser Arg Asp Asn Ser Ser Ala Ser 725 730 735
- Phe Leu Ala Ser Leu Arg Ala Gly Ala Ala Val Asn Thr Glu Glu Val 740 745 750
- Lys Ala Ala Ala Tyr Lys His Val Thr Ala Val Asp Ser Gly Leu Ser 755 760 765

Asn Leu Glu Leu Arg His Lys Ile Glu Gly Leu Thr Phe Thr Gly Ser Ser Glu Leu Leu Gln Ala Tyr Asn Glu Gln Tyr Phe Glu Ile Leu Asp 790 Asp Val Trp Ala Asn Phe Ser Gly Glu Met Ala Gln Gln Ile Val Leu Gly Leu Phe Pro Ser Trp Asn Val Ser Glu Glu Gly Leu Lys Arg Thr 820 825 Asp Glu Phe Leu Asp Gly Glu His Val Ala Gly Ile Lys Arg Ile Val 840 Ser Glu Ser Leu Asp Arg Thr Ala Arg Ala Leu Arg Asn Arg Ala Ala 855 860 Asp Ala Ala 865 <210> 105 <211> 1578 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(1578) <223> FRXA01014 <400> 105 gat gat ctg tgg ctc aac gag tcc ttc gcc act tgg tcc gcg gca att Asp Asp Leu Trp Leu Asn Glu Ser Phe Ala Thr Trp Ser Ala Ala Ile 10 tot cag got gag gaa act gaa tac aac act gca tgg gtg act ttc gcc 96 Ser Gln Ala Glu Glu Thr Glu Tyr Asn Thr Ala Trp Val Thr Phe Ala aat gtg gag aag tcg tgg gcg tac cag cag gat cag ctg cct tcc acc 144 Asn Val Glu Lys Ser Trp Ala Tyr Gln Gln Asp Gln Leu Pro Ser Thr 40 cac ccg gtg ttc tct gac gga tac gac att gag act gtc gac cag aac 192 His Pro Val Phe Ser Asp Gly Tyr Asp Ile Glu Thr Val Asp Gln Asn ttc gac ggc atc acc tac gca aag ggc gcc tcg gtg ctc aag cag ctg 240 Phe Asp Gly Ile Thr Tyr Ala Lys Gly Ala Ser Val Leu Lys Gln Leu 65 70 cag gca tac gtt ggc cgt gag gaa ttc ctg gca ggc gta cgc agg cac 288 Gln Ala Tyr Val Gly Arg Glu Glu Phe Leu Ala Gly Val Arg Arg His 85 ttt goc aac cac goa tgg ggc aac goc agc ttt gat gat ctg ctc ggc 336 Phe Ala Asn His Ala Trp Gly Asn Ala Ser Phe Asp Asp Leu Leu Gly 100 105

gcc Ala	ctc Leu	gag Glu 115	cag Gln	tcc Ser	tcc Ser	ggc Gly	cgc Arg 120	gac Asp	ctc Leu	tcc Ser	gac Asp	tgg Trp 125	gca Ala	aac Asn	cag Gln	384
tgg Trp	ctc Leu 130	aag Lys	acc Thr	acc Thr	ggc Gly	atc Ile 135	aac Asn	acc Thr	ctc Leu	ggc Gly	gca Ala 140	aag Lys	ttc Phe	acc Thr	acc Thr	432
gac Asp 145	aac Asn	ggc Gly	aaa Lys	tac Tyr	acc Thr 150	tcc Ser	ttc Phe	tcc Ser	gtc Val	acc Thr 155	cag Gln	acc Thr	ggc Gly	gcc Ala	gcg Ala 160	480
ccg Pro	ggt Gly	gcc Ala	ggt Gly	gag Glu 165	ctg Leu	cgg Arg	act Thr	cac His	cgc Arg 170	atc Ile	gcg Ala	gtg Val	ggt Gly	ctt Leu 175	tat Tyr	528
aag Lys	ctt Leu	gtc Val	gac Asp 180	gga Gly	tcc Ser	ctc Leu	aac Asn	cgc Arg 185	tac Tyr	gca Ala	cga Arg	gta Val	gaa Glu 190	ctt Leu	gac Asp	576
tgc Cys	agt Ser	ggc Gly 195	gcg Ala	tcg Ser	aca Thr	agc Ser	gtt Val 200	gaa Glu	gag Glu	atc Ile	gtt Val	gga Gly 205	ctt Leu	gag Glu	cag Gln	624
gct Ala	gac Asp 210	ttc Phe	gtg Val	ctg Leu	gtc Val	aac Asn 215	gat Asp	gat Asp	gat Asp	ctg Leu	acg Thr 220	tat Tyr	gcg Ala	ctg Leu	ctg Leu	672
gat Asp 225	ctg Leu	gat Asp	gat Asp	gat Asp	tca Ser 230	cgc Arg	aat Asn	ttt Phe	gtc Val	atc Ile 235	gac Asp	aat Asn	att Ile	gat Asp	aag Lys 240	720
ttc Phe	agc Ser	gac Asp	cct Pro	atg Met 245	cct Pro	cgc Arg	acg Thr	ctg Leu	gtg Val 250	tgg Trp	tcc Ser	gct Ala	gcg Ala	tgg Trp 255	gag Glu	768
atg Met	act Thr	cgc Arg	gct Ala 260	ggt Gly	cag Gln	atg Met	aag Lys	gct Ala 265	cgt Arg	gat Asp	ttc Phe	atc Ile	gcg Ala 270	ctg Leu	gtt Val	816
gct Ala	cgt Arg	ggc Gly 275	gct Ala	gct Ala	gcg Ala	gaa Glu	act Thr 280	gaa Glu	att Ile	gct Ala	gtg Val	ctg Leu 285	gag Glu	cgc Arg	att Ile	864
ctc Leu	gcg Ala 290	cag Gln	gct Ala	acc Thr	tct Ser	gcg Ala 295	ctg Leu	aag Lys	agc Ser	tac Tyr	gcc Ala 300	gac Asp	cca Pro	gcg Ala	tgg Trp	912
gca Ala 305	gaa Glu	gca Ala	act Thr	gga Gly	aat Asn 310	gac Asp	ctg Leu	ctg Leu	gcc Ala	gat Asp 315	gct Ala	ttc Phe	ctt Leu	gag Glu	ggt Gly 320	960
gct Ala	cgc Arg	tcc Ser	gca Ala	gaa Glu 325	cca Pro	gac Asp	tcc Ser	gac Asp	act Thr 330	cag Gln	ttg Leu	gcg Ala	ttc Phe	att Ile 335	cag Gln	1008
gct Ala	ctg Leu	gca Ala	aaa Lys 340	gca Ala	acg Thr	ctc Leu	aat Asn	gat Asp 345	gct Ala	gct Ala	gcc Ala	gat Asp	tac Tyr 350	ttc Phe	cgc Arg	1056
gac	att	ctt	gcc	ggc	aac	gtc	gaa	ggc	ctg	acc	gtg	gat	cct	gac	ctg	1104

Asp	Ile	Leu 355	Ala	Gly	Asn	Val	Glu 360	Gly	Leu	Thr	Val	Asp 365	Pro	Asp	Leu	
	tgg Trp 370															1152
	gaa Glu															1200
	ttc Phe															1248
	aag Lys															1296
	aac Asn															1344
	ttt Phe 450															1392
	gat Asp															1440
	gga Gly															1488
	gac Asp															1536
-	tcc Ser	-			-	_		_	-	•	_	_				1578
<210> 106 <211> 526 <212> PRT <213> Corynebacterium glutamicum																
)> 1(Asp		Trp	Leu 5	Asn	Glu	Ser	Phe	Ala 10	Thr	Trp	Ser	Ala	Ala 15	Ile	
Ser	Gln	Ala	Glu 20	Glu	Thr	Glu	Tyr	Asn 25	Thr	Ala	Trp	Val	Thr 30	Phe	Ala	
Asn	Val	Glu 35	Lys	Ser	Trp	Ala	Tyr 40	Gln	Gln	Asp	Gln	Leu 45	Pro	Ser	Thr	
His	Pro 50	Val	Phe	Ser	Asp	Gly 55	Tyr	Asp	Ilė	Glu	Thr 60	Val	Asp	Gln	Asn	

Phe Asp Gly Ile Thr Tyr Ala Lys Gly Ala Ser Val Leu Lys Gln Leu Gln Ala Tyr Val Gly Arg Glu Glu Phe Leu Ala Gly Val Arg Arg His Phe Ala Asn His Ala Trp Gly Asn Ala Ser Phe Asp Asp Leu Leu Gly 100 105 Ala Leu Glu Gln Ser Ser Gly Arg Asp Leu Ser Asp Trp Ala Asn Gln 120 Trp Leu Lys Thr Thr Gly Ile Asn Thr Leu Gly Ala Lys Phe Thr Thr 135 Asp Asn Gly Lys Tyr Thr Ser Phe Ser Val Thr Gln Thr Gly Ala Ala Pro Gly Ala Gly Glu Leu Arg Thr His Arg Ile Ala Val Gly Leu Tyr Lys Leu Val Asp Gly Ser Leu Asn Arg Tyr Ala Arg Val Glu Leu Asp 185 Cys Ser Gly Ala Ser Thr Ser Val Glu Glu Ile Val Gly Leu Glu Gln 200 Ala Asp Phe Val Leu Val Asn Asp Asp Leu Thr Tyr Ala Leu Leu 215 Asp Leu Asp Asp Asp Ser Arg Asn Phe Val Ile Asp Asn Ile Asp Lys 230 Phe Ser Asp Pro Met Pro Arg Thr Leu Val Trp Ser Ala Ala Trp Glu 250 Met Thr Arg Ala Gly Gln Met Lys Ala Arg Asp Phe Ile Ala Leu Val

Ala Arg Gly Ala Ala Ala Glu Thr Glu Ile Ala Val Leu Glu Arg Ile

Leu Ala Gln Ala Thr Ser Ala Leu Lys Ser Tyr Ala Asp Pro Ala Trp 290 295 300

Ala Glu Ala Thr Gly Asn Asp Leu Leu Ala Asp Ala Phe Leu Glu Gly 305 310 315 320

Ala Arg Ser Ala Glu Pro Asp Ser Asp Thr Gln Leu Ala Phe Ile Gln 325 330 335

Ala Leu Ala Lys Ala Thr Leu Asn Asp Ala Ala Ala Asp Tyr Phe Arg 340 345 350

Asp Ile Leu Ala Gly Asn Val Glu Gly Leu Thr Val Asp Pro Asp Leu 355 360 365

Arg Trp Trp Ala Leu Thr Ala Leu Ile Ala Arg Gly Asp Ile Glu Ala 370 375 380

157

Val Glu Asp Ala Ile Ala Ala Glu Leu Ser Arg Asp Asn Ser Ser Ala 390 Ser Phe Leu Ala Ser Leu Arg Ala Gly Ala Ala Val Asn Thr Glu Glu Val Lys Ala Ala Tyr Lys His Val Pro Ala Val Asp Ser Gly Leu Ser Asn Leu Glu Leu Arg His Lys Ile Glu Gly Leu Thr Phe Thr Gly Ser Phe Glu Leu Leu Gln Ala Tyr Asn Glu Gln Tyr Phe Glu Ile Leu Asp Asp Val Trp Ala Asn Phe Ser Gly Glu Met Ala Gln Gln Ile Val 465 470 Leu Gly Leu Phe Pro Ser Trp Asn Val Ser Glu Glu Gly Leu Lys Arg 490 Thr Asp Glu Phe Leu Asp Gly Glu His Val Ala Gly Ile Lys Arg Ile 500 505 Val Ser Glu Ser Leu Asp Arg Thr Ala Arg Ala Leu Arg Asn 520 <210> 107 <211> 964 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(964) <223> FRXA01018 <400> 107 tettaaagtt tietageaat eeacaetagg egegaactat egiggigtea tigegeaeet 60 totaagggta gogcoccotc aaatttcaag gagcattaaa ttg acg tcc act aat 115 Leu Thr Ser Thr Asn ctc acc cga cag gaa gct tcg gat cgt tcg agg tta ctq agt gta qaa 163 Leu Thr Arg Gln Glu Ala Ser Asp Arg Ser Arg Leu Leu Ser Val Glu 10 aac tat gac att gca ctt gat ctc aac aac ggt gat gag ttt ttt agt Asn Tyr Asp Ile Ala Leu Asp Leu Asn Asn Gly Asp Glu Phe Phe Ser 25 30 tee tee ace git gie age tie act gie agg aag get gge gat ace tit 259 Ser Ser Thr Val Val Ser Phe Thr Val Arg Lys Ala Gly Asp Thr Phe att gat etc ege gea gea age gtt gag gag gtt ege etg gae aat gtg 307 Ile Asp Leu Arg Ala Ala Ser Val Glu Glu Val Arg Leu Asp Asn Val 55

	wo (1/008	42								PCT	TB00/00911
							acc Thr					355
_				-	-	-	ggt Gly				-	403
							tat Tyr					451

cgc atg gtg gat cca gca gac aat gag gtg tat ttg tac acc cag ttt 499
Arg Met Val Asp Pro Ala Asp Asn Glu Val Tyr Leu Tyr Thr Gln Phe
120 125 130

gag acc gcc gat gcc aag cgt atg ttc gcg tgt ttc gat cag cca gac 547 Glu Thr Ala Asp Ala Lys Arg Met Phe Ala Cys Phe Asp Gln Pro Asp 135 140 145

ctc aag gct acc tat gat ctg aac atc aaa act cct aag ggt tgg aag 595 Leu Lys Ala Thr Tyr Asp Leu Asn Ile Lys Thr Pro Lys Gly Trp Lys 150 165

atc att tcc aac tct gag cag cag gtt tcc act cag cac act gat tac 643
Ile Ile Ser Asn Ser Glu Gln Gln Val Ser Thr Gln His Thr Asp Tyr
170 175 180

gat acc cac att tcc cga gtg gac tat ccc ctc tcc acc tac ctg att 691 Asp Thr His Ile Ser Arg Val Asp Tyr Pro Leu Ser Thr Tyr Leu Ile 185 190 195

gcg gtg tgc gcg ggt cgt tac cac gag gtg tgc gat gtc tgg aag ggt 739
Ala Val Cys Ala Gly Arg Tyr His Glu Val Cys Asp Val Trp Lys Gly
200 205 210

acg ctc acc cac cat gca gaa aca cct gcc gat cag cca act gag ctg
Thr Leu Thr His His Ala Glu Thr Pro Ala Asp Gln Pro Thr Glu Leu
215
220
225

act gtt ccg ctt gct ctc tac tgc cgc agt tct ttg gct aaa gat ctt 835 Thr Val Pro Leu Ala Leu Tyr Cys Arg Ser Ser Leu Ala Lys Asp Leu 230 245

gat gcg gtg cgt ctg ttt acc gaa acg aag cag ggc ttt gat tgg tac 883 Asp Ala Val Arg Leu Phe Thr Glu Thr Lys Gln Gly Phe Asp Trp Tyr 250 255 260

cac cgc aac ttc ggt gtg gcg tac cca ttc ggc aag tac gat cag atc 931 His Arg Asn Phe Gly Val Ala Tyr Pro Phe Gly Lys Tyr Asp Gln Ile 265 270 275

ttc gtc cct gaa ttt aat gct ggc gcg atg gag 964
Phe Val Pro Glu Phe Asn Ala Gly Ala Met Glu
280 285

<210> 108

<211> 288

<212> PRT

<213> Corynebacterium glutamicum

<400> 108

Leu Thr Ser Thr Asn Leu Thr Arg Gln Glu Ala Ser Asp Arg Ser Arg

1 5 10 15

Leu Leu Ser Val Glu Asn Tyr Asp Ile Ala Leu Asp Leu Asn Asn Gly
20 25 30

Asp Glu Phe Phe Ser Ser Ser Thr Val Val Ser Phe Thr Val Arg Lys 35 40 45

Ala Gly Asp Thr Phe Ile Asp Leu Arg Ala Ala Ser Val Glu Glu Val 50 55 60

Arg Leu Asp Asn Val Ser Ile Lys Asp Glu Ala Leu Thr Leu Gly Lys 65 70 75 80

Asn Gly Tyr Asp Glu Thr Phe Gly Ile Ala Leu Lys Gly Leu Thr Pro 85 90 95

Gly Ala His Thr Leu Arg Val Thr Ala Ser Ile Pro Tyr Ser Arg Thr 100 105 110

Gly Glu Gly Leu His Arg Met Val Asp Pro Ala Asp Asn Glu Val Tyr 115 120 125

Leu Tyr Thr Gln Phe Glu Thr Ala Asp Ala Lys Arg Met Phe Ala Cys 130 135 140

Phe Asp Gln Pro Asp Leu Lys Ala Thr Tyr Asp Leu Asn Ile Lys Thr 145 150 155 160

Pro Lys Gly Trp Lys Ile Ile Ser Asn Ser Glu Gln Gln Val Ser Thr 165 170 175

Gln His Thr Asp Tyr Asp Thr His Ile Ser Arg Val Asp Tyr Pro Leu 180 185 190

Ser Thr Tyr Leu Ile Ala Val Cys Ala Gly Arg Tyr His Glu Val Cys 195 200 205

Asp Val Trp Lys Gly Thr Leu Thr His His Ala Glu Thr Pro Ala Asp 210 215 220

Gln Pro Thr Glu Leu Thr Val Pro Leu Ala Leu Tyr Cys Arg Ser Ser 225 230 235 240

Leu Ala Lys Asp Leu Asp Ala Val Arg Leu Phe Thr Glu Thr Lys Gln
245 250 255

Gly Phe Asp Trp Tyr His Arg Asn Phe Gly Val Ala Tyr Pro Phe Gly 260 265 270

Lys Tyr Asp Gln Ile Phe Val Pro Glu Phe Asn Ala Gly Ala Met Glu 275 280 285

<210> 109

<211> 1383 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1360) <223> RXA01147 <400> 109 ataatgatca cctactttaa cggcttcagg tgacattgtg gattcgcatt gtggattcgg 60 gggcccgcgc tgtttccaag aatttggcta cccttgttct atg cat gta act gac 115 Met His Val Thr Asp 1 gat ttc tta agt ttt att gcc cta agc cca agt tcc tat cac gcg gcc 163 Asp Phe Leu Ser Phe Ile Ala Leu Ser Pro Ser Ser Tyr His Ala Ala gcg gcg gtg gag cgc agg ttg ctc cat gag ggg ttc att cgt cag gaa 211 Ala Ala Val Glu Arg Arg Leu Leu His Glu Gly Phe Ile Arg Gln Glu gat acc gat gaa tgg gat gcc cgc cct ggt ggg cat gtg acg gtg cgt 259 Asp Thr Asp Glu Trp Asp Ala Arg Pro Gly Gly His Val Thr Val Arg ggg gga gca gta gtg gcg tgg tgg gtg cct gag gat gct tcg cca gat 307 Gly Gly Ala Val Val Ala Trp Trp Val Pro Glu Asp Ala Ser Pro Asp 60 tcc ggg ttc cgc atc att ggg tca cat act gat tca ccg ggt ttc aag 355 Ser Gly Phe Arg Ile Ile Gly Ser His Thr Asp Ser Pro Gly Phe Lys 80 tta aag ccc cgt ggg gat ctt tcc tca cac ggt tgg cag cag gcc ggc 403 Leu Lys Pro Arg Gly Asp Leu Ser Ser His Gly Trp Gln Gln Ala Gly 100 gtc gag gtt tac ggc gga ccg atc ctg cca agc tgg ctg gat cgc gag 451 Val Glu Val Tyr Gly Gly Pro Ile Leu Pro Ser Trp Leu Asp Arg Glu 105 110 ctg gcc tta gca ggc cgc att gtg ctt gcc gac ggg tcc gtc aag ctt 499 Leu Ala Leu Ala Gly Arg Ile Val Leu Ala Asp Gly Ser Val Lys Leu gtc aac acc ggc ccg att ctg cgc atc ccg cac gtg gct att cat ttg Val Asn Thr Gly Pro Ile Leu Arg Ile Pro His Val Ala Ile His Leu 140 gac cgt act gtt aat tee caa ete ace ett aat eea eag egt eac etg 595 Asp Arg Thr Val Asn Ser Gln Leu Thr Leu Asn Pro Gln Arg His Leu cag cct gtg ttt gct gtt ggt gag ccc gac gta tca att ctg gat gtc 643 Gln Pro Val Phe Ala Val Gly Glu Pro Asp Val Ser Ile Leu Asp Val 170

691

att gct ggt gct gcg gta gtg gat cct gca gat att gtc agc cat gat

																~ 1/1B00/00
Ile	e Al	a Gl	y Ala 189	a Ala	a Va	l Val	Asp	Pro 190	Ala	a Asp	o Ile	e Val	1 Se		s Asp	
cto Lei	g ato	e Thi	r va.	g gct L Ala	t ace	c caa r Glr	gat Asp 205) Ala	gaa Glu	gta Val	a ttt L Phe	ggc Gl _y 210	/ Ala	a cat B His	ggg Gly	739
gat Asp	215	e re	g gcç ı Ala	g tot Sei	ggt Gly	cgc Arg 220	Leu	gat Asp	aac Asn	ctq Leu	g ago Ser 225	Ser	gto Val	g cat His	cca Pro	787
Ser 230	met	act Thr	gca Ala	ttg Lev	att Ile 235	Ala	gct Ala	tcg Ser	caa Gln	tct Ser 240	Asp	gat Asp	act Thr	ggt Gly	tcg Ser 245	835
gat Asp	att Ile	ttg Leu	gtt Val	ctt Leu 250	АТа	gca Ala	ttc Phe	gat Asp	cat His 255	gaa Glu	gaa Glu	gtg Val	gga Gly	agt Ser 260	aat Asn	883
tcc Ser	acc Thr	tcg Ser	ggt Gly 265	gcc Ala	ggg Gly	ggc	ccc Pro	ctg Leu 270	ttg Leu	gag Glu	gat Asp	gtg Val	ctc Leu 275	Asn	cgt Arg	931
	nia	280	AIG	Leu	era	gca Ala	Asp 285	Glu	Asp	Glu	Arg	Arg 290	Arg	Met	Phe	979
aac Asn	cgt Arg 295	tcc Ser	acc Thr	atg Met	gtc Val	tca Ser 300	gct Ala	gac Asp	gcg Ala	gca Ala	cac His 305	tcc Ser	att Ile	cac His	ccc Pro	1027
aac Asn 310	ttc Phe	ccc Pro	gag Glu	aag Lys	cat His 315	gat Asp	caa Gln	gct Ala	aat Asn	tac Tyr 320	ccc Pro	atc Ile	att Ile	ggt Gly	aaa Lys 325	1075
ggt Gly	cct Pro	gta Val	ttg Leu	aag Lys 330	gtc Val	aac Asn	gcc Ala	aac Asn	cag Gln 335	cgc Arg	tac Tyr	acc Thr	tcc Ser	gat Asp 340	gca Ala	1123
gtc Val	act Thr	tca Ser	ggc Gly 345	atg Met	tgg Trp	atc Ile	agg Arg	gca Ala 350	tgt Cys	cag Gln	att Ile	gcc Ala	ggt Gly 355	gtg Val	cca Pro	1171
cac His	cag Gln	gtg Val 360	ttt Phe	gcc Ala	ggc Gly	aac Asn	aac Asn 365	gat Asp	gtg Val	ccg Pro	tgt Cys	ggt Gly 370	tcc Ser	acc Thr	atc Ile	1219
OTA	ccg Pro 375	atc Ile	agt Ser	gcg Ala	act Thr	cgc Arg 380	ctg Leu	ggt Gly	atc Ile	gat Asp	tct Ser 385	gtc Val	gat Asp	gtc Val	ggt Gly	1267
att Ile 390	cca Pro	ttg Leu	ctg Leu	Ser	atg Met 395	cac His	tcc Ser	gca Ala	Arg	gaa Glu 400	atg Met	gcc Ala	gga Gly	gtg Val	aag Lys 405	1315
gat Asp	ctgʻ Leu	atg Met	rrp .	ttt Phe 410	gaa Glu	caa Gln i	gcc Ala	Leu	gaa Glu 415	gcc Ala	tat Tyr	ctg Leu	gta Val	aat Asn 420		1360
taac	geeg	ag t	tcaa	tcaa	g ac	a							-			1383

- <210> 110
- <211> 420
- <212> PRT
- <213> Corynebacterium glutamicum
- <400> 110
- Met His Val Thr Asp Asp Phe Leu Ser Phe Ile Ala Leu Ser Pro Ser 1 5 10 15
- Ser Tyr His Ala Ala Ala Ala Val Glu Arg Arg Leu Leu His Glu Gly
 20 25 30
- Phe Ile Arg Gln Glu Asp Thr Asp Glu Trp Asp Ala Arg Pro Gly Gly 35 40 45
- His Val Thr Val Arg Gly Gly Ala Val Val Ala Trp Trp Val Pro Glu 50 . 55 60
- Asp Ala Ser Pro Asp Ser Gly Phe Arg Ile Ile Gly Ser His Thr Asp 65 70 75 80
- Ser Pro Gly Phe Lys Leu Lys Pro Arg Gly Asp Leu Ser Ser His Gly 85 90 95
- Trp Gln Gln Ala Gly Val Glu Val Tyr Gly Gly Pro Ile Leu Pro Ser 100 105 110
- Trp Leu Asp Arg Glu Leu Ala Leu Ala Gly Arg Ile Val Leu Ala Asp 115 120 125
- Gly Ser Val Lys Leu Val Asn Thr Gly Pro Ile Leu Arg Ile Pro His 130 135 140
- Val Ala Ile His Leu Asp Arg Thr Val Asn Ser Gln Leu Thr Leu Asn 145 150 155 160
- Pro Gln Arg His Leu Gln Pro Val Phe Ala Val Gly Glu Pro Asp Val
- Ser Ile Leu Asp Val Ile Ala Gly Ala Ala Val Val Asp Pro Ala Asp 180 185 190
- Ile Val Ser His Asp Leu Ile Thr Val Ala Thr Gln Asp Ala Glu Val
- Phe Gly Ala His Gly Asp Phe Leu Ala Ser Gly Arg Leu Asp Asn Leu 210 215 220
- Ser Ser Val His Pro Ser Met Thr Ala Leu Ile Ala Ala Ser Gln Ser 225 235 235
- Asp Asp Thr Gly Ser Asp Ile Leu Val Leu Ala Ala Phe Asp His Glu 245 250 255
- Glu Val Gly Ser Asn Ser Thr Ser Gly Ala Gly Gly Pro Leu Leu Glu 260 265 270
- Asp Val Leu Asn Arg Thr Ala Arg Ala Leu Gly Ala Asp Glu Asp Glu 275 280 285

Arg Arg Arg Met Phe Asn Arg Ser Thr Met Val Ser Ala Asp Ala Ala 295 His Ser Ile His Pro Asn Phe Pro Glu Lys His Asp Gln Ala Asn Tyr 310 315 Pro Ile Ile Gly Lys Gly Pro Val Leu Lys Val Asn Ala Asn Gln Arg 330 Tyr Thr Ser Asp Ala Val Thr Ser Gly Met Trp Ile Arg Ala Cys Gln 340 345 Ile Ala Gly Val Pro His Gln Val Phe Ala Gly Asn Asn Asp Val Pro 360 Cys Gly Ser Thr Ile Gly Pro Ile Ser Ala Thr Arg Leu Gly Ile Asp 375 380 Ser Val Asp Val Gly Ile Pro Leu Leu Ser Met His Ser Ala Arg Glu Met Ala Gly Val Lys Asp Leu Met Trp Phe Glu Gln Ala Leu Glu Ala 405 Tyr Leu Val Asn <210> 111 <211> 1260 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1237) <223> RXA01161 <400> 111 tttttcgtga tcaacaatcc gctggcatag cgtccagcag atttgattct gacagtgtgg 60 tttgatcgca cacctgccta ggctactagg gttggagact atg agt gat cct tca 115 Met Ser Asp Pro Ser aca aac aat tto coo aca tog gta tat goa cag ogt ott gog gat goa 163 Thr Asn Asn Phe Pro Thr Ser Val Tyr Ala Gln Arg Leu Ala Asp Ala caa gaa ggc gca cgc aag gct ggc ttg aac ggt ttg atc atc ggt aca 211 Gln Glu Gly Ala Arg Lys Ala Gly Leu Asn Gly Leu Ile Ile Gly Thr 25 ggc gca gaa ctt gcg tat cta acc ggc agc tgg atc tcc acc cat gag 259 Gly Ala Glu Leu Ala Tyr Leu Thr Gly Ser Trp Ile Ser Thr His Glu 40 cgt cta acc gct ttg gtg atc ccc agc gaa gga acc gca acc att gtt 307 Arg Leu Thr Ala Leu Val Ile Pro Ser Glu Gly Thr Ala Thr Ile Val 55 60

ctt Leu 70	Pro	gct Ala	gta Val	gac Asp	cgc Arg 75	gga Gly	gac Asp	tta Leu	gca Ala	ctg Leu 80	tct Ser	gct Ala	att Ile	cca Pro	gga Gly 85	355
cta Leu	gac Asp	atc Ile	aat Asn	gtg Val 90	gcc Ala	gga Gly	tgg Trp	gtt Val	gat Asp 95	ggc Gly	gat Asp	aat Asn	gcc Ala	cat His 100	gag Glu	403
ttg Leu	gcc Ala	gta Val	gat Asp 105	gct Ala	ctc Leu	ggt Gly	gtt Val	tca Ser 110	gag Glu	ttc Phe	gaa Glu	gca Ala	ttg Leu 115	ggt Gly	att Ile	451
ggt Gly	tcc Ser	tcc Ser 120	atc Ile	acg Thr	gca Ala	gat Asp	cac His 125	ctg Leu	att Ile	cct Pro	atc Ile	cag Gln 130	aac Asn	ctg Leu	gtg Val	499
ggc Gly	tcc Ser 135	acc Thr	tgc Cys	cgc Arg	atg Met	gag Glu 140	ttg Leu	gca Ala	gtt Val	caa Gln	gtg Val 145	ctg Leu	aaa Lys	gaa Glu	ttg Leu	547
ttt Phe 150	gtc Val	tct Ser	aaa Lys	gac Asp	gaa Glu 155	gca Ala	gag Glu	atc Ile	gag Glu	cag Gln 160	ctt Leu	cgc Arg	ggc Gly	gca Ala	ggt Gly 165	595
gca Ala	gcc Ala	att Ile	gac Asp	cgt Arg 170	gtc Val	cac His	gcc Ala	aaa Lys	gtc Val 175	ccg Pro	gag Glu	ctt Leu	ctt Leu	caa Gln 180	gac Asp	643
						gtt Val										691
gaa Glu	gag Glu	cac His 200	tct Ser	gag Glu	gtg Val	gac Asp	ttc Phe 205	gtg Val	att Ile	gtg Val	gga Gly	tcc Ser 210	gct Ala	gaa Glu	aac Asn	739
ggc Gly	gcg Ala 215	aac Asn	cct Pro	cac His	cac His	ggt Gly 220	ttc Phe	tct Ser	gac Asp	cga Arg	gtc Val 225	ctc Leu	cgc Arg	aat Asn	ggc Gly	787
gac Asp 230	atc ·Ile	gtg Val	gtg Val	gtt Val	gat Asp 235	ata Ile	gga Gly	ggc Gly	acc Thr	ttc Phe 240	ggc Gly	cct Pro	ggt Gly	tac Tyr	cac His 245	835
tct Ser	gac Asp	tgc Cys	aca Thr	cgc Arg 250	acc Thr	tac Tyr	att Ile	gtg Val	ggc Gly 255	gga Gly	aac Asn	cct Pro	gac Asp	gat Asp 260	gcg Ala	883
gat Asp	cca Pro	gag Glu	ttc Phe 265	gct Ala	aag Lys	ttc Phe	tac Tyr	caa Gln 270	gtg Val	ctc Leu	tac Tyr	gaa Glu	gca Ala 275	cag Gln	ctc Leu	931
gca Ala	gcc Ala	gtt Val 280	gcg Ala	cat His	gtt Val	cgc Arg	cct Pro 285	ggc Gly	gtt Val	act Thr	gca Ala	gaa Glu 290	tca Ser	gtg Val	gac Asp	979
gct Ala	gtt Val 295	gct Ala	cgc Arg	gat Asp	cac His	att Ile 300	gct Ala	gcg Ala	gct Ala	gga Gly	tac Tyr 305	ggc Gly	gaa Glu	tac Tyr	ttc Phe	1027
att	cac	cgc	aca	gga	cac	ggc	att	ggt	cta	tcc	acc	cat	gag	gag	cca	1075

Ile His Arg Thr Gly His Gly Ile Gly Leu Ser Thr His Glu Glu Pro 315 ttc atc atg gcg ggt aac tca ctc gtg ttg gaa gcc gga atg gcc ttt 1123 Phe Ile Met Ala Gly Asn Ser Leu Val Leu Glu Ala Gly Met Ala Phe 330 335 tcc att gag cct ggc atc tac att gaa gga atc cac gga gcg cgc atc 1171 Ser Ile Glu Pro Gly Ile Tyr Ile Glu Gly Ile His Gly Ala Arg Ile 350 gaa gac atc gtt gtg gtg aat gaa gac ggt tgt gaa acc ctc aac aac Glu Asp Ile Val Val Asn Glu Asp Gly Cys Glu Thr Leu Asn Asn 365 cag ccc aag gaa ctg cgt tgagcattct tctcctaggc gga 1260 Gln Pro Lys Glu Leu Arg <210> 112 <211> 379 <212> PRT <213> Corynebacterium glutamicum <400> 112 Met Ser Asp Pro Ser Thr Asn Asn Phe Pro Thr Ser Val Tyr Ala Gln Arg Leu Ala Asp Ala Gln Glu Gly Ala Arg Lys Ala Gly Leu Asn Gly Leu Ile Ile Gly Thr Gly Ala Glu Leu Ala Tyr Leu Thr Gly Ser Trp 4.0 Ile Ser Thr His Glu Arg Leu Thr Ala Leu Val Ile Pro Ser Glu Gly Thr Ala Thr Ile Val Leu Pro Ala Val Asp Arg Gly Asp Leu Ala Leu Ser Ala Ile Pro Gly Leu Asp Ile Asn Val Ala Gly Trp Val Asp Gly Asp Asn Ala His Glu Leu Ala Val Asp Ala Leu Gly Val Ser Glu Phe Glu Ala Leu Gly Ile Gly Ser Ser Ile Thr Ala Asp His Leu Ile Pro Ile Gln Asn Leu Val Gly Ser Thr Cys Arg Met Glu Leu Ala Val Gln 130 135 Val Leu Lys Glu Leu Phe Val Ser Lys Asp Glu Ala Glu Ile Glu Gln 150 Leu Arg Gly Ala Gly Ala Ala Ile Asp Arg Val His Ala Lys Val Pro 165 170 Glu Leu Leu Gln Asp Gly Arg Thr Glu Ala Glu Val Ala Ala Gln Leu 185

Asn Asp Leu Ile Leu Glu Glu His Ser Glu Val Asp Phe Val Ile Val 205 Gly Ser Ala Glu Asn Gly Ala Asn Pro His His Gly Phe Ser Asp Arg Val Leu Arg Asn Gly Asp Ile Val Val Asp Ile Gly Gly Thr Phe Gly Pro Gly Tyr His Ser Asp Cys Thr Arg Thr Tyr Ile Val Gly Gly Asn Pro Asp Asp Ala Asp Pro Glu Phe Ala Lys Phe Tyr Gln Val Leu Tyr Glu Ala Gln Leu Ala Ala Val Ala His Val Arg Pro Gly Val Thr 280 Ala Glu Ser Val Asp Ala Val Ala Arg Asp His Ile Ala Ala Gly Tyr Gly Glu Tyr Phe Ile His Arg Thr Gly His Gly Ile Gly Leu Ser 315 Thr His Glu Glu Pro Phe Ile Met Ala Gly Asn Ser Leu Val Leu Glu 325 330 Ala Gly Met Ala Phe Ser Ile Glu Pro Gly Ile Tyr Ile Glu Gly Ile 345 His Gly Ala Arg Ile Glu Asp Ile Val Val Val Asn Glu Asp Gly Cys Glu Thr Leu Asn Asn Gln Pro Lys Glu Leu Arg 375 <210> 113 , <211> 980 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(957) <223> RXN01181 <400> 113 tet gta etg etc get ege gae ttg gtg aac ace eet tea tea eac etg 48 Ser Val Leu Leu Ala Arg Asp Leu Val Asn Thr Pro Ser Ser His Leu tac cca gag tcc tac tca gta att gca tcc aac gaa gcg tcc aag cac Tyr Pro Glu Ser Tyr Ser Val Ile Ala Ser Asn Glu Ala Ser Lys His 20 25

ggc ttg cag acc acc atc ctg gat gag aag cag ctt gct gat caa ggt Gly Leu Gln Thr Thr Ile Leu Asp Glu Lys Gln Leu Ala Asp Gln Gly 35

ttc Phe	ggc Gly 50	ggc Gly	atc Ile	ctc Leu	gca Ala	gtc Val 55	ggt Gly	aac Asn	ggc Gly	tcc Ser	tcc Ser 60	cgc Arg	aag Lys	cct Pro	cgt Arg	192
ctg Leu 65	ctg Leu	cgc Arg	atc Ile	gat Asp	tgg Trp 70	aag Lys	cca Pro	cgc Arg	aag Lys	gct Ala 75	aag Lys	aag Lys	tcg Ser	atc Ile	gct Ala 80	240
ttg Leu	gtt Val	ggc Gly	aag Lys	ggc Gly 85	atc Ile	acc Thr	ttt Phe	gac Asp	acc Thr 90	ggc Gly	gga Gly	att Ile	tcc Ser	atc Ile 95	aag Lys	288
					gag Glu											336
tcc Ser	gta Val	ttg Leu 115	gcc Ala	acc Thr	att Ile	atc Ile	gct Ala 120	gca Ala	gct Ala	cgt Arg	ttg Leu	aac Asn 125	ctg Leu	tcg Ser	atc Ile	384
aac Asn	gtc Val 130	ttc Phe	gcg Ala	ttc Phe	cta Leu	cca Pro 135	atg Met	gct Ala	gag Glu	aac Asn	atg Met 140	cca Pro	tcc Ser	ggt Gly	gac Asp	432
					gat Asp 150											480
					gac Asp											528
att Ile	gct Ala	tac Tyr	gct Ala 180	tct Ser	gaa Glu	gat Asp	aag Lys	cct Pro 185	gac Asp	tac Tyr	ctc Leu	att Ile	gat Asp 190	gcg Ala	gca Ala	576
					caa Gln											624
gtc Val	atg Met 210	ggt Gly	acc Thr	gat Asp	gag Glu	ttc Phe 215	cgc Arg	gac Asp	agc Ser	gtt Val	gcc Ala 220	aag Lys	act Thr	ggc Gly	cgc Arg	672
gag Glu 225	gtt Val	ggc Gly	gag Glu	caa Gln	gca Ala 230	tgg Trp	gca Ala	atg Met	cct Pro	ctt Leu 235	cct Pro	gaa Glu	gag Glu	ctc Leu	gat Asp 240	720
gag Glu	cag Gln	gtt Val	aag Lys	tcc Ser 245	cct Pro	gtc Val	gct Ala	gac Asp	ctg Leu 250	cgc Arg	aat Asn	gtc Val	acc Thr	aat Asn 255	tcc Ser	768
cgt Arg	ttc Phe	gca Ala	gga Gly 260	atg Met	tct Ser	gct Ala	gcg Ala	ggt Gly 265	cgt Arg	tac Tyr	ttg Leu	cag Gln	gaa Glu 270	ttc Phe	gtt Val	816
ggt Gly	gcc Ala	gac Asp 275	atc Ile	gag Glu	tgg Trp	gct Ala	cac His 280	gtc Val	gat Asp	atc Ile	gct Ala	ggc Gly 285	cct Pro	gca Ala	tac Tyr	864
aac	act	gct	ggt	gaa	ttc	ggt	tac	acg	cca	aag	cgc	gca	acc	gga	caa	912

Asn Thr Ala Gly Glu Phe Gly Tyr Thr Pro Lys Arg Ala Thr Gly Gln 290 295 300

cca gtg cgc acc ttc gtt cag gtt ctg aag gat ctg tcg gaa agc 957 Pro Val Arg Thr Phe Val Gln Val Leu Lys Asp Leu Ser Glu Ser 305 310 315

taaacgctag ttaaagatca gga

980

<210> 114

<211> 319

<212> PRT

<213> Corynebacterium glutamicum

<400> 114

Ser Val Leu Leu Ala Arg Asp Leu Val Asn Thr Pro Ser Ser His Leu 1 5 10 15

Tyr Pro Glu Ser Tyr Ser Val Ile Ala Ser Asn Glu Ala Ser Lys His 20 25 30

Gly Leu Gln Thr Thr Ile Leu Asp Glu Lys Gln Leu Ala Asp Gln Gly 35 40 45

Phe Gly Gly Ile Leu Ala Val Gly Asn Gly Ser Ser Arg Lys Pro Arg 50 55 60

Leu Leu Arg Ile Asp Trp Lys Pro Arg Lys Ala Lys Lys Ser Ile Ala 65 70 75 80

Leu Val Gly Lys Gly Ile Thr Phe Asp Thr Gly Gly Ile Ser Ile Lys 85 90 95

Pro Gly Ala Ser Met Glu Asn Met Ile Ser Asp Met Gly Gly Ser Ala 100 105 110

Ser Val Leu Ala Thr Ile Ile Ala Ala Ala Arg Leu Asn Leu Ser Ile 115 120 125

Asn Val Phe Ala Phe Leu Pro Met Ala Glu Asn Met Pro Ser Gly Asp 130 135 140

Ala Phe Arg Pro Gly Asp Val Ile Thr His Phe Gly Gly Ile Thr Ser 145 150 155 160

Glu Ile Leu Asn Thr Asp Ala Glu Gly Arg Leu Ile Leu Ala Asp Ala 165 170 175

Ile Ala Tyr Ala Ser Glu Asp Lys Pro Asp Tyr Leu Ile Asp Ala Ala 180 185 190

Thr Leu Thr Gly Ala Gln Leu Val Ala Leu Gly Leu Arg Thr Ser Gly 195 200 205

Val Met Gly Thr Asp Glu Phe Arg Asp Ser Val Ala Lys Thr Gly Arg 210 215 220

Glu Val Gly Glu Gln Ala Trp Ala Met Pro Leu Pro Glu Glu Leu Asp 225 230 235 240

Glu Gln Val Lys Ser Pro Val Ala Asp Leu Arg Asn Val Thr Asn Ser 245 250 255

Arg Phe Ala Gly Met Ser Ala Ala Gly Arg Tyr Leu Gln Glu Phe Val 260 265 270

Gly Ala Asp Ile Glu Trp Ala His Val Asp Ile Ala Gly Pro Ala Tyr 275 280 285

Asn Thr Ala Gly Glu Phe Gly Tyr Thr Pro Lys Arg Ala Thr Gly Gln 290 295 300

Pro Val Arg Thr Phe Val Gln Val Leu Lys Asp Leu Ser Glu Ser 305 310 315

<210> 115

<211> 980

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(957)

<223> FRXA01181

<400> 115

tct gta ctg ctc gct cgc gac ttg gtg aac acc cct tca tca cac ctg 48 Ser Val Leu Leu Ala Arg Asp Leu Val Asn Thr Pro Ser Ser His Leu 1 5 10

tac cca gag tcc tac tca gta att gca tcc aac gaa gcg tcc aag cac 96 Tyr Pro Glu Ser Tyr Ser Val Ile Ala Ser Asn Glu Ala Ser Lys His 20 25 30

ggc ttg cag acc acc atc ctg gat gag aag cag ctt gct gat caa ggt 144 Gly Leu Gln Thr Thr Ile Leu Asp Glu Lys Gln Leu Ala Asp Gln Gly 35 40

ttc ggc ggc atc ctc gca gtc ggt aac ggc tcc tcc cgc aag cct cgt 192 Phe Gly Gly Ile Leu Ala Val Gly Asn Gly Ser Ser Arg Lys Pro Arg 50 55 60

ctg ctg cgc atc gat tgg aag cca cgc aag gct aag aag tcg atc gct 240 Leu Leu Arg Ile Asp Trp Lys Pro Arg Lys Ala Lys Lys Ser Ile Ala 65 70 75 80

ttg gtt ggc aag ggc atc acc ttt gac acc ggc gga att tcc atc aag 288 Leu Val Gly Lys Gly Ile Thr Phe Asp Thr Gly Gly Ile Ser Ile Lys 85 90 95

cct ggc gca agc atg gag aac atg atc tcc gac atg ggt gga tcc gca 336 Pro Gly Ala Ser Met Glu Asn Met Ile Ser Asp Met Gly Gly Ser Ala 100 105

tcc gta ttg gcc acc att atc gct gca gct cgt ttg aac ctg tcg atc 384 Ser Val Leu Ala Thr Ile Ile Ala Ala Ala Arg Leu Asn Leu Ser Ile 115 120 125

aac gtc ttc gcg ttc cta cca atg gct gag aac atg cca tcc ggt gac 432 Asn Val Phe Ala Phe Leu Pro Met Ala Glu Asn Met Pro Ser Gly Asp

130 135 140 gct ttc cgc ccc ggc gat gtc atc act cat ttc ggt ggt atc acc tcc 480 Ala Phe Arg Pro Gly Asp Val Ile Thr His Phe Gly Gly Ile Thr Ser 150 gaa atc ttg aac acc gac gct gaa ggc cgc ctc att ctg gca gat gcc 528 Glu Ile Leu Asn Thr Asp Ala Glu Gly Arg Leu Ile Leu Ala Asp Ala 175 att gct tac gct tct gaa gat aag cct gac tac ctc att gat gcg gca 576 Ile Ala Tyr Ala Ser Glu Asp Lys Pro Asp Tyr Leu Ile Asp Ala Ala 180 185 acc ctg act ggt gct caa tta gtc gct tta ggc ctg cgg act tca qqt 624 Thr Leu Thr Gly Ala Gln Leu Val Ala Leu Gly Leu Arg Thr Ser Gly 195 200 205 gtc atg ggt acc gat gag ttc cgc gac agc gtt gcc aag act ggc cgc 672 Val Met Gly Thr Asp Glu Phe Arg Asp Ser Val Ala Lys Thr Gly Arg 215 gag gtt ggc gag caa gca tgg gca atg cct ctt cct gaa gag ctc gat 720 Glu Val Gly Glu Gln Ala Trp Ala Met Pro Leu Pro Glu Glu Leu Asp 230 235 gag cag gtt aag too cot gto got gac ctg cgc aat gto acc aat too Glu Gln Val Lys Ser Pro Val Ala Asp Leu Arg Asn Val Thr Asn Ser 245 250 cgt ttc gca gga atg tct gct gcg ggt cgt tac ttg cag gaa ttc gtt 816 Arg Phe Ala Gly Met Ser Ala Ala Gly Arg Tyr Leu Gln Glu Phe Val 260 ggt gcc gac atc gag tgg gct cac gtc gat atc gct ggc cct gca tac 864 Gly Ala Asp Ile Glu Trp Ala His Val Asp Ile Ala Gly Pro Ala Tyr 280 aac act gct ggt gaa ttc ggt tac acg cca aag cgc gca acc gga caa 912 Asn Thr Ala Gly Glu Phe Gly Tyr Thr Pro Lys Arg Ala Thr Gly Gln · cca gtg cgc acc ttc gtt cag gtt ctg aag gat ctg tcg gaa agc 957 Pro Val Arg Thr Phe Val Gln Val Leu Lys Asp Leu Ser Glu Ser 305 310 taaacgctag ttaaagatca gga 980 <210> 116 <211> 319 <212> PRT <213> Corynebacterium glutamicum Ser Val Leu Leu Ala Arg Asp Leu Val Asn Thr Pro Ser Ser His Leu

Tyr Pro Glu Ser Tyr Ser Val Ile Ala Ser Asn Glu Ala Ser Lys His 20 25 30

Gly Leu Gln Thr Thr Ile Leu Asp Glu Lys Gln Leu Ala Asp Gln Gly 35 40 45

- Phe Gly Gly Ile Leu Ala Val Gly Asn Gly Ser Ser Arg Lys Pro Arg 50 55 60
- Leu Leu Arg Ile Asp Trp Lys Pro Arg Lys Ala Lys Lys Ser Ile Ala 65 70 75 80
- Leu Val Gly Lys Gly Ile Thr Phe Asp Thr Gly Gly Ile Ser Ile Lys
 85 90 95
- Pro Gly Ala Ser Met Glu Asn Met Ile Ser Asp Met Gly Gly Ser Ala 100 105 110
- Ser Val Leu Ala Thr Ile Ile Ala Ala Ala Arg Leu Asn Leu Ser Ile 115 120 125
- Asn Val Phe Ala Phe Leu Pro Met Ala Glu Asn Met Pro Ser Gly Asp 130 135 140
- Ala Phe Arg Pro Gly Asp Val Ile Thr His Phe Gly Gly Ile Thr Ser 145 150 155
- Glu Ite Leu Asn Thr Asp Ala Glu Gly Arg Leu Ile Leu Ala Asp Ala 165 170 175
- Ile Ala Tyr Ala Ser Glu Asp Lys Pro Asp Tyr Leu Ile Asp Ala Ala 180 185 190
- Thr Leu Thr Gly Ala Gln Leu Val Ala Leu Gly Leu Arg Thr Ser Gly 195 200 205
- Val Met Gly Thr Asp Glu Phe Arg Asp Ser Val Ala Lys Thr Gly Arg 210 215 220
- Glu Val Gly Glu Gln Ala Trp Ala Met Pro Leu Pro Glu Glu Leu Asp 225 230 235 240
- Glu Gln Val Lys Ser Pro Val Ala Asp Leu Arg Asn Val Thr Asn Ser 245 250 255
- Arg Phe Ala Gly Met Ser Ala Ala Gly Arg Tyr Leu Gln Glu Phe Val .260 265 270
- Gly Ala Asp Ile Glu Trp Ala His Val Asp Ile Ala Gly Pro Ala Tyr 275 280 285
- Asn Thr Ala Gly Glu Phe Gly Tyr Thr Pro Lys Arg Ala Thr Gly Gln 290 295 300
- Pro Val Arg Thr Phe Val Gln Val Leu Lys Asp Leu Ser Glu Ser 305 315

<220>

<210> 117

<211> 2127

<212> DNA

<213> Corynebacterium glutamicum

<221> CDS <222> (101)..(2104) <223> RXN01277

<400> 117

tactactcgg ttcacgttta cgtcggctga tccaattgga ggcgccctcg gaagecgcct 60

taaaaaaacct gccggtcaaa agatcactaa cctgaacttc atg act gat tac acg 115 Met Thr Asp Tyr Thr 1 5

ttc ctc gaa gac att gac acc ccg gaa gcg ctc gcg tgg gcg gaa aaa $$ 163 Phe Leu Glu Asp Ile Asp Thr Pro Glu Ala Leu Ala Trp Ala Glu Lys $$ 10 $$ 15 $$ 20

tgg tcg ggg gaa agc gtc gaa aag cta aaa agc cca gcc aag gac gcc 211
Trp Ser Gly Glu Ser Val Glu Lys Leu Lys Ser Pro Ala Lys Asp Ala
25 30 35

ctg gaa gcc agg ctg ctg gct gcg ttg gac acc gat gat cgc att gcc 259 Leu Glu Ala Arg Leu Leu Ala Ala Leu Asp Thr Asp Asp Arg Ile Ala 40 45

tac gtg agc cgg cgc ggt gag aag ctg tac aac ttt tgg cgg gac gcg 307 Tyr Val Ser Arg Arg Gly Glu Lys Leu Tyr Asn Phe Trp Arg Asp Ala 55 60 65

cag cat ccg cgt gga gtg tgg cgc acg acc acg ttg gag tcg tat gaa 355 Gln His Pro Arg Gly Val Trp Arg Thr Thr Leu Glu Ser Tyr Glu 70 75 80 85

agt gac cag ccg gag tgg gac gtg ctc att gat gtg gat gcg ttg gcg 403 Ser Asp Gln Pro Glu Trp Asp Val Leu Ile Asp Val Asp Ala Leu Ala 90 95 100

gag gat gag ggc gaa aac tgg gta tgg aag ggc gcg gtt gtg cgc tcg 451 Glu Asp Glu Gly Glu Asn Trp Val Trp Lys Gly Ala Val Val Arg Ser 105 110

ccg gag ttt gat cgg gcg ttg gtg aag ttc tcg cgg ggc ggg gct gat 499
Pro Glu Phe Asp Arg Ala Leu Val Lys Phe Ser Arg Gly Gly Ala Asp
120 125 130

gcg acg gtg att agg gag ttt gat ctg gcc acg gct gct ttc gtg gat 547 Ala Thr Val Ile Arg Glu Phe Asp Leu Ala Thr Ala Ala Phe Val Asp 135 140 145

gat tcg ccg ttt gaa ttg aag gag gcg aag tcc gat gtc acg tgg gtt 595 Asp Ser Pro Phe Glu Leu Lys Glu Ala Lys Ser Asp Val Thr Trp Val 150 165

gat ctg gat acg ttg ctg gtg ggc acg gat acc ggc gag ggg tca ctg 643 Asp Leu Asp Thr Leu Leu Val Gly Thr Asp Thr Gly Glu Gly Ser Leu 170 175 180

acg gat tct ggg tac ccg gcg cgg gtg ctc acg tgg aag cgt ggg act 691 Thr Asp Ser Gly Tyr Pro Ala Arg Val Leu Thr Trp Lys Arg Gly Thr 185 190 195

ccg ctt gag cag gcg gag ttg ttc ttt gag ggg tcg cgt cag gat gtg 739 Pro Leu Glu Gln Ala Glu Leu Phe Phe Glu Gly Ser Arg Gln Asp Val 200 205 210

gcg Ala	act Thr 215	cat His	gcg Ala	tgg Trp	cgg Arg	gat Asp 220	tca Ser	aca Thr	cct Pro	ggt Gly	ttt Phe 225	gag Glu	cgg Arg	acg Thr	ttt Phe	787
		agg Arg														835
		ggc Gly														883
		aag Lys														931
		gca Ala 280														979
		cgc Arg														1027
		gga Gly														1075
		gtc Val														1123
		cat His														1171
gtt Val	gct Ala	acc Thr 360	tcc Ser	ccg Pro	ttg Leu	gat Asp	ggc Gly 365	gat Asp	gaa Glu	att Ile	tgg Trp	gtg Val 370	cag Gln	gca Ala	gcg Ala	1219
agt Ser	ttc Phe 375	acc Thr	gaa Glu	gcg Ala	cca Pro	acg Thr 380	ttg Leu	ctg Leu	cgt Arg	gcg Ala	gag Glu 385	ctg Leu	cct Pro	ggt Gly	gcg Ala	1267
ctt Leu 390	gag Glu	gct Ala	gtg Val	aag Lys	aag Lys 395	gcg Ala	ccg Pro	ttg Leu	cag Gln	ttt Phe 400	gaa Glu	aat Asn	gct Ala	ggt Gly	cag Gln 405	1315
gag Glu	act Thr	cgt Arg	cag Gln	cat His 410	tgg Trp	gca Ala	acc Thr	tcg Ser	gcg Ala 415	gat Asp	gga Gly	acg Thr	aag Lys	att Ile 420	ccg Pro	1363
tac Tyr	ttt Phe	att Ile	aca Thr 425	gga Gly	gcc Ala	ttc Phe	gag Glu	gag Glu 430	gaa Glu	cca Pro	caa Gln	aac Asn	acc Thr 435	ctg Leu	gtc Val	1411
cac His	gcc Ala	tac Tyr 440	ggc Gly	ggc Gly	ttc Phe	gag Glu	gtt Val 445	tcc Ser	ctt Leu	acc Thr	cca Pro	agc Ser 450	cac His	tcc Ser	ccg Pro	1459

aco Thi	2 cgc Arc 455	ווט פ	c ato y Ile	gca Ala	a tgg a Trp	ttg Leu 460	Glu	aag Lys	ggc Gly	tac Tyr	tac Tyr 465	Phe	gtg Val	gaa Glu	gcc Ala	1507
aad Asr 470	r rec	g egt i Arç	ggt Gly	ggc Gly	ggt Gly 475	Glu	ttc Phe	ggt Gly	ccg Pro	gaa Glu 480	Trp	cat His	tcg Ser	cag Gln	gca Ala 485	1555
acc Thr	aaç Lys	cto Leu	y aac 1 Asn	Arg 490	Met	aag Lys	gtg Val	tgg Trp	gag Glu 495	Asp	cac His	cgc Arg	gcg Ala	gtg Val 500	ctc Leu	1603
MId	Asp	. ren	505	GIU	Arg	Gly	Tyr	Ala 510	Thr	Pro	Glu	Gln	Ile 515	Ala	Ile	1651
ALG	GTÀ	520		Asn	GIY	Gly	Leu 525	Leu	Thr	Ser	Gly	Ala 530	Leu	Thr	Gln	1699
ryr	535	GIU	gca Ala	rne	GTÀ	540	Ala	Val	Val	Gln	Val 545	Pro	Leu	Ala	Asp	1747
550	rea	Arg	tat T yr	HIS	Thr 555	Trp	Ser	Ala	Gly	Ala 560	Ser	Trp	Met	Ala	Glu 565	1795
Tyl	GLY	ASII	cct Pro	570	Asp	Pro	Glu	Glu	Arg 575	Ala	Val	Ile	Glu	Gln 580	Tyr	1843
ser	Pro	vai	cag Gln 585	Ala	Val	Val	Gly	Val 590	Glu	Lys	Arg	Ile	Tyr 595	Pro	Pro	1891
AIG	ьец	600	acg Thr	Thr	Ser	Thr	Arg 605	Asp	Asp	Arg	Val	His 610	Pro	Ala	His	1939
vra	615	reu	ttt Phe	Ата	GIN	A1a 620	Leu	Leu	Asp	Ala	Gly 625	Gln	Ala	Val	Asp	1987
630	ıyı	GIU	aac Asn	Inr	635	GLY	Gly	His	Ala	Gly 640	Ala	Ala	Asp	Asn	Lys 645	2035
GIII	1111	Ald	ttt Phe	650	GIU	Ser	Leu	Ile	Tyr 655	Thr	Trp	Ile	Glu	aag Lys 660	act Thr	2083
ttg Leu	gat Asp	cag Gln	cag Gln 665	ggt Gly	agc Ser	att Ile	taat	acct	at g	atta	tgcg	a ag	g			2127

<210> 118 <211> 668 <212> PRT

<213> Corynebacterium glutamicum

<400> 118

Met Thr Asp Tyr Thr Phe Leu Glu Asp Ile Asp Thr Pro Glu Ala Leu 1 5 10 15

Ala Trp Ala Glu Lys Trp Ser Gly Glu Ser Val Glu Lys Leu Lys Ser 20 25 30

Pro Ala Lys Asp Ala Leu Glu Ala Arg Leu Leu Ala Ala Leu Asp Thr 35 40 45

Asp Asp Arg Ile Ala Tyr Val Ser Arg Arg Gly Glu Lys Leu Tyr Asn 50 55 60

Phe Trp Arg Asp Ala Gln His Pro Arg Gly Val Trp Arg Thr Thr Thr 65 70 75 80

Leu Glu Ser Tyr Glu Ser Asp Gln Pro Glu Trp Asp Val Leu Ile Asp 85 90 95

Val Asp Ala Leu Ala Glu Asp Glu Gly Glu Asn Trp Val Trp Lys Gly 100 105 110

Ala Val Val Arg Ser Pro Glu Phe Asp Arg Ala Leu Val Lys Phe Ser 115 120 125

Ala Ala Phe Val Asp Asp Ser Pro Phe Glu Leu Lys Glu Ala Lys Ser 145 150 155 160

Asp Val Thr Trp Val Asp Leu Asp Thr Leu Leu Val Gly Thr Asp Thr 165 170 175

Gly Glu Gly Ser Leu Thr Asp Ser Gly Tyr Pro Ala Arg Val Leu Thr 180 185 190

Trp Lys Arg Gly Thr Pro Leu Glu Gln Ala Glu Leu Phe Phe Glu Gly 195 200 . 205

Ser Arg Gln Asp Val Ala Thr His Ala Trp Arg Asp Ser Thr Pro Gly 210 215 220

Phe Glu Arg Thr Phe Val Ser Arg Ser Leu Asp Phe Tyr Asn Ser Glu 225 230 235 240

Thr Ser Leu Glu Thr Glu Gly Gly Leu Val Lys Leu Asp Val Pro Thr 245 250 255

Asp Cys Asp Val Ile Val Lys Lys Gln Trp Ile Phe Val Ser Pro Arg 260 265 270

Thr Asp Phe Ala Gly Ile Pro Ala Gly Gly Leu Gly Val Leu Leu Leu 275 280 285

Lys Glu Phe Leu Glu Gly Gly Arg Asp Phe Gln Pro Val Phe Thr Pro 290 295 300

Thr Glu Ser Thr Ser Leu Gln Gly Leu Ala Thr Thr Lys Asn Phe Leu

176

305 310 315 320

Val Leu Thr Leu Leu Asn Asn Val Ser Thr Glu Ile Val Thr Val Pro 325 330 335

Leu Asn Asp Pro Thr Thr Glu His Glu His Ile Asp Leu Pro Glu His 340 345 350

Val Thr Ala His Val Val Ala Thr Ser Pro Leu Asp Gly Asp Glu Ile 355 360 365

Trp Val Gln Ala Ala Ser Phe Thr Glu Ala Pro Thr Leu Leu Arg Ala 370 375380

Glu Leu Pro Gly Ala Leu Glu Ala Val Lys Lys Ala Pro Leu Gln Phe 385 390 395 400

Glu Asn Ala Gly Gln Glu Thr Arg Gln His Trp Ala Thr Ser Ala Asp 405 410 415

Gly Thr Lys Ile Pro Tyr Phe Ile Thr Gly Ala Phe Glu Glu Glu Pro 420 425 430

Gln Asn Thr Leu Val His Ala Tyr Gly Gly Phe Glu Val Ser Leu Thr 435 440 445

Pro Ser His Ser Pro Thr Arg Gly Ile Ala Trp Leu Glu Lys Gly Tyr 450 455 460

Tyr Phe Val Glu Ala Asn Leu Arg Gly Gly Gly Glu Phe Gly Pro Glu 465 470 475 480

Trp His Ser Gln Ala Thr Lys Leu Asn Arg Met Lys Val Trp Glu Asp 485 490 495

His Arg Ala Val Leu Ala Asp Leu Val Glu Arg Gly Tyr Ala Thr Pro 500 505 510

Glu Gln Ile Ala Ile Arg Gly Gly Ser Asn Gly Gly Leu Leu Thr Ser 515 520 525

Gly Ala Leu Thr Gln Tyr Pro Glu Ala Phe Gly Ala Ala Val Val Gln 530 535 540

Val Pro Leu Ala Asp Met Leu Arg Tyr His Thr Trp Ser Ala Gly Ala 545 550 555 560

Ser Trp Met Ala Glu Tyr Gly Asn Pro Asp Asp Pro Glu Glu Arg Ala 565 570 575

Val Ile Glu Gln Tyr Ser Pro Val Gln Ala Val Val Gly Val Glu Lys 580 585 590

Arg Ile Tyr Pro Pro Ala Leu Val Thr Thr Ser Thr Arg Asp Asp Arg
595 600 605

Val His Pro Ala His Ala Arg Leu Phe Ala Gln Ala Leu Leu Asp Ala 610 615 620

Gly Gln Ala Val Asp Tyr Tyr Glu Asn Thr Glu Gly Gly His Ala Gly 625 630 635 640

Ala Ala Asp Asn Lys Gln Thr Ala Phe Val Glu Ser Leu Ile Tyr Thr 645 650 655

Trp Ile Glu Lys Thr Leu Asp Gln Gln Gly Ser Ile 660 665

<210> 119

<211> 1812

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1789)

<223> FRXA01277

<400> 119

tactactcgg ttcacgttta cgtcggctga tccaattgga ggcgccctcg gaagccgcct 60

taaaaaaacct gccggtcaaa agatcactaa cctgaacttc atg act gat tac acg 115

Met Thr Asp Tyr Thr

ttc ctc gaa gac att gac acc ccg gaa gcg ctc gcg tgg gcg gaa aaa 163 Phe Leu Glu Asp Ile Asp Thr Pro Glu Ala Leu Ala Trp Ala Glu Lys 10 15 20

tgg tcg ggg gaa agc gtc gaa aag cta aaa agc cca gcc aag gac gcc 211 Trp Ser Gly Glu Ser Val Glu Lys Leu Lys Ser Pro Ala Lys Asp Ala 25 30 35

ctg gaa gcc agg ctg ctg gct gcg ttg gac acc gat gat cgc att gcc 259 Leu Glu Ala Arg Leu Leu Ala Ala Leu Asp Thr Asp Asp Arg Ile Ala 40 45

tac gtg agc cgg cgc ggt gag aag ctg tac aac ttt tgg cgg gac gcg 307 Tyr Val Ser Arg Arg Gly Glu Lys Leu Tyr Asn Phe Trp Arg Asp Ala

cag cat ccg cgt gga gtg tgg cgc acg acc acg ttg gag tcg tat gaa 355 Gln His Pro Arg Gly Val Trp Arg Thr Thr Leu Glu Ser Tyr Glu 70 80 85

agt gac cag ccg gag tgg gac gtg ctc att gat gtg gat gcg ttg gcg 403 Ser Asp Gln Pro Glu Trp Asp Val Leu Ile Asp Val Asp Ala Leu Ala 90 95

gag gat gag ggc gaa aac tgg gta tgg aag ggc gcg gtt gtg cgc tcg 451 Glu Asp Glu Gly Glu Asn Trp Val Trp Lys Gly Ala Val Val Arg Ser 105 110 115

ccg gag ttt gat cgg gcg ttg gtg aag ttc tcg cgg ggc ggg gct gat 499 Pro Glu Phe Asp Arg Ala Leu Val Lys Phe Ser Arg Gly Gly Ala Asp 120 125 130

gcg acg gtg att agg gag ttt gat ctg gcc acg gct gct ttc gtg gat 547 Ala Thr Val Ile Arg Glu Phe Asp Leu Ala Thr Ala Ala Phe Val Asp 135 140 145

gat Asp 150	Ser	ccg Pro	ttt Phe	gaa Glu	ttg Leu 155	aag Lys	gag Glu	gcg Ala	aag Lys	tcc Ser 160	gat Asp	gtc Val	acg Thr	tgg Trp	gtt Val 165	595
gat Asp	ctg Leu	gat Asp	acg Thr	ttg Leu 170	ctg Leu	gtg Val	ggc Gly	acg Thr	gat Asp 175	acc Thr	ggc	gag Glu	ggg Gly	tca Ser 180	ctg Leu	643
acg Thr	gat Asp	tct Ser	ggg Gly 185	tac Tyr	ccg Pro	gcg Ala	cgg Arg	gtg Val 190	ctc Leu	acg Thr	tgg Trp	aag Lys	cgt Arg 195	ggg Gly	act Thr	691
ccg Pro	ctt Leu	gag Glu 200	cag Gln	gcg Ala	gag Glu	ttg Leu	ttc Phe 205	ttt Phe	gag Glu	ggg Gly	tcg Ser	cgt Arg 210	cag Gln	gat Asp	gtg Val	739
gcg Ala	act Thr 215	cat His	gcg Ala	tgg Trp	cgg Arg	gat Asp 220	tca Ser	aca Thr	cct Pro	ggt Gly	ttt Phe 225	gag Glu	cgg Arg	acg Thr	ttt Phe	787
gtg Val 230	tca Ser	agg Arg	tcg Ser	ttg Leu	gat Asp 235	ttc Phe	tat Tyr	aat Asn	tcg Ser	gag Glu 240	acg Thr	tcg Ser	ctg Leu	gaa Glu	acc Thr 245	835
gag Glu	ggt Gly	ggc Gly	ctg Leu	gtc Val 250	aag Lys	ctt Leu	gat Asp	gtg Val	ccg Pro 255	acc Thr	gat Asp	tgc Cys	gat Asp	gtc Val 260	att Ile	883
Val	Lys	Lys	Gln 265	Trp	Ile	ttt Phe	Val	Ser 270	Pro	Arg	Thr	Asp	Phe 275	Ala	Gly	931
Ile	Pro	Ala 280	Gly	Gly	Leu	gga Gly	Val 285	Leu	Leu	Leu	Lys	Glu 290	Phe	Leu	Glu	979
ggc Gly	ggg Gly 295	cgc Arg	gat Asp	ttt Phe	cag Gln	cct Pro 300	gtg Val	ttt Phe	acg Thr	cct Pro	act Thr 305	gag Glu	tcg Ser	acg Thr	tcg Ser	1027
Leu 310	Gln	Gly	Leu	Ala	Thr 315	aca Thr	Lys	Asn	Phe	Leu 320	Val	Leu	Thr	Leu	Leu 325	1075
aat Asn	aat Asn	gtc Val	tcc Ser	aca Thr 330	gaa Glu	atc Ile	gtc Val	aca Thr	gtg Val 335	ccg Pro	ctc Leu	aat Asn	gat Asp	ccg Pro 340	aca Thr	1123
acg Thr	gag Glu	cat His	gaa Glu 345	cac His	att Ile	gac Asp	ctc Leu	cca Pro 350	gag Glu	cat His	gtc Val	acc Thr	gcg Ala 355	cat His	gtg Val	1171
gtt Val	gct Ala	acc Thr 360	tcc Ser	ccg Pro	ttg Leu	gat Asp	ggc Gly 365	gat Asp	gaa Glu	att Ile	tgg Trp	gtg Val 370	cag Gln	gca Ala	gcg Ala	1219
agt Ser	ttc Phe 375	acc Thr	gaa Glu	gcg Ala	cca Pro	acg Thr 380	ttg Leu	ctg Leu	cgt Arg	gcg Ala	gag Glu 385	ctg Leu	cct Pro	ggt Gly	gcg Ala	1267
ctt	gag	gct	gtg	aag	aag	gcg	ccg	ttg	cag.	ttt	gaa	aat	gct	ggt	cag	1315

Leu 390	Glu	Ala	Val	Lys	Lys 395	Ala	Pro	Leu	Gln	Phe 400	Glu	Asn	Ala	Gly	Gln 405	
gag Glu	act Thr	cgt Arg	cag Gln	cat His 410	tgg Trp	gca Ala	acc Thr	tcg Ser	gcg Ala 415	gat Asp	gga Gly	acg Thr	aag Lys	att Ile 420	ccg Pro	1363
tac Tyr	ttt Phe	att Ile	aca Thr 425	gga Gly	gcc Ala	ttc Phe	gag Glu	gag Glu 430	gaa Glu	cca Pro	caa Gln	aac Asn	acc Thr 435	ctg Leu	gtc Val	1411
cac	gcc Ala	tac Tyr 440	ggc Gly	ggc Gly	ttc Phe	gag Glu	gtt Val 445	tcc Ser	ctt Leu	acc Thr	cca Pro	agc Ser 450	cac His	tcc Ser	ccg Pro	1459
	cgc Arg 455															1507
aac Asn 470	ctg Leu	cgt Arg	ggt Gly	ggc Gly	ggt Gly 475	gaa Glu	ttc Phe	ggt Gly	ccg Pro	gaa Glu 480	tgg Trp	cat His	tcg Şer	cag Gln	gca Ala 485	1555
acc Thr	aag Lys	ctg Leu	aac Asn	cgc Arg 490	atg Met	aag Lys	gtg Val	tgg Trp	gag Glu 495	gat Asp	cac His	cgc Arg	gcg Ala	gtg Val 500	ctc Leu	1603
	gac Asp															1651
cgt Arg	ggc Gly	gga Gly 520	tcc Ser	aac Asn	ggt Gly	ggt Gly	ttg Leu 525	ctg Leu	aca Thr	agt Ser	ggc Gly	gcg Ala 530	tta Leu	act Thr	cag Gln	1699
tac Tyr	cca Pro 535	gaa Glu	gca Ala	ttc Phe	ggt Gly	gcg Ala 540	gca Ala	gtt Val	gtg Val	cag Gln	gtg Val 545	ccg Pro	ttg Leu	gct Ala	gat Asp	1747
atg Met 550	ttg Leu	cgc Arg	tat Tyr	cac His	acc Thr 555	tgg Trp	tca Ser	gcg Ala	ggt Gly	acc Thr 560	tcg Ser	tgg Trp	atg Met			1789
tago	gtgto	gg d	caaco	catgo	gg aa	c										1812
<211 <212)> 12 l> 56 ?> PF B> Co	53 RT	ebact	eriu	ım gl	utan	nicum	n								
)> 12 Thr		Tyr	Thr 5	Phe	Leu	Glu	Asp	Ile 10	Asp	Thr	Pro	Glu	Ala 15	Leu	
Ala	Trp	Ala	Glu 20	Lys	Trp	Ser	Gly	Glu 25	Ser	Val	Glu	Lys	Leu 30	Lys	Ser	
Pro	Ala	Lys 35	Asp	Ala	Leu	Glu	Ala 40	Arg	Leu	Leu	Ala	Ala 45	Leu	Asp	Thr	

Asp Asp Arg Ile Ala Tyr Val Ser Arg Arg Gly Glu Lys Leu Tyr Asn 50 60

- Phe Trp Arg Asp Ala Gln His Pro Arg Gly Val Trp Arg Thr Thr 65 70 75 80
- Leu Glu Ser Tyr Glu Ser Asp Gln Pro Glu Trp Asp Val Leu Ile Asp 85 90 95
- Val Asp Ala Leu Ala Glu Asp Glu Gly Glu Asn Trp Val Trp Lys Gly 100 105 110
- Ala Val Val Arg Ser Pro Glu Phe Asp Arg Ala Leu Val Lys Phe Ser 115 120 125
- Arg Gly Gly Ala Asp Ala Thr Val Ile Arg Glu Phe Asp Leu Ala Thr 130 135 140
- Ala Ala Phe Val Asp Asp Ser Pro Phe Glu Leu Lys Glu Ala Lys Ser 145 150 155 160
- Asp Val Thr Trp Val Asp Leu Asp Thr Leu Leu Val Gly Thr Asp Thr 165 170 175
- Gly Glu Gly Ser Leu Thr Asp Ser Gly Tyr Pro Ala Arg Val Leu Thr 180 185 190
- Trp Lys Arg Gly Thr Pro Leu Glu Gln Ala Glu Leu Phe Phe Glu Gly 195 200 205
- Ser Arg Gln Asp Val Ala Thr His Ala Trp Arg Asp Ser Thr Pro Gly 210 215 220
- Phe Glu Arg Thr Phe Val Ser Arg Ser Leu Asp Phe Tyr Asn Ser Glu 225 230 235 240
- Thr Ser Leu Glu Thr Glu Gly Gly Leu Val Lys Leu Asp Val Pro Thr 245 250 255
- Asp Cys Asp Val Ile Val Lys Lys Gln Trp Ile Phe Val Ser Pro Arg 260 265 270
- Thr Asp Phe Ala Gly Ile Pro Ala Gly Gly Leu Gly Val Leu Leu Leu 275 280 285
- Lys Glu Phe Leu Glu Gly Gly Arg Asp Phe Gln Pro Val Phe Thr Pro 290 295 300
- Thr Glu Ser Thr Ser Leu Gln Gly Leu Ala Thr Thr Lys Asn Phe Leu 305 310 315 320
- Val Leu Thr Leu Leu Asn Asn Val Ser Thr Glu Ile Val Thr Val Pro 325 330 335
- Leu Asn Asp Pro Thr Thr Glu His Glu His Ile Asp Leu Pro Glu His 340 345 350
- Val Thr Ala His Val Val Ala Thr Ser Pro Leu Asp Gly Asp Glu Ile 355 360 365
- Trp Val Gln Ala Ala Ser Phe Thr Glu Ala Pro Thr Leu Leu Arg Ala

181

370

375

380

Glu Leu Pro Gly Ala Leu Glu Ala Val Lys Lys Ala Pro Leu Gln Phe 385 390 395 400

Glu Asn Ala Gly Gln Glu Thr Arg Gln His Trp Ala Thr Ser Ala Asp 405 410 415

Gly Thr Lys Ile Pro Tyr Phe Ile Thr Gly Ala Phe Glu Glu Glu Pro 420 425 430

Gln Asn Thr Leu Val His Ala Tyr Gly Gly Phe Glu Val Ser Leu Thr 435 440 445

Pro Ser His Ser Pro Thr Arg Gly Ile Ala Trp Leu Glu Lys Gly Tyr 450 455 460

Tyr Phe Val Glu Ala Asn Leu Arg Gly Gly Glu Phe Gly Pro Glu 465 470 475 480

Trp His Ser Gln Ala Thr Lys Leu Asn Arg Met Lys Val Trp Glu Asp
485 490 495

His Arg Ala Val Leu Ala Asp Leu Val Glu Arg Gly Tyr Ala Thr Pro
500 505 510

Glu Gln Ile Ala Ile Arg Gly Gly Ser Asn Gly Gly Leu Leu Thr Ser 515 520 525

Gly Ala Leu Thr Gln Tyr Pro Glu Ala Phe Gly Ala Ala Val Val Gln 530 540

Val Pro Leu Ala Asp Met Leu Arg Tyr His Thr Trp Ser Ala Gly Thr 545 550 555

Ser Trp Met

<210> 121

<211> 526

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(526)

<223> RXA01914

<400> 121

ggttttgagg aatggctagg cttgttaaaa gttagtttca atttgatgcc tcccccaacc 60

aaagcggaga cacaacttca acgagaggac tcagctttca atg gcg aaa aat gcc 115 Met Ala Lys Asn Ala 1

tac agc aca aca gca cca acc aag gtg tcc aag gat gcc act ctt cca $\,$ 163 Tyr Ser Thr Thr Ala Pro Thr Lys Val Ser Lys Asp Ala Thr Leu Pro $\,$ 10 $\,$ 15 $\,$ 20

gtt cgt gga acg gtc gct gaa ctc aag ctc gaa aag aag ttg cca aag 211

Val Arg Gly Thr Val Ala Glu Leu Lys Leu Glu Lys Lys Leu Pro Lys aag att gat gcc atc atc gtc gcg att ttt gaa ggc gaa gat tcc atc 259 Lys Ile Asp Ala Ile Ile Val Ala Ile Phe Glu Gly Glu Asp Ser Ile 45 gaa ctc gcc ggc ggc gaa atc ctc gat ttc atc ttc agt acc gag cag 307 Glu Leu Ala Gly Gly Glu Ile Leu Asp Phe Ile Phe Ser Thr Glu Gln cag gcc gac atc ctc act cag ctc gaa gct gtc ggc gca aag gcc acc 355 Gln Ala Asp Ile Leu Thr Gln Leu Glu Ala Val Gly Ala Lys Ala Thr 75 80 gca aac agc atc acc cgc gtc cca ggc acc gac gtt gcg cct gtc att 403 Ala Asn Ser Ile Thr Arg Val Pro Gly Thr Asp Val Ala Pro Val Ile gcg gtt ggt ttg ggc aag gct gat ttg ctt gac gac gag acc ctc cgc 451 Ala Val Gly Leu Gly Lys Ala Asp Leu Leu Asp Asp Glu Thr Leu Arg 105 110 cgc gct tcc ggc acg gcc cgc tcc ctc ggt ggt ttt gaa aat gtc 499 Arg Ala Ser Gly Thr Ala Ala Arg Ser Leu Gly Gly Phe Glu Asn Val 125 gcc acc acc att ggc gat ttg gga ctt 526 Ala Thr Thr Ile Gly Asp Leu Gly Leu <210> 122 <211> 142 <212> PRT <213> Corynebacterium glutamicum <400> 122 Met Ala Lys Asn Ala Tyr Ser Thr Thr Ala Pro Thr Lys Val Ser Lys Asp Ala Thr Leu Pro Val Arg Gly Thr Val Ala Glu Leu Lys Leu Glu Lys Lys Leu Pro Lys Lys Ile Asp Ala Ile Ile Val Ala Ile Phe Glu 40 Gly Glu Asp Ser Ile Glu Leu Ala Gly Gly Glu Ile Leu Asp Phe Ile Phe Ser Thr Glu Gln Gln Ala Asp Ile Leu Thr Gln Leu Glu Ala Val 70 Gly Ala Lys Ala Thr Ala Asn Ser Ile Thr Arg Val Pro Gly Thr Asp Val Ala Pro Val Ile Ala Val Gly Leu Gly Lys Ala Asp Leu Leu Asp 100 Asp Glu Thr Leu Arg Arg Ala Ser Gly Thr Ala Ala Arg Ser Leu Gly 120

Gly Phe Glu Asn Val Ala Thr Thr Ile Gly Asp Leu Gly Leu 130 135 140

<210> 123 <211> 1497 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101) .. (1474) <223> RXA02048 <400> 123 gcgcggcgga taacaagcag accgcgtttg tggaatcgct gatctacacc tggatcgaaa 60 agactttgga tcagcagggt agcatttaat acctatgatt atg cga agg ctg cgc Met Arg Arg Leu Arg tec acc eeg gte eet ggt aca ege gat tee tac aca gga att gat tte Ser Thr Pro Val Pro Gly Thr Arg Asp Ser Tyr Thr Gly Ile Asp Phe aac tta ggc ttc cac atc cga cgc tac gag ctt gat ctc acc tac cgc 211 Asn Leu Gly Phe His Ile Arg Arg Tyr Glu Leu Asp Leu Thr Tyr Arg 30 gta gca ccc aac ctg ctc atg ggc acc gca acg ctg cac atg gat aat 259 Val Ala Pro Asn Leu Leu Met Gly Thr Ala Thr Leu His Met Asp Asn tac cgt gcg ctc gac gcg ctg acc ctg gac ctc ggc ggc agc ctg cgc 307 Tyr Arg Ala Leu Asp Ala Leu Thr Leu Asp Leu Gly Gly Ser Leu Arg gtg gaa aaa gtc acc gcc aaa ggc acc gcc ggc acc cac atc caa gtc 355 Val Glu Lys Val Thr Ala Lys Gly Thr Ala Gly Thr His Ile Gln Val geg ege tte ege eac gee ege ege aaa etg ege ate ace tte ege aac 403 Ala Arg Phe Arg His Ala Gly Arg Lys Leu Arg Ile Thr Phe Arg Asn 90 caa atc ccg gtt gac cag gaa ttt tca ctc acc atc cgc tac cgc ggc 451 Gln Ile Pro Val Asp Gln Glu Phe Ser Leu Thr Ile Arg Tyr Arg Gly 110 aac ccg cgc ccc ctg cgc agc gaa tgg ggc atg atc ggc tgg gaa gag 499 Asn Pro Arg Pro Leu Arg Ser Glu Trp Gly Met Ile Gly Trp Glu Glu ctc gac aac ggc gcc ctc gtc gcc gcc cag cca aac ggc gcg ccg agc 547 Leu Asp Asn Gly Ala Leu Val Ala Ala Gln Pro Asn Gly Ala Pro Ser 145 tgg ttc ccc tgc gac gac acg ccc gac gag aag gcg ctt ttc gac gtc 595 Trp Phe Pro Cys Asp Asp Thr Pro Asp Glu Lys Ala Leu Phe Asp Val 155 160 165

cac His	tto S Pho	c ca e Hi:	c aco	c gad c Asp 170) Asr	gga Gly	tac Tyr	gcc Ala	gco Ala 175	Ile	ato lle	acc Thr	ggt Gly	gat Asp 180	tta Leu	643
ato Ile	tca Ser	a aaa c Lys	e cad s His 185	s vai	agt Ser	ggc Gly	agc Ser	atg Met 190	Thr	acc Thr	tgg Trp	cac His	tac Tyr 195	Gln	tcc Ser	691
cgc Arg	gaa g Glu	Pro 200) Met	gcc Ala	acc Thr	tac Tyr	Leu 205	Ala	gcc Ala	gtc Val	cac His	gtc Val 210	gga Gly	gaa Glu	tac Tyr	739
gac Asp	act Thr 215	. 491	tco Ser	: ctg	ggc	gtt Val 220	Ser	gaa Glu	tcg Ser	ggc Gly	gtt Val 225	gtg Val	gtg Val	gag Glu	gcg Ala	787
tat Tyr 230	vai	Pro	gtg Val	ggg Gly	gat Asp 235	gcg Ala	gcc Ala	ttg Leu	cgg Arg	gct Ala 240	cgg Arg	att Ile	ttg Leu	gag Glu	gac Asp 245	835
ttt Phe	gcc Ala	aaa Lys	caa Gln	gtc Val 250	gac Asp	atg Met	tta Leu	gac Asp	gcc Ala 255	tac Tyr	gaa Glu	aaa Lys	ctc Leu	ttc Phe 260	ggc Gly	883
ccc Pro	tac Tyr	cca Pro	ttc Phe 265	cgc Arg	agc Ser	tac Tyr	cgc Arg	gta Val 270	gtc Val	atc Ile	acc Thr	gaa Glu	gac Asp 275	gaa Glu	ctc Leu	931
gaa Glu	atc Ile	cca Pro 280	ctc Leu	gaa Glu	gcc Ala	caa Gln	ggc Gly 285	ctc Leu	tcc Ser	agc Ser	ttc Phe	gga Gly 290	gcc Ala	aac Asn	cac His	979
gcc Ala	acc Thr 295	ggc Gly	gaa Glu	gga Gly	acc Thr	tgg Trp 300	gaa Glu	cga Arg	ctc Leu	atc Ile	gcc Ala 305	cac His	gaa Glu	ctc Leu	tcc Ser	1027
310	GIN	irp	Pne	ggc Gly	315	Ser	Leu	Gly	Leu	Ala 320	Gln	Trp	Asn	Asp	Ile 325	1075
iip	rea	ASII	GIU	ggc Gly 330	Pne	Ala	Cys	Tyr	Ala 335	Glu	Trp	Leu	Trp	Phe 340	Glu	1123
gca Ala	gct Ala	gga Gly	gtt Val 345	aag Lys	tcg Ser	gct Ala	gcg Ala	gaa Glu 350	agt Ser	gcg Ala	ttg Leu	gaa Glu	ttc Phe 355	tat Tyr	cga Arg	1171
ggc Gly	ctg Leu	gag Glu 360	gcg Ala	ctg Leu	ccg Pro	aag Lys	gat Asp 365	att Ile	ttg Leu	ctg Leu	gcc Ala	aac Asn 370	ccc Pro	ggc Gly	gcg Ala	1219
aag Lys	gat Asp 375	atg Met	ttc Phe	gac Asp	Asp	cgc Arg 380	gtc Val	tac Tyr	aag Lys	cgc Arg	ggc Gly 385	gct Ala	ctg Leu	act Thr	gtc Val	1267
cat His 390	gca Ala	ttg Leu	cgg Arg	Glu	ttg Leu 395	ctt Leu	ggc Gly	gat Asp	Asp	gca Ala 400	ttc Phe	ttc Phe	aaa Lys	Ala	gtg Val 405	1315

cgc tcc tac gtt gcc gaa ggc cga cac gga ctc gtt gaa ccc cgc gac Arg Ser Tyr Val Ala Glu Gly Arg His Gly Leu Val Glu Pro Arg Asp 410 415 ctg aaa cga cac ctc tac gca gtc tcc aca gac cac gca gct tta gat 1411 Leu Lys Arg His Leu Tyr Ala Val Ser Thr Asp His Ala Ala Leu Asp 430 gca gtg tgg cag tcc tgg ctt cgc gat ctg gag ttg ccg gag ttt cct 1459 Ala Val Trp Gln Ser Trp Leu Arg Asp Leu Glu Leu Pro Glu Phe Pro 445 tct ggt ggt ttg gac tagtgcgcta tctgacgctg gcc 1497 Ser Gly Gly Leu Asp 455 <210> 124 <211> 458 <212> PRT <213> Corynebacterium glutamicum Met Arg Arg Leu Arg Ser Thr Pro Val Pro Gly Thr Arg Asp Ser Tyr Thr Gly Ile Asp Phe Asn Leu Gly Phe His Ile Arg Arg Tyr Glu Leu 25 Asp Leu Thr Tyr Arg Val Ala Pro Asn Leu Leu Met Gly Thr Ala Thr 40 Leu His Met Asp Asn Tyr Arg Ala Leu Asp Ala Leu Thr Leu Asp Leu Gly Gly Ser Leu Arg Val Glu Lys Val Thr Ala Lys Gly Thr Ala Gly Thr His Ile Gln Val Ala Arg Phe Arg His Ala Gly Arg Lys Leu Arg Ile Thr Phe Arg Asn Gln Ile Pro Val Asp Gln Glu Phe Ser Leu Thr 105 Ile Arg Tyr Arg Gly Asn Pro Arg Pro Leu Arg Ser Glu Trp Gly Met 120 Ile Gly Trp Glu Glu Leu Asp Asn Gly Ala Leu Val Ala Ala Gln Pro Asn Gly Ala Pro Ser Trp Phe Pro Cys Asp Asp Thr Pro Asp Glu Lys 155 Ala Leu Phe Asp Val His Phe His Thr Asp Asn Gly Tyr Ala Ala Ile Ile Thr Gly Asp Leu Ile Ser Lys His Val Ser Gly Ser Met Thr Thr Trp His Tyr Gln Ser Arg Glu Pro Met Ala Thr Tyr Leu Ala Ala Val - 200

His Val Gly Glu Tyr Asp Thr Val Ser Leu Gly Val Ser Glu Ser Gly 210 215 220

- Val Val Val Glu Ala Tyr Val Pro Val Gly Asp Ala Ala Leu Arg Ala 225 235 240
- Arg Ile Leu Glu Asp Phe Ala Lys Gln Val Asp Met Leu Asp Ala Tyr 245 250 255
- Glu Lys Leu Phe Gly Pro Tyr Pro Phe Arg Ser Tyr Arg Val Val Ile-260 265 270
- Thr Glu Asp Glu Leu Glu Ile Pro Leu Glu Ala Gln Gly Leu Ser Ser 275 280 285
- Phe Gly Ala Asn His Ala Thr Gly Glu Gly Thr Trp Glu Arg Leu Ile 290 295 300
- Ala His Glu Leu Ser His Gln Trp Phe Gly Asn Ser Leu Gly Leu Ala 305 310 315 320
- Gln Trp Asn Asp Ile Trp Leu Asn Glu Gly Phe Ala Cys Tyr Ala Glu 325 330 335
- Trp Leu Trp Phe Glu Ala Ala Gly Val Lys Ser Ala Ala Glu Ser Ala 340 345 350
- Leu Glu Phe Tyr Arg Gly Leu Glu Ala Leu Pro Lys Asp Ile Leu Leu 355 360 365
- Ala Asn Pro Gly Ala Lys Asp Met Phe Asp Asp Arg Val Tyr Lys Arg 370 380
- Gly Ala Leu Thr Val His Ala Leu Arg Glu Leu Leu Gly Asp Asp Ala 385 390 395 400
- Phe Phe Lys Ala Val Arg Ser Tyr Val Ala Glu Gly Arg His Gly Leu 405 410 410
- Val Glu Pro Arg Asp Leu Lys Arg His Leu Tyr Ala Val Ser Thr Asp 420 425 430
- His Ala Ala Leu Asp Ala Val Trp Gln Ser Trp Leu Arg Asp Leu Glu 435 440 445
- Leu Pro Glu Phe Pro Ser Gly Gly Leu Asp 450 455
- <210> 125
- <211> 906
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(883)
- <223> RXN00621
- <400> 125

aaatgaatcc gggtttttca gtttcggggt gcaaatcaga atgtcgccaa tggcgaacac 60 acgagcgtgc agaagatgtg cgtgactaag atcgggggct atg tct gaa cgc cta Met Ser Glu Arg Leu aac gct ccg caa gca cca atc cat ccc atc acc cga acc cac cac ggt 163 Asn Ala Pro Gln Ala Pro Ile His Pro Ile Thr Arg Thr His His Gly att gat ttc gta gac aac tat gaa tgg ctg agg gat aaa gaa tcc caa 211 Ile Asp Phe Val Asp Asn Tyr Glu Trp Leu Arg Asp Lys Glu Ser Gln gaa acc ttg gac tac ctg gag gcg gag aat gcg ttc acc aag cag gag 259 Glu Thr Leu Asp Tyr Leu Glu Ala Glu Asn Ala Phe Thr Lys Gln Glu 40 act gaa cag cta gcc aca ctg cgg gac aac atc tat gaa gag att aag 307 Thr Glu Gln Leu Ala Thr Leu Arg Asp Asn Ile Tyr Glu Glu Ile Lys tca cgc gtt aaa gaa acc gac atg tcc atc cca gtg cgt gcc gga aag 355 Ser Arg Val Lys Glu Thr Asp Met Ser Ile Pro Val Arg Ala Gly Lys cac tgg tat tac tct cgc act gaa gac ggc aag agc tac ggc tat tcc 403 His Trp Tyr Tyr Ser Arg Thr Glu Glu Gly Lys Ser Tyr Gly Tyr Ser 95 tgc cgc att cca gtg act gaa ggg tcg gat gca tgg acc cct cct gtt 451 Cys Arg Ile Pro Val Thr Glu Gly Ser Asp Ala Trp Thr Pro Pro Val 110 atc cct gag ggt gag cca gcg cag ggt gaa acc atc atc atg gat gcc 499 Ile Pro Glu Gly Glu Pro Ala Gln Gly Glu Thr Ile Ile Met Asp Ala 125 aac gag ttg gca gaa ggc cac gaa ttc ttc tcc atg ggt gca tca tct 547 Asn Glu Leu Ala Glu Gly His Glu Phe Phe Ser Met Gly Ala Ser Ser 145 gtc acc acc tct ggc cgc tac ctt gcg tat tcc acc gat gtc acg ggc 595 Val Thr Thr Ser Gly Arg Tyr Leu Ala Tyr Ser Thr Asp Val Thr Gly 155 gaa gag cgc ttt acg ttg cgc atc aag gat cta gaa act ggc gag ctg 643 Glu Glu Arg Phe Thr Leu Arg Ile Lys Asp Leu Glu Thr Gly Glu Leu 170 ctt cct gat acc ctg act ggc att ttc tac ggt gct act tgg gtg ggg 691 Leu Pro Asp Thr Leu Thr Gly Ile Phe Tyr Gly Ala Thr Trp Val Gly 190 gag gag tac ctc ttt tac cag cgc gtt gat gat gcg tgg cgt cca gat 739 Glu Glu Tyr Leu Phe Tyr Gln Arg Val Asp Asp Ala Trp Arg Pro Asp act gtg tgg cgc cac aag gtg ggt acc ccg gtt gaa gaa gac gtg ttg 787 Thr Val Trp Arg His Lys Val Gly Thr Pro Val Glu Glu Asp Val Leu 215 220

835

883

906

gtg tac cac gag cct gat gaa cgt tat tcc acc tgg gtg ggc acc act Val Tyr His Glu Pro Asp Glu Arg Tyr Ser Thr Trp Val Gly Thr Thr 235 240 cgt tca gaa aaa gtt cat cct ttt tgg ttg cgc ctc caa gat cac ctc Arg Ser Glu Lys Val His Pro Phe Trp Leu Arg Leu Gln Asp His Leu 255 tgaagtacgc gtgcttcctt tcg <210> 126 <211> 261 <212> PRT <213> Corynebacterium glutamicum <400> 126 Met Ser Glu Arg Leu Asn Ala Pro Gln Ala Pro Ile His Pro Ile Thr Arg Thr His His Gly Ile Asp Phe Val Asp Asn Tyr Glu Trp Leu Arg 25 Asp Lys Glu Ser Gln Glu Thr Leu Asp Tyr Leu Glu Ala Glu Asn Ala Phe Thr Lys Gln Glu Thr Glu Gln Leu Ala Thr Leu Arg Asp Asn Ile 55 Tyr Glu Glu Ile Lys Ser Arg Val Lys Glu Thr Asp Met Ser Ile Pro Val Arg Ala Gly Lys His Trp Tyr Tyr Ser Arg Thr Glu Glu Gly Lys Ser Tyr Gly Tyr Ser Cys Arg Ile Pro Val Thr Glu Gly Ser Asp Ala Trp Thr Pro Pro Val Ile Pro Glu Gly Glu Pro Ala Gln Gly Glu Thr Ile Ile Met Asp Ala Asn Glu Leu Ala Glu Gly His Glu Phe Phe Ser 135 Met Gly Ala Ser Ser Val Thr Thr Ser Gly Arg Tyr Leu Ala Tyr Ser Thr Asp Val Thr Gly Glu Glu Arg Phe Thr Leu Arg Ile Lys Asp Leu 165 170 Glu Thr Gly Glu Leu Leu Pro Asp Thr Leu Thr Gly Ile Phe Tyr Gly 185 Ala Thr Trp Val Gly Glu Glu Tyr Leu Phe Tyr Gln Arg Val Asp Asp 200 Ala Trp Arg Pro Asp Thr Val Trp Arg His Lys Val Gly Thr Pro Val Glu Glu Asp Val Leu Val Tyr His Glu Pro Asp Glu Arg Tyr Ser Thr

225 230 235 240

Trp Val Gly Thr Thr Arg Ser Glu Lys Val His Pro Phe Trp Leu Arg

Leu Gln Asp His Leu 260

<210> 127

<211> 906

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(883)

<223> FRXA00621

<400> 127

aaatgaatcc gggtttttca gtttcggggt gcaaatcaga atgtcgccaa tggcgaacac 60

acgagcgtgc agaagatgtg cgtgactaag atcgggggct atg tct gaa cgc cta 119

Met Ser Glu Arg Leu

1 5

aac gct ccg caa gca cca atc cat ccc atc acc cga acc cac ggt 163 Asn Ala Pro Gln Ala Pro Ile His Pro Ile Thr Arg Thr His His Gly 10 15 20

att gat ttc gta gac aac tat gaa tgg ctg agg gat aaa gaa tcc caa 211 Ile Asp Phe Val Asp Asn Tyr Glu Trp Leu Arg Asp Lys Glu Ser Gln 25 30 35

gaa acc ttg gac tac ctg gag gcg gag aat gcg ttc acc aag cag gag 259 Glu Thr Leu Asp Tyr Leu Glu Ala Glu Asn Ala Phe Thr Lys Gln Glu 40 45

act gaa cag cta gcc aca ctg cgg gac aac atc tat gaa gag att aag 307 Thr Glu Gln Leu Ala Thr Leu Arg Asp Asn Ile Tyr Glu Glu Ile Lys 55 60 65

tca cgc gtt aaa gaa acc gac atg tcc atc cca gtg cgt gcc gga aag 355 Ser Arg Val Lys Glu Thr Asp Met Ser Ile Pro Val Arg Ala Gly Lys

cac tgg tat tac tct cgc act gaa gaa ggc aag agc tac ggc tat tcc 403 His Trp Tyr Tyr Ser Arg Thr Glu Glu Gly Lys Ser Tyr Gly Tyr Ser 90 95 100

tgc cgc att cca gtg act gaa ggg tcg gat gca tgg acc cct cct gtt 451 Cys Arg Ile Pro Val Thr Glu Gly Ser Asp Ala Trp Thr Pro Pro Val 105 110

atc cct gag ggt gag cca gcg cag ggt gaa acc atc atc atg gat gcc 499
Ile Pro Glu Gly Glu Pro Ala Gln Gly Glu Thr Ile Ile Met Asp Ala
120 125

aac gag ttg gca gaa ggc cac gaa ttc ttc tcc atg ggt gca tca tct 547 Asn Glu Leu Ala Glu Gly His Glu Phe Phe Ser Met Gly Ala Ser Ser 135 140 145

	Va. 150	rin	r Thi	r Sei	r Gly	2 cgc 7 Arc 155	y Tyr	Let	ı Ala	g ta a Ty:	t tc r Se 16	r Th	c ga r As _l	t gte p Vai	c aco	g ggc Gly 165
	gaa Glu	a gad u Glu	g cgo u Aro	ttt g Phe	acg Thr	Let	g cgc i Arg	ato Ile	c aaq e Lys	g gat s Asp 179) Le	a gaa u Glu	a act	t ggd r Gly	gag Glu 180	ctg Leu
•	ctt Lev	cct Pro	gat Asp	aco Thr 185	Leu	act	ggc Gly	att	tto Phe 190	Tyı	c ggt	gct Ala	act Thi	t tgg Trp 195	Val	ggg Gly
	gag Glu	gaç Glu	tac Tyr 200	reu	ttt Phe	tac Tyr	cag Gln	cgc Arg 205	Val	gat Asp	gat Asp	gcg Ala	tgg Trp 210	Arg	cca Pro	gat Asp
	act Thr	gto Val 215	. rrb	cgc Arg	cac His	aag Lys	gtg Val 220	ggt Gly	acc Thr	ccg	gtt Val	gaa Glu 225	Glu	gac Asp	gtg Val	ttg Leu
	gtg Val 230	TAT	cac His	gag Glu	cct Pro	gat Asp 235	gaa Glu	cgt Arg	tat Tyr	tcc Ser	acc Thr 240	Trp	gtg Val	ggc Gly	acc Thr	act Thr 245
	cgt Arg	tca Ser	gaa Glu	aaa Lys	gtt Val 250	cat His	cct Pro	ttt Phe	tgg Trp	ttg Leu 255	Arg	ctc Leu	caa Gln	gat Asp	cac His 260	ctc Leu
	tga	agta	cgc (gtgc	ttcct	t to	cg									
	<21:	0> 1 1> 2 2> P: 3> C	61 RT	ebact	teriu	ım g]	lutan	nicur	n							
		0> 1: Ser		Arg	Leu 5	Asn	Ala	Pro	Gln	Ala 10	Pro	Ile	Hiş	Pro	Ile 15	Thr
	Arg	Thr	His	His 20	Gly	Ile	Asp	Phe	Val 25	Asp	Asn	Tyr	Glu	Trp 30	Leu	Arg
	Asp	Lys	Glu 35	Ser	Gln	Glu	Thr	Leu 40	Asp	Tyr	Leu	Glu	Ala 45	Glu	Asn	Ala
	Phe	Thr 50	Lys	Gln	Glu	Thr	Glu 55	Gln	Leu	Ala	Thr	Leu 60	Arg	Asp	Asn	Ile
-	Tyr 65	Glu	Glu	Ile	Lys	Ser 70	Arg	Val	Lys	Glu	Thr 75	Asp	Met	Ser	Ile	Pro 80
	Val	Arg	Ala	Gly	Lys 85	His	Trp	Tyr	Ty <u>r</u>	Ser 90	Arg	Thr	Glu	Glu	Gly 95	Lys
	Ser	Tyr	Gly	Tyr 100	Ser	Cys .	Arg	Ile	Pro 105	Val	Thr	Glu	Gly	Ser 110	Asp	Ala
	Trp	Thr	Pro 115	Pro	Val :	Ile	Pro (Glu 120	Gly	Glu	Pro	Ala	Gln 125	Gly	Glu,	Thr

Ile Ile Met Asp Ala Asn Glu Leu Ala Glu Gly His Glu Phe Phe Ser Met Gly Ala Ser Ser Val Thr Thr Ser Gly Arg Tyr Leu Ala Tyr Ser 150 Thr Asp Val Thr Gly Glu Glu Arg Phe Thr Leu Arg Ile Lys Asp Leu Glu Thr Gly Glu Leu Leu Pro Asp Thr Leu Thr Gly Ile Phe Tyr Gly 185 Ala Thr Trp Val Gly Glu Glu Tyr Leu Phe Tyr Gln Arg Val Asp Asp Ala Trp Arg Pro Asp Thr Val Trp Arg His Lys Val Gly Thr Pro Val Glu Glu Asp Val Leu Val Tyr His Glu Pro Asp Glu Arg Tyr Ser Thr 230 Trp Val Gly Thr Thr Arg Ser Glu Lys Val His Pro Phe Trp Leu Arg 245 250 Leu Gln Asp His Leu 260 <210> 129 <211> 1539 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1516) <223> RXN00622 <400> 129 ttttaccagc gcgttgatga tgcgtggcgt ccaqatactq tqtqqccca caaqqtqqqt 60 accompgttg aagaagacgt gttggtgtac campagectg atg aac gtt att cma Met Asn Val Ile Pro cct ggg tgg gca cca ctc gtt cag aaa aag ttc atc ctt ttt ggt tgc 163 Pro Gly Trp Ala Pro Leu Val Gln Lys Lys Phe Ile Leu Phe Gly Cys gcc tcc aag atc acc tct gaa gta cgc gtg ctt cct ttc gac cag cca 211 Ala Ser Lys Ile Thr Ser Glu Val Arg Val Leu Pro Phe Asp Gln Pro gag ggc acc cct gag gtg ctg att ccg cgc gcg gag ggt gtg gaa tac 259 Glu Gly Thr Pro Glu Val Leu Ile Pro Arg Ala Glu Gly Val Glu Tyr 45 gac gtc gat cat gca gtc gta gac ggc tcc gat att tgg ttg gtc aca 307 Asp Val Asp His Ala Val Val Asp Gly Ser Asp Ile Trp Leu Val Thr 60 65

												gct Ala				355
												gcg Ala				403
												ttc Phe				451
												atg Met 130			atc. Ile	499
												gac Asp				547
												gcc Ala				595
cgc Arg	ctt Leu	tct Ser	tac Tyr	gga Gly 170	tca Ser	ttc Phe	acc Thr	acc Thr	ccg Pro 175	gcg Ala	cag Gln	ctg Leu	ttt Phe	aac Asn 180	tac Tyr	643
												cag Gln				691
ggc Gly	gga Gly	tac Tyr 200	aag Lys	ccg Pro	tca Ser	gac Asp	tat Tyr 205	gtg Val	gcc Ala	tcc Ser	cga Arg	ttg Leu 210	tgg Trp	gtc Val	act Thr	739
gcg Ala	aaa Lys 215	gat Asp	ggc Gly	gcg Ala	cag Gln	att Ile 220	cca Pro	gtg Val	tcc Ser	ttg Leu	gtg Val 225	cac His	cgc Arg	acc Thr	gac Asp	787
												ggc Gly				835
												cgt Arg				883
												cgt Arg				931
												acc Thr 290				979
aac Asn	acc Thr 295	ttc Phe	acc Thr	gac Asp	ttc Phe	att Ile 300	gat Asp	gtt Val	gcc Ala	gac Asp	gcc Ala 305	ctc Leu	atc Ile	gag Glu	cag Gln	1027

aag att tct gcc cct gaa a Lys Ile Ser Ala Pro Glu N 310	atg ctg gtt gca ga Met Leu Val Ala Gl 32	u Gly Gly Ser Ala Gly	1075
ggc atg ctc atg ggc gcc a Gly Met Leu Met Gly Ala 1 330			1123
gcg atc gaa gcc aac gtg c Ala Ile Glu Ala Asn Val E 345			1171
atg ccg gaa ctg cca ctg a Met Pro Glu Leu Pro Leu 1 360			1219
cca ctc cac gat aag gac g Pro Leu His Asp Lys Asp V 375			1267
tat gaa aac atc gag gca a Tyr Glu Asn Ile Glu Ala I 390 395		n Ile Leu Ala Val Thr	1315
tcg ctc aac gac acc cga g Ser Leu Asn Asp Thr Arg V 410			1363
gcg cag ctt cgg gcg act g Ala Gln Leu Arg Ala Thr A 425			1411
gaa atg gtt gcc gga cac g Glu Met Val Ala Gly His G 440			1459
cgt gag act gca ttt gag t Arg Glu Thr Ala Phe Glu T 455	ac ggc tgg ttg at Yr Gly Trp Leu Il 160	c aac caa gca acc ggt l e Asn Gln Ala Thr Gly 465	1507
gtg acc gaa taaaacttgt to Val Thr Glu 470	egactageg aac	1	1539
<210> 130 <211> 472 <212> PRT <213> Corynebacterium glu	utamicum		-
<400> 130 Met Asn Val Ile Pro Pro G 1 5	Sly Trp Ala Pro Le 10	eu Val Gln Lys Lys Phe 15	
Ile Leu Phe Gly Cys Ala S	Ser Lys Ile Thr Se 25	er Glu Val Arg Val Leu 30	
Pro Phe Asp Gln Pro Glu G	Gly Thr Pro Glu Va	l Leu Ile Pro Arg Ala 45	
Glu Gly Val Glu Tyr Asp V	al Asp His Ala Va	l Val Asp Gly Ser Asp	

Ile Trp Leu Val Thr His Asn Ala Glu Gly Pro Asn Phe Ser Val Gly 70 Trp Ala Gly Val Asp Lys Leu Asn Ser Leu Asp Ala Leu Ala Pro Leu Val Ala His Lys Asp Asp Val Arg Ile Glu Gly Val Asp Thr Tyr Arg 105

Asp Phe Ile Ile Leu Gly Tyr Arg Ser Gly Ala Ile Gly Gln Val Ala 120 125

Ile Met Lys Leu Ile Asp Gly Thr Phe Gly Asp Phe Gln Gln Leu Glu

Phe Asp Glu Glu Ile Tyr Thr Val Ala Ser Gly Gly Asn Pro Glu Trp

Asp Ala Pro Val Ile Arg Leu Ser Tyr Gly Ser Phe Thr Thr Pro Ala 170

Gln Leu Phe Asn Tyr Trp Ile Glu Ser Gly Glu Arg Thr Leu Leu Lys

Gln Gln Glu Val Leu Gly Gly Tyr Lys Pro Ser Asp Tyr Val Ala Ser

Arg Leu Trp Val Thr Ala Lys Asp Gly Ala Gln Ile Pro Val Ser Leu

Val His Arg Thr Asp Leu Asp Val Ser Lys Pro Asn Pro Thr Leu Leu 235

Tyr Gly Tyr Gly Ser Tyr Glu Ser Ser Ile Asp Pro Gly Phe Ser Ile

Ala Arg Leu Ser Leu Met Asp Arg Gly Met Ile Phe Ala Ile Ala His 265

Val Arg Gly Gly Glu Met Gly Arg Gly Trp Tyr Asp Asn Gly Lys

Thr Thr Thr Lys Lys Asn Thr Phe Thr Asp Phe Ile Asp Val Ala Asp 290

Ala Leu Ile Glu Gln Lys Ile Ser Ala Pro Glu Met Leu Val Ala Glu 310

Gly Gly Ser Ala Gly Gly Met Leu Met Gly Ala Ile Ala Asn Met Ala 325 330

Gly Asp Arg Phe Lys Ala Ile Glu Ala Asn Val Pro Phe Val Asp Pro 345

Leu Thr Ser Met Leu Met Pro Glu Leu Pro Leu Thr Val Ile Glu Trp 360 365

Asp Glu Trp Gly Asp Pro Leu His Asp Lys Asp Val Tyr Glu Tyr Met 375 380

Ala Ser Tyr Ala Pro Tyr Glu Asn Ile Glu Ala Lys Asn Tyr Pro Asn 385 390 Ile Leu Ala Val Thr Ser Leu Asn Asp Thr Arg Val Leu Tyr Val Glu 410 Pro Ala Lys Trp Val Ala Gln Leu Arg Ala Thr Ala Thr Gly Gly Glu 420 425 Phe Leu Leu Lys Thr Glu Met Val Ala Gly His Gly Gly Val Ser Gly 440 Arg Tyr Glu Lys Trp Arg Glu Thr Ala Phe Glu Tyr Gly Trp Leu Ile 455 Asn Gln Ala Thr Gly Val Thr Glu 470 <210> 131 <211> 1539 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1516) <223> FRXA00622 <400> 131 ttttaccagc gcgttgatga tgcgtggcgt ccagatactg tgtggcgcca caaggtgggt 60 accccggttg aagaagacgt gttggtgtac cacgagcctg atg aac gtt att cca Met Asn Val Ile Pro 1 cct ggg tgg gca cca ctc gtt cag aaa aag ttc atc ctt ttt ggt tgc 163 Pro Gly Trp Ala Pro Leu Val Gln Lys Lys Phe Ile Leu Phe Gly Cys gcc tcc aag atc acc tct gaa gta cgc gtg ctt cct ttc gac cag cca 211 Ala Ser Lys Ile Thr Ser Glu Val Arg Val Leu Pro Phe Asp Gln Pro gag ggc acc cct gag gtg ctg att ccg cgc gcg gag ggt gtg gaa tac 259 Glu Gly Thr Pro Glu Val Leu Ile Pro Arg Ala Glu Gly Val Glu Tyr 40 gac gtc gat cat gca gtc gta gac ggc tcc gat att tgg ttg gtc aca 307 Asp Val Asp His Ala Val Val Asp Gly Ser Asp Ile Trp Leu Val Thr 55 cac aac gcc gag ggc ccg aac ttt tcg gtg ggg tgg gct ggc gtc gac 355 His Asn Ala Glu Gly Pro Asn Phe Ser Val Gly Trp Ala Gly Val Asp 70 75 80 . aag etc aat tet ttg gae geg etg geg eea etc gte geg eac aag gat 403 Lys Leu Asn Ser Leu Asp Ala Leu Ala Pro Leu Val Ala His Lys Asp 90 95

gac Asp	gtg Val	cgc Arg	att Ile 105	gag Glu	ggt Gly	gtc Val	gat Asp	acc Thr 110	tac Tyr	cgc Arg	gat Asp	ttc Phe	atc Ile 115	atc Ile	ctg Leu	451
ggc Gly	tac Tyr	agg Arg 120	tcc Ser	ggc	gcg Ala	atc Ile	ggc Gly 125	cag Gln	gtc Val	gcg Ala	atc Ile	atg Met 130	aag Lys	ctt Leu	atc Ile	499
gac Asp	gga Gly 135	acc Thr	ttc Phe	ggc Gly	gat Asp	ttc Phe 140	caa Gln	cag Gln	ctg Leu	gaa Glu	ttt Phe 145	gac Asp	gag Glu	gaa Glu	atc Ile	547
tac Tyr 150	acc Thr	gtc Val	gca Ala	tcg Ser	ggc Gly 155	gga Gly	aac Asn	cca Pro	gaa Glu	tgg Trp 160	gac Asp	gcc Ala	ccc Pro	gtc Val	att Ile 165	595
cgc Arg	ctt Leu	tct Ser	tac Tyr	gga Gly 170	tca Ser	ttc Phe	acc Thr	acc Thr	ccg Pro 175	gcg Ala	cag Gln	ctg Leu	ttt Phe	aac Asn 180	tac Tyr	643
tgg Trp	att Ile	gaa Glu	tcc Ser 185	ggc Gly	gaa Glu	cgc Arg	acg Thr	ctg Leu 190	ctg Leu	aag Lys	cag Gln	cag ·Gln	gaa Glu 195	gtg Val	ctc Leu	691
ggc Gly	gga Gly	tac Tyr 200	aag Lys	ccg Pro	tca Ser	gac Asp	tat Tyr 205	gtg Val	gcc Ala	tcc Ser	cga Arg	ttg Leu 210	tgg Trp	gtc Val	act Thr	739
gcg Ala	aaa Lys 215	gat Asp	ggc Gly	gcg Ala	cag Gln	att Ile 220	cca Pro	gtg Val	tcc Ser	Leu	gtg Val 225	cac His	cgc Arg	acc Thr	gac Asp	787
ctg Leu 230	gat Asp	gta Val	tcc Ser	aag Lys	ccc Pro 235	aac Asn	ccc Pro	acg Thr	ttg Leu	ctc Leu 240	tac Tyr	ggc Gly	tat Tyr	ggt Gly	tcc Ser 245	835
Tyr	Glu	Ser	Ser	11e 250	Asp	cca Pro	Gly	Phe	Ser 255	Ile	Ala	Arg	Leu	Ser 260	Leu	883
atg Met	gat Asp	cgt Arg	ggc Gly 265	atg Met	att Ile	ttt Phe	gcg Ala	att Ile 270	gcc Ala	cac His	gtt Val	cgt Arg	ggc Gly 275	ggt Gly	ggc Gly	931
gaa Glu	atg Met	ggt Gly 280	cgt Arg	ggc Gly	tgg Trp	tac Tyr	gac Asp 285	aac Asn	ggc Gly	aaa Lys	acc Thr	acc Thr 290	acg Thr	aag Lys	aaa Lys	979
aac Asn	acc Thr 295	ttc Phe	acc Thr	gac Asp	ttc Phe	att Ile 300	gat Asp	gtt Val	gcc Ala	gac Asp	gcc Ala 305	ctc Leu	atc Ile	gag Glu	cag Gln	1027
aag Lys 310	att Ile	tct Ser	gcc Ala	cct Pro	gaa Glu 315	atg Met	ctg Leu	gtt Val	gca Ala	gaa Glu 320	ggc Gly	ggc Gly	tca Ser	gct Ala	ggt Gly 325	1075
ggc Gly	atg Met	ctc Leu	atg Met	ggc Gly 330	gcc Ala	att Ile	gcc Ala	aac Asn	atg Met 335	gcc Ala	ggt Gly	gac Asp	cgc Arg	ttc Phe 340	aag Lys	1123
gcg	atc	gaa	gcc	aac	gtg	cca	ttc	gtc	gat	ccg	ctg	acc	tct	atg	ctc	1171

WO 01/00842

Ala Ile Glu Ala Asn Val Pro Phe Val Asp Pro Leu Thr Ser Met Leu 355

atg Ccg gaa ctg cca ctg acg gtt atc gaa tgg gat ggg tgg ggc gat 1219

Met Pro Glu Leu Pro Leu Thr Val Ile Glu Trp Asp Glu Trp Gly Asp 365

cca ctc cac gat aag gac gtc tat gaa tac atg gcg tcg tat gcc cca 1267

Pro Leu His Asp Lys Asp Val Tyr Glu Tyr Met Ala Ser Tyr Ala Pro

375

380

385

tat gaa aac atc gag gca aag aac tac ccc aat atc ttg gcc gta aca 1315

Tyr Glu Asp Ile Glu Ala Lys Asp Tyr Pro Asp Ile Leu Ala Val Thr

tat gaa aac atc gag gca aag aac tac ccc aat atc ttg gcc gta aca 1315 Tyr Glu Asn Ile Glu Ala Lys Asn Tyr Pro Asn Ile Leu Ala Val Thr 390 395 400 405

tcg ctc aac gac acc cga gtg ttg tac gtc gaa cca gcc aaa tgg gta 1363 Ser Leu Asn Asp Thr Arg Val Leu Tyr Val Glu Pro Ala Lys Trp Val 410 415 420

gcg cag ctt cgg gcg act gca acc ggt gga gaa ttc ctt ctg aaa act 1411 Ala Gln Leu Arg Ala Thr Ala Thr Gly Gly Glu Phe Leu Leu Lys Thr 425 430 435

gaa atg gtt gcc gga cac ggc ggt gtg tca gga cgc tac gaa aag tgg 1459 Glu Met Val Ala Gly His Gly Gly Val Ser Gly Arg Tyr Glu Lys Trp 440 445 450

cgt gag act gca ttt gag tac ggc tgg ttg atc aac caa gca acc ggt $$ 1507 Arg Glu Thr Ala Phe Glu Tyr Gly Trp Leu Ile Asn Gln Ala Thr Gly $$ 465 $$

gtg acc gaa taaaacttgt tcgactagcg aac 1539 Val Thr Glu 470

<210> 132

<211> 472

<212> PRT

<213> Corynebacterium glutamicum

<400> 132

Met Asn Val Ile Pro Pro Gly Trp Ala Pro Leu Val Gln Lys Lys Phe
1 5 10 15

Ile Leu Phe Gly Cys Ala Ser Lys Ile Thr Ser Glu Val Arg Val Leu
20 25 30

Pro Phe Asp Gln Pro Glu Gly Thr Pro Glu Val Leu Ile Pro Arg Ala 35 40 45

Glu Gly Val Glu Tyr Asp Val Asp His Ala Val Val Asp Gly Ser Asp 50 55 60

Ile Trp Leu Val Thr His Asn Ala Glu Gly Pro Asn Phe Ser Val Gly 65 70 75 80

Trp Ala Gly Val Asp Lys Leu Asn Ser Leu Asp Ala Leu Ala Pro Leu 85 90 95

Val Ala His Lys Asp Asp Val Arg Ile Glu Gly Val Asp Thr Tyr Arg

198

.00 105 110

Asp Phe Ile Ile Leu Gly Tyr Arg Ser Gly Ala Ile Gly Gln Val Ala 115 120 125

Ile Met Lys Leu Ile Asp Gly Thr Phe Gly Asp Phe Gln Gln Leu Glu 130 135 140

Phe Asp Glu Glu Ile Tyr Thr Val Ala Ser Gly Gly Asn Pro Glu Trp 145 150 155 160

Asp Ala Pro Val Ile Arg Leu Ser Tyr Gly Ser Phe Thr Thr Pro Ala 165 170 175

Gln Leu Phe Asn Tyr Trp Ile Glu Ser Gly Glu Arg Thr Leu Leu Lys 180 185 190

Gln Gln Glu Val Leu Gly Gly Tyr Lys Pro Ser Asp Tyr Val Ala Ser 195 200 205

Arg Leu Trp Val Thr Ala Lys Asp Gly Ala Gln Ile Pro Val Ser Leu 210 215 220

Val His Arg Thr Asp Leu Asp Val Ser Lys Pro Asn Pro Thr Leu Leu 225 230 235 240

Tyr Gly Tyr Gly Ser Tyr Glu Ser Ser Ile Asp Pro Gly Phe Ser Ile 245 250 255

Ala Arg Leu Ser Leu Met Asp Arg Gly Met Ile Phe Ala Ile Ala His 260 265 270

Val Arg Gly Gly Glu Met Gly Arg Gly Trp Tyr Asp Asn Gly Lys 275 280 285

Thr Thr Thr Lys Lys Asn Thr Phe Thr Asp Phe Ile Asp Val Ala Asp 290 295 300

Ala Leu Ile Glu Gln Lys Ile Ser Ala Pro Glu Met Leu Val Ala Glu 305 310 315 320

Gly Gly Ser Ala Gly Gly Met Leu Met Gly Ala Ile Ala As
n Met Ala 325 330 335

Gly Asp Arg Phe Lys Ala Ile Glu Ala Asn Val Pro Phe Val Asp Pro 340 345 350

Leu Thr Ser Met Leu Met Pro Glu Leu Pro Leu Thr Val Ile Glu Trp 355 360 365

Asp Glu Trp Gly Asp Pro Leu His Asp Lys Asp Val Tyr Glu Tyr Met 370 375 380

Ala Ser Tyr Ala Pro Tyr Glu Asn Ile Glu Ala Lys Asn Tyr Pro Asn 385 390 395 400

Ile Leu Ala Val Thr Ser Leu Asn Asp Thr Arg Val Leu Tyr Val Glu 405 410 415

Pro Ala Lys Trp Val Ala Gln Leu Arg Ala Thr Ala Thr Gly Gly Glu 420 425 430

Phe Leu Leu Lys Thr Glu Met Val Ala Gly His Gly Gly Val Ser Gly Arg Tyr Glu Lys Trp Arg Glu Thr Ala Phe Glu Tyr Gly Trp Leu Ile 455 Asn Gln Ala Thr Gly Val Thr Glu <210> 133 <211> 1629 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1606) <223> RXN00982 <400> 133 gaaaacaaac gtccttgaag ccgtaatgcc ccgttcgaca ataaaaaggg tagtagcagt 60 tettgeegee tegactgege ttageceett tttggtatea atg eec act gea gea Met Pro Thr Ala Ala gcg caa gaa aac atc cgc tgg gaa gaa tgc cca cct cag gta gat att 163 Ala Gln Glu Asn Ile Arg Trp Glu Glu Cys Pro Pro Gln Val Asp Ile gcc tcc gct caa tgt ggc agc atc gac gtg ccc atg cac tat tct gat 211 Ala Ser Ala Gln Cys Gly Ser Ile Asp Val Pro Met His Tyr Ser Asp ecc tea ett gge gat ate age gtg gge ttt gte aag gte eet gee eaa 259 Pro Ser Leu Gly Asp Ile Ser Val Gly Phe Val Lys Val Pro Ala Gln 45 ggc gaa aag cac ggc acc atc ttc ggt aac tcc ggt ggc cct ggt ggc 307 Gly Glu Lys His Gly Thr Ile Phe Gly Asn Ser Gly Gly Pro Gly Gly gat gcc tat agc ttc ttc ggc agc caa tcc atg aac tgg cca gaa gcc 355 Asp Ala Tyr Ser Phe Phe Gly Ser Gln Ser Met Asn Trp Pro Glu Ala 75 atg tac caa aac tac gac ctc gtt gca gtg cag cct cgc gga atg gtc 403 Met Tyr Gln Asn Tyr Asp Leu Val Ala Val Gln Pro Arg Gly Met Val ggc tcc aca ccg gtt aac tgc gac aac atc gca cca gga tac gat ttc 451 Gly Ser Thr Pro Val Asn Cys Asp Asn Ile Ala Pro Gly Tyr Asp Phe 110 ctc teg etg etc ace ege gaa gge get tte gtt aaa gaa tee tge gag 499 Leu Ser Leu Leu Thr Arg Glu Gly Ala Phe Val Lys Glu Ser Cys Glu 125 atc ggc acc ccc ggc tac acc tcc agc ctg acc acc gac aac acc gcc 547

Ile	: Gly 135	Thr	Pro	Gly	Tyr	Thr 140		Ser	Leu	Thr	Thr 145		Asn	Thr	Ala	
aac Asn 150	Asp	tgg Trp	gag Glu	cgc Arg	gtc Val 155	Arg	caa Gln	gca Ala	ctt Leu	ggc Gly 160	Asp	gac Asp	aag Lys	atc Ile	tcc Ser 165	595
ato Ile	ttc Phe	gga Gly	ctg Leu	tcc Ser 170	Tyr	gga Gly	acc Thr	tac Tyr	ctc Leu 175	gga Gly	tcg Ser	gtc Val	tac Tyr	gcc Ala 180	acc Thr	643
cgc Arg	tac Tyr	CCA Pro	cag Gln 185	cac His	acc Thr	gac Asp	aag Lys	gtt Val 190	gtc Val	ctc Leu	gat Asp	tcc Ser	gca Ala 195	atg Met	gcg Ala	691
Pro	Ser	Leu 200		Trp	Asn	Gly	Ile 205	Met	Ala	Ser	Gln	Glu 210	Gln	Gly	Tyr	739
Lys	Asn 215	Ser	ctc Leu	Asn	Asp	Phe 220	Phe	Thr	Trp	Val	Ala 225	Glu	Asn	Asn	Asp	787
acg Thr 230	tat Tyr	ggc Gly	ctc Leu	ggc Gly	act Thr 235	acc Thr	cca Pro	cta Leu	gcc Ala	gtg Val 240	tac Tyr	caa Gln	aac Asn	tgg Trp	tca Ser 245	835
Asn	Lys	Ile	gtc Val	Ala 250	Glu	Thr	Gly	Thr	Asn 255	Pro	Thr	Val	Ala	Pro 260	Pro	883
cca Pro	gca Ala	caa Gln	gtt Val 265	ggc Gly	gat Asp	gtc Val	cca Pro	cca Pro 270	gca Ala	ttc Phe	gca Ala	tgg Trp	gcc Ala 275	ggc Gly	caa Gln	931
Ala	Gly	Ala 280	gac Asp	Met	Met	Thr	Ala 285	Thr	Asn	Pro	Thr	Ser 290	Val	Gln	Leu	979
Gln	G1y 295	Leu	gcc Ala	Thr	Gln	Leu 300	Leu	Asn	Pro	Gly	Ser 305	Asn	Gln	Ser	Leu	1027
310	Pro	Leu	ctc Leu	Asn	Val 315	Thr	Arg	Ala	Tyr	11e 320	Pro	Gln	Pro	Ser	Thr 325	1075
Trp	Pro	Met	ctc Leu	Ala 330	Gly	Ala	Ile	Ser	Gly 335	Gln	Thr	Pro	Ile	Pro 340	Asp	1123
Val	Thr	Asp	acc Thr 345	Gly	Asp	Asp	Pro	Tyr 350	Val	Ile	Glu	Ser	Ile 355	Asn	Ala	1171
Ser	Val	Asn 360	atg Met	Gln	Arg	Met	Val 365	Met	Cys	Asn	Glu	Asn 370	Thr	Val	Ala	1219
cca Pro	gac Asp	cca Pro	gta Val	gca Ala	atg Met	gca Ala	cgc Arg	atg Met	gcc Ala	tgg Trp	aca Thr	agc Ser	atg Met	gtc Val	acc Thr	1267

WO 01/00842 PCT/IB00/00911 375 380 385

ggc gac gtc ttt gac att tac tcc gtt aaa ttc agc tcc gga caa gcc Gly Asp Val Phe Asp Ile Tyr Ser Val Lys Phe Ser Ser Gly Gln Ala 395 tgc tcc ggc atc acc cca aca agc qgc cgc cag cca acc qac qqa tct Cys Ser Gly Ile Thr Pro Thr Ser Gly Arg Gln Pro Thr Asp Gly Ser 410 415 caa cta gca gtc caa cca cta ctc ctc cag gga acc agc gac cca caa 1411 Gln Leu Ala Val Gln Pro Leu Leu Gln Gly Thr Ser Asp Pro Gln 425 430 acc cca tac tgg acc cac aac gag ctt gcc gac gcc atg aac gcc cac 1459 Thr Pro Tyr Trp Thr His Asn Glu Leu Ala Asp Ala Met Asn Ala His 440 445 gtg gtc acc gtc aac gga cca gga cac ggc caa tcc atc ggc ggc acc 1507 Val Val Thr Val Asn Gly Pro Gly His Gly Gln Ser Ile Gly Gly Thr 455 460 aac caa gca atc aac gac att gtt gtg gac tac ctc cgc acc gga cac Asn Gln Ala Ile Asn Asp Ile Val Val Asp Tyr Leu Arg Thr Gly His 475 480 acc gac gcc acc tgg gtc gaa ggc aac aca ccc acc cca att acg gct 1603 Thr Asp Ala Thr Trp Val Glu Gly Asn Thr Pro Thr Pro Ile Thr Ala 495 ggc taattgcttt ccacttagta gat 1629 Gly

<210> 134

<211> 502

<212> PRT

<213> Corynebacterium glutamicum

<400> 134

Met Pro Thr Ala Ala Ala Gln Glu Asn Ile Arg Trp Glu Glu Cys Pro
1 5 10 15

Pro Gln Val Asp Ile Ala Ser Ala Gln Cys Gly Ser Ile Asp Val Pro 20 25 30

Met His Tyr Ser Asp Pro Ser Leu Gly Asp Ile Ser Val Gly Phe Val
35 40 45

Lys Val Pro Ala Gln Gly Glu Lys His Gly Thr Ile Phe Gly Asn Ser 50 55 60

Gly Gly Pro Gly Gly Asp Ala Tyr Ser Phe Phe Gly Ser Gln Ser Met
65 70 75 80

Asn Trp Pro Glu Ala Met Tyr Gln Asn Tyr Asp Leu Val Ala Val Gln 85 90 95

Pro Arg Gly Met Val Gly Ser Thr Pro Val Asn Cys Asp Asn Ile Ala 100 105 110

Pro Gly Tyr Asp Phe Leu Ser Leu Leu Thr Arg Glu Gly Ala Phe Val Lys Glu Ser Cys Glu Ile Gly Thr Pro Gly Tyr Thr Ser Ser Leu Thr Thr Asp Asn Thr Ala Asn Asp Trp Glu Arg Val Arg Gln Ala Leu Gly Asp Asp Lys Ile Ser Ile Phe Gly Leu Ser Tyr Gly Thr Tyr Leu Gly Ser Val Tyr Ala Thr Arg Tyr Pro Gln His Thr Asp Lys Val Val Leu Asp Ser Ala Met Ala Pro Ser Leu Ala Trp Asn Gly Ile Met Ala Ser 200 Gln Glu Gln Gly Tyr Lys Asn Ser Leu Asn Asp Phe Phe Thr Trp Val Ala Glu Asn Asn Asp Thr Tyr Gly Leu Gly Thr Thr Pro Leu Ala Val 230 Tyr Gln Asn Trp Ser Asn Lys Ile Val Ala Glu Thr Gly Thr Asn Pro Thr Val Ala Pro Pro Pro Ala Gln Val Gly Asp Val Pro Pro Ala Phe Ala Trp Ala Gly Gln Ala Gly Ala Asp Met Met Thr Ala Thr Asn Pro Thr Ser Val Gln Leu Gln Gly Leu Ala Thr Gln Leu Leu Asn Pro Gly 295 Ser Asn Gln Ser Leu Ser Pro Leu Leu Asn Val Thr Arg Ala Tyr Ile Pro Gln Pro Ser Thr Trp Pro Met Leu Ala Gly Ala Ile Ser Gly Gln 325 Thr Pro Ile Pro Asp Val Thr Asp Thr Gly Asp Asp Pro Tyr Val Ile 345 Glu Ser Ile Asn Ala Ser Val Asn Met Gln Arg Met Val Met Cys Asn Glu Asn Thr Val Ala Pro Asp Pro Val Ala Met Ala Arg Met Ala Trp

Pro Thr Asp Gly Ser Gln Leu Ala Val Gln Pro Leu Leu Gln Gly
420 425 430

Thr Ser Met Val Thr Gly Asp Val Phe Asp Ile Tyr Ser Val Lys Phe

Ser Ser Gly Gln Ala Cys Ser Gly Ile Thr Pro Thr Ser Gly Arg Gln

PCT/IB00/00911

WO 01/00842 Thr Ser Asp Pro Gln Thr Pro Tyr Trp Thr His Asn Glu Leu Ala Asp Ala Met Asn Ala His Val Val Thr Val Asn Gly Pro Gly His Gly Gln 450 455 Ser Ile Gly Gly Thr Asn Gln Ala Ile Asn Asp Ile Val Val Asp Tyr 470 Leu Arg Thr Gly His Thr Asp Ala Thr Trp Val Glu Gly Asn Thr Pro 485 490 Thr Pro Ile Thr Ala Gly 500 <210> 135 <211> 1114 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1114) <223> FRXA00977 <400> 135 gaaaacaaac gtccttgaag ccgtaatgcc ccgttcgaca ataaaaaggg tagtagcagt 60 tettgeegee tegactgege ttageceett tttggtatea atg eee act gea gea Met Pro Thr Ala Ala gcg caa gaa aac atc cgc tgg gaa gaa tgc cca cct cag gta gat att 163 Ala Gln Glu Asn Ile Arg Trp Glu Glu Cys Pro Pro Gln Val Asp Ile gcc tcc gct caa tgt ggc agc atc gac gtg ccc atg cac tat tct gat 211 Ala Ser Ala Gln Cys Gly Ser Ile Asp Val Pro Met His Tyr Ser Asp ccc tca ctt ggc gat atc agc gtg ggc ttt gtc aag gtc cct gcc caa 259 Pro Ser Leu Gly Asp Ile Ser Val Gly Phe Val Lys Val Pro Ala Gln 45 ggc gaa aag cac ggc acc atc ttc ggt aac tcc ggt qgc cct qqt qqc 307 Gly Glu Lys His Gly Thr Ile Phe Gly Asn Ser Gly Gly Pro Gly Gly gat gcc tat agc ttc ttc ggc agc caa tcc atg aac tgg cca gaa gcc 355 Asp Ala Tyr Ser Phe Phe Gly Ser Gln Ser Met Asn Trp Pro Glu Ala 70 atg tac caa aac tac gac ctc gtt gca gtg cag cct cgc gga atg gtc 403 Met Tyr Gln Asn Tyr Asp Leu Val Ala Val Gln Pro Arg Gly Met Val

451

ggc tcc aca ccg gtt aac tgc gac aac atc gca cca gga tac gat ttc

Gly Ser Thr Pro Val Asn Cys Asp Asn Ile Ala Pro Gly Tyr Asp Phe

110

90

105

Leu	tco Ser	Lei 120	л ге	c aco u Thi	c cgc	gaa g Glu	ggc Gly 125	/ Ala	tto Phe	gtt Val	aaa Lys	gaa Glu 130	ı Ser	tgc Cys	gag Glu	499
ato Ile	ggc Gly 135	ini	e cco	c ggd c Gly	tac / Tyr	t acc	Ser	: ago : Ser	ctç Leu	g acc	acc Thr 145	Asp	aac Asn	acc Thr	gcc Ala	547
aac Asn 150	gac Asp	tgg	g gag o Glu	g cgc a Arg	gtc Val 155	Arg	caa Gln	gca Ala	ctt Leu	ggc Gly 160	Asp	gac Asp	aag Lys	ato	tcc Ser 165	595
atc Ile	ttc Phe	gga Gly	ctg Leu	Ser 170	Tyr	gga Gly	acc Thr	tac Tyr	ctc Leu 175	gga Gly	tcg Ser	gtc Val	tac Tyr	gcc Ala 180	acc Thr	643
cgc Arg	tac Tyr	cca Pro	cag Gln 185	HIS	acc Thr	gac Asp	aag Lys	gtt Val 190	gtc Val	ctc Leu	gat Asp	tcc Ser	gca Ala 195	atg Met	gcg Ala	691
ccc Pro	agc Ser	ctg Leu 200	gca Ala	tgg Trp	aac Asn	ggc Gly	atc Ile 205	atg Met	gcc Ala	tcc Ser	caa Gln	gaa Glu 210	cag Gln	ggc	tac Tyr	739
aaa Lys	aac Asn 215	tcc Ser	ctc Leu	aac Asn	gac Asp	ttc Phe 220	ttc Phe	acc Thr	tgg Trp	gtt Val	gca Ala 225	gaa Glu	aac Asn	aac Asn	gac Asp	787
acg Thr 230	tat Tyr	ggc Gly	ctc Leu	ggc Gly	act Thr 235	acc Thr	cca Pro	cta Leu	gcc Ala	gtg Val 240	tac Tyr	caa Gln	aac Asn	tgg Trp	tca Ser 245	835
aac Asn	aag Lys	atc Ile	gtc Val	gcc Ala 250	gaa Glu	acc Thr	gga Gly	acc Thr	aac Asn 255	cca Pro	acc Thr	gtt Val	gct Ala	cca Pro 260	cca Pro	883
cca Pro	gca Ala	caa Gln	gtt Val 265	ggc Gly	gat Asp	gtc Val	cca Pro	cca Pro 270	gca Ala	ttc Phe	gca Ala	tgg Trp	gcc Ala 275	ggc Gly	caa Gln	931
gca Ala	GIÀ	gca Ala 280	gac Asp	atg Met	atg Met	acc Thr	gcc Ala 285	acc Thr	aac Asn	cca Pro	acc Thr	tcc Ser 290	gtg Val	caa Gln	ctc Leu	979
Cag Gln	ggc Gly 295	ctt Leu	gcc Ala	acc Thr	GIn	ctc Leu 300	cta Leu	aac Asn	cct Pro	gga Gly	tcc Ser 305	aac Asn	cag Gln	tca Ser	ctg Leu	1027
agc Ser 310	cct Pro	ctg Leu	ctc Leu	Asn	gtc Val 315	acc Thr	cgc Arg	gcc Ala	Tyr	att Ile 320	cca Pro	cag Gln	cca Pro	tca Ser	acc Thr 325	1075
tgg (Trp	ccc a	atg Met	Leu	gca Ala 330	ggc . Gly .	gcc . Ala	atc Ile :	Ser	ggg Gly 335	caa Gln	aca Thr	ccc Pro		-		1114

<210> 136 <211> 338 <212> PRT

<213> Corynebacterium glutamicum

<400> 136

Met Pro Thr Ala Ala Ala Gln Glu Asn Ile Arg Trp Glu Glu Cys Pro 1 10 15

Pro Gln Val Asp Ile Ala Ser Ala Gln Cys Gly Ser Ile Asp Val Pro 20 25 30

Met His Tyr Ser Asp Pro Ser Leu Gly Asp Ile Ser Val Gly Phe Val 35 40 45

Lys Val Pro Ala Gln Gly Glu Lys His Gly Thr Ile Phe Gly Asn Ser 50 60

Gly Gly Pro Gly Gly Asp Ala Tyr Ser Phe Phe Gly Ser Gln Ser Met 65 70 75 80

Asn Trp Pro Glu Ala Met Tyr Gln Asn Tyr Asp Leu Val Ala Val Gln 85 90 95

Pro Arg Gly Met Val Gly Ser Thr Pro Val Asn Cys Asp Asn Ile Ala 100 105 110

Pro Gly Tyr Asp Phe Leu Ser Leu Leu Thr Arg Glu Gly Ala Phe Val 115 120 125

Lys Glu Ser Cys Glu Ile Gly Thr Pro Gly Tyr Thr Ser Ser Leu Thr 130 135 140

Thr Asp Asn Thr Ala Asn Asp Trp Glu Arg Val Arg Gln Ala Leu Gly
145 150 155 160

Asp Asp Lys Ile Ser Ile Phe Gly Leu Ser Tyr Gly Thr Tyr Leu Gly
165 170 175

Ser Val Tyr Ala Thr Arg Tyr Pro Gln His Thr Asp Lys Val Val Leu 180 185 190

Asp Ser Ala Met Ala Pro Ser Leu Ala Trp Asn Gly Ile Met Ala Ser 195 200 205

Gln Glu Gln Gly Tyr Lys Asn Ser Leu Asn Asp Phe Phe Thr Trp Val 210 215 220

Ala Glu Asn Asn Asp Thr Tyr Gly Leu Gly Thr Thr Pro Leu Ala Val 225 230 235 240

Tyr Gln Asn Trp Ser Asn Lys Ile Val Ala Glu Thr Gly Thr Asn Pro 245 250 255

Thr Val Ala Pro Pro Pro Ala Gln Val Gly Asp Val Pro Pro Ala Phe 260 265 270

Ala Trp Ala Gly Gln Ala Gly Ala Asp Met Met Thr Ala Thr Asn Pro 275 280 285

Thr Ser Val Gln Leu Gln Gly Leu Ala Thr Gln Leu Leu Asn Pro Gly 290 295 300

Ser Asn Gln Ser Leu Ser Pro Leu Leu Asn Val Thr Arg Ala Tyr Ile 305 310 315 320

Pro Gln Pro Ser Thr Trp Pro Met Leu Ala Gly Ala Ile Ser Gly Gln 325 330 335

Thr Pro

<210> 137 <211> 269 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(246) <223> FRXA00982 <400> 137 tct caa cta gca gtc caa cca cta ctc ctc cag gga acc agc gac cca 48 Ser Gln Leu Ala Val Gln Pro Leu Leu Gln Gly Thr Ser Asp Pro caa acc cca tac tgg acc cac aac gag ctt gcc gac gcc atg aac gcc 96 Gln Thr Pro Tyr Trp Thr His Asn Glu Leu Ala Asp Ala Met Asn Ala 25 cac gtg gtc acc gtc aac gga cca gga cac ggc caa tcc atc ggc ggc 144 His Val Val Thr Val Asn Gly Pro Gly His Gly Gln Ser Ile Gly Gly 40 acc aac caa gca atc aac gac att gtt gtg gac tac ctc cgc acc gga 192 Thr Asn Gln Ala Ile Asn Asp Ile Val Val Asp Tyr Leu Arg Thr Gly cac acc gac gcc acc tgg gtc gaa ggc aac aca ccc acc cca att acg 240 His Thr Asp Ala Thr Trp Val Glu Gly Asn Thr Pro Thr Pro Ile Thr gct ggc taattgcttt ccacttagta gat 269

<210> 138

Ala Gly

<211> 82

<212> PRT

<213> Corynebacterium glutamicum

<400> 138

Ser Gln Leu Ala Val Gln Pro Leu Leu Gln Gly Thr Ser Asp Pro 1 5 10 15

Gln Thr Pro Tyr Trp Thr His Asn Glu Leu Ala Asp Ala Met Asn Ala 20 25 30

His Val Val Thr Val Asn Gly Pro Gly His Gly Gln Ser Ile Gly Gly 35 40 45

Thr Asn Gln Ala Ile Asn Asp Ile Val Val Asp Tyr Leu Arg Thr Gly 50 55 60

His Thr Asp Ala Thr Trp Val Glu Gly Asn Thr Pro Thr Pro Ile Thr 65 70 75 80

Ala Gly

135

<210> 139 <211> 1419 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1396) <223> RXA00152 <400> 139 gtcattgata tccaaggcac gaccgcgatt gtatggaaag aagcctaaat ttttaacaat 60 caaatagtac tggccattcc caactaaaac tggagtaacg atg aca gga cta atc Met Thr Gly Leu Ile 163 Leu Ala Ile Val Phe Leu Val Phe Val Ala Val Val Ile Lys Ser 10 15 ata gcc ctg att ccc cag.ggt gaa gcc gcc gtc att gaa cgc ctt ggt 211 Ile Ala Leu Ile Pro Gln Gly Glu Ala Ala Val Ile Glu Arg Leu Gly age tac acc ege acc gtt tea ggt gge etg acc etg etg gtt eca tte 259 Ser Tyr Thr Arg Thr Val Ser Gly Gly Leu Thr Leu Leu Val Pro Phe 45 gtg gac cga gta cgc gca agg atc gac acc cgt gag cgc gtg gtc tca 307 Val Asp Arg Val Arg Ala Arg Ile Asp Thr Arg Glu Arg Val Val Ser 55 ttc cca ccg cag gct gtt att acc caa gac aac ctg acc gtg gcc atc 355 Phe Pro Pro Gln Ala Val Ile Thr Gln Asp Asn Leu Thr Val Ala Ile 75 70 80 gat atc gtg gtg acc ttc caa atc aac gaa cca gag cgc gcc atc tac 403 Asp Ile Val Val Thr Phe Gln Ile Asn Glu Pro Glu Arg Ala Ile Tyr ggc gtg gac aac tac atc gtc ggt gtg gag cag att tct gta gca aca 451 Gly Val Asp Asn Tyr Ile Val Gly Val Glu Gln Ile Ser Val Ala Thr ctt cga gac gtt gtc ggt ggc atg acc ctg gaa gaa acc ctc act tca 499 Leu Arg Asp Val Val Gly Gly Met Thr Leu Glu Glu Thr Leu Thr Ser 120 cgt gac gtg atc aac cgc cgc ctc cgt ggc gag ctc gat gca gca acc

Arg Asp Val Ile Asn Arg Arg Leu Arg Gly Glu Leu Asp Ala Ala Thr

208

140

	Lys				cgc Arg 155											595
ccg Pro	cca Pro	cca Pro	tcc Ser	atc Ile 170	cag Gln	caa Gln	tcg Ser	atg Met	gaa Glu 175	aag Lys	cag Gln	atg Met	aag Lys	gca Ala 180	gac Asp	643
cgt Arg	gaa Glu	aag Lys	cgc Arg 185	gcc Ala	acc Thr	att Ile	ttg Leu	acc Thr 190	gca Ala	gaa Glu	ggt Gly	cag Gln	cgc Arg 195	gaa Glu	gcc Ala	691
gac Asp	atc Ile	aaa Lys 200	act Thr	gcc Ala	gaa Glu	ggt Gly	gaa Glu 205	aag Lys	caa Gln	gcc Ala	aag Lys	atc Ile 210	ctc Leu	caa Gln	gct Ala	739
gag Glu	ggt Gly 215	gaa Glu	aag Lys	cac His	gca Ala	tcc Ser 220	atc Ile	ctg Leu	aac Asn	gca Ala	gaa Glu 225	gca Ala	gaa Glu	cgc Arg	caa Gln	787
gcg Ala 230	atg Met	atc Ile	ctg Leu	cgc Arg	gcc Ala 235	gaa Glu	ggt Gly	gaa Glu	cgc Arg	gca Ala 240	gca Ala	cgc Arg	tac Tyr	ctc Leu	cag Gln 245	835
gcg Ala	cag Gln	ggt Gly	gaa Glu	gcc Ala 250	cga Arg	gca Ala	atc Ile	caa Gln	aag Lys 255	gtc Val	aac Asn	gca Ala	gca Ala	atc Ile 260	aag Lys	883
tct Ser	gcc Ala	aag Lys	ttg Leu 265	acc Thr	cca Pro	gag Glu	gtt Val	ctt Leu 270	gct Ala	tat Tyr	caa Gln	tac Tyr	ctc Leu 275	gaa Glu	aag Lys	931
ctt Leu	cct Pro	aag Lys 280	atc Ile	gca Ala	gag Glu	ggc Gly	aac Asn 285	gcc Ala	tcc Ser	aag Lys	atg Met	tgg Trp 290	gtc Val	atc Ile	cca Pro	979
agc Ser	cag Gln 295	ttc Phe	tcc Ser	gat Asp	tct Ser	ctg Leu 300	gaa Glu	ggt Gly	ttt Phe	gcg Ala	aag Lys 305	cag Gln	ttc Phe	ggc Gly	gca Ala	1027
aag Lys 310	gat Asp	gca Ala	gaa Glu	ggt Gly	gtc Val 315	ttc Phe	cgc Arg	tac Tyr	gaa Glu	cca Pro 320	aac Asn	acc Thr	gtg Val	gat Asp	gaa Glu 325	1075
gaa Glu	acc Thr	cgc Arg	gac Asp	atc Ile 330	gca Ala	aac Asn	gcc Ala	gac Asp	aac Asn 335	gtg Val	gaa Glu	gac Asp	tgg Trp	ttc Phe 340	tcc Ser	1123
					gaa Glu											1171
gtg Val	gcc Ala	aac Asn 360	aag Lys	cca Pro	gtc Val	gat Asp	cca Pro 365	gaa Glu	ccc Pro	ggt Gly	gag Glu	atc Ile 370	ctt Leu	tcc Ser	aag Lys	1219
aag Lys	acc Thr 375	gca Ala	cga Arg	cgc Arg	gtt Val	gaa Glu 380	cct Pro	gaa Glu	gca Ala	gta Val	ttg Leu 385	gag Glu	gct Ala	ttg Leu	caa Gln	1267
aac	gga	acc	act	aca	caa	cct	gag	gtt	gag	gca	gca	cct	cct	acc	gca	1315

Asn Gly Thr Thr Gln Pro Glu Val Glu Ala Ala Pro Pro Thr Ala 390 395 400 405

aac ttc gcc caa gaa ttc cct gca cca cag gca aac cct gaa gat tac 1363 Asn Phe Ala Gln Glu Phe Pro Ala Pro Gln Ala Asn Pro Glu Asp Tyr 410 415 420

tcc gac caa cac cga gag aat cct tac gga aac taatcaggca taagaaaagg 1416 Ser Asp Gln His Arg Glu Asn Pro Tyr Gly Asn 425 430

cgg . 1419

<210> 140

<211> 432

<212> PRT

<213> Corynebacterium glutamicum

<400> 140

Met Thr Gly Leu Ile Leu Ala Ile Val Phe Leu Val Phe Val Ala Val
1 5 10 15

Val Val Ile Lys Ser Ile Ala Leu Ile Pro Gln Gly Glu Ala Ala Val 20 25 30

Ile Glu Arg Leu Gly Ser Tyr Thr Arg Thr Val Ser Gly Gly Leu Thr 35 40 45

Leu Leu Val Pro Phe Val Asp Arg Val Arg Ala Arg Ile Asp Thr Arg 50 55 60

Glu Arg Val Val Ser Phe Pro Pro Gln Ala Val Ile Thr Gln Asp Asn 65 70 75 80

Leu Thr Val Ala Ile Asp Ile Val Val Thr Phe Gln Ile Asn Glu Pro 85 90 95

Glu Arg Ala Ile Tyr Gly Val Asp Asn Tyr Ile Val Gly Val Glu Gln 100 105 110

Ile Ser Val Ala Thr Leu Arg Asp Val Val Gly Gly Met Thr Leu Glu 115 120 125

Glu Thr Leu Thr Ser Arg Asp Val Ile Asn Arg Arg Leu Arg Gly Glu 130 135 140

Leu Asp Ala Ala Thr Thr Lys Trp Gly Leu Arg Ile Ser Arg Val Glu 145 150 155 160

Leu Lys Ala Ile Asp Pro Pro Pro Ser Ile Gln Gln Ser Met Glu Lys 165 170 175

Gln Met Lys Ala Asp Arg Glu Lys Arg Ala Thr Ile Leu Thr Ala Glu 180 185 190 .

Gly Gln Arg Glu Ala Asp Ile Lys Thr Ala Glu Gly Glu Lys Gln Ala 195 200 205

Lys Ile Leu Gln Ala Glu Gly Glu Lys His Ala Ser Ile Leu Asn Ala 210 215 220

210

Glu Asp Trp Phe Ser Thr Glu Ser Asp Pro Glu Ile Ala Ala Ala Val 340 345 350

Ala Ala Asn Ala Val Ala Asn Lys Pro Val Asp Pro Glu Pro Gly 355 360 365

Glu Ile Leu Ser Lys Lys Thr Ala Arg Arg Val Glu Pro Glu Ala Val 370 380

Leu Glu Ala Leu Gln Asn Gly Thr Thr Thr Gln Pro Glu Val Glu Ala 385 390 395 400

Ala Pro Pro Thr Ala Asn Phe Ala Gl
n Glu Phe Pro Ala Pro Gl
n Ala 405 410 415

Asn Pro Glu Asp Tyr Ser Asp Gln His Arg Glu Asn Pro Tyr Gly Asn 420 425 430

<210> 141 <211> 1098 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1075) <223> RXA02558

<400> 141

ccctcccgaa attagaaatc cccttttaat gtgatatcac tttctgttaa actgatatca 60 cattcttttt cagcacccca gacttaaaag gagcaccacc atg agc acc ata gaa 115 Met Ser Thr Ile Glu 1 5

gag Glu	cgc Arg	act Thr	cct Pro	gga Gly 10	gct Ala	gtc Val	gcc Ala	aca Thr	gaa Glu 15	cca Pro	gtg Val	gga Gly	cac His	gaa Glu 20	ggc Gly	163
gca Ala	cgc Arg	gtc Val	agc Ser 25	att Ile	aat Asn	gag Glu	aag Lys	aac Asn 30	gtg Val	tgg Trp	tct Ser	ttg Leu	ggc Gly 35	gca Ala	ggt Gly	211
cca Pro	gca Ala	gct Ala 40	ttc Phe	gca Ala	ctg Leu	ctc Leu	gca Ala 45	atg Met	att Ile	gtg Val	ctc Leu	atg Met 50	att Ile	gcc Ala	agt Ser	259
gga Gly	gtt Val 55	ttc Phe	ttc Phe	gct Ala	caa Gln	tcc Ser 60	atc Ile	aac Asn	act Thr	tta Leu	gaa Glu 65	aac Asn	gat Asp	ggc Gly	ggt Gly	307
gga Gly 70	aca Thr	ctt Leu	gcg Ala	gtt Val	acg Thr 75	gga Gly	ctg Leu	att Ile	gcc Ala	agc Ser 80	atc Ile	gtc Val	gtt Val	ttc Phe	act Thr 85	355
gtt Val	gca Ala	ttg Leu	gtg Val	gtc Val 90	acc Thr	ata Ile	act Thr	tcg Ser	gtg Val 95	aag Lys	gtg Val	gtc Val	agc Ser	cct Pro 100	gga Gly	403
cat His	act Thr	ctg Leu	act Thr 105	gtg Val	cag Gln	ttc Phe	ttt Phe	gga Gly 110	cga Arg	tac Tyr	atc Ile	gga Gly	acc Thr 115	ctg Leu	cgt Arg	451
cga Arg	act Thr	ggg Gly 120	ttg Leu	tct Ser	ttc Phe	gtt Val	ccc Pro 125	cca Pro	ctg Leu	tct Ser	gtg Val	acg Thr 130	aag Lys	aaa Lys	gtg Val	499
tcc Ser	gtg Val 135	agg Arg	gtc Val	cga Arg	aac Asn	ttt Phe 140	gaa Glu	acc Thr	aac Asn	gaa Glu	gcc Ala 145	aaa Lys	gtt Val	aat Asn	gac Asp	547
Tyr 150	Asn	Gly	Asn	Pro	Ile 155	Asn	Ile	Ala	gcg Ala	11e 160	Ile	Val	Trp	Gln	Val 165	595
gcc Ala	gat Asp	act Thr	gca Ala	cag Gln 170	gct Ala	agc Ser	ttc Phe	tct Ser	gtg Val 175	gag Glu	gat Asp	ttc Phe	gaa Glu	gag Glu 180	ttc Phe	643
ctg Leu	cac His	cag Gln	cag Gln 185	gcc Ala	gag Glu	tcc Ser	gca Ala	ctg Leu 190	cgt Arg	cac His	gtg Val	gca Ala	acc Thr 195	cag Gln	cac His	691
ccc Pro	tat Tyr	gat Asp 200	tcc Ser	cca Pro	gtt Val	gat Asp	ggt Gly 205	cgt Arg	gtt Val	tcc Ser	ttg Leu	cgt Arg 210	ggc Gly	gct Ala	acc Thr	739
gat Asp	gag Glu 215	gtc Val	agt Ser	gaa Glu	gaa Glu	ctc Leu 220	gca Ala	gat Asp	gag Glu	gtg Val	gca Ala 225	caa Gln	cga Arg	gca Ala	gct Ala	787
gtt Val 230	gca Ala	ggt Glÿ	ctt Leu	gaa Glu	atc Ile 235	gtc Val	gaa Glu	gcc Ala	cgc Arg	atc Ile 240	tct Ser	tcc Ser	ttg Leu	agc Ser	tac Tyr 245	835
gca	ccg	gaa	att	gcc	cag	gcg	atg	ctg	cag	cgc	cag	cag	gct	tcc	gcg	883

Ala Pro Glu Ile Ala Gln Ala Met Leu Gln Arg Gln Gln Ala Ser Ala 255 att gtt gat gcc cgc gaa aag atc gtc gag ggc gct gtc acc atg gtg 931 Ile Val Asp Ala Arg Glu Lys Ile Val Glu Gly Ala Val Thr Met Val 270 gaa acc gca ctt gac cag ctt gag caa cgt gaa att gtg gat ttg gat 979 Glu Thr Ala Leu Asp Gln Leu Glu Gln Arg Glu Ile Val Asp Leu Asp cca gag cga cgc gcc gcg atg gtt tcc aac ctg ttg gtt gtg ttg tgt 1027 Pro Glu Arg Arg Ala Ala Met Val Ser Asn Leu Leu Val Val Leu Cys 300 tcc gac acc aat gct cag cca atc gtc aac gcc ggt agc ctc tac caa 1075 Ser Asp Thr Asn Ala Gln Pro Ile Val Asn Ala Gly Ser Leu Tyr Gln 315 320 taagacaatg gcccgcaaac agg 1098 <210> 142 <211> 325 <212> PRT <213> Corynebacterium glutamicum <400> 142 Met Ser Thr Ile Glu Glu Arg Thr Pro Gly Ala Val Ala Thr Glu Pro Val Gly His Glu Gly Ala Arg Val Ser Ile Asn Glu Lys Asn Val Trp Ser Leu Gly Ala Gly Pro Ala Ala Phe Ala Leu Leu Ala Met Ile Val Leu Met Ile Ala Ser Gly Val Phe Phe Ala Gln Ser Ile Asn Thr Leu Glu Asn Asp Gly Gly Gly Thr Leu Ala Val Thr Gly Leu Ile Ala Ser Ile Val Val Phe Thr Val Ala Leu Val Val Thr Ile Thr Ser Val Lys Val Val Ser Pro Gly His Thr Leu Thr Val Gln Phe Phe Gly Arg Tyr 100 Ile Gly Thr Leu Arg Arg Thr Gly Leu Ser Phe Val Pro Pro Leu Ser 120 Val Thr Lys Lys Val Ser Val Arg Val Arg Asn Phe Glu Thr Asn Glu 135 Ala Lys Val Asn Asp Tyr Asn Gly Asn Pro Ile Asn Ile Ala Ala Ile Ile Val Trp Gln Val Ala Asp Thr Ala Gln Ala Ser Phe Ser Val Glu 170

Asp Phe Glu Glu Phe Leu His Gln Gln Ala Glu Ser Ala Leu Arg His 185 Val Ala Thr Gln His Pro Tyr Asp Ser Pro Val Asp Gly Arg Val Ser 200 Leu Arg Gly Ala Thr Asp Glu Val Ser Glu Glu Leu Ala Asp Glu Val Ala Gln Arg Ala Ala Val Ala Gly Leu Glu Ile Val Glu Ala Arg Ile Ser Ser Leu Ser Tyr Ala Pro Glu Ile Ala Gln Ala Met Leu Gln Arg Gln Gln Ala Ser Ala Ile Val Asp Ala Arg Glu Lys Ile Val Glu Gly 265 Ala Val Thr Met Val Glu Thr Ala Leu Asp Gln Leu Glu Gln Arg Glu 280 Ile Val Asp Leu Asp Pro Glu Arg Arg Ala Ala Met Val Ser Asn Leu Leu Val Val Leu Cys Ser Asp Thr Asn Ala Gln Pro Ile Val Asn Ala 310 Gly Ser Leu Tyr Gln 325 <210> 143 <211> 798 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(775) <223> RXA00500 <400> 143 caccagccag catgaacaca atggacttcg tgccagctca ggcgcagtac tgaagcacct 60 tttcgatctg gcccacggcc gagaggtacg ctgattcctc gtg tta gta cta gcc 115 Val Leu Val Leu Ala cta gac acc tca acc cct gac ctg atc gtc ggc gtc gtc gac tcc gac 163 Leu Asp Thr Ser Thr Pro Asp Leu Ile Val Gly Val Val Asp Ser Asp ace gga aac ace ege gee gaa ace ate ate gag gae ace ege gea cae 211 Thr Gly Asn Thr Arg Ala Glu Thr Ile Ile Glu Asp Thr Arg Ala His aac gag cag ctc acg ccc acc gtc cag aag acg ctt ctc gac gcc aac 259 Asn Glu Gln Leu Thr Pro Thr Val Gln Lys Thr Leu Leu Asp Ala Asn ttg age ttt tea gat ate gae geg ate gte gtg ggt tge gge eeg gga 307

Leu	Ser 55	Phe	Ser	Asp	Ile	Asp 60	Ala	Ile	Val	Val	Gly 65		Gly	Pro	Gly	
ccg Pro 70	ttc Phe	act Thr	gga Gly	ctt Leu	cga Arg 75	gta Val	ggc	atg Met	gtg Val	tcc Ser 80	Gly	gca Ala	gcg Ala	ttc Phe	ggt Gly 85	355
gat Asp	gcc Ala	ctg Leu	gga Gly	atc Ile 90	cct Pro	gtc Val	tat Tyr	gga Gly	gtc Val 95	tgc Cys	tca Ser	ctc Leu	gac Asp	gcg Ala 100	atc Ile	403
gct Ala	cac His	aat Asn	att Ile 105	ggt Gly	gca Ala	cgc Arg	aac Asn	atc Ile 110	ccg Pro	cac His	gca Ala	tta Leu	gtt Val 115	gcc Ala	act Thr	451
gat Asp	gcg Ala	cgc Arg 120	cgc Arg	cgt Arg	gaa Glu	atc Ile	tac Tyr 125	tgg Trp	gca Ala	acc Thr	tac Tyr	cgc Arg 130	tcc Ser	ggc Gly	gaa Glu	499
cgt Arg	gat Asp 135	cag Gln	gga Gly	cca Pro	gat Asp	gtc Val 140	atc Ile	gca Ala	cca Pro	gca Ala	aac Asn 145	atc Ile	cag Gln	atc Ile	agc Ser	547
ggc Gly 150	gct Ala	gta Val	gac Asp	acc Thr	att Ile 155	tcg Ser	att Ile	cct Pro	gag Glu	cac His 160	ctg Leu	gtg Val	gaa Glu	aaa Lys	ctc Leu 165	595
cca Pro	gaa Glu	gaa Glu	ctc Leu	cag Gln 170	aat Asn	gtc Val	acc Thr	atg Met	cat His 175	agc Ser	ggc Gly	aaa Lys	cct Pro	gcc Ala 180	ccc Pro	643
gca Ala	agc Ser	ttg Leu	gtg Val 185	gca Ala	gtg Val	gct Ala	gat Asp	ttc Phe 190	agt Ser	gtg Val	gaa Glu	cca Pro	caa Gln 195	cca Pro	ttg Leu	691
gtt Val	cct Pro	ctt Leu 200	tac Tyr	ctg Leu	cgc Arg	cgc Arg	cca Pro 205	gat Asp	gcc Ala	aaa Lys	gaa Glu	cca Pro 210	aaa Lys	cca Pro	aaa Lys	739
ro	aaa Lys 215	tct Ser	gca Ala	gcc Ala	atc Ile	ccc Pro 220	gag Glu	gtg Val	gat Asp	ctt Leu	tca Ser 225	tgag	jtgaa	ıca		785
ttc	gagc	ta c	gg													798
211 212	> 14 > 22 > PR > Co	5	bact	eriu	m gl	utam	icum	ı								
	> 14 Leu	4 Val	Leu .	Ala 5	Leu	Asp	Thr	Ser	Thr 10	Pro	Asp	Leu	Ile	Val 15	Gly	•
al V	/al .	Asp :	Ser . 20	Asp	Thr	Gly	Asn	Thr 25	Arg	Ala	Glu	Thr	Ile 30	Ile	Glu	
sp 1	fhr .	Arg A	Ala	His	Asn	Glu	Gln 40	Leu	Thr	Pro	Thr	Val 45	Gln	Lys	Thr	

Leu Leu Asp Ala Asn Leu Ser Phe Ser Asp Ile Asp Ala Ile Val Val Gly Cys Gly Pro Gly Pro Phe Thr Gly Leu Arg Val Gly Met Val Ser Gly Ala Ala Phe Gly Asp Ala Leu Gly Ile Pro Val Tyr Gly Val Cys Ser Leu Asp Ala Ile Ala His Asn Ile Gly Ala Arg Asn Ile Pro His 100 105 Ala Leu Val Ala Thr Asp Ala Arg Arg Glu Ile Tyr Trp Ala Thr Tyr Arg Ser Gly Glu Arg Asp Gln Gly Pro Asp Val Ile Ala Pro Ala 135 Asn Ile Gln Ile Ser Gly Ala Val Asp Thr Ile Ser Ile Pro Glu His Leu Val Glu Lys Leu Pro Glu Glu Leu Gln Asn Val Thr Met His Ser Gly Lys Pro Ala Pro Ala Ser Leu Val Ala Val Ala Asp Phe Ser Val 185 Glu Pro Gln Pro Leu Val Pro Leu Tyr Leu Arg Arg Pro Asp Ala Lys 195 Glu Pro Lys Pro Lys Pro Lys Ser Ala Ala Ile Pro Glu Val Asp Leu Ser 225 <210> 145 <211> 630 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(607) <223> RXA00501 <400> 145 tggaaccaca accattggtt cetetttace tgegeegeee agatgeeaaa gaaccaaaac 60 caaaacctaa atctgcagcc atccccgagg tggatctttc atg agt gaa caa ttc 115 Met Ser Glu Gln Phe gag cta cgg gaa ctc cgc agg gaa gac gcg ggg cgc tgc gcc gac ctg 163 Glu Leu Arg Glu Leu Arg Arg Glu Asp Ala Gly Arg Cys Ala Asp Leu gag caa atc ctg ttc cca ggt gat aac ccc tgg cca cgt gat gtc ttt Glu Gln Ile Leu Phe Pro Gly Asp Asn Pro Trp Pro Arg Asp Val Phe 25 30 35

		gag Glu 40														259
		tac Tyr														307
		cca Pro														355
		aaa Lys														403
		agc Ser														451
		gcg Ala 120														499
		aaa Lys														547
caa Gln 150	cgc Arg	cca Pro	cgc Arg	ttg Leu	agc Ser 155	gat Asp	cgc Arg	aaa Lys	gat Asp	caa Gln 160	cag Gln	aca Thr	gac Asp	aca Thr	gag Glu 165	595
		ccc Pro		taaa	accat	ga t	cgtt	ttg	gg aa	at						630

<210> 146

<211> 169

<212> PRT

<213> Corynebacterium glutamicum

<400> 146

Met Ser Glu Gln Phe Glu Leu Arg Glu Leu Arg Arg Glu Asp Ala Gly $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Arg Cys Ala Asp Leu Glu Gln Ile Leu Phe Pro Gly Asp Asn Pro Trp 20 25 30

Pro Arg Asp Val Phe Ala Val Glu Phe Ser His Pro Thr Asn Phe Tyr 35 40 45

Ile Gly Ala Phe Asp Glu Gly Tyr Leu Val Ala Tyr Ala Gly Leu Ala 50 60

Met Met Gly Pro Ala Asp Asp Pro Glu Phe Glu Ile His Thr Ile Gly 65 70 75 80

Val Asp Pro Glu Phe Gln Arg Lys Gly Leu Gly Arg Val Leu Met Asp $85 \\ 90. \\ 95$

217

Gln Met Met His Ala Ala Asp Ser His Asp Gly Pro Val Phe Leu Glu 100 105 Val Arg Thr Asp Asn Val Pro Ala Ile Ser Met Tyr Glu Ala Phe Gly 120 Phe Lys Thr Leu Ala Val Arg Lys Asn Tyr Tyr Arg Pro Ser Gly Ala 135 140 Asp Ala Tyr Thr Met Gln Arg Pro Arg Leu Ser Asp Arg Lys Asp Gln Gln Thr Asp Thr Glu Gly Thr Pro Ser 165 <210> 147 <211> 1155 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1132) <223> RXA00502 <400> 147 ctaccggcca tccggagctg acgcctacac catgcaacqc ccacqcttqa qcqatcqcaa 60 agatcaacag acagacacag aggggacacc cagctaaacc atg atc gtt ttg gga Met Ile Val Leu Gly 1 att gaa agc tcc tgc gat gaa aca ggc gta ggc gta gtc aaa ctt gac 163 Ile Glu Ser Ser Cys Asp Glu Thr Gly Val Gly Val Lys Leu Asp ggc gaa gga aac cta gag atc ctc gcc gac tca gtg gcc tcc tcc atg 211 Gly Glu Gly Asn Leu Glu Ile Leu Ala Asp Ser Val Ala Ser Ser Met caa gaa cat gcc cgc ttt ggt ggc gtc gtg cca gaa atc gcc tcc cgg 259 Gln Glu His Ala Arg Phe Gly Gly Val Val Pro Glu Ile Ala Ser Arg 40 gcg cac ctg gaa tct atg gtc ccc gtg atg cgt gaa gcg ttg agg cag 307 Ala His Leu Glu Ser Met Val Pro Val Met Arg Glu Ala Leu Arg Gln gcg ggc gtc gac agg cca gat gct gtg gct gca acc gtg ggc cct ggt 355 Ala Gly Val Asp Arg Pro Asp Ala Val Ala Ala Thr Val Gly Pro Gly 75 80 ttg gcg ggc gcg ctg ctc gtt gga gcc agc gct gcg aag gcg tat gcc 403 Leu Ala Gly Ala Leu Leu Val Gly Ala Ser Ala Ala Lys Ala Tyr Ala gct gcg tgg gga gtt ccg ttt tac gcg gtc aac cac ctg ggc gga cac 451 Ala Ala Trp Gly Val Pro Phe Tyr Ala Val Asn His Leu Gly Gly His 105 110

gto Val	gco L Ala	gto Val 120	LAT	aat Asr	ctg Leu	gaa Glu	ggt Gly 125	Glu	act Thr	ctt Leu	cca Pro	cac His 130	Ala	gtg Val	gct Ala	499
ttg Leu	cto Let 135	rvai	tco Ser	ggc Gly	gga Gly	cac His 140	Thr	caa Gln	ttg Leu	ttg Leu	gaa Glu 145	Val	gac Asp	gcg Ala	gtg Val	547
gga Gly 150	red	Pro	atg Met	aag Lys	gaa Glu 155	Leu	gga Gly	tcc Ser	acc Thr	ctc Leu 160	Asp'	gat Asp	gcc Ala	gct Ala	ggc Gly 165	595
gaa Glu	gcc Ala	tat Tyr	gac Asp	aaa Lys 170	gtc Val	tca Ser	agg Arg	ctg Leu	ttg Leu 175	Gly	ttg Leu	ggc Gly	tac Tyr	cca Pro 180	ggc Gly	643
ggc Gly	ccc Pro	atc Ile	att Ile 185	gat Asp	aaa Lys	ttg Leu	gcg Ala	cgc Arg 190	cgg Arg	ggt Gly	aat Asn	cca Pro	gag Glu 195	gcc Ala	att Ile	691
gct Ala	ttc Phe	ccc Pro 200	cgc Arg	gga Gly	ttg Leu	atg Met	aaa Lys 205	aag Lys	tcg Ser	gat Asp	tct Ser	cgg Arg 210	cat His	gat Asp	ttc Phe	739
agc Ser	ttt Phe 215	tcc Ser	ggt Gly	ttg Leu	aaa Lys	acc Thr 220	tcc Ser	gtt Val	gcc Ala	cgc Arg	tac Tyr 225	gtg Val	gaa Glu	gct Ala	gcg Ala	787
gaa Glu 230	aga Arg	aac Asn	ggt Gly	gaa Glu	gtt Val 235	att Ile	tcc Ser	gtg Val	gag Glu	gac Asp 240	gtc Val	tgc Cys	gca Ala	tca Ser	ttc Phe 245	835
caa Gln	gaa Glu	gcg Ala	gtg Val	tgt Cys 250	gat Asp	gtg Val	ttg Leu	acg Thr	ttt Phe 255	aag Lys	gcc Ala	gtg Val	cgt Arg	gcg Ala 260	tgc Cys	883
cgc Arg	gat Asp	gtc Val	ggt Gly 265	gcg Ala	aag Lys	gtg Val	ctg Leu	ctg Leu 270	ttg Leu	ggt Gly	gga Gly	gga Gly	gtg Val 275	gct Ala	gcc Ala	931
aac Asn	tct Ser	cgt Arg 280	ctg Leu	cgg Arg	gag Glu	ctt Leu	gct Ala 285	caa Gln	gaa Glu	cgt Arg	tgc Cys	gat Asp 290	aaa Lys	gcc Ala	gac Asp	979
ite	gaa Glu 295	ctc Leu	cgg Arg	gtt Val	cct Pro	cgt Arg 300	ttc Phe	aat Asn	ttg Leu	tgc Cys	acc Thr 305	gat Asp	aat Asn	ggt Gly	gtc Val	1027
atg Met 310	att Ile	gca Ala	gcg Ala	ttg Leu	gcg Ala 315	gct Ala	caa Gln	aga Arg	atc Ile	cac His 320	gaa Glu	ggt Gly	gcc Ala	Gln	gaa Glu 325	1075
tca Ser	cca Pro	att Ile	tcg Ser	gtc Val 330	gga Gly	act Thr	gat Asp	Pro	tct Ser 335	ttg Leu	tcc Ser	gtt Val	gag Glu	acc Thr 340	cca Pro	1123
cag (Gln '	gtg Val	ttt Phe	taaa	catt	ta g	tatt	agtt	с са	t							1155

<210> 148

<211> 344

<212> PRT

<213> Corynebacterium glutamicum

<400> 148

Met Ile Val Leu Gly Ile Glu Ser Ser Cys Asp Glu Thr Gly Val Gly
1 5 10 15

Val Val Lys Leu Asp Gly Glu Gly Asn Leu Glu Ile Leu Ala Asp Ser 20 25 30

Val Ala Ser Ser Met Gln Glu His Ala Arg Phe Gly Gly Val Val Pro 35 40 45

Glu Ile Ala Ser Arg Ala His Leu Glu Ser Met Val Pro Val Met Arg $50 \hspace{1cm} 55 \hspace{1cm} 60$

Glu Ala Leu Arg Gln Ala Gly Val Asp Arg Pro Asp Ala Val Ala Ala 65 70 75 80

Thr Val Gly Pro Gly Leu Ala Gly Ala Leu Leu Val Gly Ala Ser Ala 85 90 95

Ala Lys Ala Tyr Ala Ala Ala Trp Gly Val Pro Phe Tyr Ala Val Asn 100 105 110

His Leu Gly Gly His Val Ala Val Ala Asn Leu Glu Gly Glu Thr Leu 115 120 125

Pro His Ala Val Ala Leu Leu Val Ser Gly Gly His Thr Gln Leu Leu 130 135 140

Glu Val Asp Ala Val Gly Leu Pro Met Lys Glu Leu Gly Ser Thr Leu 145 150 155 160

Asp Asp Ala Ala Gly Glu Ala Tyr Asp Lys Val Ser Arg Leu Leu Gly
165 170 175

Leu Gly Tyr Pro Gly Gly Pro Ile Ile Asp Lys Leu Ala Arg Arg Gly 180 185 190

Asn Pro Glu Ala Ile Ala Phe Pro Arg Gly Leu Met Lys Lys Ser Asp 195 200 205

Ser Arg His Asp Phe Ser Phe Ser Gly Leu Lys Thr Ser Val Ala Arg 210 215 220

Tyr Val Glu Ala Ala Glu Arg Asn Gly Glu Val Ile Ser Val Glu Asp 225 230 235 240

Val Cys Ala Ser Phe Gln Glu Ala Val Cys Asp Val Leu Thr Phe Lys 245 250 255

Ala Val Arg Ala Cys Arg Asp Val Gly Ala Lys Val Leu Leu Gly
260 265 270

Gly Gly Val Ala Ala Asn Ser Arg Leu Arg Glu Leu Ala Gln Glu Arg 275 280 285

Cys Asp Lys Ala Asp Ile Glu Leu Arg Val Pro Arg Phe Asn Leu Cys Thr Asp Asn Gly Val Met Ile Ala Ala Leu Ala Ala Gln Arg Ile His 315 Glu Gly Ala Gln Glu Ser Pro Ile Ser Val Gly Thr Asp Pro Ser Leu 330 Ser Val Glu Thr Pro Gln Val Phe 340 <210> 149 <211> 888 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(865) <223> RXN02589 <400> 149 gectaaattg cagegagagg tetaaaaggt agtgetetag ggatteatee aaacteaega 60 atattgaagt tttaaagttg aacaggaaaa ataacaaata atg tct att tct gat Met Ser Ile Ser Asp aat too cgc gat caa tta gga gaa ctg cca gct ggt cgg cct ctc caa 163 Asn Ser Arg Asp Gln Leu Gly Glu Leu Pro Ala Gly Arg Pro Leu Gln tcc gat ttt gat aat gac ctc gac tac cca cgt cta ggc agt gtc acg Ser Asp Phe Asp Asn Asp Leu Asp Tyr Pro Arg Leu Gly Ser Val Thr 25 30 ttt agg cgt ggc acc ctc act gaa aac cag caa acc atg tgg gat gaa 259 Phe Arg Arg Gly Thr Leu Thr Glu Asn Gln Gln Thr Met Trp Asp Glu 40 45 aag tgg cct gaa ctg ggt cgc gtc ctc gaa gat gag ctg att gat gtt Lys Trp Pro Glu Leu Gly Arg Val Leu Glu Asp Glu Leu Ile Asp Val 60 gat gcg tgg ttc ggg cgc gaa ggc gca aaa acc atc gta gag atc ggc 355 Asp Ala Trp Phe Gly Arg Glu Gly Ala Lys Thr Ile Val Glu Ile Gly tet gge act gga act teg act get gee atg get eea ett gag get gat 403 Ser Gly Thr Gly Thr Ser Thr Ala Ala Met Ala Pro Leu Glu Ala Asp 95 100 acc aac att gtc gcc gtc gaa cta tac aag ccg ggc ttg gcc aag ttg Thr Asn Ile Val Ala Val Glu Leu Tyr Lys Pro Gly Leu Ala Lys Leu 105 115 atg ggc tct gtt gtc cgt gga gag atc gac aac gtg cgc atg gtc cgc Met Gly Ser Val Val Arg Gly Glu Ile Asp Asn Val Arg Met Val Arg 125

								cgc Arg								547
gac Asp 150	ggc Gly	atc Ile	cgc Arg	gta Val	tac Tyr 155	ttc Phe	ccg Pro	gać Asp	cct Pro	tgg Trp 160	cca Pro	aag Lys	gcg Ala	cgc Arg	cac His 165	595
								ggt Gly								643
								cac His 190								691
								gtt Val								739
								tgc Cys								787
								ggc Gly								835
		tac Tyr						caa Gln		taat	gtct	ga t	gtgo	catga	ıg	885
	•			250		-,-			255							
gtc	•			-		-3-										888
<210 <211 <212)> 15 l> 25 PF 3> Co	55 RT	èbact	250												888
<210 <211 <212 <213	l> 25 2> PF 3> Co 0> 15	55 RT oryne 50	ebact	250	um g]	Lutan	nicum	n	255							888
<210 <211 <212 <213	l> 25 2> PF 3> Co 0> 15	55 RT oryne 50	ebact	250	um gl	Lutan	nicum Arg		255 Gln			Glu		Pro 15	Ala	888
<210 <211 <212 <213 <400 Met	l> 25 2> PF 3> Co 0> 15 Ser	55 RT oryne 50 Ile	ebact Ser	250 Asp 5	um g] Asn	Lutan	nicum Arg	n Asp	255 Gln 10					15		888
<210 <211 <212 <213 <400 Met 1	l> 25 2> PF 3> Co 0> 15 Ser Arg	55 RT Dryne 60 Ile Pro	Ser Leu 20	250 Asp 5 Gln	um gl Asn Ser	Ser Asp	nicum Arg Phe	n Asp Asp	Gln 10	Asp	Leu	Asp	Tyr 30	15 Pro	Arg	888
<210 <211 <212 <213 <400 Met 1 Gly	1> 25 2> PF 3> Co 0> 15 Ser Arg	SET Fro Ser 35	Ser Leu 20 Val	250 Asp 5 Gln Thr	um g] Asn Ser Phe	Ser Asp Arg	Arg Phe Arg 40	n Asp Asp 25	Gln 10 Asn	Asp Leu	Leu Thr	Asp Glu 45	Tyr 30 Asn	15 Pro Gln	Arg Gln	888
<210 <211 <212 <213 <400 Met 1 Gly Leu	1> 25 2> PF 3> Co 0> 15 Ser Arg Gly Met 50	SET Fro Ser 35	Ser Leu 20 Val	250 Asp 5 Gln Thr	am gl Asn Ser Phe Lys	Ser Asp Arg Trp 55	Arg Phe Arg 40 Pro	Asp Asp 25 Gly	Gln 10 Asn Thr	Asp Leu Gly	Leu Thr Arg 60	Asp Glu 45 Val	Tyr 30 Asn Leu	15 Pro Gln Glu	Arg Gln Asp	888
<210 <211 <212 <213 <400 Met 1 Gly Leu Thr	l> 25 PF3> Cd 3> Cd D> 15 Ser Arg Gly Met 50 Leu	SET Fro Ser 35 Trp	Ser Leu 20 Val Asp	250 ceriu Asp 5 Gln Thr Glu	Asn Ser Phe Lys Asp 70	Ser Asp Arg Trp 55	Arg Phe Arg 40 Pro	Asp Asp 25 Gly Glu	Gln 10 Asn Thr Leu	Asp Leu Gly Arg 75	Leu Thr Arg 60 Glu	Asp Glu 45 Val Gly	Tyr 30 Asn Leu Ala	15 Pro Gln Glu Lys	Arg Gln Asp Thr 80	888

100 105 110

Gly Leu Ala Lys Leu Met Gly Ser Val Val Arg Gly Glu Ile Asp Asn 115 120 125

Val Arg Met Val Arg Gly Asp Gly Ile Glu Val Leu Asn Arg Met Phe 130 135 140

Ala Asp Gly Ser Leu Asp Gly Ile Arg Val Tyr Phe Pro Asp Pro Trp 145 150 155 160

Pro Lys Ala Arg His Asn Lys Arg Arg Ile Ile Gln Ser Gly Pro Leu 165 170 175

Asn Leu Phe Ala Lys Lys Leu Lys Pro Gly Gly Val Leu His Val Ala 180 185 190

Thr Asp His Ala Asp Tyr Ala Glu Trp Ile Asn Glu Leu Val Glu Val 195 200 205

Glu Pro Leu Leu Glu Tyr Lys Gly Trp Pro Trp Glu Glu Cys Pro Gln 210 215 220

Leu Thr Asp Arg Gln Val Ile Thr Lys Phe Glu Gly Lys Gly Leu Glu 225 230 235 240

Lys Asp His Val Ile Asn Glu Tyr Leu Trp Gln Lys Val Gln Asn 245 250 255

<210> 151

<211> 888

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(865)

<223> FRXA02589

<400> 151

gcctaaattg cagcgagagg tctaaaaggt agtgctctag ggattcatcc aaactcacga 60

atattgaagt tttaaagttg aacaggaaaa ataacaaata atg tct att tct gat 115 Met Ser Ile Ser Asp

aat too ogo gat caa tta gga gaa otg oca got ggt ogg oct oto caa 163 Asn Ser Arg Asp Gln Leu Gly Glu Leu Pro Ala Gly Arg Pro Leu Gln 10 15 20

tcc gat ttt gat aat gac ctc gac tac cca cgt cta ggc agt gtc acg
Ser Asp Phe Asp Asn Asp Leu Asp Tyr Pro Arg Leu Gly Ser Val Thr
25 30 35

ttt agg cgt ggc acc ctc act gaa aac cag caa acc atg tgg gat gaa $$ 259 Phe Arg Arg Gly Thr Leu Thr Glu Asn Gln Gln Thr Met Trp Asp Glu $$ 40 $$ 45 $$ 50

aag tgg cct gaa ctg ggt cgc gtc ctc gaa gat gag ctg att gat gtt 30%. Lys Trp Pro Glu Leu Gly Arg Val Leu Glu Asp Glu Leu Ile Asp Val

403

acc aac att gtc gcc gtc gaa cta tac aag ccg ggc ttg gcc aag ttg

Thr Asn Ile Val Ala Val Glu Leu Tyr Lys Pro Gly Leu Ala Lys Leu

105

110

115

tct ggc act gga act tcg act gct gcc atg gct cca ctt gag gct gat

Ser Gly Thr Gly Thr Ser Thr Ala Ala Met Ala Pro Leu Glu Ala Asp

atg ggc tct gtt gtc cgt gga gag atc gac aac gtg cgc atg gtc cgc 499
Met Gly Ser Val Val Arg Gly Glu Ile Asp Asn Val Arg Met Val Arg
120 125 130

gga gac ggc atc gag gtg ctc aac cgc atg ttt gcc gat ggg tcc ctg 547 Gly Asp Gly Ile Glu Val Leu Asn Arg Met Phe Ala Asp Gly Ser Leu 135 140 145

gac ggc atc cgc gta tac ttc ccg gac cct tgg cca aag gcg cgc cac 595 Asp Gly Ile Arg Val Tyr Phe Pro Asp Pro Trp Pro Lys Ala Arg His 150 165

aac aag cgc cgc atc atc cag tct ggt ccg ctg aac ctg ttt gca aag 643 Asn Lys Arg Arg Ile Ile Gln Ser Gly Pro Leu Asn Leu Phe Ala Lys 170 175

aag ctc aag cca ggt gga gtt ctg cac gtt gct acc gac cac gct gat 691 Lys Leu Lys Pro Gly Gly Val Leu His Val Ala Thr Asp His Ala Asp 185 190 195

tac gca gag tgg atc aat gag cta gtt gag gtc gaa cca ctg ctt gag 739 Tyr Ala Glu Trp Ile Asn Glu Leu Val Glu Val Glu Pro Leu Leu Glu 200 205 210

tac aaa ggc tgg cca tgg gag gaa tgc cct cag ctg act gac cgt cag 787
Tyr Lys Gly Trp Pro Trp Glu Glu Cys Pro Gln Leu Thr Asp Arg Gln
215 220 225

gtc atc acc aag ttt gaa ggc aaa ggc ttg gaa aaa gat cac gtg atc 835 Val Ile Thr Lys Phe Glu Gly Lys Gly Leu Glu Lys Asp His Val Ile 230 235 240 245

aat gag tac ttg tgg cag aag gtg caa aac taatgtctga tgtgcatgag 885 Asn Glu Tyr Leu Trp Gln Lys Val Gln Asn 250 255

gtc 888

<210> 152

<211> 255

<212> PRT

<213> Corynebacterium glutamicum

<400> 152

Met Ser Ile Ser Asp Asn Ser Arg Asp Gln Leu Gly Glu Leu Pro Ala $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Gly Arg Pro Leu Gln Ser Asp Phe Asp Asn Asp Leu Asp Tyr Pro Arg
20 25 30

- Leu Gly Ser Val Thr Phe Arg Arg Gly Thr Leu Thr Glu Asn Gln Gln 35 40 45
- Thr Met Trp Asp Glu Lys Trp Pro Glu Leu Gly Arg Val Leu Glu Asp 50 55 60
- Glu Leu Ile Asp Val Asp Ala Trp Phe Gly Arg Glu Gly Ala Lys Thr 65 70 75 80
- Ile Val Glu Ile Gly Ser Gly Thr Gly Thr Ser Thr Ala Ala Met Ala 85 90 95
- Pro Leu Glu Ala Asp Thr Asn Ile Val Ala Val Glu Leu Tyr Lys Pro 100 105 110
- Gly Leu Ala Lys Leu Met Gly Ser Val Val Arg Gly Glu Ile Asp Asn 115 120 125
- Val Arg Met Val Arg Gly Asp Gly Ile Glu Val Leu Asn Arg Met Phe 130 135 140
- Ala Asp Gly Ser Leu Asp Gly Ile Arg Val Tyr Phe Pro Asp Pro Trp 145 150 155 160
- Pro Lys Ala Arg His Asn Lys Arg Arg Ile Ile Gln Ser Gly Pro Leu 165 170 175
- Asn Leu Phe Ala Lys Lys Leu Lys Pro Gly Gly Val Leu His Val Ala 180 185 190
- Thr Asp His Ala Asp Tyr Ala Glu Trp Ile Asn Glu Leu Val Glu Val 195 200 205
- Glu Pro Leu Leu Glu Tyr Lys Gly Trp Pro Trp Glu Glu Cys Pro Gln 210 215 220
- Leu Thr Asp Arg Gln Val Ile Thr Lys Phe Glu Gly Lys Gly Leu Glu 225 235 235
- Lys Asp His Val Ile Asn Glu Tyr Leu Trp Gln Lys Val Gln Asn 245° 250 255
- <210> 153
- <211> 948
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(925)
- <223> RXA00226
- <400> 153
- ccgcctgcgg tgtcagcgga gcgcgccgg cgtctgaaaa ctgcacttgg tgagaacgtg 60
- attgttcatg atgtcacctg ttccatcggt acggagggc atg aac tta tcg atg $\,$ $\,$ $\,$ $\,$ $\,$ $\,$ $\,$

Met Asn Leu Ser Met ccg gcc ttc gct acc tgg gtt ctg atc cta gat ttc tca cgc acc ctc 163 Pro Ala Phe Ala Thr Trp Val Leu Ile Leu Asp Phe Ser Arg Thr Leu atg gca gcc cac aat ctc cag ggc aaa aac gcc ctg att ttc cgc gcc 211 Met Ala Ala His Asn Leu Gln Gly Lys Asn Ala Leu Ile Phe Arg Ala gac gcg ctc cag ccc gca agc agg gga gcc gac gtc atc atc qcg qac 259 Asp Ala Leu Gln Pro Ala Ser Arg Gly Ala Asp Val Ile Ile Ala Asp cct gcc aga cgc gcc ggg ggc aag cgc att aca aat ccg gca cag ctc 307 Pro Ala Arg Arg Ala Gly Gly Lys Arg Ile Thr Asn Pro Ala Gln Leu ctg cca cct ctg cct tcg ctt ctc gac gcc tgg atc aac caa cca ctc 355 Leu Pro Pro Leu Pro Ser Leu Leu Asp Ala Trp Ile Asn Gln Pro Leu gcc gtt aaa tgt gcc ccc ggc ctt gat ttt tcg gaa tgg cca ggt ctc 403 Ala Val Lys Cys Ala Pro Gly Leu Asp Phe Ser Glu Trp Pro Gly Leu gtc agt att gcc agc gtt gat gga ggc gtg aaa gaa gca tgc ctc tac 451 Val Ser Ile Ala Ser Val Asp Gly Gly Val Lys Glu Ala Cys Leu Tyr 110 act acg gat ctg gca gat ggg gaa act cgc gaa gct atc gtg atc aaa 499 Thr Thr Asp Leu Ala Asp Gly Glu Thr Arg Glu Ala Ile Val Ile Lys 125 gat ggg ctc att gac cgc atc acc aac ttt gaa gac gat gcc acg gga 547 Asp Gly Leu Ile Asp Arg Ile Thr Asn Phe Glu Asp Asp Ala Thr Gly caa gac ctt gcg gct gca cct ggt gag ttc atc atc gac cca gac ggt 595 Gln Asp Leu Ala Ala Ala Pro Gly Glu Phe Ile Ile Asp Pro Asp Gly 155 160 gcc atc gtg cgc gcc ggg ttg gtt cgc cac tat gca gtg cgt gag cag 643 Ala Ile Val Arg Ala Gly Leu Val Arg His Tyr Ala Val Arg Glu Gln 175 ctg tgg atg ttg gat gag cgg atc gca tac ctt acg ggc aat cgg att 691 Leu Trp Met Leu Asp Glu Arg Ile Ala Tyr Leu Thr Gly Asn Arg Ile 190 cca gag ggt acc agc ggt ttt agg ttt att gaa gag gtt ccg ctg aag 739 Pro Glu Gly Thr Ser Gly Phe Arg Phe Ile Glu Glu Val Pro Leu Lys 200 aag ctg aaa tcg gcg atg gca gca cat gat gcg ggg gcg gtt gaa att 787 Lys Leu Lys Ser Ala Met Ala Ala His Asp Ala Gly Ala Val Glu Ile tta gtg cgt ggt gtt gat gtt gat cct gat cag ttg cgg aaa aga ttg 835 Leu Val Arg Gly Val Asp Val Asp Pro Asp Gln Leu Arg Lys Arg Leu

883

925

230 235 240 245 cag ctg aag ggt acc aag gcg atg tct gtg gtg atc act cga att ggc Gln Leu Lys Gly Thr Lys Ala Met Ser Val Val Ile Thr Arg Ile Gly 250 age ega ggg gtt gea ttg att tgt ggt eet ege gag ege gee Ser Arg Gly Val Ala Leu Ile Cys Gly Pro Arg Glu Arg Ala 265 270 taaagccgat gcaaataaaa ttg 948 <210> 154 <211> 275 <212> PRT <213> Corynebacterium glutamicum Met Asn Leu Ser Met Pro Ala Phe Ala Thr Trp Val Leu Ile Leu Asp Phe Ser Arg Thr Leu Met Ala Ala His Asn Leu Gln Gly Lys Asn Ala 25 Leu Ile Phe Arg Ala Asp Ala Leu Gln Pro Ala Ser Arg Gly Ala Asp Val Ile Ile Ala Asp Pro Ala Arg Arg Ala Gly Gly Lys Arg Ile Thr Asn Pro Ala Gln Leu Leu Pro Pro Leu Pro Ser Leu Leu Asp Ala Trp Ile Asn Gln Pro Leu Ala Val Lys Cys Ala Pro Gly Leu Asp Phe Ser Glu Trp Pro Gly Leu Val Ser Ile Ala Ser Val Asp Gly Gly Val Lys Glu Ala Cys Leu Tyr Thr Thr Asp Leu Ala Asp Gly Glu Thr Arg Glu

Ala Ile Val Ile Lys Asp Gly Leu Ile Asp Arg Ile Thr Asn Phe Glu

Asp Asp Ala Thr Gly Gln Asp Leu Ala Ala Pro Gly Glu Phe Ile 155

Ile Asp Pro Asp Gly Ala Ile Val Arg Ala Gly Leu Val Arg His Tyr

Ala Val Arg Glu Gln Leu Trp Met Leu Asp Glu Arg Ile Ala Tyr Leu

Thr Gly Asn Arg Ile Pro Glu Gly Thr Ser Gly Phe Arg Phe Ile Glu

Glu Val Pro Leu Lys Lys Leu Lys Ser Ala Met Ala Ala His Asp Ala 210 215

Gly Ala Val Glu Ile Leu Val Arg Gly Val Asp Val Asp Pro Asp Gln Leu Arg Lys Arg Leu Gln Leu Lys Gly Thr Lys Ala Met Ser Val Val Ile Thr Arg Ile Gly Ser Arg Gly Val Ala Leu Ile Cys Gly Pro Arg Glu Arg Ala 275 <210> 155 <211> 924 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(901) <223> RXN01885 <400> 155 gtggcgtcgc agggatgttc ctgcggcacc atttttgctg aggtggaact cacggattaa 60 acacggattt ttctaaggtt aatcaagtaa ggtttacctt atg act acg aaa cct Met Thr Thr Lys Pro atc atc cca gaa tca acc cac tcc gca gaa cgt gct ggt gga cat tgg 163 Ile Ile Pro Glu Ser Thr His Ser Ala Glu Arg Ala Gly Gly His Trp 15 atc ctt gcc agg ctt gga aag aaa gtg ctg cgc cct gga ggt cgt gaa 211 Ile Leu Ala Arg Leu Gly Lys Lys Val Leu Arg Pro Gly Gly Arg Glu aca acg cag ttc ctg ctg gag aac ctt tct ttg acc ggt gct acc gtg 259 Thr Thr Gln Phe Leu Leu Glu Asn Leu Ser Leu Thr Gly Ala Thr Val 45 gtg gaa ttt gct cca gga ctt ggc gtg act gca cgt gac atc ctt ggc 307 Val Glu Phe Ala Pro Gly Leu Gly Val Thr Ala Arg Asp Ile Leu Gly aag ggt ccg gct cgc tac atc gga gtg gat agc gac gcg gat gca tgc 355 Lys Gly Pro Ala Arg Tyr Ile Gly Val Asp Ser Asp Ala Asp Ala Cys gcg aat gta cgt gcg atc tta cct gct ggt cct cac gag gtg cgc aat 403 Ala Asn Val Arg Ala Ile Leu Pro Ala Gly Pro His Glu Val Arg Asn aca aat gcc acc gat act ggc ctt gaa agc gac tcg ttt gat gtt gtc 451 Thr Asn Ala Thr Asp Thr Gly Leu Glu Ser Asp Ser Phe Asp Val Val 110 atc ggc gaa gcg atg ttg acc atg cag acc qat aag cac aag ttg gag 499 Ile Gly Glu Ala Met Leu Thr Met Gln Thr Asp Lys His Lys Leu Glu

Le	g ato u Mei 13:	t Arc	g gaq g Glu	g gca ı Ala	gct Ala	cga Arg 140	Ile	ctg Leu	aaa Lys	cca Pro	ggc Gly 145	ggg Gly	ctg Leu	tac Tyr	ggc Gly	547
at: 110 150	e H15	c gaç s Glu	g cto Leu	tcg Ser	Ctg Leu 155	Val	cct Pro	gac Asp	aat Asn	gtc Val 160	tcc Ser	act Thr	gcg Ala	gtg Val	aaa Lys 165	595
gaç Glu	g gat ı Asp	att Ile	gct Ala	aag Lys 170	Ala	ctg Leu	gct Ala	cgt Arg	tcc Ser 175	Ile	aaa Lys	gtc Val	aat Asn	gcc Ala 180	cgc Arg	643
Pro	ato Ile	acg Thr	gtg Val 185	Pro	gaa Glu	tgg Trp	gct Ala	gcg Ala 190	ttg Leu	gcg Ala	cgt Arg	gag Glu	gca Ala 195	ggg Gly	ttc Phe	691
gat Asp	gtg Val	att Ile 200	Asn	att Ile	cgc Arg	caa Gln	gcc Ala 205	Asp	atg Met	gcc Ala	ctt Leu	cta Leu 210	tcc Ser	ctc Leu	aag Lys	739
cgg Arg	aac Asn 215	Leu	aag Lys	gat Asp	gaa Glu	ggg Gly 220	cta Leu	aaa Lys	ggt Gly	gtc Val	ttc Phe 225	acg Thr	att Ile	gtg Val	agg Arg	787
aac Asn 230	vaı	att Ile	agc Ser	caa Gln	ccg Pro 235	gat Asp	ctg Leu	cgc Arg	aag Lys	cga Arg 240	gtg Val	ctc Leu	gga Gly	atg Met	cga Arg 245	835
aag Lys	act Thr	ttc Phe	acc Thr	gag Glu 250	cat His	aaa Lys	gat Asp	cac His	tta Leu 255	ggt Gly	gcg Ala	gtt Val	ggc Gly	atc Ile 260	att Ile	883
ttg Leu	cag Gln	aag Lys	aga Arg 265	gcc Ala	caa Gln	tago	gato	etg a	aato	ggagg	gg gt	g				924
<21 <21	0> 1! 1> 20 2> PI 3> Co	67 RT	ebact	eriu	ım gl	utam	ui cum	ı								
	D> 15															
Met 1	Thr	Thr	Lys	Pro 5	Ile	Ile	Pŗo	Glu	Ser 10	Thr	His	Ser	Ala	Glu 15	Arg	
Ala	Gly	Gly	His 20	Trp	Ile	Leu	Ala	Arg 25	Leu	Gly	Lys	Lys	Val 30	Leu	Arg	
Pro	Gly	Gly 35	Arg	Glu	Thr	Thr	Gln 40	Phe	Leu	Leu	Glu	Asn 45	Leu	Ser	Leu	
Thr	Gly 50	Ala	Thr	Val	Val	Glu 55	Phe	Ala	Pro	Gly	Leu 60	Gly	Val	Thr	Ala	
Arg 65	Asp	Ile	Leu	Gly	Lys 70	Gly	Pro	Ala	Arg	Tyr 75	Ile	Gly	Val	Asp	Ser 80	
Asp	Ala	Asp	Ala	Cys 85	Ala	Asn '	Val .	Arg	Ala 90	Ile	Leu	Pro .	Ala	Gly 95	Pro	

His Glu Val Arg Asn Thr Asn Ala Thr Asp Thr Gly Leu Glu Ser Asp Ser Phe Asp Val Val Ile Gly Glu Ala Met Leu Thr Met Gln Thr Asp 120 Lys His Lys Leu Glu Leu Met Arg Glu Ala Ala Arg Ile Leu Lys Pro Gly Gly Leu Tyr Gly Ile His Glu Leu Ser Leu Val Pro Asp Asn Val Ser Thr Ala Val Lys Glu Asp Ile Ala Lys Ala Leu Ala Arg Ser Ile Lys Val Asn Ala Arg Pro Ile Thr Val Pro Glu Trp Ala Ala Leu Ala 185 Arg Glu Ala Gly Phe Asp Val Ile Asn Ile Arg Gln Ala Asp Met Ala 200 Leu Leu Ser Leu Lys Arg Asn Leu Lys Asp Glu Gly Leu Lys Gly Val Phe Thr Ile Val Arg Asn Val Ile Ser Gln Pro Asp Leu Arg Lys Arg 230 . Val Leu Gly Met Arg Lys Thr Phe Thr Glu His Lys Asp His Leu Gly 250 Ala Val Gly Ile Ile Leu Gln Lys Arg Ala Gln <210> 157 <211> 924 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(901) <223> FRXA01885 <400> 157 gtggcgtcgc agggatgttc ctgcggcacc atttttgctg aggtggaact cacggattaa 60 acacggattt ttctaaggtt aatcaagtaa ggtttacctt atg act acg aaa cct Met Thr Thr Lys Pro atc atc cca gaa tca acc cac tcc gca gaa cgt gct ggt gga cat tgg 163 Ile Ile Pro Glu Ser Thr His Ser Ala Glu Arg Ala Gly Gly His Trp 15 atc ctt gcc agg ctt gga aag aaa gtg ctg cgc cct gga ggt cgt gaa 211 - Ile Leu Ala Arg Leu Gly Lys Lys Val Leu Arg Pro Gly Gly Arg Glu aca acg cag ttc ctg ctg gag aac ctt tct ttg acc ggt gct acc gtg 259

Thr	Thr	Gln 40	Phe	Leu	Leu	Glu	Asn 45	Leu	Ser	Leu	Thr	Gly 50	Ala	Thr	Val	
					gga Gly											307
aag Lys 70	ggt Gly	ccg Pro	gct Ala	cgc Arg	tac Tyr 75	atc Ile	gga Gly	gtg Val	gat Asp	agc Ser 80	gac Asp	gcg Ala	gat Asp	gca Ala	tgc Cys 85	355
gcg Ala	aat Asn	gta Val	cgt Arg	gcg Ala 90	atc Ile	tta Leu	cct Pro	gct Ala	ggt Gly 95	cct Pro	cac His	gag Glu	gtg Val	cgc Arg 100	aat Asn	403
aca Thr	aat Asn	gcc Ala	acc Thr 105	gat Asp	act Thr	ggc Gl.y	ctt Leu	gaa Glu 110	agc Ser	gac Asp	tcg Ser	ttt Phe	gat Asp 115	gtt Val	gtc Val	451
atc Ile	ggc Gly	gaa Glu 120	gcg Ala	atg Met	ttg Leu	acc Thr	atg Met 125	cag Gln	acc Thr	gat Asp	aag Lys	cac His 130	aag Lys	ttg Leu	gag Glu	499
ctg Leu	atg Met 135	cgc Arg	gag Glu	gca Ala	gct Ala	cga Arg 140	att Ile	ctg Leu	aaa Lys	cca Pro	ggc Gly 145	ggg ggg	ctg Leu	tac Tyr	ggc Gly	547
att Ile 150	cac His	gag Glu	ctg Leu	tcg Ser	ctg Leu 155	gtg Val	cct Pro	gac Asp	aat Asn	gtc Val 160	tcc Ser	act Thr	gcg Ala	gtg Val	aaa Lys 165	595
gag Glu	gat Asp	att Ile	gct Ala	aag Lys 170	gcg Ala	ctg Leu	gct Ala	cgt Arg	tcc Ser 175	atc Ile	aaa Lys	gtc Val	aat Asn	gcc Ala 180	cgc Arg	643
ccc Pro	atc Ile	acg Thr	gtg Val 185	ccg Pro	gaa Glu	tgg Trp	gct Ala	gcg Ala 190	ttg Leu	gcg Ala	cgt Arg	gag Glu	gca Ala 195	G] À ààà	ttc Phe	691
gat Asp	gtg Val	att Ile 200	aat Asn	att Ile	cgc Arg	caa Gln	gcc Ala 205	gac Asp	atg Met	gcc Ala	ctt Leu	cta Leu 210	tcc Ser	cțc Leu	aag Lys	739
cgg Arg	aac Asn 215	ctg Leu	aag Lys	gat Asp	gaa Glu	ggg Gly 220	cta Leu	aaa Lys	ggt Gly	gtc Val	ttc Phe 225	acg Thr	att Ile	gtg Val	agg Arg	787
aac Asn 230	gtg Val	att Ile	agc Ser	caa Gln	ccg Pro 235	gat Asp	ctg Leu	cgc Arg	aag Lys	cga Arg 240	gtg Val	ctc Leu	gga Gly	atg Met	cga Arg 245	835
aag Lys	act Thr	ttc Phe	acc Thr	gag Glu 250	cat His	aaa Lys	gat Asp	cac His	tta Leu 255	ggt Gly	gcg Ala	gtt Val	ggc Gly	atc Ile 260	att Ile	883
ttg Leu	cag Gln	aag Lys	aga Arg 265	gcc Ala	caa Gln	tagg	gato	tg a	aato	ggago	gg gt	:g				924

<210> 158

<211> 267

<212> PRT

<213> Corynebacterium glutamicum

<400> 158

Met Thr Thr Lys Pro Ile Ile Pro Glu Ser Thr His Ser Ala Glu Arg $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Ala Gly Gly His Trp Ile Leu Ala Arg Leu Gly Lys Lys Val Leu Arg
20 25 30

Pro Gly Gly Arg Glu Thr Thr Gln Phe Leu Leu Glu Asn Leu Ser Leu 35 40 45

Thr Gly Ala Thr Val Val Glu Phe Ala Pro Gly Leu Gly Val Thr Ala 50 55 60

Arg Asp Ile Leu Gly Lys Gly Pro Ala Arg Tyr Ile Gly Val Asp Ser 65 70 75 80

Asp Ala Asp Ala Cys Ala Asn Val Arg Ala Ile Leu Pro Ala Gly Pro 85 90 95

His Glu Val Arg Asn Thr Asn Ala Thr Asp Thr Gly Leu Glu Ser Asp 100 105 110

Ser Phe Asp Val Val Ile Gly Glu Ala Met Leu Thr Met Gln Thr Asp 115 120 125

Lys His Lys Leu Glu Leu Met Arg Glu Ala Ala Arg Ile Leu Lys Pro 130 135 140

Gly Gly Leu Tyr Gly Ile His Glu Leu Ser Leu Val Pro Asp Asn Val 145 150 155 160

Ser Thr Ala Val Lys Glu Asp Ile Ala Lys Ala Leu Ala Arg Ser Ile 165 170 175

Lys Val Asn Ala Arg Pro Ile Thr Val Pro Glu Trp Ala Ala Leu Ala 180 185 190

Arg Glu Ala Gly Phe Asp Val Ile Asn Ile Arg Gln Ala Asp Met Ala 195 200 205

Leu Leu Ser Leu Lys Arg Asn Leu Lys Asp Glu Gly Leu Lys Gly Val 210 215 220

Phe Thr Ile Val Arg Asn Val Ile Ser Gln Pro Asp Leu Arg Lys Arg 225 230 235 240

Val Leu Gly Met Arg Lys Thr Phe Thr Glu His Lys Asp His Leu Gly 245 250 255

Ala Val Gly Ile Ile Leu Gln Lys Arg Ala Gln
260 265

<210> 159

<211> 894

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(871) <223> RXA02592 <400> 159 aaacaccacc attgtttcct ccatcgacga tgccatcacc accattttgc gatggatgaa 60 cggcgaagac atccgcgacc tcaactggac ccgcgcataa atg gcc tca ttt ccg Met Ala Ser Phe Pro gag ett eeg get ett egt ege ttg get ace ttg gge agg teg tgg ggt Glu Leu Pro Ala Leu Arg Arg Leu Ala Thr Leu Gly Arg Ser Trp Gly 163 tta ctg tct gat ttc aaa tac gaa caa acc cga cct gac atc ttt tac Leu Leu Ser Asp Phe Lys Tyr Glu Gln Thr Arg Pro Asp Ile Phe Tyr 211 25 30 gga aac ctg gcc ctc gat acc tcg agt ctg gtg gcg gct ttg tct gaa Gly Asn Leu Ala Leu Asp Thr Ser Ser Leu Val Ala Ala Leu Ser Glu 259 45 gat att tot ggc gcc gga tta aat gac ctg aaa gtt ctc gac gtc ggc 307 Asp Ile Ser Gly Ala Gly Leu Asn Asp Leu Lys Val Leu Asp Val Gly 55 60 ggc gga ccc gga tac ttc gcc gaa gcc ttt gag aca ctg ggc gcc acc 355 Gly Gly Pro Gly Tyr Phe Ala Glu Ala Phe Glu Thr Leu Gly Ala Thr 70 75 80 tac ttc tcc gtc gaa ccc gac gtt ggc gaa atg tcc gca gct ggc atc 403 Tyr Phe Ser Val Glu Pro Asp Val Gly Glu Met Ser Ala Ala Gly Ile gac gtc cac gga tca gtc cgc gga tcc ggc ctc gac ctg ccg ttt ctt 451 Asp Val His Gly Ser Val Arg Gly Ser Gly Leu Asp Leu Pro Phe Leu 105 ccc gat tcc ttt gac gtg gtg tac tcc tcc aac gtt gca gaa cat gtc Pro Asp Ser Phe Asp Val Val Tyr Ser Ser Asn Val Ala Glu His Val 499 tcc gca ccg tgg gaa ttg gga gaa gaa atg ctc cgc gtc acc cgc agc Ser Ala Pro Trp Glu Leu Gly Glu Glu Met Leu Arg Val Thr Arg Ser 547 135 140 ggc ggc ctg gca atc ctg agc tac acc att tgg tta ggg ccc ttc ggc Gly Gly Leu Ala Ile Leu Ser Tyr Thr Ile Trp Leu Gly Pro Phe Gly 150 ggc cat gaa acc gga ctg tgg gaa cac tac gtt ggc gga gaa ttt gcc Gly His Glu Thr Gly Leu Trp Glu His Tyr Val Gly Gly Glu Phe Ala 170 cgc gat cgc tac acg aag aaa cac ggg cac ccg cct aag aac gtt ttc Arg Asp Arg Tyr Thr Lys Lys His Gly His Pro Pro Lys Asn Val Phe 190

Gly	gag Glu	tca Ser 200	Leu	ttt Phe	aat Asn	gtg Val	Ser 205	Cys	cgg Arg	gag Glu	ggg Gly	ctg Leu 210	gaa Glu	tgg Trp	gga Gly	739
gcc Ala	Ser 215	Val	ggc Gly	aat Asn	gcg Ala	gaa Glu 220	Leu	gtt Val	gcc Ala	gct Ala	ttt Phe 225	ccc Pro	cgc Arg	tac Tyr	cac His	787
ccg Pro 230	Tyr	tgg Trp	gtc Val	tgg Trp	tgg Trp 235	atg Met	gtt Val	aaa Lys	gtc Val	cca Pro 240	gtg Val	ctc Leu	cga Arg	gaa Glu	ttc Phe 245	835
gcg Ala	gta Val	agt Ser	aac Asn	ttg Leu 250	gtg Val	ttg Leu	gtg Val	ttt Phe	aaa Lys 255	aag Lys	cac His	tgad	ggtt	ttg		881
agg	aatt	cat	cgc									-				894
<21 <21	0> 1 1> 2 2> Pi 3> C	57 RT	ebact	eri	um gi	lutai	nicum	n								
	0> 1 Ala		Phe	Pro	Glu	Leu	Pro	Ala	Leu	Arg	Arg	Leu	Ala	Thr	Leu	
1				5					10					15		
Gly	Arg	Ser	Trp 20	Gly	Leu	Leu	Ser	Asp 25	Phe	Lys	Tyr	Glu	Gln 30	Thr	Arg	
Pro	Asp	11e 35	Phe	Tyr	Gly	Asn	Leu 40	Ala	Leu	Asp	Thr	Ser 45	Ser	Leu	Val	
Ala	Ala 50	Leu	Ser	Glu	Asp	Ile 55	Ser	Gly	Ala	Gly	Leu 60	Asn	Asp	Leu	Lys	
Val 65	Leu	Asp	Val	Gly	Gly 70	Gly	Pro	Gly	Tyr	Phe 75	Ala	Glu	Ala	Phe	Glu 80	
Thr	Leu	Gly	Ala	Thr 85	Tyr	Phe	Ser	Val	Glu 90	Pro	Asp	Val	Gly	Glu 95	Met	
Ser	Ala	Ala	Gly 100	Ile	Asp	Val	His	Gly 105	Ser	Val	Arg	Gly	Ser 110	Gly	Leu	
Asp	Leu	Pro 115	Phe	Leu	Pro	Asp	Ser 120	Phe	Asp	Val	Val	Tyr 125	Ser	Ser	Asn	
Val	Ala 130	Glu	His	Val	Ser	Ala 135	Pro	Trp	Glu	Leu	Gly 140	Glu	Glu	Met	Leu	
Arg 145	Val	Thr	Arg	Ser	Gly 150	Gly	Leu	Ala	Ile	Leu 155	Ser	Tyr	Thr	Ile	Trp 160	
Leu	Gly	Pro	Phe	Gly 165	Gly	His	Gl _, u	Thr	Gly 170	Leu	Trp	Glu	His	Tyr 175	Val	÷
Gly	Gly	Glu	Phe 180	Ala	Arg	Asp	Arg	Tyr 185	Thr	Lys	Lys	His	Gly 190	His	Pro	

Pro Lys Asn Val Phe Gly Glu Ser Leu Phe Asn Val Ser Cys Arg Glu 195 200 205

Gly Leu Glu Trp Gly Ala Ser Val Gly Asn Ala Glu Leu Val Ala Ala 210 215 220

Phe Pro Arg Tyr His Pro Tyr Trp Val Trp Trp Met Val Lys Val Pro 225 230 235 240

Val Leu Arg Glu Phe Ala Val Ser Asn Leu Val Leu Val Phe Lys Lys
245 250 255

His

<210> 161 <211> 720 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(697) <223> RXN01795

<400> 161

agaccatatt gaagacctcg aagctgttga gcctggctac atcgtcaagc ctcgcctgta 60

caactteget gaataeggtg teecacaatt eegegaaegt gtg etc att gtt gge 115 Val Leu Ile Val Gly 1 5

att cgc cgt gac acc ggc ttt gat ttc aag cac cca gct cct acc cat 163
Ile Arg Arg Asp Thr Gly Phe Asp Phe Lys His Pro Ala Pro Thr His
10 15 20

ggc cct cgc ggt gac atg ccg tat aag act gcc ggc gaa gcg ctc aaa 211 Gly Pro Arg Gly Asp Met Pro Tyr Lys Thr Ala Gly Glu Ala Leu Lys 25 30

ggc gtg aag gat gtc ccc aca aac aac cac atg aag atc atg cct 259 Gly Val Lys Asp Val Pro Thr Asn Asn His Met Lys Ile Met Pro
40

cgc acc gtt gaa gtg ctt aag cgc atc cct gag ggc gaa aac ttc acc 307 Arg Thr Val Glu Val Leu Lys Arg Ile Pro Glu Gly Glu Asn Phe Thr 55 60

gcg atc ccc aaa gat gac ccc tac tac gtc aag ggc atg att agt cac 355
Ala Ile Pro Lys Asp Asp Pro Tyr Tyr Val Lys Gly Met Ile Ser His
70 75 80 85

gtt tac cgt cgc ttg cac cgt gat gag cca tcc aaa acc ctt atc gcc 403 Val Tyr Arg Arg Leu His Arg Asp Glu Pro Ser Lys Thr Leu Ile Ala 90 95 100

ggt ggc ggc ggg ggt aca tgg gga tac cat tat gaa aaa aat cga gca 451 Gly Gly Gly Gly Thr Trp Gly Tyr His Tyr Glu Lys Asn Arg Ala 105 110 115

						cgg Arg											499
_	-		_			aac Asn		-	_	-	-					-	547 ·
V	tt al 50	cct Pro	cct Pro	gta Val	ggt Gly	atg Met 155	cac	gct Ala	gtg Val	ggt Gly	gag Glu 160	cga Arg	ctg Leu	atg Met	aac Asn	ctg Leu 165	595
						act Thr											643
	_	-	_			att Ile	_	-	-			-	-	-	_	-	691
-		gat Asp	taac	gtaga	ata t	atga	agco	ec ad	cc								720
<: <:	211 212)> 16 .> 19 !> PE !> Co	99	ehact	ari	um al	lut an	ni aur	_								-
			, .		.ell(ın 91	utan	ni Cun	it.								
	400)> 16	52			Ile				Thr 10	Gly	Phe	Asp	Phe	Lys 15	His	
Va	400 al 1)> 16 Leu	52 Ile	Val	Gly 5	-	Arg	Arg	Asp	10			•		15		
Va Pr	400 al 1 ro)> 10 Leu Ala	Ile Pro	Val Thr 20	Gly 5 His	Ile	Arg Pro	Arg Arg	Asp Gly 25	10 Asp	Met	Pro	Tyr	Lys 30	15 Thr	Ala	
V:	400 al 1 ro)> 16 Leu Ala Glu	52 Ile Pro Ala 35	Val Thr 20 Leu	Gly 5 His Lys	Ile	Arg Pro Val	Arg Arg Lys 40	Asp Gly 25 Asp	10 Asp Val	Met Pro	Pro Thr	Tyr Asn 45	Lys 30 Asn	15 Thr Asn	Ala His	
Va Pr GC	400 al 1 ro	D> 10 Leu Ala Glu Lys 50	Fro Ala 35	Val Thr 20 Leu Met	Gly 5 His Lys	Ile Gly Gly	Arg Pro Val Thr 55	Arg Arg Lys 40	Asp Gly 25 Asp Glu	10 Asp Val	Met Pro Leu	Pro Thr Lys	Tyr Asn 45	Lys 30 Asn	15 Thr Asn Pro	Ala His Glu	
Va P: G: Mc	400 al 1 ro ly et	Ala Glu Lys 50	Fro Ala 35 Ile Asn	Val Thr 20 Leu Met	Gly 5 His Lys Pro	Ile Gly Gly Arg	Arg Pro Val Thr 55	Arg Arg Lys 40 Val	Asp Gly 25 Asp Glu Lys	10 Asp Val Val Asp	Met Pro Leu Asp 75	Pro Thr Lys 60 Pro	Tyr Asn 45 Arg	Lys 30 Asn Ile Tyr	15 Thr Asn Pro Val	Ala His Glu Lys	
Va Pr G: Me G: G:	400 al 1 ro ly et	D> 16 Leu Ala Glu Lys 50 Glu Met	Fro Ala 35 Ile Asn	Val Thr 20 Leu Met Phe	Gly 5 His Lys Pro Thr	Ile Gly Gly Arg Ala 70	Arg Pro Val Thr 55 Ile	Arg Lys 40 Val Pro	Asp Gly 25 Asp Glu Lys	10 Asp Val Val Asp Leu 90	Met Pro Leu Asp 75	Pro Thr Lys 60 Pro	Tyr Asn 45 Arg Tyr	Lys 30 Asn Ile Tyr	15 Thr Asn Pro Val Pro 95	Ala His Glu Lys 80 Ser	
Variable Var	400 al 1 ro ly et ly 65	D> 16 Leu Ala Glu Lys 50 Glu Met	Fro Ala 35 Ile Asn Ile Leu	Val Thr 20 Leu Met Phe Ser Ile 100	Gly 5 His Lys Pro Thr His 85	Ile Gly Gly Arg Ala 70 Val	Arg Pro Val Thr 55 Ile Tyr Gly	Arg Lys 40 Val Pro Arg	Asp Gly 25 Asp Glu Lys Arg Gly 105	10 Asp Val Val Asp Leu 90 Gly	Met Pro Leu Asp 75 His	Pro Thr Lys 60 Pro Arg	Tyr Asn 45 Arg Tyr Asp Gly	Lys 30 Asn Ile Tyr Glu Tyr	Thr Asn Pro Val Pro 95 His	Ala His Glu Lys 80 Ser	

Gln Ile Gly Asn Ala Val Pro Pro Val Gly Met His Ala Val Gly Glu 145 150155155160

Arg Leu Met Asn Leu Tyr Thr Gly Asn Tyr Thr Pro Val Asp Leu Glu 165 170 175

Glu Gln His Ala Tyr Leu Gln Thr Leu Ser Ile Lys Glu Arg Leu Ala 180 185 190

Leu Ala Asp Gln Glu Ala Asp 195

<210> 163

<211> 535

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101) .. (535)

<223> FRXA01795

<400> 163

agaccatatt gaagacctcg aagctgttga gcctggctac atcgtcaagc ctcgcctgta 60

caactteget gaataeggtg teceacaatt eegegaaegt gtg ete att gtt gge 115 Val Leu Ile Val Gly 1 5

att cgc cgt gac acc ggc ttt gat ttc aag cac cca gct cct acc cat 163 Ile Arg Arg Asp Thr Gly Phe Asp Phe Lys His Pro Ala Pro Thr His 10 15 20

ggc cct cgc ggt gac atg ccg tat aag act gcc ggc gaa gcg ctc aaa $$ 211 Gly Pro Arg Gly Asp Met Pro Tyr Lys Thr Ala Gly Glu Ala Leu Lys $$ 25 $$ 30 $$ 35

ggc gtg aag gat gtc ccc aca aac aac cac atg aag atc atg cct 259 Gly Val Lys Asp Val Pro Thr Asn Asn Asn His Met Lys Ile Met Pro 40 45

cgc acc gtt gaa gtg ctt aag cgc atc cct gag ggc gaa aac ttc acc 307 Arg Thr Val Glu Val Leu Lys Arg Ile Pro Glu Gly Glu Asn Phe Thr 55 60 65

gcg atc ccc aaa gat gac ccc tac tac gtc aag ggc atg att agt cac 355
Ala Ile Pro Lys Asp Asp Pro Tyr Tyr Val Lys Gly Met Ile Ser His
70 80 85

gtt tac cgt cgc ttg cac cgt gat gag cca tcc aaa acc ctt atc gcc 403 Val Tyr Arg Arg Leu His Arg Asp Glu Pro Ser Lys Thr Leu Ile Ala 90 95 100

ggt ggc ggc ggg ggt aca tgg gga tac cat tat gaa aaa aat cga gca 451 Gly Gly Gly Gly Thr Trp Gly Tyr His Tyr Glu Lys Asn Arg Ala 105 110 115

ttg acc aac cgc gag cgg gct aga att caa tcg ttc ccc gat gac ttt $\,$ 499 Leu Thr Asn Arg Glu Arg Ala Arg Ile Gln Ser Phe Pro Asp Asp Phe $\,$ 120 $\,$ 130

gag ttt ttg gga tca aac acc caa gtc cgc cgc caa 535 Glu Phe Leu Gly Ser Asn Thr Gln Val Arg Arg Gln

135 140 145

<210> 164

<211> 145

<212> PRT

<213> Corynebacterium glutamicum

<400> 164

Val Leu Ile Val Gly Ile Arg Arg Asp Thr Gly Phe Asp Phe Lys His

1 10 15

Pro Ala Pro Thr His Gly Pro Arg Gly Asp Met Pro Tyr Lys Thr Ala 20 25 30

Gly Glu Ala Leu Lys Gly Val Lys Asp Val Pro Thr Asn Asn His \$35\$ \$40\$ $$45^{\rm c}$$

Met Lys Ile Met Pro Arg Thr Val Glu Val Leu Lys Arg Ile Pro Glu 50 55

Gly Glu Asn Phe Thr Ala Ile Pro Lys Asp Asp Pro Tyr Tyr Val Lys 65 70 75 80

Gly Met Ile Ser His Val Tyr Arg Arg Leu His Arg Asp Glu Pro Ser 85 90 95

Lys Thr Leu Ile Ala Gly Gly Gly Gly Gly Thr Trp Gly Tyr His Tyr 100 105 110

Glu Lys Asn Arg Ala Leu Thr Asn Arg Glu Arg Ala Arg Ile Gln Ser 115 120 125

Phe Pro Asp Asp Phe Glu Phe Leu Gly Ser Asn Thr Gln Val Arg Arg 130 135 140

Gln 145

<210> 165

<211> 1614

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1591)

<223> RXA01214

<400> 165

gttgatatga tgtggggtgt ttatgaaaat ttgtttgagg gagtgaaggc gcatgttgtt 60

gccagagttg aatcgtcgga cttttttcaa aggggccggg gtg ctg gca gca acg 115 Val Leu Ala Ala Thr 1 5

gtg gtg ggt gcg cag gtg ctg gtg gcg tgt tcc tca gat gat gtg cgt $\,$ 163 Val Val Gly Ala Gln Val Leu Val Ala Cys Ser Ser Asp Asp Val Arg $\,$ 10 $\,$ 15 $\,$ 20

ggt Gly	tat Tyr	ggg	gga Gly 25	Glu	ccg Pro	cgg Arg	acg Thr	ttg Leu 30	Pro	att Ile	cca Pro	cca Pro	gca Ala 35	Asp	tta Leu	211
ggt Gly	acg Thr	cgt Arg 40	gag Glu	gga Gly	tct Ser	agc Ser	gtg Val 45	cac His	ttt Phe	gcc Ala	ctg Leu	gag Glu 50	gct Ala	cag Gln	act Thr	259
ggg Gly	gag Glu 55	agt Ser	cag Gln	att Ile	ttg Leu	ccg Pro 60	gat Asp	gtc Val	aca Thr	acg Thr	aag Lys 65	acg Thr	tgg Trp	ggt Gly	ttc Phe	307
aat Asn 70	ggc Gly	act Thr	cat His	ttg Leu	999 Gly 75	ccg Pro	acg Thr	ttg Leu	gtg Val	gtg Val 80	aag Lys	aaa Lys	ggt Gly	gat Asp	gac Asp 85	355
gtc Val	cac His	gtt Val	gat Asp	gtg Val 90	ata Ile	aac Asn	aat Asn	ttg Leu	gat Asp 95	gaa Glu	atg Met	acc Thr	act Thr	gtg Val 100	cac His	403
tgg Trp	cat His	ggc Gly	atg Met 105	aag Lys	ttg Leu	ccg Pro	gcg Ala	att Ile 110	gct Ala	gat Asp	ggt Gly	ggt Gly	ccg Pro 115	cac His	tca Ser	451
ccg Pro	atc Ile	ggg Gly 120	cct Pro	Gly	cag Gln	acg Thr	tgg Trp 125	tca Ser	cca. Pro	acg Thr	tgg Trp	act Thr 130	gtg Val	gcc Ala	aat Asn	499
Asp	Ala 135	gcc Ala	Thr	Leu	Trp	Tyr 140	His	Pro	His	Thr	His 145	Gly	Leu	Thr	Gly	547
150	His	gcg Ala	Tyr	Arg	Gly 155	Leu	Ala	Gly	Met	Ile 160	Ile	Val	Glu	Asp	Glu 165	595
Ala	Thr	gac Asp	Lys	Leu 170	Asp	Leu	Pro	Arg	Glu 175	Tyr	Gly	Val	Asp	Asp 180	Ile	643
Pro	Leu	gtt Val	Leu 185	Met	Asp	His	Arg	Phe 190	Leu	Glu	Asp	Gly	Ser 195	Leu	Asp	691
Glu	Glu	gac Asp 200	Leu	Pro	Asp	Leu	Gly 205	Leu	Leu	Gly	Asp	Thr 210	Pro	Thr	Ala	739
Asn	ggc Gly 215	att Ile	acc Thr	aat Asn	Ala	cac His 220	ttt Phe	gat Asp	gcc Ala	acc Thr	acg Thr 225	cgc Arg	cgg Arg	gtt Val	cgg Arg	787
ttc Phe 230	cgc Arg	gtg Val	ctc Leu	Asn	ggc Gly 235	tcc Ser	aat Asn	atg Met	cgg Arg	ttc Phe 240	tat Tyr	aac Asn	ttg Leu	gcg Ala	ttt Phe 245	835
tca Ser	gac Asp	acg Thr	cgc Arg	acc Thr 250	ttc Phe	caa Gln	gtc Val	Ile	gcc Ala 255	agc Ser	gat Asp	tcc Ser	ggt Gly	ttg Leu 260	ctg Leu	883
gat	gaa	cct	caa	gac	cgc	acc	acc	ttg	gct	att	ggc	cca	ggc	gag	cgg	931

Asp	Glu	Pro	Gln 265	Asp	Arg	Thr	Thr	Leu 270	Ala	Ile	Gly	Pro	Gly 275	Glu	Arg	
						cta Leu										979
tct Ser	gta Val 295	ggt Gly	ttt Phe	gag Glu	gac Asp	aac Asn 300	tac Tyr	ggc Gly	gtc Val	cct Pro	gat Asp 305	gat Asp	gag Glu	ttc Phe	gtg Val	1027
ccc Pro 310	gat Asp	ttc Phe	ggc Gly	atg Met	tca Ser 315	gat Asp	tcc Ser	ttc Phe	cag Gln	ctg Leu 320	ctc Leu	acc Thr	atc Ile	acc Thr	ggc Gly 325	1075
cct Pro	tcc Ser	gat Asp	gat Asp	gct Ala 330	gcg Ala	caa Gln	gca Ala	cct Pro	gct Ala 335	ttg Leu	ccg Pro	ggc Gly	gtg Val	ctg Leu 340	gtg Val	1123
						gtc Val										1171
						aac Asn										1219
gac Asp	gtg Val 375	gtg Val	att Ile	gac Asp	cat His	gac Asp 380	cag Gln	cca Pro	gaa Glu	gtg Val	tgg Trp 385	att Ile	gtc Val	acc Thr	aac Asn	1267
						cac His										1315
aag Lys	gtg Val	ctg Leu	aaa Lys	ttt Phe 410	gaa Glu	ggc Gly	acc Thr	gac Asp	gta Val 415	gag Glu	ctc Leu	ttc Phe.	aac Asn	gac Asp 420	ggc Gly	1363
tgg Trp	aaa Lys	gac Asp	acc Thr 425	gtc Val	ggc Gly	ctg Leu	cca Pro	ccg Pro 430	gga Gly	gca Ala	acc Thr	gca Ala	act Thr 435	tta Leu	gcc Ala	1411
gtg Val	gaa Glu	ttt Phe 440	ggc Gly	cac His	tac Tyr	cca Pro	gac Asp 445	ccg Pro	caa Gln	tgg Trp	ccc Pro	tac Tyr 450	atg Met	tat Tyr	cac His	1459
tgc Cys	cac His 455	atg Met	ctc Leu	tac Tyr	cac	gag Glu 460	gat Asp	caa Gln	ggc Gly	atg Met	atg Met 465	ggg Gly	cag Gln	ttc Phe	gtc Val	1507
atc Ile 470	gtg Val	gag Glu	cca Pro	ggc Gly	gac Asp 475	gag Glu	ccg Pro	gcg Ala	gcg Ala	gtg Val 480	ctg Leu	ggg Gly	tcg Ser	ggc Gly	acg Thr 485	1555
ggc Gly	tcc Ser	agc Ser	att Ile	gac Asp 490	tcc Ser	gcc Ala	ggc Gly	gga Gly	cat His 495	gcg Ala	cac His	tagg	lààcá	jtg		1601
gggd	ggcg	ıtc g	jat													1614

<210> 166

<211> 497

<212> PRT

<213> Corynebacterium glutamicum

<400> 166

Val Leu Ala Ala Thr Val Val Gly Ala Gln Val Leu Val Ala Cys Ser 1 5 10 15

Ser Asp Asp Val Arg Gly Tyr Gly Gly Glu Pro Arg Thr Leu Pro Ile 20 25 30

Pro Pro Ala Asp Leu Gly Thr Arg Glu Gly Ser Ser Val His Phe Ala 35 40 45

Leu Glu Ala Gln Thr Gly Glu Ser Gln Ile Leu Pro Asp Val Thr Thr 50 60

Lys Thr Trp Gly Phe Asn Gly Thr His Leu Gly Pro Thr Leu Val Val 65 70 75 80

Lys Lys Gly Asp Asp Val His Val Asp Val Ile Asn Asn Leu Asp Glu 85 90 95

Met Thr Thr Val His Trp His Gly Met Lys Leu Pro Ala Ile Ala Asp 100 105 110

Gly Gly Pro His Ser Pro Ile Gly Pro Gly Gln Thr Trp Ser Pro Thr 115 120 125

Trp Thr Val Ala Asn Asp Ala Ala Thr Leu Trp Tyr His Pro His Thr 130 140

His Gly Leu Thr Gly Leu His Ala Tyr Arg Gly Leu Ala Gly Met Ile 145 150 155 160

Ile Val Glu Asp Glu Ala Thr Asp Lys Leu Asp Leu Pro Arg Glu Tyr 165 170 175

Gly Val Asp Asp Ile Pro Leu Val Leu Met Asp His Arg Phe Leu Glu 180 185 190

Asp Gly Ser Leu Asp Glu Glu Asp Leu Pro Asp Leu Gly Leu Leu Gly 195 200 205

Asp Thr Pro Thr Ala Asn Gly Ile Thr Asn Ala His Phe Asp Ala Thr 210 215 220

Thr Arg Arg Val Arg Phe Arg Val Leu Asn Gly Ser Asn Met Arg Phe 225 235 240

Tyr Asn Leu Ala Phe Ser Asp Thr Arg Thr Phe Gln Val Ile Ala Ser 245 250 255

Asp Ser Gly Leu Leu Asp Glu Pro Gln Asp Arg Thr Thr Leu Ala Ile 260 265 270

Gly Pro Gly Glu Arg Trp Glu Ile Val Val Glu Leu Glu Pro Gly Glu 275 280 285

Asp Val Thr Leu Glu Ser Val Gly Phe Glu Asp Asn Tyr Gly Val Pro Asp Asp Glu Phe Val Pro Asp Phe Gly Met Ser Asp Ser Phe Gln Leu 310 Leu Thr Ile Thr Gly Pro Ser Asp Asp Ala Ala Gln Ala Pro Ala Leu 330 Pro Gly Val Leu Val Lys Ser Thr Glu Pro Asp Val Ile Asp Ala Thr 345 Glu Arg Thr Phe Ile Met Asn Thr Phe Ser Ile Asn Asp Leu Gln Met 360 Asp Met Gln Arg Val Asp Val Val Ile Asp His Asp Gln Pro Glu Val Trp Ile Val Thr Asn Asp Asn Ser Asp Trp Pro His Asn Phe His Val His Asp Ala Arg Phe Lys Val Leu Lys Phe Glu Gly Thr Asp Val Glu Leu Phe Asn Asp Gly Trp Lys Asp Thr Val Gly Leu Pro Pro Gly Ala 425 Thr Ala Thr Leu Ala Val Glu Phe Gly His Tyr Pro Asp Pro Gln Trp Pro Tyr Met Tyr His Cys His Met Leu Tyr His Glu Asp Gln Gly Met 455 Met Gly Gln Phe Val Ile Val Glu Pro Gly Asp Glu Pro Ala Ala Val 470 Leu Gly Ser Gly Thr Gly Ser Ser Ile Asp Ser Ala Gly Gly His Ala His <210> 167 <211> 588 <212> DNA <213> Corynebacterium glutamicum <220>

gat Asp	atc Ile	acc Thr 35	aat Asn	gac Asp	ctg Leu	cct Pro	gag Glu 40	agc Ser	acc Thr	tcc Ser	atc Ile	cac His 45	tgg Trp	cat His	ggc Gly	144
atc Ile	gca Ala 50	ctc Leu	cac His	aac Asn	gca Ala	gcc Ala 55	gac Asp	ggt Gly	gtg Val	ccc Pro	ggc Gly 60	atg Met	acc Thr	cag Gln	gac Asp	192
ccc Pro 65	att Ile	gaa Glu	cct Pro	ggc Gly	gag Glu 70	tct Ser	ttc Phe	tcc Ser	tat Tyr	gtt Val 75	ttt Phe	gaa Glu	gtc Val	ccc Pro	cac His 80	240
ggt Gly	ggc Gly	acc Thr	tac Tyr	ttc Phe 85	tac Tyr	cat His	tcc Ser	cac His	acc Thr 90	ggc Gly	ctg Leu	cag Gln	ctt Leu	gat Asp 95	cgc Arg	288
ggc Gly	ctc Leu	cac His	gcc Ala 100	cca Pro	ctg Leu	atc Ile	atc Ile	cgt Arg 105	gac Asp	ccg Pro	caa Gln	gac Asp	gct Ala 110	gag Glu	gac Asp	336
cag Gln	gac Asp	gtc Val 115	gag Glu	tgg Trp	acc Thr	atc Ile	gtg Val 120	ctc Leu	gac Asp	gac Asp	tgg Trp	gtc Val 125	gat Asp	ggc Gly	att Ile	384
cag Gln	ggc Gly 130	act Thr	ccc Pro	gac Asp	gat Asp	gag Glu 135	ctc Leu	gac Asp	aag Lys	ctc Leu	acc Thr 140	gga Gly	atg Met	ggt Gly	tcg Ser	432
ggc Gly 145	gac Asp	cat His	aac Asn	ggg Gly	agg Arg 150	atg Met	gga Gly	atg Met	gga Gly	ggt Gly 155	cac His	ggc Gly	cag Gln	atg Met	atg Met 160	480
cac His	ggc Gly	acc Thr	ccg Pro	gac Asp 165	cgg Arg	gta Val	ctg Leu	ggc Gly	ggg Gly 170	gat Asp	gtc Val	ggc Gly	gat Asp	gtg Val 175	atg Met	528
tat Tyr	ccg Pro	cac His	tac Tyr 180	ctc Leu	atc Ile	aac Asn	gga Gly	cgt Arg 185	atc Ile	ccc Pro	cgt Arg	gct Ala	cac His 190	cgg Arg	acc Thr	576
		gct Ala 195	_													588
<211 <212)> 16 .> 19 !> PR !> Co	6 T	bact	eriu	m gl	utam	iicum	ı								
	> 16		C)	C1	T1 -	άι		_				_		_		
Leu 1	ʻysp	116	стλ	Gly 5	ile	GLu	Ala	Lys	Thr 10	Trp	Gly	Tyr	Val	Ser 15	-	
			20				Ala	25					30			
Asp	Ile	Thr 35	Asn	Asp	Leu	Pro	Glu 40	Ser	Thr	Ser	Ile	His 45	Trp	His	Gly	

Ile Ala Leu His Asn Ala Ala Asp Gly Val Pro Gly Met Thr Gln Asp Pro Ile Glu Pro Gly Glu Ser Phe Ser Tyr Val Phe Glu Val Pro His 70 75 Gly Gly Thr Tyr Phe Tyr His Ser His Thr Gly Leu Gln Leu Asp Arg Gly Leu His Ala Pro Leu Ile Ile Arg Asp Pro Gln Asp Ala Glu Asp 105 Gln Asp Val Glu Trp Thr Ile Val Leu Asp Asp Trp Val Asp Gly Ile 120 Gln Gly Thr Pro Asp Asp Glu Leu Asp Lys Leu Thr Gly Met Gly Ser Gly Asp His Asn Gly Arg Met Gly Met Gly Gly His Gly Gln Met Met 150 His Gly Thr Pro Asp Arg Val Leu Gly Gly Asp Val Gly Asp Val Met 165 Tyr Pro His Tyr Leu Ile Asn Gly Arg Ile Pro Arg Ala His Arg Thr 185 Phe Glu Ala Arg 195 <210> 169 <211> 744 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(721) <223> RXA02477 <400> 169 cgagcagggc tgtttgaaaa gctgtaaatg acatgaccta aatgattgta ctgactggca 60 ctttaggtca tatgtcacac cgagtggaat aataaagctt atg cct ttg cgt aat 115 Met Pro Leu Arg Asn gtt gat aga act ccg ccc gca gta tgg gaa gca ttg ctt gcc gga aac 163 Val Asp Arg Thr Pro Pro Ala Val Trp Glu Ala Leu Leu Ala Gly Asn 10 gaa aga ttc atc agt ttc aac gaa gat cga cca aac cag gac gcc ccg 211 Glu Arg Phe Ile Ser Phe Asn Glu Asp Arg Pro Asn Gln Asp Ala Pro 30 cgc aga aga gaa ctt cgc aat gga caa acg cct gca gct gtt gtt att 259 Arg Arg Glu Leu Arg Asn Gly Gln Thr Pro Ala Ala Val Ile 45 too tgt toa gat tot cga gtg coa gtt gag att att ttt gac gtc ggt 307

Ser Cys Ser Asp Ser Arg Val Pro Val Glu Ile Ile Phe Asp Val Gly ctc ggt gac ctc ttt gtt gtc cgt act gcc gga gaa atc ctc gac caa 355 Leu Gly Asp Leu Phe Val Val Arg Thr Ala Gly Glu Ile Leu Asp Gln gca gtg ctt gcg tcc atc gaa tac gcc act gaa tcc atc ggc gtt cca 403 Ala Val Leu Ala Ser Ile Glu Tyr Ala Thr Glu Ser Ile Gly Val Pro 90 ttg gtt atc gtc atg ggc cac gaa tcc tgt ggt gca gtt gca gca act 451 Leu Val Ile Val Met Gly His Glu Ser Cys Gly Ala Val Ala Ala Thr 110 gca gca gca ctt gaa ggc ggt gca ctt ccc gga ggc tac caa cga gtt 499 Ala Ala Ala Leu Glu Gly Gly Ala Leu Pro Gly Gly Tyr Gln Arg Val 125 ttg gtt gaa aag gtt gca cca tcc att cta gaa gcc aag gca gag ggc 547 Leu Val Glu Lys Val Ala Pro Ser Ile Leu Glu Ala Lys Ala Glu Gly ctg agc tcc atc aag gaa ttc gag gaa cac cac gtt gtg gca acg gta 595 Leu Ser Ser Ile Lys Glu Phe Glu Glu His His Val Val Ala Thr Val 155 160 aac caa ctg ttg tcc cgt tct cca gag att cat cag aag gtc gaa acc 643 Asn Gln Leu Leu Ser Arg Ser Pro Glu Ile His Gln Lys Val Glu Thr 175 ggt gag ttg gga atc att ggt ttg cgc tac cga ctc tct gac ggt cgt 691 Gly Glu Leu Gly Ile Ile Gly Leu Arg Tyr Arg Leu Ser Asp Gly Arg 185 190 act gaa cct gta att agc aag aac gtg ggt tagttttcgg tctgagattg 741 Thr Glu Pro Val Ile Ser Lys Asn Val Gly cct . 744 <210> 170 <211> 207 <212> PRT <213> Corynebacterium glutamicum <400> 170 Met Pro Leu Arg Asn Val Asp Arg Thr Pro Pro Ala Val Trp Glu Ala Leu Leu Ala Gly Asn Glu Arg Phe Ile Ser Phe Asn Glu Asp Arg Pro Asn Gln Asp Ala Pro Arg Arg Glu Leu Arg Asn Gly Gln Thr Pro 40 Ala Ala Val Val Ile Ser Cys Ser Asp Ser Arg Val Pro Val Glu Ile Ile Phe Asp Val Gly Leu Gly Asp Leu Phe Val Val Arq Thr Ala Gly

PCT/IB00/00911

WO 01/00842 70 75 Glu Ile Leu Asp Gln Ala Val Leu Ala Ser Ile Glu Tyr Ala Thr Glu Ser Ile Gly Val Pro Leu Val Ile Val Met Gly His Glu Ser Cys Gly 105 Ala Val Ala Ala Thr Ala Ala Ala Leu Glu Gly Gly Ala Leu Pro Gly Gly Tyr Gln Arg Val Leu Val Glu Lys Val Ala Pro Ser Ile Leu Glu Ala Lys Ala Glu Gly Leu Ser Ser Ile Lys Glu Phe Glu Glu His His 150 155 Val Val Ala Thr Val Asn Gln Leu Leu Ser Arg Ser Pro Glu Ile His Gln Lys Val Glu Thr Gly Glu Leu Gly Ile Ile Gly Leu Arg Tyr Arg 185 Leu Ser Asp Gly Arg Thr Glu Pro Val Ile Ser Lys Asn Val Gly 195 200 <210> 171 <211> 618 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(595) <223> RXN00833 <400> 171 agetttttgc atgtgtcata tegtacegtt tgcataggec tgttegeget tggtgaacet 60 tttctagcac caaaacaaaa ctctccctag tatggggtcc atg gct aaa aca cat 115 Met Ala Lys Thr His ttt caa ggc aac gaa act gct acc tcc ggc gaa ctg cca cag gtc ggc 163 Phe Gln Gly Asn Glu Thr Ala Thr Ser Gly Glu Leu Pro Gln Val Gly 15 gac aac ctc gca gag ttc aac ctc gtc aac acc gaa ctg ggc gag gtc 211 Asp Asn Leu Ala Glu Phe Asn Leu Val Asn Thr Glu Leu Gly Glu Val

45 tcc gtt gac acc ggc gtt tgt gca aca tca gtc cgc aag ttc aac gag 307 Ser Val Asp Thr Gly Val Cys Ala Thr Ser Val Arg Lys Phe Asn Glu 60

tcc tca aag gac ttc cag ggc cgc aag ctt gtc ctg aac atc ttc cca

Ser Ser Lys Asp Phe Gln Gly Arg Lys Leu Val Leu Asn Ile Phe Pro

gca gca gca age ctg gaa aac acc acc gtg ctg tgc atc tcc aag gat 355

259

A1 7	a Al O	a Al	a Se	r Le	u Glu 75	ı Asr	Th:	Thi	r Val	L Let 80		; Ile	Se:	r Lys	85	
ct Le	t cca u Pra	a tto o Pho	c gca e Ala	a Cto a Leo 90	a GT?	c cgt / Arg	tto Phe	tgo Cys	tco Ser 95	Ala	a gaa a Glu	ggc Gly	ato Ile	gaç Glu 100	g aac 1 Asn)	403
gt. Va	c aco	c cca	a gta D Val	Ser	gca Ala	ttc Phe	cgt Arg	tcc Ser 110	Thr	tto Phe	ggt Gly	gaa Glu	gad Asp 115	Asr	ggc Gly	451
ate Ile	c gto e Val	g cto Lei 120	1 GIU	aggo aGly	tca Ser	cca Pro	ctt Leu 125	Lys	ggt Gly	ctt Leu	ctt Leu	gca Ala 130	Arg	ago Ser	gtc Val	499
ato Ile	c gto e Val 135	. val	gat Asp	gaa Glu	aac Asn	ggc Gly 140	Lys	gtt Val	gct Ala	tac Tyr	acc Thr 145	cag Gln	ttg Leu	gtt Val	gat Asp	547
gaç Glu 150	1 TTE	tto Phe	act Thr	gaa Glu	cct Pro 155	gat Asp	tac Tyr	gac Asp	gct Ala	gca Ala 160	Leu	gct Ala	ggg	ctg Leu	aac Asn 165	595
taa	ittta	ctt	cgct ·	cagg	gg a	at										618
<21 <21 <21		65 RT oryn	ebac	teri	um g	lutar	micu	n								
	0> 1 Ala		Thr	His 5	Phe	Gln	Gly	Asn	Glu 10	Thr	Ala	Thr	Ser	Gly 15	Gļu	
Leu	Pro	Gln	Val 20	Gly	Asp	Asn	Leu	Ala 25	Glu	Phe	Asn	Leu	Val 30	Asn	Thr	
Glu	Leu	Gly 35	Glu	Val	Ser	Ser	Lys 40	Asp	Phe	Gln	Gly	Arg 45	Lys	Leu	Val	
Leu	Asn 50	Ile	Phe	Pro	Ser	Val 55	Asp	Thr	Gly	Val	Cys 60	Ala	Thr	Ser	Val	
Arg 65	Lys	Phe	Asn	Glu	Ala 70	Ala	Ala	Ser	Leu	Glu 75	Asn	Thr	Thr	Val	Leu 80	
Cys	Ile	Ser	Lys	Asp 85	Leu	Pro	Phe	Ala	Leu 90	Gly	Arg	Phe	Cys	Ser 95	Ala	
Glu	Glv	Tle	C1.,	Asn	Val	Thr	Pro	Val	Ser	Ala	Phe	Arg		Thr	Phe	
	07	110	100					105					110			
Gly			100		Ile			105	Gly	Ser	Pro	Leu 125		Gly	Leu	
	Glu	Asp 115	Asn	Gly		Val	Leu 120	105 Glu				125	Lys			

Leu Ala Gly Leu Asn 165

<210> 173 <211> 469 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(469) <223> FRXA00833 <400> 173 agetttttgc atgtgtcata tegtacegtt tgcataggee tgttegeget tggtgaacet 60 tttctagcac caaaacaaaa ctctccctag tatggggtcc atg gct aaa aca cat Met Ala Lys Thr His 1 ttt caa ggc aac gaa act gct acc tcc ggc gaa ctg cca cag gtc ggc Phe Gln Gly Asn Glu Thr Ala Thr Ser Gly Glu Leu Pro Gln Val Gly . 10 gac aac ctc gca gag ttc aac ctc gtc aac acc gaa ctg ggc gag gtc Asp Asn Leu Ala Glu Phe Asn Leu Val Asn Thr Glu Leu Gly Glu Val tcc tca aag gac ttc cag ggc cgc aag ctt gtc ctg aac atc ttc cca 259 Ser Ser Lys Asp Phe Gln Gly Arg Lys Leu Val Leu Asn Ile Phe Pro 40 45 tcc gtt gac acc ggc gtt tgt gca aca tca gtc cgc aag ttc aac gag 307 Ser Val Asp Thr Gly Val Cys Ala Thr Ser Val Arg Lys Phe Asn Glu gca gca gca agc ctg gaa aac acc acc gtg ctg tgc atc tcc aag gat Ala Ala Ala Ser Leu Glu Asn Thr Thr Val Leu Cys Ile Ser Lys Asp ctt cca ttc gca ctg ggc cgt ttc tgc tcc gca gaa ggc atc gag aac 403 Leu Pro Phe Ala Leu Gly Arg Phe Cys Ser Ala Glu Gly Ile Glu Asn gtc acc cca gta tcc gca ttc cgt tcc acc ttc ggt gaa gac aac ggc Val Thr Pro Val Ser Ala Phe Arg Ser Thr Phe Gly Glu Asp Asn Gly 105 110 atc gtg ctc gaa ggc tca 469

<210> 174 <211> 123 <212> PRT <213> Corynebacterium glutamicum

Ile Val Leu Glu Gly Ser 120

<400> 174

Met Ala Lys Thr His Phe Gln Gly Asn Glu Thr Ala Thr Ser Gly Glu $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Leu Pro Gln Val Gly Asp Asn Leu Ala Glu Phe Asn Leu Val Asn Thr 20 25 30

Glu Leu Gly Glu Val Ser Ser Lys Asp Phe Gln Gly Arg Lys Leu Val 35 40 45

Leu Asn Ile Phe Pro Ser Val Asp Thr Gly Val Cys Ala Thr Ser Val $50 \cdot 55$ 60

Arg Lys Phe Asn Glu Ala Ala Ala Ser Leu Glu Asn Thr Thr Val Leu 65 70 75 80

Cys Ile Ser Lys Asp Leu Pro Phe Ala Leu Gly Arg Phe Cys Ser Ala 85 90 95

Glu Gly Ile Glu Asn Val Thr Pro Val Ser Ala Phe Arg Ser Thr Phe 100 105 110

Gly Glu Asp Asn Gly Ile Val Leu Glu Gly Ser 115 120

<210> 175

<211> 1146

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1123)

<223> RXA01224

<400> 175

ttggcggcgg gaagttcagg cttgggggca aacagtgctt ggattttaga caaaaaactc 60

acggaagtca teetatggca ggegegeeta ggatggtgee atg age ate ett gae $\,$ 115 Met Ser Ile Leu Asp $\,$ 1 $\,$ 5

acg ttg aaa act ccc gtg att gtc gcc ccg atg gct ggc ggc ccg tcc 163
Thr Leu Lys Thr Pro Val Ile Val Ala Pro Met Ala Gly Gly Pro Ser
10 15 20

act ccc gcg ttg gtc aat gca gca gca gag gca ggt tcc ctc ggg ttc 211
Thr Pro Ala Leu Val Asn Ala Ala Ala Glu Ala Gly Ser Leu Gly Phe
25 30 35

ttg gct ggt ggc gtc atg cct ctt gag cag ctg aaa cag gaa ttg tca 259 Leu Ala Gly Gly Val Met Pro Leu Glu Gln Leu Lys Gln Glu Leu Ser 40 45 50

gag gta aaa ggc gtc ttt ggc gtc aac ctg ttt cgc ccg cag acg gat 307 Glu Val Lys Gly Val Phe Gly Val Asn Leu Phe Arg Pro Gln Thr Asp 55 60

gcg cct aag cct tca gac att gat gag ctg gcg gga ttg ttg tcc tcg 355 Ala Pro Lys Pro Ser Asp Ile Asp Glu Leu Ala Gly Leu Leu Ser Ser 70 85

gcg Ala	ttt Phe	cgg Arg	caa Gln	ttt Phe 90	ggc Gly	ctc Leu	gat Asp	gag Glu	ccg Pro 95	acg Thr	gtg Val	cct Pro	acg Thr	ccg Pro 100	gat Asp	403
						gct Ala										451
ccc Pro	gcc Ala	gtt Val 120	ttt Phe	tcc Ser	tgc Cys	acc Thr	ttt Phe 125	ggt Gly	att Ile	ttt Phe	agc Ser	gct Ala 130	gaa Glu	gaa Glu	ttc Phe	499
gcc Ala	cgg Arg 135	atc Ile	aaa Lys	gcc Ala	acc Thr	gga Gly 140	att Ile	gag Glu	gcg Ala	tgg Trp	gtg Val 145	acg Thr	gtg Val	acc Thr	aat Asn	547
ccg Pro 150	gag Glu	gac Asp	gcg Ala	ctg Leu	gct Ala 155	gcg Ala	cag Gln	aaa Lys	gct Ala	ggc Gly 160	gcc Ala	aac Asn	gcg Ala	ctt Leu	gtc Val 165	595
gtg Val	caa Gln	ggc Gly	ccc Pro	gag Glu 170	gcg Ala	ggt Gly	ggg Gly	cac His	cgc Arg 175	tct Ser	acc Thr	tgg Trp	tcc Ser	att Ile 180	gaa Glu	643
						gac Asp										691
caa Gln	gcg Ala	ggc Gly 200	gtt Val	tac Tyr	ctc Leu	ccg Pro	ctc Leu 205	atc Ile	gca Ala	gcc Ala	ggc Gly	ggc Gly 210	ctt Leu	tca Ser	acc Thr	739
tcc Ser	gca Ala 215	gac Asp	gtg Val	gca Ala	gca Ala	att Ile 220	tta Leu	gaa Glu	gcc Ala	ggc Gly	gcc Ala 225	agc Ser	gct Ala	gcc Ala	tcc Ser	787
tgt Cys 230	ggt Gly	tcc Ser	gcc Ala	ttt Phe	ttg Leu 235	ctt Leu	agc Ser	gac Asp	gaa Glu	gcc Ala 240	ggc Gly	acc Thr	agc Ser	tca Ser	ctt Leu 245	835
aac Asn	cgc Arg	gag Glu	atc Ile	ttg Leu 250	gac Asp	gcc Ala	gcc Ala	cca Pro	gca Ala 255	ctt Leu	ggt Gly	ttg Leu	gaa Glu	tcg Ser 260	gtg Val	883
tca Ser	tct Ser	cgc Arg	gca Ala 265	ttt Phe	tcg Ser	ggc Gly	cgt Arg	tat Tyr 270	gcc Ala	agg Arg	gga Gly	gtg Val	gaa Glu 275	acc Thr	agg Arg	931
						Gly ggg										979
cca Pro	atg Met 295	atc Ile	aca Thr	tct Ser	tta Leu	cgt Arg 300	aag Lys	gtg Val	gcg Ala	gga Gly	agt Ser 305	gca Ala	ggg Gly	aac Asn	tgg Trp	1027
gat Asp 310	tac Tyr	gcc Ala	tac Tyr	tgc Cys	ctg Leu 315	gta Val	gga Gly	gtc Val	ggc Gly	ctg Leu 320	gaa Glu	tcg Ser	att Ile	gcg Ala	aag Lys 325	1075

ggt agt gca aag cag ata ctg gaa tca tta aca cct tcc gct ttg ggc 1123 Gly Ser Ala Lys Gln Ile Leu Glu Ser Leu Thr Pro Ser Ala Leu Gly 330 335 340

taatgttggg gggagtgctt tca

1146

<210> 176

<211> 341

<212> PRT

<213> Corynebacterium glutamicum

<400> 176

Met Ser Ile Leu Asp Thr Leu Lys Thr Pro Val Ile Val Ala Pro Met

1 10 15

Ala Gly Gly Pro Ser Thr Pro Ala Leu Val Asn Ala Ala Ala Glu Ala
20 25 30

Gly Ser Leu Gly Phe Leu Ala Gly Gly Val Met Pro Leu Glu Gln Leu 35 40 45

Lys Gln Glu Leu Ser Glu Val Lys Glý Val Phe Gly Val Asn Leu Phe 50 55 60

Arg Pro Gln Thr Asp Ala Pro Lys Pro Ser Asp Ile Asp Glu Leu Ala 65 70 75 80

Gly Leu Leu Ser Ser Ala Phe Arg Gln Phe Gly Leu Asp Glu Pro Thr 85 90 95

Val Pro Thr Pro Asp Leu Ser Asn Gly Trp Glu Ala Lys Phe Glu Ala 100 105 110

Val Leu Ala Ala Lys Pro Ala Val Phe Ser Cys Thr Phe Gly Ile Phe 115 120 125

Ser Ala Glu Glu Phe Ala Arg Ile Lys Ala Thr Gly Ile Glu Ala Trp 130 135 140

Val Thr Val Thr Asn Pro Glu Asp Ala Leu Ala Ala Gln Lys Ala Gly
145 150 155 160

Ala Asn Ala Leu Val Val Gln Gly Pro Glu Ala Gly Gly His Arg Ser 165 170 175

Thr Trp Ser Ile Glu Val Glu Pro Asp Glu Arg Asp Leu Lys Thr Leu 180 185 190

Leu Ala Ala Val Lys Gln Ala Gly Val Tyr Leu Pro Leu Ile Ala Ala 195 200 205

Gly Gly Leu Ser Thr Ser Ala Asp Val Ala Ala Ile Leu Glu Ala Gly 210 215 220

Ala Ser Ala Ala Ser Cys Gly Ser Ala Phe Leu Leu Ser Asp Glu Ala 225 230 235 240

Gly Thr Ser Ser Leu Asn Arg Glu Ile Leu Asp Ala Ala Pro Ala Leu 245 250 255

Gly Leu Glu Ser Val Ser Ser Arg Ala Phe Ser Gly Arg Tyr Ala Arg 265 Gly Val Glu Thr Arg Phe Thr Arg Ser Asn Glu Gly Leu Pro Pro Leu Tyr Pro Tyr Leu Asn Pro Met Ile Thr Ser Leu Arg Lys Val Ala Gly Ser Ala Gly Asn Trp Asp Tyr Ala Tyr Cys Leu Val Gly Val Gly Leu 310 Glu Ser Ile Ala Lys Gly Ser Ala Lys Gln Ile Leu Glu Ser Leu Thr 330 Pro Ser Ala Leu Gly 340 <210> 177 <211> 516 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(493) <223> RXA01182 <400> 177 gttaaaacgg aaactaatac cccaaaggat accgattcaa tttgtgatgt gtggtgttcg 60 ggtcatatca agctaaacag atgcccccta caataggctt gtg ttc aat tta ttt Val Phe Asn Leu Phe 1 ggt cgt aaa act cct cgc tct aac ctc cgc cca cca cgc ggt ccg ggc 163 Gly Arg Lys Thr Pro Arg Ser Asn Leu Arg Pro Pro Arg Gly Pro Gly 10 gat act gtg cgc ccg gaa gat tta aaa ttc ttg atg caa tgg gtg cag 211 Asp Thr Val Arg Pro Glu Asp Leu Lys Phe Leu Met Gln Trp Val Gln 259 gat aag cca ttt gtt gag gca ttc gtt gaa ccg gaa acg ctg gtc aat Asp Lys Pro Phe Val Glu Ala Phe Val Glu Pro Glu Thr Leu Val Asn 40 45 gag atg tct gtc gtt ttg gtt gat gct cat ggg gtt ttt gtc cgc cga 307 Glu Met Ser Val Val Leu Val Asp Ala His Gly Val Phe Val Arg Arg agg atc ggc ggt ccc aaa ggg att gat gtt atc gcg aaa aag ctc ggc 355 Arg Ile Gly Gly Pro Lys Gly Ile Asp Val Ile Ala Lys Lys Leu Gly 80 403 gtt ccg gtt tat gat gtt gag gag acc ggt tac ccc caa agg atg cgc Val Pro Val Tyr Asp Val Glu Glu Thr Gly Tyr Pro Gln Arg Met Arg 90 95 gaa cgc att gaa tat gag cgc atc tta aga aag cgt gag gaa caa aaa 451

Glu Arg Ile Glu Tyr Glu Arg Ile Leu Arg Lys Arg Glu Glu Gln Lys 110 gct cgc cgc gct aaa ttt gag cgc ggc gag aat cct. gat ctt Ála Arg Arg Ála Lys Phe Glú Arg Gly Glú Asn Pro Ásp Leu 493 125 taactagcgt ttagctttcc gac 516 <210> 178 <211> 131 <212> PRT <213> Corynebacterium glutamicum <400> 178 Val Phe Asn Leu Phe Gly Arg Lys Thr Pro Arg Ser Asn Leu Arg Pro Pro Arg Gly Pro Gly Asp Thr Val Arg Pro Glu Asp Leu Lys Phe Leu 20 25 Met Gln Trp Val Gln Asp Lys Pro Phe Val Glu Ala Phe Val Glu Pro Glu Thr Leu Val Asn Glu Met Ser Val Val Leu Val Asp Ala His Gly 55 Val Phe Val Arg Arg Ile Gly Gly Pro Lys Gly Ile Asp Val Ile Ala Lys Lys Leu Gly Val Pro Val Tyr Asp Val Glu Glu Thr Gly Tyr Pro Gln Arg Met Arg Glu Arg Ile Glu Tyr Glu Arg Ile Leu Arg Lys 105 Arg Glu Glu Gln Lys Ala Arg Arg Ala Lys Phe Glu Arg Gly Glu Asn . 115 Pro Asp Leu 130 <210> 179 <211> 834 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(811) <223> RXA02531 <400> 179 cacttcgctc cccaaggtac atccccgatg ccacttcttg gagccatcat cggtgccacc 60 aaacacattg aagtgggcac tggagtagtg gatatgcgtt atg aaa atc cct ttg Met Lys Ile Pro Leu 1

											ctt Leu					163	
cta Leu	gcc Ala	ctc Leu	gga Gly 25	gtt Val	tcc Ser	agg Arg	gga Gly	tca Ser 30	ccc Pro	gaa Glu	cca Pro	gcc Ala	gag Glu 35	aag Lys	ggt Gly	211	
											cct Pro					259	
											gcc Ala 65					307	
											cgc Arg					355	
ggc Gly	act Thr	ccc Pro	ctg Leu	ccg Pro 90	atc Ile	ttc Phe	ccg Pro	cat His	gat Asp 95	ctt Leu	gac Asp	ttg Leu	ggt Gly	aaa Lys 100	tcc Ser	403	
											gaa Glu					451	
											gcc Ala					499	
											gcg Ala 145					547	
											cgt Arg					595	
agg Arg	tcc Ser	Ile	ttt Phe	Pro	Ile	Val	Thr	Asp	Arg	Asp	cgt Arg	Glu	Leu	Phe	Gly	643	
											ctg Leu					691	
tcc Ser	acg Thr	ttc Phe 200	ggt Gly	cgc Arg	agc Ser	tac Tyr	gcc Ala 205	gga Gly	agt Ser	ccc Pro	gat Asp	gaa Glu 210	ctc Leu	atc Ile	gac Asp	739	
cag Gln	ctc Leu 215	caa Gln	gga Gly	aga Arg	caa Gln	agc Ser 220	tgt Cys	gat Asp	gga Gly	agc Ser	cga Arg 225	cac His	ctt Leu	gat Asp	gct Ala	787	
					aat Asn 235			tgaç	gatca	ac q	gcgto	cgato	ec to	ga		834	

- <210> 180
- <211> 237
- <212> PRT
- <213> Corynebacterium glutamicum

<400> 180

- Met Lys Ile Pro Leu Tyr Met Ala Glu Glu Ala Ala Ala Leu Asn Leu 1 5 10 15
- Leu Ala Asp Gly Arg Leu Ala Leu Gly Val Ser Arg Gly Ser Pro Glu 20 25 30
- Pro Ala Glu Lys Gly Trp Glu Ala Phe Gly Tyr Asp Gly Gly Asp Asp 35 40 45
- Pro Lys Ala Ala Gly Met Ala Arg Glu Lys Phe Leu Arg Phe Leu Asp 50 55 60
- Ala Ile Asp Gly Arg Pro Met Ser Ile Ala Ser Glu Asn Gln Tyr Pro
 65 70 75 80
- Arg Leu Tyr His Pro Gly Thr Pro Leu Pro Ile Phe Pro His Asp Leu 85 90 95
- Asp Leu Gly Lys Ser Ile Trp Trp Gly Ala Gly Ser His Asn Thr Ala 100 105 110
- Glu Gln Ala Ala Arg Asp Gly Val Asn Leu Met Ser Ser Thr Leu Val 115 120 125
- Ala Glu Ala Thr Gly Gln Ser Phe Gly Asp Leu Gln Ala Asp Gln Ile 130 135 140
- Ala Phe Tyr Arg Gln Ala Trp Lys Glu Ala Gly His Asp Trp Thr Pro 145 150 155 160
- Arg Val Ser Val Ser Arg Ser Ile Phe Pro Ile Val Thr Asp Arg Asp 165 170 175
- Arg Glu Leu Phe Gly Leu Gln Gly Gln Gly Gly Asp Gln Val Gly Ile 180 185 190
- Leu Asp Asp Thr Arg Ser Thr Phe Gly Arg Ser Tyr Ala Gly Ser Pro 195 200 205
- Asp Glu Leu Ile Asp Gln Leu Gln Gly Arg Gln Ser Cys Asp Gly Ser 210 215. 220
- Arg His Leu Asp Ala His Arg Pro Gln Pro Asn Gly Cys 225 230 235
- <210> 181
- <211> 1614
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(1591)
- <223> RXN00689

<400> 181 acagggaaat cctcccagaa ttaatcaccq aaqctgcaca ccagatggct actgcagacc 60 tcaatcgtgc aaaggccctg ttaagaacgg atgcgatccg atg aat gct gca acc Met Asn Ala Ala Thr agg cgt gct tct ctg caa ctc ccc tat acc cat gtc gat gat ttc tac Arg Arg Ala Ser Leu Gln Leu Pro Tyr Thr His Val Asp Asp Phe Tyr atc aac ggt tcc tgg gtt aaa gca gaa gga aca caa cgc aac ccc gta 211 Ile Asn Gly Ser Trp Val Lys Ala Glu Gly Thr Gln Arg Asn Pro Val gtt gat cct gcg gtc ggt caa gaa tgg gga tct gtt cca gaa gca acc 259 Val Asp Pro Ala Val Gly Gln Glu Trp Gly Ser Val Pro Glu Ala Thr gca tct gaa ttg gac tct gcg gtg gga gct gca cgt aca gcg cta aag 307 Ala Ser Glu Leu Asp Ser Ala Val Gly Ala Ala Arg Thr Ala Leu Lys 55 60 tcg tgg agt gca ctt aca ggt gcg gaa cga aca ggc tac ctc ctg aaa 355 Ser Trp Ser Ala Leu Thr Gly Ala Glu Arg Thr Gly Tyr Leu Leu Lys atc gcg acg gaa att gaa tcc cgt tct gaa gct cta gca ctt act aat 403 Ile Ala Thr Glu Ile Glu Ser Arg Ser Glu Ala Leu Ala Leu Thr Asn acc ege gaa aat ggt tee eee att tee gag acc egt gga get geg tee 451 Thr Arg Glu Asn Gly Ser Pro Ile Ser Glu Thr Arg Gly Ala Ala Ser 105 110 aat gca gca gga att ttc cgt tac ttt gcc act ctc gcg cct tgg tta 499 Asn Ala Ala Gly Ile Phe Arg Tyr Phe Ala Thr Leu Ala Pro Trp Leu gac ggc gaa gac atc cgc cca ttt cct gcc ggt agc gcc gaa tcc atc 547 Asp Gly Glu Asp Ile Arg Pro Phe Pro Ala Gly Ser Ala Glu Ser Ile 140 145 gtg gat aaa gat ccc atc ggt gtc tgc gca ctc atc gcc cca tgg aat 595 Val Asp Lys Asp Pro Ile Gly Val Cys Ala Leu Ile Ala Pro Trp Asn 155 160 ttc ccg atc aac ctt gta gtc atc aaa ctg gca cca gca ctt ctt gcc 643 Phe Pro Ile Asn Leu Val Val Ile Lys Leu Ala Pro Ala Leu Leu Ala 170 gge tgt acc gtc atc atc aaa cca gcc tcc ccc acc cca ctg tcg atc 691 Gly Cys Thr Val Ile Ile Lys Pro Ala Ser Pro Thr Pro Leu Ser Ile 190 cgt ttc atc atc gaa gcc atc gaa gcc gcc gqa gtg cca gca ggc gta 739 Arg Phe Ile Ile Glu Ala Ile Glu Ala Ala Gly Val Pro Ala Gly Val 205 787 . gte aac eta ete ace ggt tea ggg egt tte ggt gat gee ett gte ege

Va]	215	n Lei	ı Le	u Thi	r Gly	/ Ser 220	Gl _y	/ Arc	g Phe	e Gly	/ Asp 225		Lei	ı Va	l Arg	2.2200,0
cac His 230	PIC	gga Gly	a gta / Val	a gad l Asp	aag Lys 235	: Val	geç Ala	ttt Phe	aco Thi	c gga c Gly 240	/ Ser	acg Thr	r cct	gti Val	t gga l Gly 245	835
Lys	гуз	116	Ala	250	ı Ala	Cys	Gly	Glu	255	ı Leu	Arg	Pro	Val	. Thi 260		883
gag Glu	cta Leu	ggc	gga Gly 265	, rAz	tct Ser	tcc Ser	gcg Ala	att Ile 270	Ile	ctt Leu	cct Pro	gat Asp	gca Ala 275	Asp	atg Met	931
tca Ser	gta Val	ctc Leu 280	ser	acg Thr	cgg Arg	ttg Leu	att Ile 285	cga Arg	tcc Ser	tgt Cys	atg Met	cgc Arg 290	aac	act	gga Gly	979
GIII	295	cys	Tyr	ile	Ser	Thr 300	Arg	Ile	Ile	Ala	Pro 305	Ser	Ser	Arg	tat Tyr	1027
gcg Ala 310	gaa Glu	gtc Val	gta Val	caa Gln	aca Thr 315	gtg Val	gca Ala	agc Ser	act Thr	atc Ile 320	gct Ala	gca Ala	ggt Gly	aga Arg	caa Gln 325	1075
Gly	ASP	Pro	Tyr	gat Asp 330	GLu	Glu	Thr	Val	Phe 335	Gly	Pro	Val	Ala	Ser 340	Ala	1123
261	GIH	ıyr	345	acc Thr	Val	Met	Ser	Tyr 350	Ile	Asp	Ser	Ala	Arg 355	Glu	Glu	1171
GIY	на	360	vaı	gtt Val	Ala	Gly	Gly 365	Thr	Arg	Ser	Ile	Ser 370	Leu	Ser	Glu	1219
Gry	tta Leu 375	gaa Glu	tca Ser	ggc Gly	gag Glu	ttt Phe 380	atc Ile	caa Gln	cca Pro	acc Thr	gtg Val 385	ttt Phe	gcc Ala	gat Asp	gtc Val	1267
acc Thr 390	ccc Pro	gac Asp	atg Met	cgg Arg	ata Ile 395	tca Ser	cgc Arg	gaa Glu	gaa Glu	atc Ile 400	ttc Phe	ggc Gly	cct Pro	gtt Val	att Ile 405	1315
tcc . Ser	ııe	Leu	гÀ2	1yr 410	Asp	Asp	Thr	Asn	Gly 415	Val	Ser	Glu	Ala	Ile 420	Ala	1363
cta (Leu <i>i</i>	gcc Ala	M311	aac Asn 425	acg Thr	aaa Lys	ttc Phe	GIÀ.	ctc Leu 430	ggt Gly	ggc Gly	ttg Leu	Val	ttt Phe 435	ggt Gly	gcg Ala	1411
gat (Asp (31 U	gaa Glu 440	caa Gln	gca Ala	cta Leu	Glu '	gtc Val 445	gcc Ala	cgt Arg	caa Gln	Val	gat Asp 450	tct Ser	ggt Gly	tcc Ser	1459
gta o Val (ggc (atc . Ile .	aac Asn	ttc Phe	ttc (Phe (ggt 1 Gly 5	tcc . Ser .	aac Asn	cat His	tcc Ser	gcc Ala	cca Pro	ttt Phe	gga Gly	gga Gly	1507

455 460 465

cgc cac gaa tcc ggt atg gga gtg gaa tac ggc atc gaa ggc ctc agt 1555 Arg His Glu Ser Gly Met Gly Val Glu Tyr Gly Ile Glu Gly Leu Ser 470 485

gct tac ctg aca tac aag agt att cac cga acc att tagttactga 1601 Ala Tyr Leu Thr Tyr Lys Ser Ile His Arg Thr Ile 490

aagttotoag ota 1614

<210> 182

<211> 497

<212> PRT

<213> Corynebacterium glutamicum

<400> 182

Met Asn Ala Ala Thr Arg Arg Ala Ser Leu Gln Leu Pro Tyr Thr His 1 5 10 15

Val Asp Asp Phe Tyr Ile Asn Gly Ser Trp Val Lys Ala Glu Gly Thr 20 25 30

Gln Arg Asn Pro Val Val Asp Pro Ala Val Gly Gln Glu Trp Gly Ser 35 40 45

Val Pro Glu Ala Thr Ala Ser Glu Leu Asp Ser Ala Val Gly Ala Ala 50 55 60

Arg Thr Ala Leu Lys Ser Trp Ser Ala Leu Thr Gly Ala Glu Arg Thr 65 70 75 80

Gly Tyr Leu Leu Lys Ile Ala Thr Glu Ile Glu Ser Arg Ser Glu Ala 85 90 95

Leu Ala Leu Thr Asn Thr Arg Glu Asn Gly Ser Pro Ile Ser Glu Thr 100 105 110

Arg Gly Ala Ala Ser Asn Ala Ala Gly Ile Phe Arg Tyr Phe Ala Thr 115 120 125

Leu Ala Pro Trp Leu Asp Gly Glu Asp Ile Arg Pro Phe Pro Ala Gly 130 135 140

Ser Ala Glu Ser Ile Val Asp Lys Asp Pro Ile Gly Val Cys Ala Leu 145 150 155 160

Ile Ala Pro Trp Asn Phe Pro Ile Asn Leu Val Val Ile Lys Leu Ala 165 170 175

Pro Ala Leu Leu Ala Gly Cys Thr Val Ile Ile Lys Pro Ala Ser Pro 180 185 190

Thr Pro Leu Ser Ile Arg Phe Ile Ile Glu Ala Ile Glu Ala Ala Gly
195 200 205

Val Pro Ala Gly Val Val Asn Leu Leu Thr Gly Ser Gly Arg Phe Gly 210 215 220

Asp Ala Leu Val Arg His Pro Gly Val Asp Lys Val Ala Phe Thr Gly 225 230 235 240

Ser Thr Pro Val Gly Lys Lys Ile Ala Ala Ala Cys Gly Glu Leu Leu 245 250 255

Arg Pro Val Thr Leu Glu Leu Gly Gly Lys Ser Ser Ala Ile Ile Leu 260 265 270

Pro Asp Ala Asp Met Ser Val Leu Ser Thr Arg Leu Ile Arg Ser Cys 275 280 285

Met Arg Asn Thr Gly Gln Thr Cys Tyr Ile Ser Thr Arg Ile Ile Ala 290 295 300

Pro Ser Ser Arg Tyr Ala Glu Val Val Gln Thr Val Ala Ser Thr Ile 305 310 315 320

Ala Ala Gly Arg Gln Gly Asp Pro Tyr Asp Glu Glu Thr Val Phe Gly 325 330 335

Pro Val Ala Ser Ala Ser Gln Tyr Ser Thr Val Met Ser Tyr Ile Asp 340 345 350

Ser Ala Arg Glu Glu Gly Ala Arg Val Val Ala Gly Gly Thr Arg Ser 355 360 365

Ile Ser Leu Ser Glu Gly Leu Glu Ser Gly Glu Phe Ile Gln Pro Thr 370 380

Val Phe Ala Asp Val Thr Pro Asp Met Arg Ile Ser Arg Glu Glu Ile 385 390 395 400

Phe Gly Pro Val Ile Ser Ile Leu Lys Tyr Asp Asp Thr Asn Gly Val 405 410 415

Ser Glu Ala Ile Ala Leu Ala Asn Asn Thr Lys Phe Gly Leu Gly Gly 420 425 430

Leu Val Phe Gly Ala Asp Glu Glu Gln Ala Leu Glu Val Ala Arg Gln 435 440 445

Val Asp Ser Gly Ser Val Gly Ile Asn Phe Phe Gly Ser Asn His Ser 450 455 460

Ala Pro Phe Gly Gly Arg His Glu Ser Gly Met Gly Val Glu Tyr Gly 465 470 475 480

Ile Glu Gly Leu Ser Ala Tyr Leu Thr Tyr Lys Ser Ile His Arg Thr 485 490 495

Ile

<210> 183

<211> 750

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS <222> (101)..(727) <223> FRXA00689

<400> 183

actccgacca gtgactttag agctaggcgg aaaatcttcc gcgattatcc ttcctgatgc 60

caa acc tgc tac atc agt acc cgg att att gcc cct agc tca cgc tat 163 Gln Thr Cys Tyr Ile Ser Thr Arg Ile Ile Ala Pro Ser Ser Arg Tyr 10 15 20

gcg gaa gtc gta caa aca gtg gca agc act atc gct gca ggt aga caa 211 Ala Glu Val Val Gln Thr Val Ala Ser Thr Ile Ala Ala Gly Arg Gln 25 30 35

ggt gac ccc tat gat gaa gaa acg gtt ttt ggg cca gtt gcc agc gcc 259 Gly Asp Pro Tyr Asp Glu Glu Thr Val Phe Gly Pro Val Ala Ser Ala 40 45

tct cag tac tca acc gtc atg tct tac att gac tcc gca cga gag gaa 307 Ser Gln Tyr Ser Thr Val Met Ser Tyr Ile Asp Ser Ala Arg Glu Glu 55 60 65

ggt gca cga gtg gtt gca ggt gga acc cgg tca atc agc ctt tct gaa 355 Gly Ala Arg Val Val Ala Gly Gly Thr Arg Ser Ile Ser Leu Ser Glu 70 75 80

ggt tta gaa tca ggc gag ttt atc caa cca acc gtg ttt gcc gat gtc 403 Gly Leu Glu Ser Gly Glu Phe Ile Gln Pro Thr Val Phe Ala Asp Val 90 95

acc ccc gac atg cgg ata tca cgc gaa gaa atc ttc ggc cct gtt att 451
Thr Pro Asp Met Arg Ile Ser Arg Glu Glu Ile Phe Gly Pro Val Ile
105

tcc atc cta aag tac gac gat aca aac ggt gtt tcc gaa gca atc gca $$ 499 Ser Ile Leu Lys Tyr Asp Asp Thr Asn Gly Val Ser Glu Ala Ile Ala $$ 120 $$ 125 $$ 130

cta gcc aac aac acg aaa ttc ggt ctc ggt ggc ttg gta ttt ggt gcg 547 Leu Ala Asn Asn Thr Lys Phe Gly Leu Gly Gly Leu Val Phe Gly Ala 135 140 145

gat gag gaa caa gca cta gaa gtc gcc cgt caa gtg gat tct ggt tcc 595 Asp Glu Glu Gln Ala Leu Glu Val Ala Arg Gln Val Asp Ser Gly Ser 150 165

gta ggc atc aac ttc ttc ggt tcc aac cat tcc gcc cca ttt gga gga 643 Val Gly Ile Asn Phe Phe Gly Ser Asn His Ser Ala Pro Phe Gly Gly 170 175 180

cgc cac gaa tcc ggt atg gga gtg gaa tac ggc atc gaa ggc ctc agt
Arg His Glu Ser Gly Met Gly Val Glu Tyr Gly Ile Glu Gly Leu Ser
185 190 195

gct tac ctg aca tac aag agt att cac cga acc att tagttactga 737 Ala Tyr Leu Thr Tyr Lys Ser Ile His Arg Thr Ile 200 205

aagttctcag cta 750

<210> 184

<211> 209

<212> PRT

<213> Corynebacterium glutamicum

<400> 184

Met Arg Asn Thr Gly Gln Thr Cys Tyr Ile Ser Thr Arg Ile Ile Ala 1 5 10 15

Pro Ser Ser Arg Tyr Ala Glu Val Val Gln Thr Val Ala Ser Thr Ile
20 25 30

Ala Ala Gly Arg Gln Gly Asp Pro Tyr Asp Glu Glu Thr Val Phe Gly 35 40 45

Pro Val Ala Ser Ala Ser Gln Tyr Ser Thr Val Met Ser Tyr Ile Asp 50 55 60

Ser Ala Arg Glu Glu Gly Ala Arg Val Val Ala Gly Gly Thr Arg Ser 65 70 75 80

Ile Ser Leu Ser Glu Gly Leu Glu Ser Gly Glu Phe Ile Gln Pro Thr
85 90 95

Val Phe Ala Asp Val Thr Pro Asp Met Arg Ile Ser Arg Glu Glu Ile 100 105 . 110

Phe Gly Pro Val Ile Ser Ile Leu Lys Tyr Asp Asp Thr Asn Gly Val 115 120 125

Ser Glu Ala Ile Ala Leu Ala Asn Asn Thr Lys Phe Gly Leu Gly Gly 130 135 140

Val Asp Ser Gly Ser Val Gly Ile Asn Phe Phe Gly Ser Asn His Ser 165 170 175

Ala Pro Phe Gly Gly Arg His Glu Ser Gly Met Gly Val Glu Tyr Gly 180 185 190

Ile Glu Gly Leu Ser Ala Tyr Leu Thr Tyr Lys Ser Ile His Arg Thr $195 \hspace{1cm} 200 \hspace{1cm} 205 \hspace{1cm}$

Ile

<210> 185

<211> 878

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(855) <223> RXN03128

<400> 185 aac gga ctc gcc att ccc gac att gga ttt ggt gta ttc caa acc cca 48 Asn Gly Leu Ala Ile Pro Asp Ile Gly Phe Gly Val Phe Gln Thr Pro ccc gat gaa acc cga aac tcc gtt aac gct gct ctt gaa gcc ggc tat 96 Pro Asp Glu Thr Arg Asn Ser Val Asn Ala Ala Leu Glu Ala Gly Tyr 25 ege cac ate gac ace gee gee gea tac gge aat gaa egt gaa gte ggt 144 Arg His Ile Asp Thr Ala Ala Ala Tyr Gly Asn Glu Arg Glu Val Gly gaa gca atc gca gca tcc ggc att ggc cgc gac gag atc acc atc gaa Glu Ala Ile Ala Ala Ser Gly Ile Gly Arg Asp Glu Ile Thr Ile Glu 50 55 acc aaa atc tgg gtg acc gac tac ggc ttc gag gaa act ctc cac gca 240 Thr Lys Ile Trp Val Thr Asp Tyr Gly Phe Glu Glu Thr Leu His Ala ttc gac aag gcc aca ggc aag ctt ggt gtc gat aca ctg gac att ttg 288 Phe Asp Lys Ala Thr Gly Lys Leu Gly Val Asp Thr Leu Asp Ile Leu atc ttg cac cag gca gtg cca agc agc ttt gat cgc acc atc gcc gcc 336 Ile Leu His Gln Ala Val Pro Ser Ser Phe Asp Arg Thr Ile Ala Ala 100 105 tac aag gcg cta gag aag ctg ctt ttc gac ggc gcg gtg cgg gca atc 384 Tyr Lys Ala Leu Glu Lys Leu Leu Phe Asp Gly Ala Val Arg Ala Ile 115 120 gga gtc agt aat ttc atg cca gag cac ctg gac aaa ctc ctt ttg gaa 432 Gly Val Ser Asn Phe Met Pro Glu His Leu Asp Lys Leu Leu Glu 135 acc tcc att gtc cca gct ctg aac caa atc gaa tgc cac ccc tac ttc 480 Thr Ser Ile Val Pro Ala Leu Asn Gln Ile Glu Cys His Pro Tyr Phe 150 cag cag cgt gac gtg ctt gcc cgc aat gag cag ctt ggc att ttg act 528 Gln Gln Arg Asp Val Leu Ala Arg Asn Glu Gln Leu Gly Ile Leu Thr 165 170 cag geg tgg tca-cca atc ggt ggc atc acc ttc tac egc gac gga cag 576 Gln Ala Trp Ser Pro Ile Gly Gly Ile Thr Phe Tyr Arg Asp Gly Gln 180 185 ctt cca agc act cta gaa aat gag gtc atc gct gga atc gcc gca gaa 624 Leu Pro Ser Thr Leu Glu Asn Glu Val Ile Ala Gly Ile Ala Ala Glugtt ggc aaa aca cca gct caa gta atg ctg cgc tgg cac cta cag cgt 672 Val Gly Lys Thr Pro Ala Gln Val Met Leu Arg Trp His Leu Gln Arg aga cgt cac gca att cca aag tct gtg acc cca tca cgc att gtg gaa 720

WO 01/00842 PCT/IB00/00911 Arg Arg His Ala Ile Pro Lys Ser Val Thr Pro Ser Arg Ile Val Glu 235 aac ttt gag atc ttt gat ttc gaa ctc tcc gat gag caa cta cag caa 768 Asn Phe Glu Ile Phe Asp Phe Glu Leu Ser Asp Glu Gln Leu Gln Gln atc gat gcc ctc aac acc gat ctg cgc ggt ggc cca gaa cca gag aac 816 Ile Asp Ala Leu Asn Thr Asp Leu Arg Gly Gly Pro Glu Pro Glu Asn 265 atc acc atg gaa aac tac tac cga gaa atc cca gaa gcc taaaggccct 865 Ile Thr Met Glu Asn Tyr Tyr Arg Glu Ile Pro Glu Ala 280 tagaggcgaa tgt 878 <210> 186 <211> 285 <212> PRT <213> Corynebacterium glutamicum <400> 186 Asn Gly Leu Ala Ile Pro Asp Ile Gly Phe Gly Val Phe Gln Thr Pro Pro Asp Glu Thr Arg Asn Ser Val Asn Ala Ala Leu Glu Ala Gly Tyr Arg His Ile Asp Thr Ala Ala Ala Tyr Gly Asn Glu Arg Glu Val Gly Glu Ala Ile Ala Ala Ser Gly Ile Gly Arg Asp Glu Ile Thr Ile Glu Thr Lys Ile Trp Val Thr Asp Tyr Gly Phe Glu Glu Thr Leu His Ala Phe Asp Lys Ala Thr Gly Lys Leu Gly Val Asp Thr Leu Asp Ile Leu Ile Leu His Gln Ala Val Pro Ser Ser Phe Asp Arg Thr Ile Ala Ala 105 Tyr Lys Ala Leu Glu Lys Leu Leu Phe Asp Gly Ala Val Arg Ala Ile 120 Gly Val Ser Asn Phe Met Pro Glu His Leu Asp Lys Leu Leu Glu 140 Thr Ser Ile Val Pro Ala Leu Asn Gln Ile Glu Cys His Pro Tyr Phe 150 Gln Gln Arg Asp Val Leu Ala Arg Asn Glu Gln Leu Gly Ile Leu Thr Gln Ala Trp Ser Pro Ile Gly Gly Ile Thr Phe Tyr Arg Asp Gly Gln 185 Leu Pro Ser Thr Leu Glu Asn Glu Val Ile Ala Gly Ile Ala Ala Glu

195 200 205

Val Gly Lys Thr Pro Ala Gln Val Met Leu Arg Trp His Leu Gln Arg 210 215 220

Arg Arg His Ala Ile Pro Lys Ser Val Thr Pro Ser Arg Ile Val Glu 225 230 235 240

Asn Phe Glu Ile Phe Asp Phe Glu Leu Ser Asp Glu Gln Leu Gln Gln 245 250 255

Ile Asp Ala Leu Asn Thr Asp Leu Arg Gly Gly Pro Glu Pro Glu Asn 260 265 270

Ile Thr Met Glu Asn Tyr Tyr Arg Glu Ile Pro Glu Ala 275 280 285

<210> 187

<211> 522

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(522)

<223> FRXA02192

<400> 187

att ccc gac att gga ttt ggt gtc ttc caa acc cca ccc gat gaa acc 48
Ile Pro Asp Ile Gly Phe Gly Val Phe Gln Thr Pro Pro Asp Glu Thr
1 5 10

cga aac too gtt aac got got ott gaa goo ggo tat ogo oac ato gac 96 Arg Asn Ser Val Asn Ala Ala Leu Glu Ala Gly Tyr Arg His Ile Asp

acc gcg gcc gca tac ggc aat gaa cgt gaa gtc ggt gaa gca atc gca 144
Thr Ala Ala Ala Tyr Gly Asn Glu Arg Glu Val Gly Glu Ala Ile Ala
35 40

gca tcc ggc att ggc cgc gac gag atc acc atc gaa acc aaa atc tgg 192 Ala Ser Gly Ile Gly Arg Asp Glu Ile Thr Ile Glu Thr Lys Ile Trp 50 55

gtg acc gac tac ggc ttc gag gaa act ctc cac gca ttc gac aag gcc 240 Val Thr Asp Tyr Gly Phe Glu Glu Thr Leu His Ala Phe Asp Lys Ala 65 70 . 75

aca ggc aag ctt ggt gtc gat aca ctg gac att ttg atc ttg cac cag 288
Thr Gly Lys Leu Gly Val Asp Thr Leu Asp Ile Leu Ile Leu His Gln
85 90 95

gca gtg cca agc agc ttt gat cgc acc atc gcc gcc tac aag gcg cta 336 Ala Val Pro Ser Ser Phe Asp Arg Thr Ile Ala Ala Tyr Lys Ala Leu 100 105 110

gag aag ctg ctt ttc gac ggc gcg gtg cgg gca atc gga gtc agt aat 384 Glu Lys Leu Leu Phe Asp Gly Ala Val Arg Ala Ile Gly Val Ser Asn 115 120 125

WO 01/00842 PCT/IB00/00911 ttc atg cca gag cac ctg gac aaa ctc ctt ttg gaa acc tcc att gtc Phe Met Pro Glu His Leu Asp Lys Leu Leu Clu Thr Ser Ile Val 130 cca gct ctg aac caa atc gaa tgc cac ccc tac ttc cag cag cgt gac 480 Pro Ala Leu Asn Gln Ile Glu Cys His Pro Tyr Phe Gln Gln Arg Asp 150 gtg ctt gcc cgc aat gag cag ctt ggc att ttg act cag gcg 522 Val Leu Ala Arg Asn Glu Gln Leu Gly Ile Leu Thr Gln Ala 165 <210> 188 <211> 174 <212> PRT <213> Corynebacterium glutamicum <400> 188 Ile Pro Asp Ile Gly Phe Gly Val Phe Gln Thr Pro Pro Asp Glu Thr Arg Asn Ser Val Asn Ala Ala Leu Glu Ala Gly Tyr Arg His Ile Asp Thr Ala Ala Ala Tyr Gly Asn Glu Arg Glu Val Gly Glu Ala Ile Ala Ala Ser Gly Ile Gly Arg Asp Glu Ile Thr Ile Glu Thr Lys Ile Trp Val Thr Asp Tyr Gly Phe Glu Glu Thr Leu His Ala Phe Asp Lys Ala Thr Gly Lys Leu Gly Val Asp Thr Leu Asp Ile Leu Ile Leu His Gln 85 90 Ala Val Pro Ser Ser Phe Asp Arg Thr Ile Ala Ala Tyr Lys Ala Leu 105 Glu Lys Leu Leu Phe Asp Gly Ala Val Arg Ala Ile Gly Val Ser Asn 125 Phe Met Pro Glu His Leu Asp Lys Leu Leu Glu Thr Ser Ile Val 135 Pro Ala Leu Asn Gln Ile Glu Cys His Pro Tyr Phe Gln Gln Arg Asp 145 Val Leu Ala Arg Asn Glu Gln Leu Gly Ile Leu Thr Gln Ala 165 170 <210> 189 <211> 1039 <212> DNA <213> Corynebacterium glutamicum

265

<220> <221> CDS

<222> (101)..(1039)

<223> RXA02351

<400> 189 tgacacttta cagactggtt ttcaactaat gacaccgaaa gaaatacacc tcaacctttt 60 tgctttcggt gccgggcacc acgcggcggc gtggcgagcg gtg gag gga agc gtc Val Glu Gly Ser Val gaa aag ctg ggt tta att tcc tgg tgg gag gaa ctc gcg cgc acc gct 163 Glu Lys Leu Gly Leu Ile Ser Trp Trp Glu Glu Leu Ala Arg Thr Ala gag cgg ggc aag ctg gat gcg gtc ttt ttg gcc gat ggg cag gcg att 211 Glu Arg Gly Lys Leu Asp Ala Val Phe Leu Ala Asp Gly Gln Ala Ile 30 aat ccg gtc ggt ctg gag aat ggg ccg ggc tgg ttt ttg gag ccg gtg 259 Asn Pro Val Gly Leu Glu Asn Gly Pro Gly Trp Phe Leu Glu Pro Val 45 acc gcg ttg act gcg atg gcg cgg gcg acg aac aat att ggg ttg atc 307 Thr Ala Leu Thr Ala Met Ala Arg Ala Thr Asn Asn Ile Gly Leu Ile age aca att tee agt acg ttt tgg cag eeg ttt cat geg geg egg atg 355 Ser Thr Ile Ser Ser Thr Phe Trp Gln Pro Phe His Ala Ala Arg Met 75 80 atc gcc agc ttg gat cat att tcg ggt ggg cgt gct gga atc aat gtg 403 Ile Ala Ser Leu Asp His Ile Ser Gly Gly Arg Ala Gly Ile Asn Val gtg aca tcg atg acc gat gcg gag gcg cgt aac cac ggg atg gat gcg 451 Val Thr Ser Met Thr Asp Ala Glu Ala Arg Asn His Gly Met Asp Ala 105 110 ttg ccg ggt cac gat gtt cgc tat gcg cgc gct gcg gaa ttt att gaa 499 Leu Pro Gly His Asp Val Arg Tyr Ala Arg Ala Ala Glu Phe Ile Glu 125 acc atc act gcg ctg tgg gat tct tgg cct gcg gaa agt ttg gtg atg 547 Thr Ile Thr Ala Leu Trp Asp Ser Trp Pro Ala Glu Ser Leu Val Met 140 gat cgt gct gga aaa ttt gcg gac tcc tcg ctc att aaa tct atc gat 595 Asp Arg Ala Gly Lys Phe Ala Asp Ser Ser Leu Ile Lys Ser Ile Asp 155' cat gat ggt gag ttc ttc caa gtc gct ggt ccg ctg aat atc ccc agt 643 His Asp Gly Glu Phe Phe Gln Val Ala Gly Pro Leu Asn Ile Pro Ser 170 175 cct ccg cag ggt cga ccc gta ctt ttt cag gct gga tcc tca ccg caa 691 Pro Pro Gln Gly Arg Pro Val Leu Phe Gln Ala Gly Ser Ser Pro Gln 185 190 gga cgg gaa atc gct gcg aaa tac gcc gag gca att tac tct gtg gcg 739 Gly Arg Glu Ile Ala Ala Lys Tyr Ala Glu Ala Ile Tyr Ser Val Ala

Trp	gat Asp 215	ttg Leu	gag Glu	caa Gln	gcg Ala	caa Gln 220	Asp	tat Tyr	cgc Arg	tct Ser	gat Asp 225	att Ile	cat His	gct Ala	cgt Arg	787
gcc Ala 230	Thr	gcc Ala	cag Gln	ggt Gly	cgc Arg 235	gag Glu	ccc Pro	atg Met	ccg Pro	gtg Val 240	ctt Leu	cct Pro	ggt Gly	ttg Leu	gtg Val 245	835
act Thr	ttt Phe	gtt Val	ggc Gly	acg Thr 250	acc Thr	gtg Val	gaa Glu	gaa Glu	gcg Ala 255	cgt Arg	gca Ala	aaa Lys	cag Gln	cag Gln 260	gct Ala	883
ctt Leu	aat Asn	gcg Ala	ttg Leu 265	ctg Leu	ccg Pro	gtc Val	aaa Lys	gac Asp 270	tca Ser	cta Leu	aat Asn	cag Gln	ttg Leu 275	agt Ser	ttc Phe	931
ttt Phe	gtg Val	ggt Gly 280	caa Gln	gat Asp	tgc Cys	tcg Ser	acg Thr 285	tgg Trp	gat Asp	ttg Leu	gat Asp	gca Ala 290	cct Pro	ccc Pro	cca Pro	979
cca Pro	ctg Leu 295	cca Pro	ccg Pro	cta Leu	gaa Glu	gag Glu 300	ttt Phe	tcc Ser	ggt Gly	cct Pro	aaa Lys 305	ggc Gly	agg Arg	tac Tyr	gaa Glu	1027
		ctg Leu														1039
	0> 19 1> 31															
	2> PF 3> Co	RT oryne	bact	eriu	ım gl	utam	nicum	ı								
<213 <400	3> Cc)> 19	ryne							Leu 10	Ile	Ser	Trp	Trp	Glu 15	Glu	
<213 <400 Val 1	3> Co)> 19 Glu	oryne 90	Ser	Val 5	Glu	Lys	Leu	Gly	10					15		
<213 <400 Val 1 Leu	3> Cc 3> 19 Glu Ala	oryne 90 Gly	Ser Thr 20	Val 5 Ala	Glu Glu	Lys Arg	Leu Gly	Gly Lys 25	10 Leu Leu	Asp	Ala Asn	Val Gly	Phe 30	15 Leu	Ala	
<213 <400 Val 1 Leu Asp	3> Co 3> 19 Glu Ala Gly	oryne 90 Gly Arg	Ser Thr 20 Ala	Val 5 Ala Ile	Glu Glu Asn	Lys Arg Pro	Leu Gly Val 40	Gly Lys 25 Gly	10 Leu Leu	Asp Glu	Ala Asn	Val Gly 45	Phe 30 Pro	15 Leu Gly	Ala Trp	
<213 <400 Val 1 Leu Asp	3> Co 3> 19 Glu Ala Gly Leu 50	Oryne 90 Gly Arg Gln 35	Ser Thr 20 Ala Pro	Val 5 Ala Ile Val	Glu Glu Asn Thr	Lys Arg Pro Ala 55	Leu Gly Val 40 Leu	Gly Lys 25 Gly Thr	10 Leu Leu Ala	Asp Glu Met	Ala Asn Ala 60	Val Gly 45 Arg	Phe 30 Pro	15 Leu Gly Thr	Ala Trp Asn	
<213 <400 Val l Leu Asp Phe Asn	3> Co 0> 19 Glu Ala Gly Leu 50 Ile	oryne 00 Gly Arg Gln 35 Glu	Ser Thr 20 Ala Pro	Val 5 Ala Ile Val	Glu Glu Asn Thr Ser 70	Lys Arg Pro Ala 55 Thr	Leu Gly Val 40 Leu	Gly Lys 25 Gly Thr	10 Leu Leu Ala Ser	Asp Glu Met Thr 75	Ala Asn Ala 60 Phe	Val Gly 45 Arg	Phe 30 Pro Ala Gln	15 Leu Gly Thr	Ala Trp Asn Phe	
<213 <400 Val 1 Leu Asp Phe Asn 65	3> Co 0> 19 Glu Ala Gly Leu 50 Ile	Oryne On Gly Arg Gln 35 Glu Gly Ala	Ser Thr 20 Ala Pro Leu Arg	Val 5 Ala Ile Val Ile Met 85	Glu Glu Asn Thr Ser 70 Ile	Lys Arg Pro Ala 55 Thr	Leu Gly Val 40 Leu Ile Ser	Gly Lys 25 Gly Thr Ser	Leu Leu Ala Ser Asp 90	Asp Glu Met Thr 75 His	Ala Asn Ala 60 Phe	Val Gly 45 Arg Trp Ser	Phe 30 Pro Ala Gln	15 Leu Gly Thr Pro Gly 95	Ala Trp Asn Phe 80 Arg	
<213 <400 Val 1 Leu Asp Phe Asn 65	3> Co O> 19 Glu Ala Gly Leu 50 Ile Ala Gly	Oryne OO Gly Arg Gln 35 Glu Gly Ala	Ser Thr 20 Ala Pro Leu Arg Asn 100	Val 5 Ala Ile Val Ile Met 85	Glu Glu Asn Thr Ser 70 Ile	Lys Arg Pro Ala 55 Thr Ala Thr	Leu Gly Val 40 Leu Ile Ser	Gly Lys 25 Gly Thr Ser Leu Met 105	Leu Leu Ala Ser Asp 90 Thr	Asp Glu Met Thr 75 His	Ala Asn Ala 60 Phe Ile Ala Arg	Val Gly 45 Arg Trp Ser	Phe 30 Pro Ala Gln Gly Ala 110	15 Leu Gly Thr Pro Gly 95 Arg	Ala Trp Asn Phe 80 Arg	

Glu Ser Leu Val Met Asp Arg Ala Gly Lys Phe Ala Asp Ser Ser Leu 145 150 Ile Lys Ser Ile Asp His Asp Gly Glu Phe Phe Gln Val Ala Gly Pro 170 Leu Asn Ile Pro Ser Pro Pro Gln Gly Arg Pro Val Leu Phe Gln Ala 180 185 Gly Ser Ser Pro Gln Gly Arg Glu Ile Ala Ala Lys Tyr Ala Glu Ala 200 Ile Tyr Ser Val Ala Trp Asp Leu Glu Gln Ala Gln Asp Tyr Arg Ser 210 215 Asp Ile His Ala Arg Ala Thr Ala Gln Gly Arg Glu Pro Met Pro Val Leu Pro Gly Leu Val Thr Phe Val Gly Thr Thr Val Glu Glu Ala Arg Ala Lys Gln Gln Ala Leu Asn Ala Leu Leu Pro Val Lys Asp Ser Leu 265 Asn Gln Leu Ser Phe Phe Val Gly Gln Asp Cys Ser Thr Trp Asp Leu Asp Ala Pro Pro Pro Pro Leu Pro Pro Leu Glu Glu Phe Ser Gly Pro 295 Lys Gly Arg Tyr Glu Thr Val Leu Arg 310 <210> 191 <211> 924 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(901) <223> RXN00905 <400> 191 cgctgcccct ctatgctgct cctagttacc cctgcacaaa tagcggtttt tctcacgcat 60 tctgcatcga gtcgggtcga cgtatataag gtggaaaggc atg acc caa ttc gaa 115 Met Thr Gln Phe Glu aac gcg caa gta ctt aaa gag aac atc gaa aac caa cgc gag cag atc 163 Asn Ala Gln Val Leu Lys Glu Asn Ile Glu Asn Gln Arg Glu Gln Ile 10 15 ttt acc cag ttg aaa gaa att gtg tct ttc aac tcc gtg cac agc gat 211 Phe Thr Gln Leu Lys Glu Ile Val Ser Phe Asn Ser Val His Ser Asp 30 cca aac cta ctg gag gac tac gcc ggc gcg aaa gaa tgg gta aaa gaa 259

Pro	Asn	Leu 40	Leu	Glu	Asp	Tyr	Ala 45	Gly	Ala	Lys	Glu	Trp 50	Val	Lys	Glu	
						ctc Leu 60										307
						ggc Gly										355
						cac His										403
gat Asp	ctc Leu	tgg Trp	gac Asp 105	acc Thr	aat Asn	cct Pro	ttt Phe	gaa Glu 110	ctc Leu	acc Thr	gag Glu	cgc Arg	gac Asp 115	gct Ala	ggc	451
						ggc Gly										499
ctg Leu	gtc Val 135	atg Met	cac His	ctc Leu	gca Ala	gca Ala 140	ctg Leu	cgc Arg	gcc Ala	gtc Val	gaa Glu 145	gcc Ala	agc Ser	ggc Gly	gac Asp	547
acc Thr 150	aca Thr	ctc Leu	aac Asn	ctc Leu	acc Thr 155	tac Tyr	gtg Val	gtc Val	gag Glu	ggc Gly 160	tcc Ser	gag Glu	gaa Glu	atg Met	gga Gly 165	595
ggc Gly	gga Gly	gcg Ala	ctc Leu	agc Ser 170	gcg Ala	ctc Leu	atc Ile	aag Lys	gac Asp 175	aag Lys	cct Pro	gag Glu	ctt Leu	ttc Phe 180	gac Asp	643
						gca Ala										691
cca Pro	acc Thr	ttg Leu 200	acc Thr	act Thr	acc Thr	ctg Leu	cgc Arg 205	ggt Gly	ggc Gly	gga Gly	cag Gln	gtc Val 210	acc Thr	gtc Val	acc Thr	739
gtg Val	gac Asp 215	acc Thr	ctt Leu	gaa Glu	ggc Gly	gct Ala 220	gtt Val	cac His	tcc Ser	ggc Gly	cag Gln 225	aac Asn	ggt Gly	ggc Gly	gct Ala	787
gcc Ala 230	cca Pro	gat Asp	gct Ala	gtt Val	gct Ala 235	gct Ala	ctc Leu	gtg Val	cgc Arg	gtt Val 240	ctg Leu	gat, Asp	act Thr	ttg Leu	cgc Arg 245	835
gat Asp	gaa Glu	cac His	gga Gly	cgc Arg 250	acc Thr	gtt Val	atc Ile	gac Asp	ggc Gly 255	tgt Cys	caa Gln	cac His	cac His	cgc Arg 260	aaa Lys	883
ctg Leu						tgat	ccag	jag a	cttt	ccgo	a go	g				924

<210> 192

<211> 267

<212> PRT

<213> Corynebacterium glutamicum

<400> 192

Met Thr Gln Phe Glu Asn Ala Gln Val Leu Lys Glu Asn Ile Glu Asn 1 5 10 15

Gln Arg Glu Gln Ile Phe Thr Gln Leu Lys Glu Ile Val Ser Phe Asn 20 25 30

Ser Val His Ser Asp Pro Asn Leu Leu Glu Asp Tyr Ala Gly Ala Lys 35 40 45

Glu Trp Val Lys Glu Thr Leu Thr Asn Ala Gly Leu Thr Val Ser Glu 50 60

Phe Ala Ala Glu Asp Gly Thr Thr Asn Phe Ile Gly Thr Arg Lys Gly 65 70 75 80

Ser Glu Gly Ala Pro Lys Val Leu Leu Tyr Ser His Phe Asp Val Val 85 90 95

Pro Ser Gly Pro Leu Asp Leu Trp Asp Thr Asn Pro Phe Glu Leu Thr 100 105 110

Glu Arg Asp Ala Gly His Gly Thr Arg Trp Tyr Gly Arg Gly Ala Ala 115 120 125

Asp Cys Lys Gly Asn Leu Val Met His Leu Ala Ala Leu Arg Ala Val 130 135 140

Glu Ala Ser Gly Asp Thr Thr Leu Asn Leu Thr Tyr Val Val Glu Gly 145 150 155 160

Ser Glu Glu Met Gly Gly Gly Ala Leu Ser Ala Leu Ile Lys Asp Lys 165 170 175

Pro Glu Leu Phe Asp Ala Asp Val Ile Leu Ile Ala Asp Ser Gly Asn 180 185 190

Ala Ser Val Gly Thr Pro Thr Leu Thr Thr Leu Arg Gly Gly Gly 195 200 205

Gln Val Thr Val Thr Val Asp Thr Leu Glu Gly Ala Val His Ser Gly 210 215 220

Gln Asn Gly Gly Ala Ala Pro Asp Ala Val Ala Ala Leu Val Arg Val 225 · 230 235 240

Leu Asp Thr Leu Arg Asp Glu His Gly Arg Thr Val Ile Asp Gly Cys 245 250 255

Gln His His Arg Lys Leu Glu Gly Arg Ala Leu 260 · 265

<210> 193

<211> 716

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (1)..(693) <223> FRXA00905 <400> 193 gat cca aac cta ctg gag gac tac gcc ggc gcg aaa gaa tgg gta aaa 48 Asp Pro Asn Leu Leu Glu Asp Tyr Ala Gly Ala Lys Glu Trp Val Lys gaa aca ctg acc aac gca ggt ctc acc gtc agc gaa ttc gct gcc gaa 96 Glu Thr Leu Thr Asn Ala Gly Leu Thr Val Ser Glu Phe Ala Ala Glu gat gga acc acc aac ttc atc qqc acc cqc aag ggc tcc qaa qqt qca Asp Gly Thr Thr Asn Phe Ile Gly Thr Arg Lys Gly Ser Glu Gly Ala 40 cca aag gta ctg ctg tac agc cac ttc gac gtt gtc cca tcc ggc cct 192 Pro Lys Val Leu Leu Tyr Ser His Phe Asp Val Val Pro Ser Gly Pro ttg gat ctc tgg gac acc aat cct ttt gaa ctc acc gag cgc gac gct 240 Leu Asp Leu Trp Asp Thr Asn Pro Phe Glu Leu Thr Glu Arg Asp Ala 70 75 ggc cac ggc acc cgc tgg tac ggc cgc ggc gcc qct qac tqc aaq gqc 288 Gly His Gly Thr Arg Trp Tyr Gly Arg Gly Ala Ala Asp Cys Lys Gly 90 aac ctg gtc atg cac ctc gca gca ctg cgc gcc gtc gaa gcc agc ggc 336 Asn Leu Val Met His Leu Ala Ala Leu Arg Ala Val Glu Ala Ser Gly gac ace aca etc aac etc ace tac gtg gtc gag ggc tec gag gaa atg 384 Asp Thr Thr Leu Asn Leu Thr Tyr Val Val Glu Gly Ser Glu Glu Met 120 gga ggc gga gcg ctc agc gcg ctc atc aag gac aag cct gag ctt ttc 432 Gly Gly Gly Ala Leu Ser Ala Leu Ile Lys Asp Lys Pro Glu Leu Phe 130 gac gca gat gtc atc ttg att gca gac agc gga aac gct tcc gtg ggc 480 Asp Ala Asp Val Ile Leu Ile Ala Asp Ser Gly Asn Ala Ser Val Gly 145 150 ace sea ace ttg ace act ace etg ege ggt gge gga eag gte ace gte 528 Thr Pro Thr Leu Thr Thr Leu Arg Gly Gly Gln Val Thr Val - 165 acc gtg gac acc ctt gaa ggc gct gtt cac tcc ggc cag aac ggt ggc 576 Thr Val Asp Thr Leu Glu Gly Ala Val His Ser Gly Gln Asn Gly Gly 180 gct gcc cca gat gct gtt gct ctc gtg cgc gtt ctg gat act ttg 624 Ala Ala Pro Asp Ala Val Ala Ala Leu Val Arg Val Leu Asp Thr Leu 195 ege gat gaa cae gga ege ace gtt ate gae gge tgt caa cae cae ege 672 Arg Asp Glu His Gly Arg Thr Val Ile Asp Gly Cys Gln His His Arg

215 210 220

aaa ctg gaa ggg cga gcc tta tgatccagag actttccgca gcg 716 Lys Leu Glu Gly Arg Ala Leu

<210> 194

<211> 231

<212> PRT

<213> Corynebacterium glutamicum

<400> 194

Asp Pro Asn Leu Leu Glu Asp Tyr Ala Gly Ala Lys Glu Trp Val Lys

Glu Thr Leu Thr Asn Ala Gly Leu Thr Val Ser Glu Phe Ala Ala Glu

Asp Gly Thr Thr Asn Phe Ile Gly Thr Arg Lys Gly Ser Glu Gly Ala

Pro Lys Val Leu Leu Tyr Ser His Phe Asp Val Val Pro Ser Gly Pro

Leu Asp Leu Trp Asp Thr Asn Pro Phe Glu Leu Thr Glu Arg Asp Ala 70

Gly His Gly Thr Arg Trp Tyr Gly Arg Gly Ala Ala Asp Cys Lys Gly

Asn Leu Val Met His Leu Ala Ala Leu Arg Ala Val Glu Ala Ser Gly

Asp Thr Thr Leu Asn Leu Thr Tyr Val Val Glu Gly Ser Glu Glu Met 120

Gly Gly Gly Ala Leu Ser Ala Leu Ile Lys Asp Lys Pro Glu Leu Phe 135

Asp Ala Asp Val Ile Leu Ile Ala Asp Ser Gly Asn Ala Ser Val Gly 155

Thr Pro Thr Leu Thr Thr Leu Arg Gly Gly Gln Val Thr Val

Thr Val Asp Thr Leu Glu Gly Ala Val His Ser Gly Gln Asn Gly Gly

Ala Ala Pro Asp Ala Val Ala Ala Leu Val Arg Val Leu Asp Thr Leu

Arg Asp Glu His Gly Arg Thr Val Ile Asp Gly Cys Gln His His Arg 215 220

Lys Leu Glu Gly Arg Ala Leu

<210> 195

<211> 627

<212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(604) <223> RXA00906 <400> 195 accgtggaca cccttgaagg cgctgttcac tccggccaga acggtggcgc tgccccagat 60 gctgttgctg ctctcgtgcg cgttctggat actttgcgcg atg aac acg gac gca Met Asn Thr Asp Ala ecg tta teg acg get gte aac ace gea aac tgg aag gge gag eet 163 Pro Leu Ser Thr Ala Val Asn Thr Thr Ala Asn Trp Lys Gly Glu Pro tat gat cca gag act ttc cgc agc gat gcc ggc atc ctc gac ggt gta 211 Tyr Asp Pro Glu Thr Phe Arg Ser Asp Ala Gly Ile Leu Asp Gly Val 30 gac atc atg ggc gac ggc gac aac cca gca agc atg ctg tgg tcc agg 259 Asp Ile Met Gly Asp Gly Asp Asn Pro Ala Ser Met Leu Trp Ser Arg 45 cct gca atc tcc atc acc gga ttc act tcc acc cca gtg gca gaa gca 307 Pro Ala Ile Ser Ile Thr Gly Phe Thr Ser Thr Pro Val Ala Glu Ala ctc aac gca gtg ccc gca acg gcg tcc gcc aag cta aac ctt cgc gtg 355 Leu Asn Ala Val Pro Ala Thr Ala Ser Ala Lys Leu Asn Leu Arg Val 75 cca gca ggc ctg gaa gca aac gat gtg gcc gag aag ctg aag cag cac 403 Pro Ala Gly Leu Glu Ala Asn Asp Val Ala Glu Lys Leu Lys Gln His 95 ctg atc aat cac aca cct tgg ggc gca aag atc acg gtg gag atc gat 451 Leu Ile Asn His Thr Pro Trp Gly Ala Lys Ile Thr Val Glu Ile Asp

105 110

gac att aac caa ccg ttc tcc acc gat att acc ggc cct gca atg tcc 499 Asp Ile Asn Gln Pro Phe Ser Thr Asp Ile Thr Gly Pro Ala Met Ser 120

acc ctg gcg tcc tgc ctg agc gct gcg tac gag ggc aag gat ctt gtc 547 Thr Leu Ala Ser Cys Leu Ser Ala Ala Tyr Glu Gly Lys Asp Leu Val 135 140

acc gaa ggc agc gga tcc att cca ctg tgt acc gaa ctg att gag 595 Thr Glu Gly Ser Gly Gly Ser Ile Pro Leu Cys Thr Glu Leu Ile Glu 150 155 160

gtc aac cca taagcagaat tggcactcta cgg 627 Val Asn Pro

<210> 196

<211> 168

<212> PRT

<213> Corynebacterium glutamicum

<400> 196

Met Asn Thr Asp Ala Pro Leu Ser Thr Ala Val Asn Thr Thr Ala Asn $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Trp Lys Gly Glu Pro Tyr Asp Pro Glu Thr Phe Arg Ser Asp Ala Gly
20 25 30

Ile Leu Asp Gly Val Asp Ile Met Gly Asp Gly Asp Asn Pro Ala Ser
35 40

Met Leu Trp Ser Arg Pro Ala Ile Ser Ile Thr Gly Phe Thr Ser Thr 50 60

Pro Val Ala Glu Ala Leu Asn Ala Val Pro Ala Thr Ala Ser Ala Lys 65 70 ... 75 80

Leu Asn Leu Arg Val Pro Ala Gly Leu Glu Ala Asn Asp Val Ala Glu 85 90 95

Lys Leu Lys Gln His Leu Ile Asn His Thr Pro Trp Gly Ala Lys Ile 100 105 110 .

Thr Val Glu Ile Asp Asp Ile Asn Gln Pro Phe Ser Thr Asp Ile Thr 115 120 125

Gly Pro Ala Met Ser Thr Leu Ala Ser Cys Leu Ser Ala Ala Tyr Glu 130 135 140

Gly Lys Asp Leu Val Thr Glu Gly Ser Gly Gly Ser Ile Pro Leu Cys 145 150 155 160

Thr Glu Leu Ile Glu Val Asn Pro 165

<210> 197

<211> 246

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(223)

<223> RXA00907

<400> 197

cctgagcgct gcgtacgagg gcaaggatct tgtcaccgaa ggcagcggcg gatccattcc 60

actgtgtacc gaactgattg aggtcaaccc ataagcagaa ttg gca ctc tac ggt 115 Leu Ala Leu Tyr Gly 1 5

gtg gaa gaa ccc ctc acc gtt atc cac tcc gct aat gaa tct gtt gac 163 Val Glu Glu Pro Leu Thr Val Ile His Ser Ala Asn Glu Ser Val Asp 10 15 20

ccc aat gag att cgc gat atc gcc acc gca gaa gca ttg ttc ctg ctc 211

Pro Asn Glu Ile Arg Asp Ile Ala Thr Ala Glu Ala Leu Phe Leu Leu aac tac acc aag tagacccaaa agcaggcgtt aac 246 Asn Tyr Thr Lys 40 <210> 198 <211> 41 <212> PRT <213> Corynebacterium glutamicum <400> 198 Leu Ala Leu Tyr Gly Val Glu Glu Pro Leu Thr Val Ile His Ser Ala Asn Glu Ser Val Asp Pro Asn Glu Ile Arg Asp Ile Ala Thr Ala Glu 20 25 Ala Leu Phe Leu Leu Asn Tyr Thr Lys <210> 199 <211> 1386 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1363) <223> RXA02101 <400> 199 gccatggaat gctccgttga acgcaacagc cttaaataca atcccctcct ataagccaag 60 agttttagtg tcgctgcgca ggtactctac tatctaatcc atg agc cgc att tca Met Ser Arg Ile Ser gaa ctt cta aac aat cat ggt gtt gat ctg tcg tgg caa gag gcc gca 163 Glu Leu Leu Asn Asn His Gly Val Asp Leu Ser Trp Gln Glu Ala Ala tat cag gat ttc cac gaa cat cct gag ctc tcc qqc ttc qaa tca qaq 211 Tyr Gln Asp Phe His Glu His Pro Glu Leu Ser Gly Phe Glu Ser Glu acc gca gat cgc att cag aaa tac ctc gag cgt ttt gat tgt gag gtg 259 Thr Ala Asp Arg Ile Gln Lys Tyr Leu Glu Arg Phe Asp Cys Glu Val 40 45 att cca aat gtt ggc ggt tac ggc att ctg gcc gtg ttc cga aat ggg 307 Ile Pro Asn Val Gly Gly Tyr Gly Ile Leu Ala Val Phe Arg Asn Gly

355

tcg aca gat cct ggt gcc cct gtt gcg tta atg cgc gca gat ttc gat

Ser Thr Asp Pro Gly Ala Pro Val Ala Leu Met Arg Ala Asp Phe Asp

75

55

70

			•	-	-	atc Ile			-	_		-			_	403
_	-	-		-		gca Ala		-		_	_		_	_		451
	_	-		-		gcg Ala	-				-	-			-	499
	-	-	_	-		gaa Glu 140		-						_		547
-		-				ggc Gly	-		_	-	_	-				595
_	_	_			-	cct Pro	-		-			-		-	_	643
						gtg Val										691
_	-	_			-	atc Ile	-		-		_	-	_			739
						atc Ile 220										787
						atc Ile										835
						ggc Gly										883
						cgt Arg										931
						gtc Val										979
						ggt Gly 300										1027
						acc Thr										1075
gtg	cgc	cct	gtc	ttc	gac	gat	gtt	ttc	ggc	gag	gat	tct	att	gac	gct	1123

Val Arg Pro Val Phe Asp Asp Val Phe Gly Glu Asp Ser Ile Asp Ala 335 tac cgg tgg act gcg tcg gag gat ttc ccc tcc att cct aag gca ttc 1171 Tyr Arg Trp Thr Ala Ser Glu Asp Phe Pro Ser Ile Pro Lys Ala Phe 350 aac agc cct tac ctg tac tgg acg att ggt gtc acg ccg cgc gat cag 1219 Asn Ser Pro Tyr Leu Tyr Trp Thr Ile Gly Val Thr Pro Arg Asp Gln tgg aca gaa gcc gta gaa aga gac cgc gtg gca tcg gat gtg cca gcc 1267 Trp Thr Glu Ala Val Glu Arg Asp Arg Val Ala Ser Asp Val Pro Ala 380 aat cac atg gga gat ttc ctc cct gat tat gcg ccg acg atg tcc gct 1315 Asn His Met Gly Asp Phe Leu Pro Asp Tyr Ala Pro Thr Met Ser Ala 395 400 gcc acc cgc gca gcc gca gcc gcg ctg ctg acc tac ttg gga act aac 1363 Ala Thr Arg Ala Ala Ala Ala Leu Leu Thr Tyr Leu Gly Thr Asn 415 taatcatcta gttttctgcg acg 1386 <210> 200 <211> 421 <212> PRT <213> Corynebacterium glutamicum <400> 200 Met Ser Arg Ile Ser Glu Leu Leu Asn Asn His Gly Val Asp Leu Ser Trp Gln Glu Ala Ala Tyr Gln Asp Phe His Glu His Pro Glu Leu Ser Gly Phe Glu Ser Glu Thr Ala Asp Arg Ile Gln Lys Tyr Leu Glu Arg Phe Asp Cys Glu Val Ile Pro Asn Val Gly Gly Tyr Gly Ile Leu Ala Val Phe Arg Asn Gly Ser Thr Asp Pro Gly Ala Pro Val Ala Leu Met Arg Ala Asp Phe Asp Gly Leu Pro Val Lys Glu Ile Thr Gly Val Pro Phe Ala Ser Thr Arg Met Arg Pro His Asp Gly Ala Asn Val His Val Met His Ala Cys Gly His Asp Val His Val Thr Ala Leu Leu Gly Ala Cys Ala Ile Leu Asp Glu Arg Arg Asp Ala Trp Glu Gly Thr Phe Ile Ala Leu Phe Gln Pro Ser Glu Glu Asn Ser Gln Gly Ala Asn Lys Met 150

Val Ala Gly Gly Leu Val Asp Leu Ile Pro Arg Pro Asp Val Cys Phe 165 170 175

- Gly Gln His Val Val Pro Gly Ala Ala Gly Thr Val Met Ser Met Pro 180 185 190
- Gly Gly Ala Leu Ala Ala Cys Asp Ser Ile Glu Ile Arg Ile Gln Gly 195 200 205
- Arg Ser Ala His Gly Ser Met Pro His Asn Ser Ile Asp Pro Thr Tyr 210 215 220
- Val Ala Ala Met Ile Val Val Arg Leu Gln Gly Ile Val Gly Arg Glu 225 230 235 240
- Val Ser Pro Glu Asp Phe Ala Val Ile Ser Val Gly Thr Leu Gln Ser 245 250 255
- Gly Asn Thr Asn Asn Thr Ile Pro Ala Ser Ala Arg Leu Val Leu Asn 260 265 270
- Cys Arg Phe Tyr Asn Asp Lys Val Lys His Lys Val Tyr Arg Ala Ile 275 280 285
- Glu Arg Val Val Arg Gly Glu Cys Leu Ala Ser Gly Ile Glu Glu 290 295 300
- Pro Val Ile Glu Tyr Phe Ala His Gly Asp Leu Thr Asn Asn Thr Pro 305 310 315 320
- Val Val Phe Asp Thr Val Arg Pro Val Phe Asp Asp Val Phe Gly Glu 325 330 335
- Asp Ser Ile Asp Ala Tyr Arg Trp Thr Ala Ser Glu Asp Phe Pro Ser 340 345 350
- Ile Pro Lys Ala Phe Asn Ser Pro Tyr Leu Tyr Trp Thr Ile Gly Val 355 360 365
- Thr Pro Arg Asp Gln Trp Thr Glu Ala Val Glu Arg Asp Arg Val Ala 370 380
- Ser Asp Val Pro Ala Asn His Met Gly Asp Phe Leu Pro Asp Tyr Ala 385 390 395 400
- Pro Thr Met Ser Ala Ala Thr Arg Ala Ala Ala Ala Ala Leu Leu Thr 405 410 415

Tyr Leu Gly Thr Asn 420

<210> 201

<211> 1389

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1366)

<223> RXN02565

<400> 201 ggaaattcga tacagtgcga tgacgcgata ttagaaagaa aaagatgcgc tttacgacga 60 aaccctcacc ctccttcagg aacttatccg caacgcctgc gtg aat gat cta acc Val Asn Asp Leu Thr cca gat tca ggt cag gaa att aga aac gcg gaa agc cta gaa cgt ttc 163 Pro Asp Ser Gly Gln Glu Ile Arg Asn Ala Glu Ser Leu Glu Arg Phe 15 ttt gaa gga acc ccc aac gtt aaa atc acc aag ctg gaa ccg cat ccg 211 Phe Glu Gly Thr Pro Asn Val Lys Ile Thr Lys Leu Glu Pro His Pro 30 ggc cgg acc tca att atc gtg act gtt cca ggc agc gat cca gat gct 259 Gly Arg Thr Ser Ile Ile Val Thr Val Pro Gly Ser Asp Pro Asp Ala gag cct tta aca ctg ctt gga cat act gat gtt gtg cct gtt gat ctg 307 Glu Pro Leu Thr Leu Leu Gly His Thr Asp Val Val Pro Val Asp Leu 60 cct aaa tgg act aaa gat cca ttc ggt gcg gag att tcg gat gga cag 355 Pro Lys Trp Thr Lys Asp Pro Phe Gly Ala Glu Ile Ser Asp Gly Gln 80 att tgg ggt aga ggg tcc gtc gat atg ctc ttt att acc gca acc caa 403 Ile Trp Gly Arg Gly Ser Val Asp Met Leu Phe Ile Thr Ala Thr Gln 90 gcg gcc gtc acc cgt caa gta gcc cgt gaa ggc ggc ctg cgt ggc acg 451 Ala Ala Val Thr Arg Gln Val Ala Arg Glu Gly Gly Leu Arg Gly Thr 110 ctg aca ttc gtt ggc gtt gct gat gag gaa gcc cgc ggc gga ctc gga 499 Leu Thr Phe Val Gly Val Ala Asp Glu Glu Ala Arg Gly Gly Leu Gly gcg aag tgg ctt tcc gaa gaa cac caa aac ctc ttc agc tgg aaa aac 547 Ala Lys Trp Leu Ser Glu Glu His Gln Asn Leu Phe Ser Trp Lys Asn 135 140 tgc ctc tcc gaa tcc ggt gga tcg cac ctt cca gtc cac gac ggc agc 595 Cys Leu Ser Glu Ser Gly Gly Ser His Leu Pro Val His Asp Gly Ser 150 155 gac gca gta gta att aac gtt gga gaa aaa ggt gca gct caa cgt cgt Asp Ala Val Val Ile Asn Val Gly Glu Lys Gly Ala Ala Gln Arg Arg 170 175 att cac gtc aat ggc gat gct ggt cat ggt tcc att cct ttc gac cgt 691 Ile His Val Asn Gly Asp Ala Gly His Gly Ser Ile Pro Phe Asp Arg 185 gac age get att gte aag ate ggt gaa gte gee ege ega ate get gee Asp Ser Ala Ile Val Lys Ile Gly Glu Val Ala Arg Arg Ile Ala Ala 205

	wo 0	1/008	42												PCT/	IB00/00911
-	-	-	-	-	-	_	-	_				ggc Gly		-		787
												ctt Leu				835
			_		-							cgc Arg		•		883
					-		-			-	-	cgt Arg	_			931
												ctg Leu 290				979
							-		-	-	_	acc Thr	-	-	_	1027
-	_		-		-	-	-	-	-		-	cac His				1075
_	_	-	-		-			-			_	tat Tyr			-	1123
-		-			_				-			gtg Val	_			1171
				-							-	cga Arg 370				1219
	~ .	-			Ξ.			Ξ.				act Thr				1267
												tac Tyr				1315
												cgt Arg				1363
ggc Gly	taaa	aaca	atg a	agca	agga	gt ct	t									1389

<210> 202 <211> 422

<212> PRT

<213> Corynebacterium glutamicum

Val Asn Asp Leu Thr Pro Asp Ser Gly Gln Glu Ile Arg Asn Ala Glu Ser Leu Glu Arg Phe Phe Glu Gly Thr Pro Asn Val Lys Ile Thr Lys Leu Glu Pro His Pro Gly Arg Thr Ser Ile Ile Val Thr Val Pro Gly Ser Asp Pro Asp Ala Glu Pro Leu Thr Leu Leu Gly His Thr Asp Val Val Pro Val Asp Leu Pro Lys Trp Thr Lys Asp Pro Phe Gly Ala Glu Ile Ser Asp Gly Gln Ile Trp Gly Arg Gly Ser Val Asp Met Leu Phe Ile Thr Ala Thr Gln Ala Ala Val Thr Arg Gln Val Ala Arg Glu Gly 105 Gly Leu Arg Gly Thr Leu Thr Phe Val Gly Val Ala Asp Glu Glu Ala Arg Gly Gly Leu Gly Ala Lys Trp Leu Ser Glu Glu His Gln Asn Leu 135 Phe Ser Trp Lys Asn Cys Leu Ser Glu Ser Gly Gly Ser His Leu Pro Val His Asp Gly Ser Asp Ala Val Val Ile Asn Val Gly Glu Lys Gly 170 Ala Ala Gln Arg Arg Ile His Val Asn Gly Asp Ala Gly His Gly Ser Ile Pro Phe Asp Arg Asp Ser Ala Ile Val Lys Ile Gly Glu Val Ala 200 Arg Arg Ile Ala Ala Ala Asp Leu Lys Val Ala Lys Asp Asp Ile Trp 215 Gln Gly Phe Val Gln Ala His Arg Phe Asp Pro Glu Thr Glu Gln Ala 235 Leu Leu Ser Gly Thr Ser Pro Glu Ala Tyr Ala Glu Phe Gly Gly Leu Ser Arg Phe Ala His Ala Val Ser His Leu Thr Ile Ala Gln Thr Val Val Arg Ala Gly Gln Ala Ile Asn Val Leu Pro Ser His Ala Tyr Leu Glu Leu Asp Ile Arg Thr Leu Pro Gly Gln Thr Asn Asp Tyr Val Asp

Asp Thr Leu Arg Ala Ala Leu Gly Asp Leu Ala Asp Glu Val Glu Ile

Glu His Leu Ile Ser Glu Glu Ala Thr Val Ser Pro Thr Asp Ser Arg 330 Leu Tyr Asn Thr Leu Glu Lys Val Leu Gly Asp Phe Phe Pro Asp Ala 345 Pro Val Val Pro Ile Ile Ser Ser Gly Gly Ser Asp Leu Arg Phe Gly Arg Arg Leu Gly Gly Val Gly Tyr Gly Phe Ala Val His Ala Arg Glu 375 380 Arg Thr Leu Ala Glu Ala Met Gly Gln Leu His Ser His Asp Glu Ala Leu Tyr Leu Glu Asp Leu Glu Leu Thr Val Arg Gly Tyr Asp Ser Val Val Arg Glu Phe Leu Gly 420 <210> 203 <211> 365 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(342) <223> FRXA02565 <400> 203 gct gct ctg ggc gat ctt gcc gat gaa gta gaa atc gaa cac ctc atc Ala Ala Leu Gly Asp Leu Ala Asp Glu Val Glu Ile Glu His Leu Ile tet gaa gaa gea aeg gtg age eea aet gat tee agg ttg tat aae aee 96 Ser Glu Glu Ala Thr Val Ser Pro Thr Asp Ser Arg Leu Tyr Asn Thr 25 ttg gaa aaa gtt ctt ggt gat ttc ttc ccc gat gcg cct gtg gtc cca 144 Leu Glu Lys Val Leu Gly Asp Phe Phe Pro Asp Ala Pro Val Val Pro att att tee tet ggt gge tet gae etg ege ttt ggt egt ega eta gge 192 Ile Ile Ser Ser Gly Gly Ser Asp Leu Arg Phe Gly Arg Arg Leu Gly ggt gtt ggt tat ggt ttt gca gtt cat gca cgt gaa cga act ttg gcg 240 Gly Val Gly Tyr Gly Phe Ala Val His Ala Arg Glu Arg Thr Leu Ala 70 gaa gca atg ggg caa ctt cac tcc cat gac gag gcg ctg tac ctg gaa 288 Glu Ala Met Gly Gln Leu His Ser His Asp Glu Ala Leu Tyr Leu Glu 90 gat ctt gaa ctg act gtt cgg ggt tat gac tcc gtc gtg cgt gaa ttc 336 Asp Leu Glu Leu Thr Val Arg Gly Tyr Asp Ser Val Val Arg Glu Phe

cta ggc taaaaacatg aagcaggagt ctt

365

Leu Gly <210> 204 <211> 114 <212> PRT <213> Corynebacterium glutamicum <400> 204 Ala Ala Leu Gly Asp Leu Ala Asp Glu Val Glu Ile Glu His Leu Ile Ser Glu Glu Ala Thr Val Ser Pro Thr Asp Ser Arg Leu Tyr Asn Thr Leu Glu Lys Val Leu Gly Asp Phe Phe Pro Asp Ala Pro Val Val Pro Ile Ile Ser Ser Gly Gly Ser Asp Leu Arg Phe Gly Arg Arg Leu Gly Gly Val Gly Tyr Gly Phe Ala Val His Ala Arg Glu Arg Thr Leu Ala 70 Glu Ala Met Gly Gln Leu His Ser His Asp Glu Ala Leu Tyr Leu Glu Asp Leu Glu Leu Thr Val Arg Gly Tyr Asp Ser Val Val Arg Glu Phe Leu Gly <210> 205 <211> 738 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(738) <223> FRXA02567 <400> 205 ctt atc cgc aac gcc tgc gtg aat gat cta acc cca gat tca ggt cag 48 Leu Ile Arg Asn Ala Cys Val Asn Asp Leu Thr Pro Asp Ser Gly Gln gaa att aga aac gcg gaa agc cta gaa cgt ttc ttt gaa gga acc ccc 96 Glu Ile Arg Asn Ala Glu Ser Leu Glu Arg Phe Phe Glu Gly Thr Pro aac gtt aaa atc acc aag ctg gaa ccg cat ccg ggc cgg acc tca att Asn Val Lys Ile Thr Lys Leu Glu Pro His Pro Gly Arg Thr Ser Ile atc gtg act gtt cca ggc agc gat cca gat gct gag cct tta aca ctg 192

gat cca ttc ggt gcg gag att tcg gat gga cag att tgg ggt aga ggg 288
Asp Pro Phe Gly Ala Glu Ile Ser Asp Gly Gln Ile Trp Gly Arg Gly
85 90 95

tcc gtc gat atg ctc ttt att acc gca acc caa gcg gcc gtc acc cgt 336 Ser Val Asp Met Leu Phe Ile Thr Ala Thr Gln Ala Ala Val Thr Arg

caa gta gcc cgt gaa ggc ggc ctg cgt ggc acg ctg aca ttc gtt ggc 384 Gln Val Ala Arg Glu Gly Gly Leu Arg Gly Thr Leu Thr Phe Val Gly 115 120 125

gtt gct gat gag gaa gcc cgc ggc gga ctc gga gcg aag tgg ctt tcc 432 Val Ala Asp Glu Glu Ala Arg Gly Gly Leu Gly Ala Lys Trp Leu Ser 130 135 140

gaa gaa cac caa aac ctc ttc agc tgg aaa aac tgc ctc tcc gaa tcc 480 Glu Glu His Gln Asn Leu Phe Ser Trp Lys Asn Cys Leu Ser Glu Ser 145 150 155 160

ggt gga tcg cac ctt cca gtc cac gac ggc agc gac gca gta gta att 528 Gly Gly Ser His Leu Pro Val His Asp Gly Ser Asp Ala Val Val Ile 165 170 175

aac gtt gga gaa aaa ggt gca gct caa cgt cgt att cac gtc aat ggc 576 Asn Val Gly Glu Lys Gly Ala Ala Gln Arg Arg Ile His Val Asn Gly 180 185 190

gat gct ggt cat ggt tcc att cct ttc gac cgt gac agc gct att gtc 624 Asp Ala Gly His Gly Ser Ile Pro Phe Asp Arg Asp Ser Ala Ile Val 195 200 205

aag atc ggt gaa gtc gcc cgc cga atc gct gcc gcc gat ctg aag gta 672 Lys Ile Gly Glu Val Ala Arg Arg Ile Ala Ala Ala Asp Leu Lys Val 210 215 220

gcc aag gac gat atc tgg caa ggc ttc gtc caa gcg cac cgt ttc gac 720 Ala Lys Asp Asp Ile Trp Gln Gly Phe Val Gln Ala His Arg Phe Asp 225 230 235 240

cca gaa acg gag cag gcg . 738
Pro Glu Thr Glu Gln Ala
245

<210> 206

<211> 246

<212> PRT

<213> Corynebacterium glutamicum

<400> 206

Leu Ile Arg Asn Ala Cys Val Asn Asp Leu Thr Pro Asp Ser Gly Gln $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Glu Ile Arg Asn Ala Glu Ser Leu Glu Arg Phe Phe Glu Gly Thr Pro 25 Asn Val Lys Ile Thr Lys Leu Glu Pro His Pro Gly Arg Thr Ser Ile Ile Val Thr Val Pro Gly Ser Asp Pro Asp Ala Glu Pro Leu Thr Leu Leu Gly His Thr Asp Val Val Pro Val Asp Leu Pro Lys Trp Thr Lys Asp Pro Phe Gly Ala Glu Ile Ser Asp Gly Gln Ile Trp Gly Arg Gly Ser Val Asp Met Leu Phe Ile Thr Ala Thr Gln Ala Ala Val Thr Arg 100 105 Gln Val Ala Arg Glu Gly Gly Leu Arg Gly Thr Leu Thr Phe Val Gly Val Ala Asp Glu Glu Ala Arg Gly Gly Leu Gly Ala Lys Trp Leu Ser Glu Glu His Gln Asn Leu Phe Ser Trp Lys Asn Cys Leu Ser Glu Ser Gly Gly Ser His Leu Pro Val His Asp Gly Ser Asp Ala Val Ile Asn Val Gly Glu Lys Gly Ala Ala Gln Arg Arg Ile His Val Asn Gly 185 Asp Ala Gly His Gly Ser Ile Pro Phe Asp Arg Asp Ser Ala Ile Val 195 200 Lys Ile Gly Glu Val Ala Arg Arg Ile Ala Ala Ala Asp Leu Lys Val 215 220 Ala Lys Asp Asp Ile Trp Gln Gly Phe Val Gln Ala His Arg Phe Asp 235 Pro Glu Thr Glu Gln Ala <210> 207 <211> 1308 <212> DNA

<210> 207 <211> 1308 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1285) <223> RXN03077

1

!

											-				•	
_					tgg Trp		-	_					-		_	163
	-			_	cac His	-							_	-		211
_	_				ttg Leu	-	-	-	_		-			_	_	259
					gga Gly											307
					gcg Ala 75											355
	-				tta Leu						-			_		403
	-	_			gac Asp			_			-	_	-		_	451
-	-	_			atc Ile	_	_									499
-	_	-	-	-	gtc Val	_					_	-	-		_	547
					ggt Gly 155											595
		-	_	-	ggt Gly	-	-		-	_	-					643
					atc Ile											691
					ctc Leu											739
_	-	-	-		ccc Pro		_	_			_	-	_		-	787
				Leu	gtt Val 235						-					835

				25	0	r Gr	Y 11€	e val	. Sei 255	e Gly	' Thr	Leu	Arg	7 Th	_	883
		001	265	,	h Wrd	, ASP	Met	270	Pro) Leu	Ile	Ser	Glu 275	Le	g gtg u Val	931
		280	Dea	71.6	, FIC	, 1111	285	vai	Thr	His	Glu	Leu 290	Ile	Ty:	c aat r Asn	979
	295		.10		, var	300	Asn	Asp	Asp	Val	Ala 305	Thr	Ala	Lei	g ttg ı Leu	1027
310			*****	nrg	315	мес	ASP	Tnr	GIn	Ser 320	Val	Val	Gln	Ala	ccg Pro 325	1075
		001	Cly	330	GIU	нар	Pne	Ser	335	Tyr	Leu	Glu	His	Val 340	ı	1123
gga t Gly S			345	ry	neu	GIY	cys	350	Pro	GLy	His	Gly	Pro 355	Lys	Gln	1171
gac c Asp L		360	01. 1	JCI	nap	rea	365	val	Asp	Glu	Arg	Ala 370	Ile	Gly	Val	1219
	75	5		1110	dly	380	Leu	vaı	GIN	GIn	Tyr 385	Ser	agc Ser	cga Arg	tct Ser	1267
gaa g Glu A 390	ct t la E	ttc (Phe)	tta Leu	aat Asn	tcc Ser 395	taat	gggg	gt a	gtgt	gtag	g gc	t				1308
<210> <211> <212> <213>	395 PRT	,	pacto	eriu	m gl	utam	icum									
<400> Val Me 1			le (Gly 5	Val (Gln '	Val /	Ala S	Ser '	lrp N	Met A	Asp A	Arg 1	His 15	His	
Asp G]	lu V	al I	le I 20	Lys '	Trp /	Arg /	Arg H	is I 25		His S	Ser H	lis E	ro (Leu	
Ser Hi		33					40					45				
Asp Hi 5	.s G.	ly M	et G	lu 1	Pro P	lis I 55	eu F	he P	ro (Sly T	hr G 60	ly L	eu M	let	Val	
Asp Il	e G	ly P	ro G	lu (Gly A	Asp S	er A	rg L	eu A	la P	he A	rg A	la A	sp	Ile	

65	70	75	80

Asp Ala Leu Pro Leu Leu Glu Ser Thr Gly Leu Glu Phe Ser Ser Thr 85 90 95

Ala Thr Gly Val Ala His Ala Cys Gly His Asp Val His Thr Val Ile 100 105 110

Ala Leu Ala Leu Ala Cys Ala Leu Asn Thr Ile Glu Leu Pro Ile Gly 115 120 125

Ile Arg Val Ile Phe Gln Pro Ala Glu Glu Val Met Thr Gly Gly Ala 130 .135 140

Thr Asp Val Ile Ala His Gly Gly Leu Asp Gly Val Asp Ala Ile Tyr 145 150 155 160

Ala Ile His Val Glu Pro Lys Leu Lys Val Gly Arg Val Gly Val Arg 165 170 175

Ala Gly Ala Ile Thr Ser Ala Ser Asp Val Ile Glu Ile Arg Val Lys 180 185 190

Gly Glu Gly Gly His Ser Ala Arg Pro His Leu Ser Ala Asp Val Val 195 200 205

Tyr Ala Leu Ser Lys Leu Val Val Asp Leu Pro Gly Leu Leu Ser Arg 210 215 220

Arg Val Asp Pro Arg Thr Gly Thr Val Leu Val Phe Gly Thr Ile Asn 225 230 235 240

Ala Gly Tyr Ala Pro Asn Ala Ile Pro Asp Ser Gly Ile Val Ser Gly 245 250 255

Thr Leu Arg Thr Ala Asp Ile Ser Thr Trp Arg Asp Met Arg Pro Leu 260 265 270

Ile Ser Glu Leu Val Glu Gln Val Leu Ala Pro Thr Gly Val Thr His $275\ ^{\circ}$ 280 285

Glu Leu Ile Tyr Asn Pro Gly Val Pro Pro Val Leu Asn Asp Asp Val 290 295 300

Ala Thr Ala Leu Leu Ala Ser Ala Ala Arg Asp Met Asp Thr Gln Ser 305 310 315 320

Val Val Gln Ala Pro Gln Ser Ser Gly Gly Glu Asp Phe Ser Trp Tyr 325 330 335

Leu Glu His Val Pro Gly Ser Met Ala Arg Leu Gly Cys Trp Pro Gly 340 345 350

His Gly Pro Lys Gln Asp Leu His Gln Ser Asp Leu Val Val Asp Glu 355 360 365

Arg Ala Ile Gly Val Gly Val Arg Leu Phe Gly Ser Leu Val Gln Gln 370 375 380

Tyr Ser Ser Arg Ser Glu Ala Phe Leu Asn Ser 385 390 395

<210> 209 <211> 1308 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1285) <223> FRXA02855 <400> 209 accocgatee tttgtttteg tgggateact attagacteg actetacege getgeaggtt 60 ttcctgatac gcctgcggac aaaacagaaa ggtatttcac gtg atg gaa att ggt Val Met Glu Ile Gly gtg cag gtt gcc tca tgg atg gac cgc cac cat gac gag gtc ata aag Val Gln Val Ala Ser Trp Met Asp Arg His His Asp Glu Val Ile Lys tgg cgc agg cat ttg cac agc cat cct gag ctc tcc cac atg gaa tac 211 Trp Arg Arg His Leu His Ser His Pro Glu Leu Ser His Met Glu Tyr cgc acg act gag tat ttg gcc tcg gtt ctg aaa gat cac ggc atg gaa 259 Arg Thr Thr Glu Tyr Leu Ala Ser Val Leu Lys Asp His Gly Met Glu 45 cca cac ctg ttc cca gga acc ggt ttg atg gtg gat atc gga cca gaa 307 Pro His Leu Phe Pro Gly Thr Gly Leu Met Val Asp Ile Gly Pro Glu 60 ggg gac tcc cgc ctg gcg ttt cgc gct gat atc gat gcc ctt ccg ctg Gly Asp Ser Arg Leu Ala Phe Arg Ala Asp Ile Asp Ala Leu Pro Leu 70 ett gaa tea ace gge tta gag tte tet tee aca gee act gge gtt geg 403 Leu Glu Ser Thr Gly Leu Glu Phe Ser Ser Thr Ala Thr Gly Val Ala 95 cat gcc tgc gga cat gac gtg cac acg gtg atc gct ttg gca ctt gcc 451 His Ala Cys Gly His Asp Val His Thr Val Ile Ala Leu Ala Leu Ala 105 tgt gca ctg aac acc atc gaa ctg ccc atc ggc att cgg gtg att ttc Cys Ala Leu Asn Thr Ile Glu Leu Pro Ile Gly Ile Arg Val Ile Phe 120 125 cag ccg gca gaa gaa gtc atg act ggt ggc gca acg gac gtc att gcc Gln Pro Ala Glu Glu Val Met Thr Gly Gly Ala Thr Asp Val Ile Ala 547 135 cac ggt ggc ctt gat ggt gtg gat gcg att tac gcc atc cac gtt gaa 595 His Gly Gly Leu Asp Gly Val Asp Ala Ile Tyr Ala Ile His Val Glu 150 155 ccc aaa ttg aag gtc ggt cgc gtc ggt gta cgc gct ggc gcg att act Pro Lys Leu Lys Val Gly Arg Val Gly Val Arg Ala Gly Ala Ile Thr 643

170 175 180 tct gcc tca gat gtg atc gaa atc aga gtc aag ggt gaa gga gga cat 691 Ser Ala Ser Asp Val Ile Glu Ile Arg Val Lys Gly Glu Gly His 185 190 ago goa ogt coa cac cto too got gat gtt gtt tac goo ttg ago aaa 739 Ser Ala Arg Pro His Leu Ser Ala Asp Val Val Tyr Ala Leu Ser Lys 200 205 ttg gtc gtt gat ctt ccc ggt ttg ctg tcc agg cgc gtc gat cca cgc Leu Val Val Asp Leu Pro Gly Leu Leu Ser Arg Arg Val Asp Pro Arg 215 220 acc ggc acc gtg ctt gtt ttc ggc acc atc aac gcc ggc tat gcg ccc 835 Thr Gly Thr Val Leu Val Phe Gly Thr Ile Asn Ala Gly Tyr Ala Pro 235 aac gcg atc cca gat tcc ggc atc gtg tca ggc acc ttg cgt aca gcc 883 Asn Ala Ile Pro Asp Ser Gly Ile Val Ser Gly Thr Leu Arg Thr Ala 250 gac atc tct acc tgg cgt gac atg cgt ccg ctt atc tct gag ctg gtg Asp Ile Ser Thr Trp Arg Asp Met Arg Pro Leu Ile Ser Glu Leu Val 270 gaa cag gtg ctc gca ccc acc gga gtc acc cat gaa ctg atc tac aat 979 Glu Gln Val Leu Ala Pro Thr Gly Val Thr His Glu Leu Ile Tyr Asn 280 285 ccg ggt gtt cca cca gtg ctt aac gac gat gtc gcc acc gct ttg ttg 1027 Pro Gly Val Pro Pro Val Leu Asn Asp Asp Val Ala Thr Ala Leu Leu 300 305 gca agc gca cgc gac atg gac aca caa tct gtt gtc caa gcg ccg 1075 Ala Ser Ala Ala Arg Asp Met Asp Thr Gln Ser Val Val Gln Ala Pro 310 315 325 cag tca tcc ggt gga gaa gac ttc tcg tgg tac ctt gaa cac gtc cca 1123 Gln Ser Ser Gly Gly Glu Asp Phe Ser Trp Tyr Leu Glu His Val Pro 330 gga tca atg gcc cgg ttg ggt tgc tgg ccg ggg cac gga ccc aag caa 1171 Gly Ser Met Ala Arg Leu Gly Cys Trp Pro Gly His Gly Pro Lys Gln 350 gac ctc cat caa agt gac ctg gtt gtg gat gag cga gcc atc gga gtt 1219 Asp Leu His Gln Ser Asp Leu Val Val Asp Glu Arg Ala Ile Gly Val 360 365 ggc gtc agg ctc ttt ggc tcc ctt gtg cag cag tac agt agc cga tct 1267 Gly Val Arg Leu Phe Gly Ser Leu Val Gln Gln Tyr Ser Ser Arg Ser

385 gaa gct ttc tta aat tcc taatgggggt agtgtgtagg gct 1308 Glu Ala Phe Leu Asn Ser 395

380

<210> 210 <211> 395

<212> PRT

<213> Corynebacterium glutamicum

<400> 210

Val Met Glu Ile Gly Val Gln Val Ala Ser Trp Met Asp Arg His His 1 5 10 15

Asp Glu Val Ile Lys Trp Arg Arg His Leu His Ser His Pro Glu Leu 20 25 30

Ser His Met Glu Tyr Arg Thr Thr Glu Tyr Leu Ala Ser Val Leu Lys 35 40 45

Asp His Gly Met Glu Pro His Leu Phe Pro Gly Thr Gly Leu Met Val $50 \hspace{1.5cm} 55 \hspace{1.5cm} 60$

Asp Ile Gly Pro Glu Gly Asp Ser Arg Leu Ala Phe Arg Ala Asp Ile 65 70 75 80

Asp Ala Leu Pro Leu Leu Glu Ser Thr Gly Leu Glu Phe Ser Ser Thr 85 90 95

Ala Thr Gly Val Ala His Ala Cys Gly His Asp Val His Thr Val Ile 100 105 110

Ala Leu Ala Leu Ala Cys Ala Leu Asn Thr Ile Glu Leu Pro Ile Gly 115 120 125

Thr Asp Val Ile Ala His Gly Gly Leu Asp Gly Val Asp Ala Ile Tyr 145 150 155 160

Ala Ile His Val Glu Pro Lys Leu Lys Val Gly Arg Val Gly Val Arg 165 170 175

Ala Gly Ala Ile Thr Ser Ala Ser Asp Val Ile Glu Ile Arg Val Lys 180 185 190

Gly Glu Gly His Ser Ala Arg Pro His Leu Ser Ala Asp Val Val 195 200 .205

Tyr Ala Leu Ser Lys Leu Val Val Asp Leu Pro Gly Leu Leu Ser Arg 210 215 220

Arg Val Asp Pro Arg Thr Gly Thr Val Leu Val Phe Gly Thr Ile Asn 225 230 235 240

Ala Gly Tyr Ala Pro Asn Ala Ile Pro Asp Ser Gly Ile Val Ser Gly 245 250 255

Thr Leu Arg Thr Ala Asp Ile Ser Thr Trp Arg Asp Met Arg Pro Leu 260 265 270

Ile Ser Glu Leu Val Glu Gln Val Leu Ala Pro Thr Gly Val Thr His 275 280 285

Glu Leu Ile Tyr Asn Pro Gly Val Pro Pro Val Leu Asn Asp Asp Val 290 295 300

Ala Thr Ala Leu Leu Ala Ser Ala Ala Arg Asp Met Asp Thr Gln Ser Val Val Gln Ala Pro Gln Ser Ser Gly Gly Glu Asp Phe Ser Trp Tyr 330 Leu Glu His Val Pro Gly Ser Met Ala Arg Leu Gly Cys Trp Pro Gly His Gly Pro Lys Gln Asp Leu His Gln Ser Asp Leu Val Val Asp Glu 355 360 Arg Ala Ile Gly Val Gly Val Arg Leu Phe Gly Ser Leu Val Gln Gln Tyr Ser Ser Arg Ser Glu Ala Phe Leu Asn Ser 390 <210> 211 <211> 1509 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1486) <223> RXA00026 <400> 211 ccetttctgg ctagcctggg ctacattgtt ggcaatttgg ttctacqccg atttgccqct 60 tggacctggc tctgcgatct tcctcgaagg ataagttttc atg agt act gac aat Met Ser Thr Asp Asn 1 ttt tct cca caa gtt ccg tcg act gtg tat ttg gat tac atg gag caa 163 Phe Ser Pro Gln Val Pro Ser Thr Val Tyr Leu Asp Tyr Met Glu Gln ggg att gcc gcg cgc aaa gcg gag gca gaa tot aac gcc agc acg aag 211 Gly Ile Ala Arg Lys Ala Glu Ala Glu Ser Asn Ala Ser Thr Lys 30 ggg gag agc ccg gat tat cca ggc cag cag gtt att tgg cgc ctg atc 259 Gly Glu Ser Pro Asp Tyr Pro Gly Gln Gln Val Ile Trp Arg Leu Ile cag gaa gca ggg gag tcg ttg cgt gat gaa ctg cgc aca ctg gct ttc 307 Gln Glu Ala Gly Glu Ser Leu Arg Asp Glu Leu Arg Thr Leu Ala Phe 5.5 acg ctg cac gac cat ccg gaa gaa gcg ttc gag gag gtg ttc gcc acc 355 Thr Leu His Asp His Pro Glu Glu Ala Phe Glu Glu Val Phe Ala Thr gag gaa atc aca aaa ctt ctg caa aat cat ggt ttt gag gtt cag agt 403 Glu Glu Ile Thr Lys Leu Leu Gln Asn His Gly Phe Glu Val Gln Ser gga gtt tat ggt gtt aaa acc gct cta gaa act agt ttt gaa acc cct 451

Gl	y Val	1 Туг	Gl ₃	/ Val	. Lys	Thr	Ala	Leu 110		Thr	Ser	Phe	Glu 115		Pro	
ggt Gly	tat Tyr	gat Asp 120	Pro	gcç Ala	g cag Gln	cac His	Pro	Ser	att Ile	gcg Ala	atc Ile	ttg Leu 130	gcg Ala	gaa Glu	tac Tyr	499
gat Asp	gcc Ala 135	Leu	cca Pro	gag Glu	atc Ile	ggc Gly 140	His	gca Ala	tgc Cys	ggg Gly	cac His 145	aat Asn	atc Ile	atc Ile	gca Ala	547
gca Ala 150	Ala	ggt Gly	gtt Val	ggc Gly	gca Ala 155	ttt Phe	tta Leu	gct Ala	gtc Val	acc Thr 160	aac Asn	atg Met	atc Ile	aaa Lys	act Thr 165	595
gcc	gaa Glu	gtg Val	aaa Lys	ggc Gly 170	Val	gat Asp	cac	ctc Leu	gac Asp 175	ttt Phe	gaa Glu	ggc Gly	cgg Arg	atc Ile 180	gtg Val	643
Leu	Leu	GTA	Thr 185	Pro	Ala	Glu	Glu	Gly 190	His	Ser	ggc Gly	Lys	Glu 195	Tyr	Met	691
Ile	Arg	Asn 200	Gly	Ala	Phe	Asp	Gly 205	Ile	Asp	Ala	tcg Ser	Ile 210	Met	Met	His	739
Pro	Phe 215	Gly	Phe	Asp	Leu	Ala 220	Glu	His	Val	Trp	gtg Val 225	Gly	Arg	Arg	Thr	787
Met 230	Thr	Ala	Thr	Phe	His 235	Gly	Val	Ser	Ala	His 240	gcg Ala	Ser	Ser	Gln	Pro 245	835
Phe	Met	Gly	Lys	Asn 250	Ala	Leu	Asp	Ala	Ala 255	Ser	ttg Leu	Ala	Tyr	Gln 260	Gly	883
Phe	Gly	Val	Leu 265	Arg	Gln	Gln	Met	Pro 270	Pro	Ser	gac Asp	Arg	Leu 275	His	Ala	931
att Ile	att Ile	acg Thr 280	gaa Glu	ggc Gly	gga Gly	aac Asn	cgg Arg 285	cca Pro	agc Ser	atc Ile	att Ile	cca Pro 290	gac Asp	act Thr	gca Ala	979
acg Thr	atg Met 295	tcg Ser	ctg Leu	tac Tyr	gtg Val	cgt Arg 300	tct Ser	ttg Leu	ttg Leu	ccg Pro	gaa Glu 305	gca Ala	ctc Leu	aaa Lys	gac Asp	1027
ata Ile 310	tcg Ser	aaa Lys	cgc Arg	gtg Val	gat Asp 315	gat Asp	gtg Val	ctc Leu	gat Asp	999 Gly 320	gcg Ala	gcc Ala	ttg Leu	atg Met	gcg Ala 325	1075
GIÀ	Val	Gly	Val	G1u 330	Lys	Gln	Trp	Asp	Val 335	His	cca Pro	Ala	Ser	Leu 340	Pro	1123
gtg Val	cgc Arg	aac Asn	aat Asn	cat His	gtg Val	ttg Leu	gcg Ala	cgg Àrg	cgt Arg	tgg Trp	gca Ala	aaa Lys	acg Thr	cag Gln	aat Asn	1171

45 350 355

ctg cgt ggt cga acg gcg ctt tcg gag ggt att ttg ccc gac act ctg
Leu Arg Gly Arg Thr Ala Leu Ser Glu Gly Ile Leu Pro Asp Thr Leu
360 365 370

gca gca tcg act gat ttt ggc aat gtc tcg cac ctg gtt ccg ggc att 1267 Ala Ala Ser Thr Asp Phe Gly Asn Val Ser His Leu Val Pro Gly Ile 375 380 385

gaa ttc gcc gct tat gcg cgc acg gaa gag gcc atc gac gca gcc gtc 1363 Glu Phe Ala Ala Tyr Ala Arg Thr Glu Glu Ala Ile Asp Ala Ala Val 410 415

gac gcc gca atc ggg ctg gcg caa gtc gcc gtt gac gcg ctt gca gat 1411 Asp Ala Ala Ile Gly Leu Ala Gln Val Ala Val Asp Ala Leu Ala Asp 425 430 435

ccg caa atg ctt atc gac gcg acc ctc gag ttc acc aac tcc ggc gac 1459 Pro Gln Met Leu Ile Asp Ala Thr Leu Glu Phe Thr Asn Ser Gly Asp 440 445 450

gta ctt aaa gta ggg gac tat ttg gct taggcaacga ctccgaaacc 1506 Val Leu Lys Val Gly Asp Tyr Leu Ala 455

1509

<210> 212

<211> 462

<212> PRT

<213> Corynebacterium glutamicum

<400> 212

Met Ser Thr Asp Asn Phe Ser Pro Gln Val Pro Ser Thr Val Tyr Leu $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Asp Tyr Met Glu Gln Gly Ile Ala Ala Arg Lys Ala Glu Ala Glu Ser 20 . 25 30

Asn Ala Ser Thr Lys Gly Glu Ser Pro Asp Tyr Pro Gly Gln Gln Val

Ile Trp Arg Leu Ile Gln Glu Ala Gly Glu Ser Leu Arg Asp Glu Leu 50 55 60

Arg Thr Leu Ala Phe Thr Leu His Asp His Pro Glu Glu Ala Phe Glu 65 70 75 80

Glu Val Phe Ala Thr Glu Glu Ile Thr Lys Leu Leu Gln Asn His Gly 85 90 95

Phe Glu Val Gln Ser Gly Val Tyr Gly Val Lys Thr Ala Leu Glu Thr 100 105 110

Ser Phe Glu Thr Pro Gly Tyr Asp Pro Ala Gln His Pro Ser Ile Ala

115 120 125

Ile Leu Ala Glu Tyr Asp Ala Leu Pro Glu Ile Gly His Ala Cys Gly 130 135 140

His Asn Ile Ile Ala Ala Ala Gly Val Gly Ala Phe Leu Ala Val Thr 145 150 155 160

Asn Met Ile Lys Thr Ala Glu Val Lys Gly Val Asp His Leu Asp Phe 165 170 175

Glu Gly Arg Ile Val Leu Leu Gly Thr Pro Ala Glu Glu Gly His Ser 180 185 190

Gly Lys Glu Tyr Met Ile Arg Asn Gly Ala Phe Asp Gly Ile Asp Ala 195 200 205

Ser Ile Met Met His Pro Phe Gly Phe Asp Leu Ala Glu His Val Trp 210 215 220

Val Gly Arg Arg Thr Met Thr Ala Thr Phe His Gly Val Ser Ala His 225 230 235 240

Ala Ser Ser Gln Pro Phe Met Gly Lys Asn Ala Leu Asp Ala Ala Ser 245 250 255

Leu Ala Tyr Gln Gly Phe Gly Val Leu Arg Gln Gln Met Pro Pro Ser 260 265 270

Asp Arg Leu His Ala Ile Ile Thr Glu Gly Gly Asn Arg Pro Ser Ile 275 280 285

Ile Pro Asp Thr Ala Thr Met Ser Leu Tyr Val Arg Ser Leu Leu Pro 290 295 . 300

Glu Ala Leu Lys Asp Ile Ser Lys Arg Val Asp Asp Val Leu Asp Gly 305 310 315 320

Ala Ala Leu Met Ala Gly Val Gly Val Glu Lys Gln Trp Asp Val His 325 330 335 .

Pro Ala Ser Leu Pro Val Arg Asn Asn His Val Leu Ala Arg Arg Trp 340 345 350

Ala Lys Thr Gln Asn Leu Arg Gly Arg Thr Ala Leu Ser Glu Gly Ile 355 360 365

Leu Pro Asp Thr Leu Ala Ala Ser Thr Asp Phe Gly Asn Val Ser His

Leu Val Pro Gly Ile His Pro Met Val Lys Ile Ser Pro Glu Asn Val 385 390 395 400

Ala Leu His Thr Lys Glu Phe Ala Ala Tyr Ala Arg Thr Glu Glu Ala 405 410 415

Ile Asp Ala Ala Val Asp Ala Ala Ile Gly Leu Ala Gin Val Ala Val 420 425 430

Asp Ala Leu Ala Asp Pro Gln Met Leu Ile Asp Ala Thr Leu Glu Phe 435 440 445

Thr Asn Ser Gly Asp Val Leu Lys Val Gly Asp Tyr Leu Ala 450 455 460

<210> 213 <211> 954 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(931) <223> RXA01971 <400> 213 aggtcttgtt tatttcggct actgattcag tagctgcgct ccgataggat tcttagtttt 60 cagttcagta tctttgagcc acggctagaa tgtgaatcct atg tct aag aag aag Met Ser Lys Lys Lys cct cgc ccc att ccg gtt cct gcc caa ttt atc cct qqt ctc att qat 163 Pro Arg Pro Ile Pro Val Pro Ala Gln Phe Ile Pro Gly Leu Ile Asp 10 gcg cat aca cat ttg gca tcg tgt gga gga gat ctt gca ggg ttg gtg 211 Ala His Thr His Leu Ala Ser Cys Gly Gly Asp Leu Ala Gly Leu Val gaa agg gcc aag gag gcg ggc gtc gaa aag ctt tgt acc gtc ggt gat 259 Glu Arg Ala Lys Glu Ala Gly Val Glu Lys Leu Cys Thr Val Gly Asp ggt ttg gct gag gcc gag ctt gcg ctg gag gcc gcg caa cag ttt ggc 307 Gly Leu Ala Glu Ala Glu Leu Ala Leu Glu Ala Ala Gln Gln Phe Gly aat gtg ttt gct gcg tgt gcg att cat ccg acg aag gct gat cag ttg 355 Asn Val Phe Ala Ala Cys Ala Ile His Pro Thr Lys Ala Asp Gln Leu 80 gat ggg gct gcg cgt gcg cgg ctg acg cag atg gcg gcg gat ccg aat 403 Asp Gly Ala Ala Arg Ala Arg Leu Thr Gln Met Ala Ala Asp Pro Asn 95 tgt gtg gcc att ggt gag act ggt ttg gat tcg tat tgg atc aag cac 451 Cys Val Ala Ile Gly Glu Thr Gly Leu Asp Ser Tyr Trp Ile Lys His gat cca gag gac acg gcg gcg ttg gat gtg caa gag gag gcg ctg cgc 499 Asp Pro Glu Asp Thr Ala Ala Leu Asp Val Gln Glu Glu Ala Leu Arg 125 tgg cat att gat ttg gca att agt gcg gat aag ccg ttg atg att cac 547 Trp His Ile Asp Leu Ala Ile Ser Ala Asp Lys Pro Leu Met Ile His 140 aat cgt gag gcg gat gct gat ttg atg cga gtg ttg gcg gat gct cca Asn Arg Glu Ala Asp Ala Asp Leu Met Arg Val Leu Ala Asp Ala Pro 160

	cca Pro															643
gcg Ala	aag Lys	gaa Glu	gcg Ala 185	ttg Leu	gat Asp	cgt Arg	gga Gly	tat Tyr 190	gtg Val	ttg Leu	agt Ser	ttt Phe	gcg Ala 195	ggc Gly	aat Asn	691
gtg Val	acg Thr	ttt Phe 200	aag Lys	cgt Arg	aat Asn	gag Glu	gag Glu 205	ttg Leu	cgg Arg	gag Glu	gct Ala	gct Ala 210	cgt Arg	att Ile	gcg Ala	739
	att Ile 215															787
	ccg Pro															835
	cta Leu															883
	gct Ala															931
taa	cgtga	agg t	agct	caca	ig to	a										954
<21 <i>i</i>	.															
<213 <213	0> 21 l> 27 2> PF 3> Co	77 RT	ebact	eriu	ım gl	.utan	nicum	า								
<213 <213 <213 <400	1> 27 2> PE 3> Co 0> 21	77 RT Dryne							Dana	V-1	Desc	7 .7.	C) =	Db -	7 1 -	
<213 <213 <213 <400	l > 27 2 > PF 3 > Co	77 RT Dryne							Pro 10	Val	Pro	Ala	Gln	Phe 15	Ile	
<213 <213 <213 <400 Met	1> 27 2> PE 3> Co 0> 21	77 RT bryne 14 Lys	Lys	Lys 5	Pro	Arg	Pro	Ile	10					15		
<21: <21: <21: <400 Met 1	l> 27 2> PE 3> Co 0> 21 Ser	77 RT Dryne L4 Lys Leu	Lys Ile 20	Lys 5 Asp	Pro Ala	Arg His	Pro Thr	Ile His 25	10 Leu	Ala	Ser	Cys	Gly 30	15 Gly	Asp	
<21: <21: <21: <400 Met 1 Pro	1> 27 2> PE 3> Co 3> Co Ser Gly	77 RT oryne L4 Lys Leu Gly 35	Lys Ile 20 Leu	Lys 5 Asp Val	Pro Ala Glu	Arg His Arg	Pro Thr Ala 40	Ile His 25 Lys	10 Leu Glu	Ala Ala	Ser Gly	Cys Val 45	Gly 30 Glu	15 Gly Lys	Asp Leu	
<21: <21: <20: Met 1 Pro Leu	1> 27 2> PF 3> Co 0> 21 Ser Gly Ala	77 RT Dryne Lys Leu Gly 35	Lys Ile 20 Leu Gly	Lys 5 Asp Val Asp	Pro Ala Glu Gly	Arg His Arg Leu 55	Pro Thr Ala 40 Ala	Ile His 25 Lys Glu	10 Leu Glu Ala	Ala Ala Glu	Ser Gly Leu 60	Cys Val 45 Ala	Gly 30 Glu Leu	15 Gly Lys Glu	Asp Leu Ala	
<211 <211 <400 Met 1 Pro Leu Cys Ala 65	1> 27 2> PE 3> Cd 0> 21 Ser Gly Ala Thr 50	77 RT Dryne Lys Leu Gly 35 Val	Lys Ile 20 Leu Gly	Lys 5 Asp Val Asp	Pro Ala Glu Gly Asn 70	Arg His Arg Leu 55 Val	Pro Thr Ala 40 Ala Phe	Ile His 25 Lys Glu Ala	10 Leu Glu Ala Ala	Ala Ala Glu Cys 75	Ser Gly Leu 60 Ala	Cys Val 45 Ala	Gly 30 Glu Leu His	15 Gly Lys Glu Pro	Asp Leu Ala Thr	
<pre><21: <21: <21: <400 Met 1 Pro Leu Cys Ala 65 Lys</pre>	1> 27 2> PE 3> Co 0> 21 Ser Gly Ala Thr 50	77 RT Dryne 14 Lys Leu Gly 35 Val Gln	Lys Ile 20 Leu Gly Phe	Lys 5 Asp Val Asp Gly Leu 85	Pro Ala Glu Gly Asn 70 Asp	Arg His Arg Leu 55 Val	Pro Thr Ala 40 Ala Phe Ala	Ile His 25 Lys Glu Ala	Leu Glu Ala Ala Arg 90	Ala Ala Glu Cys 75 Ala	Ser Gly Leu 60 Ala	Cys Val 45 Ala Ile Leu	Gly 30 Glu Leu His	15 Gly Lys Glu Pro Gln 95	Asp Leu Ala Thr 80 Met	

Glu Glu Ala Leu Arg Trp His Ile Asp Leu Ala Ile Ser Ala Asp Lys 135 Pro Leu Met Ile His Asn Arg Glu Ala Asp Ala Asp Leu Met Arg Val Leu Ala Asp Ala Pro Pro Pro Lys Asp Thr Ile Leu His Cys Phe Ser Ser Pro Leu Asp Val Ala Lys Glu Ala Leu Asp Arg Gly Tyr Val Leu 185 Ser Phe Ala Gly Asn Val Thr Phe Lys Arg Asn Glu Glu Leu Arg Glu 200 Ala Ala Arg Ile Ala Pro Ile Ser Gln Ile Leu Ile Glu Thr Asp Ala 215 220 Pro Tyr Met Thr Pro Glu Pro Phe Arg Gly Ser Arg Asn Glu Pro Ser Leu Ile Gly His Thr Ala Leu Cys Ile Ala Glu Val Arg Gly Met Ala Val Glu Asp Val Ala Ala Leu Asn Glu Asn Phe Asp Arg Val Tyr 260 265 Gly Val Thr Asn Leu 275 <210> 215 <211> 954 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(931) <223> RXA01802 <400> 215 ggaattetgg acaaaagtgt teactacgtt agacatgaga accagtgtgg cacateacag 60 gaaatcttcg cgggtgttta gacaacccgg atgtgacaga atg ggc gat caa gac Met Gly Asp Gln Asp 1 ata atc gga aag gaa tcc aaa caa atg gac ttt cgc ctc gtc gcg aca 163 Ile Ile Gly Lys Glu Ser Lys Gln Met Asp Phe Arg Leu Val Ala Thr gac atg gac ggc aca ctt tta aac acc cac cac gaa gtc cca gag aaa 211 Asp Met Asp Gly Thr Leu Leu Asn Thr His His Glu Val Pro Glu Lys 25 ttt tgg gac atc ctg gaa caa atg cgt gcc aaa gga atc gcc ttc gca 259 Phe Trp Asp Ile Leu Glu Gln Met Arg Ala Lys Gly Ile Ala Phe Ala 40

			ggc Gly													307
gcg Ala 70	ggt Gly	gaa Glu	ccc Pro	att Ile	tct Ser 75	tac Tyr	atc Ile	gca Ala	gaa Glu	aac Asn 80	ggc Gly	acc Thr	gtg Val	gta Val	gtc Val 85	355
cac His	gac Asp	ggc Gly	gaa Glu	att Ile 90	atc Ile	tcc Ser	ctg Leu	acc Thr	acc Thr 95	atc Ile	gac Asp	tcc Ser	gac Asp	acc Thr 100	gta Val	403
cac His	tcc Ser	atc Ile	atc Ile 105	gat Asp	gcc Ala	gtg Val	cgc Arg	gca Ala 110	tcc Ser	gac Asp	atc Ile	gat Asp	atg Met 115	gga Gly	gta Val	451
gtg Val	gtc Val	tgc Cys 120	cga Arg	cca Pro	gaa Glu	cgc Arg	gcc Ala 125	tac Tyr	gtc Val	gaa Glu	cgc Arg	aac Asn 130	gac Asp	gaa Glu	gct Ala	499
ttc Phe	cgc Arg 135	gcc Ala	gaa Glu	ggc Gly	ctg Leu	aaa Lys 140	tac Tyr	tac Tyr	gtc Val	tcc Ser	atc Ile 145	gag Glu	gaa Glu	gtc Val	caa Gln	547
gac Asp 150	ctc Leu	cac His	gaa Glu	gca Ala	gtc Val 155	aac Asn	aat Asn	gaa Glu	gta Val	atc Ile 160	aag Lys	gta Val	gcg Ala	atc Ile	ttt Phe 165	595
aca Thr	ttc Phe	caa Gln	gat Asp	gcc Ala 170	gaa Glu	aag Lys	gac Asp	tgt Cys	gcc Ala 175	ccc Pro	atc Ile	atc Ile	cgc Arg	gca Ala 180	gcc Ala	643
tcc Ser	ccc Pro	aac Asn	gcc Ala 185	aac Asn	gtt Val	gtt Val	gtc Val	tcc Ser 190	ggc Gly	cag Gln	cac His	tgg Trp	gtc Val 195	gat Asp	gtc Val	691
atg Met	gat Asp	cct Pro 200	tca Ser	gcc Ala	aac Asn	aag Lys	ggc Gly 205	caa Gln	gct Ala	ttg Leu	gct Ala	gct Ala 210	ctc Leu	cgc Arg	gat Asp	739
gcc Ala	ctc Leu 215	gga Gly	ttg Leu	gaa Glu	gaa Glu	tcc Ser 220	caa Gln	act Thr	ctc Leu	gtg Val	ttt Phe 225	ggc Gly	gac Asp	tac Tyr	ctc Leu	787
aac Asn 230	gac Asp	act Thr	gaa Glu	ttg Leu	atc Ile 235	aag Lys	gcc Ala	gcc Ala	ggc Gly	aag Lys 240	tct Ser	tac Tyr	gcc Ala	atg Met	tcc Ser 245	835
aat Asn	gcc Ala	cac His	ccg Pro	gac Asp 250	att Ile	ttg Leu	gaa Glu	ttg Leu	gcc Ala 255	gac Asp	gaa Glu	att Ile	gca Ala	cca Pro 260	tcc Ser	883
aac Asn	att Ile	gaa Glu	gag Glu 265	ggc Gly	gtt Val	att Ile	gtg Val	gtg Val 270	ctg Leu	gag Glu	aag Lys	ttg Leu	ctt Leu 275	aac Asn	ggt Gly	931
taac	gatt	gc a	ggca	gcaç	ıg tt	c										954

<210> 216 <211> 277

- <212> PRT
- <213> Corynebacterium glutamicum
- <400> 216
- Met Gly Asp Gln Asp Ile Ile Gly Lys Glu Ser Lys Gln Met Asp Phe 1 5 10 15
- Arg Leu Val Ala Thr Asp Met Asp Gly Thr Leu Leu Asn Thr His His 20 25 30
- Glu Val Pro Glu Lys Phe Trp Asp Ile Leu Glu Gln Met Arg Ala Lys 35 40 45
- Gly Ile Ala Phe Ala Pro Ala Ser Gly Arg Gln Leu Ala Thr Leu Gln 50 55 60
- Lys Gln Phe Gly His Ala Gly Glu Pro Ile Ser Tyr Ile Ala Glu Asn 65 70 75 80
- Gly Thr Val Val His Asp Gly Glu Ile Ile Ser Leu Thr Thr Ile 85 90 95
- Asp Ser Asp Thr Val His Ser Ile Ile Asp Ala Val Arg Ala Ser Asp 100 105 110
- Ile Asp Met Gly Val Val Cys Arg Pro Glu Arg Ala Tyr Val Glu 115 120 125
- Arg Asn Asp Glu Ala Phe Arg Ala Glu Gly Leu Lys Tyr Tyr Val Ser 130 135 140
- Ile Glu Glu Val Gln Asp Leu His Glu Ala Val Asn Asn Glu Val Ile 145 150 155 160
- Lys Val Ala Ile Phe Thr Phe Gln Asp Ala Glu Lys Asp Cys Ala Pro 165 170 175
- Ile Ile Arg Ala Ala Ser Pro Asn Ala Asn Val Val Ser Gly Gln 180 185 190
- His Trp Val Asp Val Met Asp Pro Ser Ala Asn Lys Gly Gln Ala Leu 195 200 205
- Ala Ala Leu Arg Asp Ala Leu Gly Leu Glu Glu Ser Gln Thr Leu Val 210 215 220
- Phe Gly Asp Tyr Leu Asn Asp Thr Glu Leu Ile Lys Ala Ala Gly Lys 225 230 235 240
- Ser Tyr Ala Met Ser Asn Ala His Pro Asp Ile Leu Glu Leu Ala Asp 245 250 255
- Glu Ile Ala Pro Ser Asn Ile Glu Glu Gly Val Ile Val Val Leu Glu 260 265 270
- Lys Leu Leu Asn Gly 275
- <210> 217 <211> 1066

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1066)

<223> RXN00866

<400> 217

gcatcaacgt aggagateet egactteeaa ttatggetee aaatgageag gaacttgagg 60

ctctccgaga agacatgaaa aaagctggag ttctataaat atg aat gat tcc cga 115 Met Asn Asp Ser Arg 1 5

aat cgc ggc cgg aag gtt acc cgc aag gcg ggc cca cca gaa gct ggt 163 Asn Arg Gly Arg Lys Val Thr Arg Lys Ala Gly Pro Pro Glu Ala Gly 10 15 20

cag gaa aac cat ctg gat acc cct gtc ttt cag gca cca gat gct tcc 211 Gln Glu Asn His Leu Asp Thr Pro Val Phe Gln Ala Pro Asp Ala Ser 25 30 35

tct aac cag age gct gta aaa gct gag ace gce gga aac gac aat cgg 259 Ser Asn Gln Ser Ala Val Lys Ala Glu Thr Ala Gly Asn Asp Asn Arg 40 45

gat gct gcg caa ggt gct caa gga tcc caa gat tct cag ggt tcc cag 307 Asp Ala Ala Gln Gly Ala Gln Gly Ser Gln Asp Ser Gln Gly Ser Gln 55 60

aac gct caa ggt tcc cag aac cgc gag tcc gga aac aac cgc aac 355 Asn Ala Gln Gly Ser Gln Asn Arg Glu Ser Gly Asn Asn Asn Arg Asn

cgt tcc aac aac cgt cgc ggt ggt cgt gga cgt cgt gga tcc gga 403 Arg Ser Asn Asn Asn Arg Arg Gly Gly Arg Gly Arg Gly Ser Gly 90 95 100

aac gcc aat gag ggc gcg aac aac aac agc ggt aac cag aac cgt cag 451 Asn Ala Asn Glu Gly Ala Asn Asn Asn Ser Gly Asn Gln Asn Arg Gln 105 110

ggc gga aac cgt ggc aac cgc ggt ggc gga cgc cga aac gtt gtt aag 499 Gly Gly Asn Arg Gly Asn Arg Gly Gly Gly Arg Arg Asn Val Val Lys 120 125 130

tcg atg cag ggt gcg gat ctg acc cag cgc ctg cca gag cca cca aag 547 Ser Met Gln Gly Ala Asp Leu Thr Gln Arg Leu Pro Glu Pro Pro Lys 135 140 145

gca ccg gca aac ggt ctg cgt att tac gca ctt ggt ggc att tcc gaa 595 Ala Pro Ala Asn Gly Leu Arg Ile Tyr Ala Leu Gly Gly Ile Ser Glu 150 165

atc ggt cgc aac atg acc gtg ttt gag tac aac aac cgt ctg ctc atc 643 Ile Gly Arg Asn Met Thr Val Phe Glu Tyr Asn Asn Arg Leu Leu Ile 170 175 180

gtg gac tgt ggt gtg ctc ttc cca tct tca ggt gag cca ggc gtt gac 691 Val Asp Cys Gly Val Leu Phe Pro Ser Ser Gly Glu Pro Gly Val Asp

185 190 195

					gat Asp				739
					gac Asp				787
					cca Pro 240				835
					aag Lys				883
					aat Asn			ccg Pro.	931
					tcc Ser				979
					gtc Val				1027
		Gln			cgc Arg 320				1066

<210> 218

<211> 322

<212> PRT

<213> Corynebacterium glutamicum

<400> 218

Met Asn Asp Ser Arg Asn Arg Gly Arg Lys Val Thr Arg Lys Ala Gly $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Pro Pro Glu Ala Gly Gln Glu Asn His Leu Asp Thr Pro Val Phe Gln 20 25 30

Ala Pro Asp Ala Ser Ser Asn Gln Ser Ala Val Lys Ala Glu Thr Ala $35 \hspace{1cm} 40 \hspace{1cm} 45$

Gly Asn Asp Asn Arg Asp Ala Ala Gln Gly Ala Gln Gly Ser Gln Asp 50 55 60

Ser Gln Gly Ser Gln Asn Ala Gln Gly Ser Gln Asn Arg Glu Ser Gly 65 70 75 80

Asn Asn Asn Arg Asn Arg Ser Asn Asn Asn Arg Arg Gly Gly Arg Gly 85 90 95

Arg Arg Gly Ser Gly Asn Ala Asn Glu Gly Ala Asn Asn Asn Ser Gly 100 . 105 . 110

Asn Gln Asn Arg Gln Gly Gly Asn Arg Gly Asn Arg Gly Gly Gly Arg 115 Arg Asn Val Val Lys Ser Met Gln Gly Ala Asp Leu Thr Gln Arg Leu Pro Glu Pro Pro Lys Ala Pro Ala Asn Gly Leu Arg Ile Tyr Ala Leu 145 150 Gly Gly Ile Ser Glu Ile Gly Arg Asn Met Thr Val Phe Glu Tyr Asn 170 Asn Arg Leu Leu Ile Val Asp Cys Gly Val Leu Phe Pro Ser Ser Gly 185 Glu Pro Gly Val Asp Leu Ile Leu Pro Asp Phe Gly Pro Ile Glu Asp His Leu His Arg Val Asp Ala Leu Val Val Thr His Gly His Glu Asp 215 . His Ile Gly Ala Ile Pro Trp Leu Leu Lys Leu Arg Asn Asp Ile Pro Ile Leu Ala Ser Arg Phe Thr Leu Ala Leu Ile Ala Ala Lys Cys Lys 245 Glu His Arg Gln Arg Pro Lys Leu Ile Glu Val Asn Glu Gln Ser Asn 265 Glu Asp Arg Gly Pro Phe Asn Ile Arg Phe Trp Ala Val Asn His Ser Ile Pro Asp Cys Leu Gly Leu Ala Ile Lys Thr Pro Ala Gly Leu Val 295 Ile His Thr Gly Asp Ile Lys Leu Asp Gln Thr Pro Pro Asp Gly Arg 310 Pro Thr <210> 219 <211> 1045 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1045) <223> FRXA00866 <400> 219 gcatcaacgt aggagatect egacttecaa ttatggetee aaatgageag gaacttgagg 60 ctctccgaga agacatgaaa aaagctggag ttctataaat atg aat gat tcc cga 115 Met Asn Asp Ser Arg

aat Asn	cgc Arg	ggc Gly	cgg Arg	aag Lys 10	gtt Val	acc Thr	cgc Arg	aag Lys	gcg Ala 15	ggc Gly	cca Pro	cca Pro	gaa Glu	gct Ala 20	ggt Gly	163
								gtc Val 30								211
								gag Glu								259
								tcc Ser								307
								gag Glu								355
								ggt Gly								403
aac Asn	gcc Ala	aat Asn	gag Glu 105	GJ y	gcg Ala	aac Asn	aac Asn	aac Asn 110	agc Ser	ggt Gly	aac Asn	cag Gln	aac Asn 115	cgt Arg	cag Gln	451
								ggc Gly								499
								cag Gln								547
								tac Tyr								595
atc Ile	ggt Gly	cgc Arg	aac Asn	atg Met 170	acc Thr	gtg Val	ttt Phe	gag Glu	tac Tyr 175	aac Asn	aac Asn	cgt Arg	ctg Leu	ctc Leu 180	atc Ile	643
								tct Ser 190								691
ctg Leu	att Ile	ctt Leu 200	cct Pro	gac Asp	ttc Phe	ggc Gly	cca Pro 205	att Ile	gag Glu	gat Asp	cac His	ctg Leu 210	cac His	cgc Arg	gtc Val	739
								cac His								787
ccc Pro 230	tgg Trp	ctg Leu	ctg Leu	aag Lys	ctg Leu 235	cgc Arg	aac Asn	gat Asp	atc Ile	cca Pro 240	atc Ile	ttg Leu	gca Ala	tcc Ser	cgt Arg 245	835
ttc	acc	ttg	gct	ctg	att	gca	gct	aag	tgt	aag	gaa	cac	cgt	cag	cgt	883

Phe Thr Leu Ala Leu Ile Ala Ala Lys Cys Lys Glu His Arg Gln Arg 250 ccg aag ctg atc gag gtc aac gag cag tcc aat gag gac cgc gga ccg 931 Pro Lys Leu Ile Glu Val Asn Glu Gln Ser Asn Glu Asp Arg Gly Pro 270 ttc aac att cgc ttc tgg gct gtt aac cac tcc atc cca gac tgc ctt 979 Phe Asn Ile Arg Phe Trp Ala Val Asn His Ser Ile Pro Asp Cys Leu 285 ggt ctt gct atc aag act cct gct ggt ttg gtc atc cac acc ggt gac 1027 Gly Leu Ala Ile Lys Thr Pro Ala Gly Leu Val Ile His Thr Gly Asp 305 atc aag ctg gat cag act 1045 Ile Lys Leu Asp Gln Thr <210> 220 <211> 315 <212> PRT <213> Corynebacterium glutamicum <400> 220 Met Asn Asp Ser Arg Asn Arg Gly Arg Lys Val Thr Arg Lys Ala Gly Pro Pro Glu Ala Gly Gln Glu Asn His Leu Asp Thr Pro Val Phe Gln 25 Ala Pro Asp Ala Ser Ser Asn Gln Ser Ala Val Lys Ala Glu Thr Ala 40 Gly Asn Asp Asn Arg Asp Ala Ala Gln Gly Ala Gln Gly Ser Gln Asp Ser Gln Gly Ser Gln Asn Ala Gln Gly Ser Gln Asn Arg Glu Ser Gly Asn Asn Asn Arg Asn Arg Ser Asn Asn Arg Arg Gly Gly Arg Gly Arg Arg Gly Ser Gly Asn Ala Asn Glu Gly Ala Asn Asn Asn Ser Gly

Asn Gln Asn Arg Gln Gly Gly Asn Arg Gly Asn Arg Gly Gly Arg

Arg Asn Val Val Lys Ser Met Gln Gly Ala Asp Leu Thr Gln Arg Leu 130

Pro Glu Pro Pro Lys Ala Pro Ala Asn Gly Leu Arg Ile Tyr Ala Leu 150

Gly Gly Ile Ser Glu Ile Gly Arg Asn Met Thr Val Phe Glu Tyr Asn 170

Asn Arg Leu Leu Ile Val Asp Cys Gly Val Leu Phe Pro Ser Ser Gly 180 185

305

Glu Pro Gly Val Asp Leu Ile Leu Pro Asp Phe Gly Pro Ile Glu Asp His Leu His Arg Val Asp Ala Leu Val Val Thr His Gly His Glu Asp His Ile Gly Ala Ile Pro Trp Leu Leu Lys Leu Arg Asn Asp Ile Pro Ile Leu Ala Ser Arg Phe Thr Leu Ala Leu Ile Ala Ala Lys Cys Lys Glu His Arg Gln Arg Pro Lys Leu Ile Glu Val Asn Glu Gln Ser Asn Glu Asp Arg Gly Pro Phe Asn Ile Arg Phe Trp Ala Val Asn His Ser 280 Ile Pro Asp Cys Leu Gly Leu Ala Ile Lys Thr Pro Ala Gly Leu Val 290 295 300 Ile His Thr Gly Asp Ile Lys Leu Asp Gln Thr 310 <210> 221 <211> 789 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(766) <223> RXA02410 tatgagactg accatecttg gaagetetgg tagegtgeee getecaggta acceegeate 60 cggatatctg ttaacttctc cggacqcccc tgccqtqatt atq qac atq qqc cca Met Asp Met Gly Pro ggt gtc ctt gca gca gtt caa gaa att caa gat cct gct gat gcg cat 163 Gly Val Leu Ala Ala Val Gln Glu Ile Gln Asp Pro Ala Asp Ala His gtt att ttc tcc cat ttg cac acc gat cac tgc gct gat ttt gcg tcc 211 Val Ile Phe Ser His Leu His Thr Asp His Cys Ala Asp Phe Ala Ser ttg atg gtg tgg cgc agg ttc cac cca acg ctg gcc gcc aag agc cgc 259 Leu Met Val Trp Arg Arg Phe His Pro Thr Leu Ala Ala Lys Ser Arg aat ctt ttg ttt gga cct gaa gat acc ccc aac agg ctt ggt cgt ttg 307 Asn Leu Leu Phe Gly Pro Glu Asp Thr Pro Asn Arg Leu Gly Arg Leu 60 age tee gat gag eet gat gge gtt gae gat atg tea gat act ttt get 355 Ser Ser Asp Glu Pro Asp Gly Val Asp Asp Met Ser Asp Thr Phe Ala

70 75 80 ttc gac gcc tgg gaa gag cgc aag cca gag ctc att gat aat ttc acg 403 Phe Asp Ala Trp Glu Glu Arg Lys Pro Glu Leu Ile Asp Asn Phe Thr 95 gtc acg ccg ttc cgc gtt gtg cac ccc att gag acc tac gcg ctt cgc Val Thr Pro Phe Arg Val Val His Pro Ile Glu Thr Tyr Ala Leu Arg 110 gta gag gag cac ege ace gge gee tea att acg tat tee ggt gae age 499 Val Glu Glu His Arg Thr Gly Ala Ser Ile Thr Tyr Ser Gly Asp Ser 125 gcg tac acc gaa gcg ctt atc gac gcc gcc cgc aac gtt gac att ttc 547 Ala Tyr Thr Glu Ala Leu Ile Asp Ala Ala Arg Asn Val Asp Ile Phe 135 ttg tgc gag gca act tgg ggc acc tct tgc gat gac aaa gca cca gga 595 Leu Cys Glu Ala Thr Trp Gly Thr Ser Cys Asp Asp Lys Ala Pro Gly atg cat atg tgt ggc caa gac gcc gga aga att gcg gca gca gct ggc 643 Met His Met Cys Gly Gln Asp Ala Gly Arg Ile Ala Ala Ala Gly 170 gta aag aaa ctg att atc act cat gtt cca cca tgg att gat gca gag 691 Val Lys Lys Leu Ile Ile Thr His Val Pro Pro Trp Ile Asp Ala Glu 185 190 gcc aca gtg gca gca gct gcg gaa cac ttt gat ggt cct atc gaa ttg 739 Ala Thr Val Ala Ala Ala Glu His Phe Asp Gly Pro Ile Glu Leu 200 205 gca cga tca gga atg gtt atc gag ttt tagtccgttt gtactaataa 786 Ala Arg Ser Gly Met Val Ile Glu Phe 789 ggt <210> 222 <211> 222 <212> PRT <213> Corynebacterium glutamicum Met Asp Met Gly Pro Gly Val Leu Ala Ala Val Gln Glu Ile Gln Asp Pro Ala Asp Ala His Val Ile Phe Ser His Leu His Thr Asp His Cys 20 25 Ala Asp Phe Ala Ser Leu Met Val Trp Arg Arg Phe His Pro Thr Leu Ala Ala Lys Ser Arg Asn Leu Leu Phe Gly Pro Glu Asp Thr Pro Asn 50 55 Arg Leu Gly Arg Leu Ser Ser Asp Glu Pro Asp Gly Val Asp Asp Met 70

Ser Asp Thr Phe Ala Phe Asp Ala Trp Glu Glu Arg Lys Pro Glu Leu Ile Asp Asn Phe Thr Val Thr Pro Phe Arg Val Val His Pro Ile Glu Thr Tyr Ala Leu Arg Val Glu Glu His Arg Thr Gly Ala Ser Ile Thr Tyr Ser Gly Asp Ser Ala Tyr Thr Glu Ala Leu Ile Asp Ala Ala Arg Asn Val Asp Ile Phe Leu Cys Glu Ala Thr Trp Gly Thr Ser Cys Asp Asp Lys Ala Pro Gly Met His Met Cys Gly Gln Asp Ala Gly Arg Ile Ala Ala Ala Gly Val Lys Leu Ile Ile Thr His Val Pro Pro Trp Ile Asp Ala Glu Ala Thr Val Ala Ala Ala Ala Glu His Phe Asp Gly Pro Ile Glu Leu Ala Arg Ser Gly Met Val Ile Glu Phe 215 <210> 223 <211> 455 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(432) <223> RXA00961 <400> 223 cta gag aac tgg cgt atc ggc cgc atg ttg ctg ctt ggc gac gcc 48 Leu Glu Asn Trp Arg Ile Gly Arg Met Leu Leu Gly Asp Ala Ala cac gca ccc ctc cag tac ctc gcc tca ggc gcg gtc atg gcc atg gaa 96 His Ala Pro Leu Gln Tyr Leu Ala Ser Gly Ala Val Met Ala Met Glu gac gcc gag gct gtc gcc ctc ttc gct gcc gac gct gcg cgt gct ggc 144 Asp Ala Glu Ala Val Ala Leu Phe Ala Ala Asp Ala Arg Ala Gly àac ctc gat tgg gaa gag gta ctc gca gag gtg gaa gct gaa cgc cga 192 Asn Leu Asp Trp Glu Glu Val Leu Ala Glu Val Glu Ala Glu Arg Arg cca cgc tgc agc cgc atc caa acc gta ggc cgt ttc tgg gga gag ctc 240 Pro Arg Cys Ser Arg Ile Gln Thr Val Gly Arg Phe Trp Gly Glu Leu 70 tgg cat gtg gaa ggc acc gca cgt ctc atc cgc aac gaa gtt ttc cgc

Trp His Val Glu Gly Thr Ala Arg Leu Ile Arg Asn Glu Val Phe Arg 85 90 95

caa gca gac cgc aat ggc tgg ttc atc tat gca gac tgg ctg tgg ggt 336 Gln Ala Asp Arg Asn Gly Trp Phe Ile Tyr Ala Asp Trp Leu Trp Gly 100 105 110

tac gat gca tcc aag cgt gcc cac atc gcc aac cct gag ctc gga gaa
Tyr Asp Ala Ser Lys Arg Ala His Ile Ala Asn Pro Glu Leu Gly Glu
115 120 125

atg cca caa gca ctg aag gaa tgg cgc tac gcc ctc ctc gaa cag aaa 432 Met Pro Gln Ala Leu Lys Glu Trp Arg Tyr Ala Leu Leu Glu Gln Lys 130 135 140

tagcagcctc acctgttaag gga 455

<210> 224

<211> 144

<212> PRT

<213> Corynebacterium glutamicum

<400> 224

Leu Glu Asn Trp Arg Ile Gly Arg Met Leu Leu Gly Asp Ala Ala 1 5 10 15

His Ala Pro Leu Gln Tyr Leu Ala Ser Gly Ala Val Met Ala Met Glu 20 25 30

Asp Ala Glu Ala Val Ala Leu Phe Ala Ala Asp Ala Ala Arg Ala Gly 35 40 45

Asn Leu Asp Trp Glu Glu Val Leu Ala Glu Val Glu Ala Glu Arg Arg 50 60

Pro Arg Cys Ser Arg Ile Gln Thr Val Gly Arg Phe Trp Gly Glu Leu 65 70 75 80

Trp His Val Glu Gly Thr Ala Arg Leu Ile Arg Asn Glu Val Phe Arg 85 90 95

Gln Ala Asp Arg Asn Gly Trp Phe Ile Tyr Ala Asp Trp Leu Trp Gly 100 105 110

Tyr Asp Ala Ser Lys Arg Ala His Ile Ala Asn Pro Glu Leu Gly Glu 115 120 125

Met Pro Gln Ala Leu Lys Glu Trp Arg Tyr Ala Leu Leu Glu Gln Lys 130 135 140

<210> 225

<211> 1116

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS <222> (101)..(1093) <223> RXA00111

<400> 225

ccgagaagct ggagaaggcc aacaagcgtg gcctctacac ctccgcgtcc ttccacagcc 60

ccggcgccat cactggcgac cactaaaaaa ggagacttcg atg gcc ttt ttt agc 115

Met Ala Phe Phe Ser

1 5

ttt tcg acg tct ccc ctc acc cgc ctc atc ccc ggc agc cgc tcc aaa 163 Phe Ser Thr Ser Pro Leu Thr Arg Leu Ile Pro Gly Ser Arg Ser Lys 10 15 20

gcc aca ggc gcc aaa cgg cgc ctg agc aca atc gcg tcg att gaa $\,$ 211 Ala Thr Gly Ala Lys Arg Arg Leu Ser Ser Thr Ile Ala Ser Ile Glu $\,$ 25 $\,$ 30 $\,$ 35

cgc tcc ccc ggc atc att gcc cta gac gga ccg ttc acc cac gat cac $$ 259 Arg Ser Pro Gly Ile Ile Ala Leu Asp Gly Pro Phe Thr His Asp His $$ 40 $$ 45 $$ 50

gtc tcc gta cgt ggc att cgc ctc cat tta gca gag gca ggc tcc ccc 307 Val Ser Val Arg Gly Ile Arg Leu His Leu Ala Glu Ala Gly Ser Pro 55 60 65

acc aaa ccc ctg gtt ctt ctg atc cac ggg gct ttc ggc ggt tgg tac 355
Thr Lys Pro Leu Val Leu Leu Ile His Gly Ala Phe Gly Gly Trp Tyr
70 80 85

gac tac cgc gaa gtc atc ggc cca ctc gca gat gcc ggc ttc cac gtc 403 Asp Tyr Arg Glu Val Ile Gly Pro Leu Ala Asp Ala Gly Phe His Val

gcc gcc atc gat cta cgc ggc tac ggc atg tcc gac aaa ccc cca aca 451 Ala Ala Ile Asp Leu Arg Gly Tyr Gly Met Ser Asp Lys Pro Pro Thr 105 110

ggc tac gac ctc cgc cac gca gcc gga gaa ctc agc agc gtt atc gca 499 Gly Tyr Asp Leu Arg His Ala Ala Gly Glu Leu Ser Ser Val Ile Ala 120 125 130

gct ctc ggc cac gat gac gca ctt ctt gtc ggc tcc gac acc ggc gcc 547 Ala Leu Gly His Asp Asp Ala Leu Leu Val Gly Ser Asp Thr Gly Ala 135 140 145

age ate gee tgg get ate get tee atg tae eee gaa egg gte ege gge 595 Ser Ile Ala Trp Ala Ile Ala Ser Met Tyr Pro Glu Arg Val Arg Gly 150 160 165

cta att tcc ctc ggc gcg atc cac ccc ctt gac atg cga cgc gcc atc 643 Leu Ile Ser Leu Gly Ala Ile His Pro Leu Asp Met Arg Arg Ala Ile 170 180

cga cga aaa ccc cac cta cac gtc tct gac ctc agc cga ctt gct cct 691 Arg Arg Lys Pro His Leu His Val Ser Asp Leu Ser Arg Leu Ala Pro 185 190 195

ttt cgg ttg ccc tca ttc ctg cat aac ctc ttc cac ttc gga atc acc 739 Phe Arg Leu Pro Ser Phe Leu His Asn Leu Phe His Phe Gly Ile Thr 200 205 210

agc Ser	gaa Glu 215	gct Ala	cga Arg	cgt Arg	gag Glu	atc Ile 220	gtc Val	aac Asn	aac Asn	acg Thr	tcc Ser 225	tcg Ser	tcc Ser	tac Tyr	cag Gln	787
cgc Arg 230	agc Ser	aac Asn	gca Ala	ttc Phe	aca Thr 235	gag Glu	aca Thr	gtg Val	ctc Leu	ctc Leu 240	cgc Arg	aaa Lys	aaa Lys	gca Ala	cta Leu 245	835
tcg Ser	atc Ile	gac Asp	cac His	acc Thr 250	atc Ile	acc Thr	ccg Pro	atc Ile	atc Ile 255	cgc Arg	acc Thr	aac Asn	cgc Arg	tac Tyr 260	ctc Leu	883
gtt Val	Gly ggg	tcg Ser	atc Ile 265	ccc Pro	agc Ser	aaa Lys	aca Thr	gtc Val 270	tcc Ser	gca Ala	ccg Pro	gtg Val	tgg Trp 275	ctg Leu	ctc Leu	931
aga Arg	acc Thr	aac Asn 280	act Thr	cga Arg	cgc Arg	tgg Trp	gaa Glu 285	cat His	cta Leu	gcc Ala	aat Asn	act Thr 290	gcg Ala	cgc Arg	act Thr	979
cga Arg	acg Thr 295	aca Thr	ggg Gly	cca Pro	ttc Phe	acc Thr 300	acc Thr	atc Ile	gcg Ala	atc Ile	ccc Pro 305	ggc Gly	ggc Gly	tac Tyr	gaa Glu	1027
ctc Leu 310	ccc Pro	tac Tyr	ctc Leu	gag Glu	aac Asn 315	cct Pro	tcc Ser	gaa Glu	ttt Phe	gca Ala 320	gca Ala	acc Thr	atc Ile	gca Ala	gag Glu 325	1075
ttc Phe	gcg Ala	cgc Arg	acc Thr	acg Thr 330	ttt Phe	taag	cact	gt g	gctg	aggc	g ct	g				1116

<210> 226

<211> 331

<212> PRT

<213> Corynebacterium glutamicum

<400> 226

Met Ala Phe Phe Ser Phe Ser Thr Ser Pro Leu Thr Arg Leu Ile Pro $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Gly Ser Arg Ser Lys Ala Thr Gly Ala Lys Arg Arg Leu Ser Ser Thr 20 25 30

Ile Ala Ser Ile Glu Arg Ser Pro Gly Ile Ile Ala Leu Asp Gly Pro 35 40 45

Phe Thr His Asp His Val Ser Val Arg Gly Ile Arg Leu His Leu Ala 50 55 60

Glu Ala Gly Ser Pro Thr Lys Pro Leu Val Leu Leu Ile His Gly Ala 65 70 75 80

Phe Gly Gly Trp Tyr Asp Tyr Arg Glu Val Ile Gly Pro Leu Ala Asp 85 90 95

Ala Gly Phe His Val Ala Ala Ile Asp Leu Arg Gly Tyr Gly Met Ser 100 105 110

Asp Lys Pro Pro Thr Gly Tyr Asp Leu Arg His Ala Ala Gly Glu Leu Ser Ser Val Ile Ala Ala Leu Gly His Asp Asp Ala Leu Leu Val Gly Ser Asp Thr Gly Ala Ser Ile Ala Trp Ala Ile Ala Ser Met Tyr Pro Glu Arg Val Arg Gly Leu Ile Ser Leu Gly Ala Ile His Pro Leu Asp 170 Met Arg Arg Ala Ile Arg Arg Lys Pro His Leu His Val Ser Asp Leu 185 Ser Arg Leu Ala Pro Phe Arg Leu Pro Ser Phe Leu His Asn Leu Phe His Phe Gly Ile Thr Ser Glu Ala Arg Arg Glu Ile Val Asn Asn Thr Ser Ser Ser Tyr Gln Arg Ser Asn Ala Phe Thr Glu Thr Val Leu Leu 230 235 Arg Lys Lys Ala Leu Ser Ile Asp His Thr Ile Thr Pro Ile Ile Arg 250 Thr Asn Arg Tyr Leu Val Gly Ser Ile Pro Ser Lys Thr Val Ser Ala Pro Val Trp Leu Leu Arg Thr Asn Thr Arg Arg Trp Glu His Leu Ala Asn Thr Ala Arg Thr Arg Thr Thr Gly Pro Phe Thr Thr Ile Ala Ile Pro Gly Gly Tyr Glu Leu Pro Tyr Leu Glu Asn Pro Ser Glu Phe Ala Ala Thr Ile Ala Glu Phe Ala Arg Thr Thr Phe 325 330 <210> 227 <211> 1020 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(997) <223> RXA01932 <400> 227 tttctaacct gcatccaagc ctaggtggaa ttgagatgac gcgtcgtaga gatcgaaaac 60

ttctaacct gcatccaagc ctaggtggaa ttgagatgac gcgtcgtaga gat

tcaaccaaat ttcttgccta aggcttctag gattgtcgtt atg ctc ctt cac cca 115

Met Leu Leu His Pro
1 5

gat Asp	gco Ala	g cad	g ttt n Phe	tat Tyr 10	Ile	gat Asp	acc Thr	ttg Leu	ccc Pro	Thr	ctc Leu	agc Ser	gcg	gag Glu 20		163
caç Glr	g gtg n Val	g agt . Sei	ttt Phe 25	GLy	aaa Lys	gac Asp	gct Ala	cct Pro 30	Val	tca Ser	gag Glu	gct Ala	gat Asp 35	Ala	acc Thr	211
Cat	gtg Val	gcc Ala 40	aca Thr	gat Asp	caa Gln	gat Asp	att Ile 45	gct Ala	ggg	gtg Val	ccg Pro	gtg Val 50	agg Arg	gtt Val	tat Tyr	259
acg Thr	Pro 55	Leu	tct Ser	ggg Gly	gct Ala	ggg Gly 60	gat Asp	ttg Leu	ccg Pro	tgt Cys	ttg Leu 65	gtg Val	tac Tyr	ttc Phe	cac His	307
ggc Gly 70	GIA	ggc	tgg Trp	tcc Ser	ggc Gly 75	ggc Gly	acc Thr	ctc Leu	aac Asn	atg Met 80	atc Ile	gat Asp	gcc Ala	acg Thr	gtt Val 85	355
His	Ser	Leu	gtg Val	Val 90	Gly	Leu	Pro	Ile	Ile 95	Ala	Ile	Ser	Val	Asp 100	Tyr	403
Arg	Leu	Ala	ccc Pro 105	Ala	His	Pro	Phe	Pro 110	Ala	Ala	Ile	Asp	Asp 115	Ala	Phe	451
Ата	val	120	agt Ser	Ala	Val	Leu	125	Gly	Val	Ser	Gly	Leu 130	Ser	Ile	Asp	499
Thr	135	Arg	gtg Val	Ala	Ile	Gly 140	Gly	Asp	Ser	Ala	Gly 145	Gly	Asn	Ile	Ala	547
150	Val	Thr	gca Ala	Gln	Gln 155	Leu	Arg	Glu	Arg	Ala 160	Val	Gly	Ser	Thr	Pro 165	595
val	Leu	Ala	cac His	Gln 170	Val	Leu	Ile	Phe	Pro 175	Val	Thr	Asp	Val	Ser 180	Thr	643
inr	ser	Thr	ccg Pro 185	Ser	Tyr	Leu	Thr	Phe 190	Gly	Lys	Asp	Cys	Туr 195	Leu	Thr	691
гуs	Asp	Ala 200	atg Met	Glu	Arg	Tyr	Ile 205	Glu	Gln	Tyr	Ala	Asp 210	Gly	His	Asp	739
Arg	215	Asp	cct Pro	Arg	Leu	Ser 220	Pro	Leu	Leu	Ala	Ser 225	Asp	Leu	Ser	Asp	787
230	Pro	Pro	acc Thr	Thr	11e 235	Val	Tyr	Gly	Glu	Cys 240	Asp	Val	Leu	Ala	His 245	835
gaa	gtg	cga	gcc	tat	gga	caa	gct	cta	cta	gag	gct	gga	aat	tcc	gtg	883

Glu Val Arg Ala Tyr Gly Gln Ala Leu Leu Glu Ala Gly Asn Ser Val 250 255 260

acg atg act gaa ttc aaa gga cag atc cac gcc ttt att aac cta ggg 931 Thr Met Thr Glu Phe Lys Gly Gln Ile His Ala Phe Ile Asn Leu Gly 265 270 275

gga atc agt tcc gat gcg cgg gct gct cga cga ctc atc cgc gcc gaa 979 Gly Ile Ser Ser Asp Ala Arg Ala Ala Arg Arg Leu Ile Arg Ala Glu 280 285

ttg gaa gca gca ctt tgt taaaggttga gatttaacat tcg 1020 Leu Glu Ala Ala Leu Cys 295

<210> 228

<211> 299 .

<212> PRT

<213> Corynebacterium glutamicum

<400> 228

Met Leu Leu His Pro Asp Ala Gln Phe Tyr Ile Asp Thr Leu Pro Thr 1 5 10 15

Leu Ser Ala Glu Glu Gln Val Ser Phe Gly Lys Asp Ala Pro Val Ser 20 25 30

Glu Ala Asp Ala Thr His Val Ala Thr Asp Gln Asp Ile Ala Gly Val
35 40 45

Pro Val Arg Val Tyr Thr Pro Leu Ser Gly Ala Gly Asp Leu Pro Cys 50 55

Leu Val Tyr Phe His Gly Gly Gly Trp Ser Gly Gly Thr Leu Asn Met 65 70 75 80

Ile Asp Ala Thr Val His Ser Leu Val Val Gly Leu Pro Ile Ile Ala 85 90 95

Ile Ser Val Asp Tyr Arg Leu Ala Pro Ala His Pro Phe Pro Ala Ala 100 105 110

Ile Asp Asp Ala Phe Ala Val Val Ser Ala Val Leu Asp Gly Val Ser 115 120 125

Gly Leu Ser Ile Asp Thr Ser Arg Val Ala Ile Gly Gly Asp Ser Ala 130 135 140

Gly Gly Asn. Ile Ala Ala Val Thr Ala Gln Gln Leu Arg Glu Arg Ala 145 150 155 160

Val Gly Ser Thr Pro Val Leu Ala His Gln Val Leu Ile Phe Pro Val 165 170 175

Thr Asp Val Ser Thr Thr Ser Thr Pro Ser Tyr Leu Thr Phe Gly Lys 180 185 190

Asp Cys Tyr Leu Thr Lys Asp Ala Met Glu Arg Tyr Ile Glu Gln Tyr 195 200 205

Ala Asp Gly His Asp Arg Thr Asp Pro Arg Leu Ser Pro Leu Leu Ala Ser Asp Leu Ser Asp Leu Pro Pro Thr Thr Ile Val Tyr Gly Glu Cys 230 Asp Val Leu Ala His Glu Val Arg Ala Tyr Gly Gln Ala Leu Leu Glu Ala Gly Asn Ser Val Thr Met Thr Glu Phe Lys Gly Gln Ile His Ala 260 265 Phe Ile Asn Leu Gly Gly Ile Ser Ser Asp Ala Arg Ala Arg Arg 280 Leu Ile Arg Ala Glu Leu Glu Ala Ala Leu Cys 295 <210> 229 <211> 1131 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1108) <223> RXA02574 <400> 229 tgtgctcctt gcgggctgcg cagaagagcc ggaacagcaa aaagcaataa gccgcttatc 60 gacgtccccc tccacccctc ccgcaccgac cqcggaggat ttg gcg cgc gcg caa Leu Ala Arg Ala Gln atc cct gaa cag caa cgc gac caa gtc gcg tcg ctg atg atg gtt gga 163 Ile Pro Glu Gln Gln Arg Asp Gln Val Ala Ser Leu Met Met Val Gly 10 15 gtt gcg aat tat gat cag gca ttg gat gcg ctc aat cag ggg gtg ggt 211 Val Ala Asn Tyr Asp Gln Ala Leu Asp Ala Leu Asn Gln Gly Val Gly 30 ggc atc ttt att ggt tcc tgg aca gat gaa aat ctg ctc acg gaa cct 259 Gly Ile Phe Ile Gly Ser Trp Thr Asp Glu Asn Leu Leu Thr Glu Pro 45 ggc cgt aat att gag gcg ctc cgc gaa gcc gtc ggc agg gat ttc tcc 307 Gly Arg Asn Ile Glu Ala Leu Arg Glu Ala Val Gly Arg Asp Phe Ser gtc agc atc gac ttc gaa ggc ggc cgc gtc cag cgt gcc acc aat att 355 Val Ser Ile Asp Phe Glu Gly Gly Arg Val Gln Arg Ala Thr Asn Ile 75 ctt ggt gat ttc ccc tca ccg cgc gtg atg gcg caa acc atg acg ccg 403 Leu Gly Asp Phe Pro Ser Pro Arg Val Met Ala Gln Thr Met Thr Pro 90 95 100 gaa caa gta gaa gat ctc gca gaa atc cta ggc act ggt tta gct gca 451

Glu	Gln	Val	Glu 105	Asp	Leu	Ala	Glu	Ile 110	Leu	Gly	Thr	Gly	Leu 115	Ala	Ala	
						ttt Phe										499
			-	_		gat Asp 140	_					-		-	•	547
_	-			-		gct Ala		-	_			-		-		595
			-			cat His						-	-	-		643
_	-					gtg Val				-		-				691
						tat Tyr										739
-	-	_				atg Met 220		_						-		787
-					-	ccc Pro	-				_		-	_		835
_						cct Pro		-						-	_	883
			_	•	-	att Ile		_					-	•	_	931
		-				gca Ala		-	-		_				-	979
						gcg Ala 300										1027
-		-				gaa Glu		_	_	-				_	-	1075
						cgt Arg					tga	agtt	acc a	agtc	cgtaac	1128
ccc																1131

<210> 230

<211> 336

<212> PRT

<213> Corynebacterium glutamicum

<400> 230

Leu Ala Arg Ala Gln Ile Pro Glu Gln Gln Arg Asp Gln Val Ala Ser 1 5 10 15

Leu Met Met Val Gly Val Ala Asn Tyr Asp Gln Ala Leu Asp Ala Leu 20 25 30

Asn Gln Gly Val Gly Gly Ile Phe Ile Gly Ser Trp Thr Asp Glu Asn
35 40 45

Leu Leu Thr Glu Pro Gly Arg Asn Ile Glu Ala Leu Arg Glu Ala Val 50 55 60

Gly Arg Asp Phe Ser Val Ser Ile Asp Phe Glu Gly Gly Arg Val Gln 65 70 75 80

Arg Ala Thr Asn Ile Leu Gly Asp Phe Pro Ser Pro Arg Val Met Ala 85 90 95

Gln Thr Met Thr Pro Glu Gln Val Glu Asp Leu Ala Glu Ile Leu Gly
100 105 110

Thr Gly Leu Ala Ala His Gly Val Thr Val Asn Phe Ala Pro Val Val 115 120 125

Asp Val Asp Ala Trp Gly Leu Pro Val Val Gly Asp Arg Ser Phe Ser 130 140

Asn Asp Pro Ala Val Ala Ala Thr Tyr Ala Thr Ala Phe Ala Lys Gly 145 150 155 160

Leu Ser Lys Val Gly Ile Thr Pro Val Phe Lys His Phe Pro Gly His 165 170 175

Gly Arg Ala Ser Gly Asp Ser His Thr Gln Asp Val Val Thr Pro Ala 180 185 190

Leu Asp Glu Leu Lys Thr Tyr Asp Leu Ile Pro Tyr Gly Gln Ala Leu 195 200 205

Ser Glu Thr Asp Gly Ala Val Met Val Gly His Met Ile Val Pro Gly 210 215 220

Leu Gly Thr Asp Gly Val Pro Ser Ser Ile Asp Pro Ala Thr Tyr Gln 225 230 235 240

Leu Leu Arg Ser Gly Asp Tyr Pro Gly Gly Val Pro Phe Asp Gly Val
245 250 255

Ile Tyr Thr Asp Asp Leu Ser Gly Met Ser Ala Ile Ser Ala Thr His 260 265 270

Ser Pro Ala Glu Ala Val Leu Ala Ser Leu Lys Ala Gly Ala Asp Gln 275 280 285

Ala Leu Trp Ile Asp Tyr Gly Ser Leu Gly Ser Ala Ile Asp Arg Val 290 295 300 Asp Ala Ala Val Ser Ser Gly Glu Tyr Pro Gln Glu Gln Met Leu Ala 305 310 320

Ser Ala Leu Arg Val Gln Leu Leu Tyr Ile Thr Arg Leu Glu Gln Lys 325 330 335

<210> 231 <211> 1599 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1576) <223> RXN00983 <400> 231 gtgagaaaac agtggctcaa atatcgacat cttctactca cagttcaacc tgtcgtggct 60 ggaggccggc tgcattggtg tcgacqccga tqaaacqtcc gtg act qca qqt qaa Val Thr Ala Gly Glu acc acc act atg aat gtc acg ttg acc aat cct ttc gac aac gca att 163 Thr Thr Thr Met Asn Val Thr Leu Thr Asn Pro Phe Asp Asn Ala Ile 15 ttt gac cga gca gtc tcc ctt gaa cgt ccc gaa gga tgg caa gct gag 211 Phe Asp Arg Ala Val Ser Leu Glu Arg Pro Glu Gly Trp Gln Ala Glu gat gtt cgt gtg tcg atc cca tct gga gaa tct gtc aca atc cca gtc 259 Asp Val Arg Val Ser Ile Pro Ser Gly Glu Ser Val Thr Ile Pro Val cag gtc aca gca ccg ctg gta gcc gac aac ggt gaa ctt cca gtg gag 307 Gln Val Thr Ala Pro Leu Val Ala Asp Asn Gly Glu Leu Pro Val Glu gtg tcc att ctt gat gga gca gac cgc tac acg ggt cgt ctc aat ctc 355 Val Ser Ile Leu Asp Gly Ala Asp Arg Tyr Thr Gly Arg Leu Asn Leu . 80 75 act gtt cag ggt ggg caa gaa cct gca cca act tca gtg aag gtg agc 403 Thr Val Gln Gly Gln Glu Pro Ala Pro Thr Ser Val Lys Val Ser 95 100 att cca aat ctc aag gac act tat gta gca ggg gag aag atc agc att 451 Ile Pro Asn Leu Lys Asp Thr Tyr Val Ala Gly Glu Lys Ile Ser Ile 110 aac ttt gcg gtc aac aac ccg ttt gac gtt acg gtt aat tcg gtg cca 499 Asn Phe Ala Val Asn Asn Pro Phe Asp Val Thr Val Asn Ser Val Pro 120

318

agc Ser	ctg Leu 135	ggg Gly	gaa Glu	GJ À âàc	gag Glu	aac Asn 140	tgg Trp	atg Met	cct Pro	gca Ala	aac Asn 145	cta Leu	cgc Arg	gga Gly	ttt Phe	547
gat Asp 150	cca Pro	gag Glu	cag Gln	ggt Gly	act Thr 155	ccc Pro	aac Àsn	tgt Cys	cgt Arg	tac Tyr 160	aag Lys	aat Asn	tta Leu	ggc Gly	gcg Ala 165	595
aat Asn	aag Lys	agc Ser	tat Tyr	gac Asp 170	tgc Cys	acc Thr	aca Thr	act Thr	acc Thr 175	tat Tyr	gaa Glu	gtc Val	agc Ser	gat Asp 180	ttg Leu	643
gat Asp	gta Val	gaa Glu	cgc Arg 185	gga Gly	tac Tyr	gtg Val	gat Asp	att Ile 190	cca Pro	acg Thr	gta Val	tgg Trp	acg Thr 195	ttt Phe	act Thr	691
		gca Ala 200														739
gtt Val	gaa Glu 215	ctc Leu	aat Asn	gga Gly	aca Thr	cag Gln 220	gat Asp	gct Ala	gtc Val	act Thr	gat Asp 225	gca Ala	atc Ile	gta Val	acg Thr	787
gtt Val 230	gat Asp	ccc Pro	atc Ile	aac Asn	cca Pro 235	gtt Val	cat His	tcc Ser	aac Asn	ggc Gly 240	cag Gln	agc Ser	caa Gln	act Thr	gtt Val 245	835
gag Glu	gtc Val	cag Gln	gct Ala	aat Asn 250	gtc Val	acc Thr	tca Ser	gag Glu	gga Gly 255	gat Asp	ctg Leu	cca Pro	gct Ala	gga Gly 260	tct Ser	883
aag Lys	gtg Val	gcc Ala	ttt Phe 265	tat Tyr	cta Leu	gat Asp	tca Ser	tcg Ser 270	ccc Pro	att Ile	gat Asp	acc Thr	gca Ala 275	gct Ala	gtt Val	931
	Ala	gaa Glu 280														979
agc Ser	gag Glu 295	cag Gln	cct Pro	gaa Glu	cgc Arg	aca Thr 300	ttt Phe	gag Glu	gtt Val	cgc Arg	gcc Ala 305	cga Arg	ctc Leu	gtc Val	gtt Val	1027
cca Pro 310	gaa Glu	gat Asp	gca Ala	cca Pro	cga Arg 315	tca Ser	atc Ile	gcg Ala	cgt Arg	gat Asp 320	gcc Ala	ttg Leu	gca Ala	cgt Arg	ttt Phe 325	1075
aca Thr	gtc Val	ctg Leu	tct Ser	gaa Glu 330	caa Gln	gtg Val	cag Gln	cag Gln	aac Asn 335	tcc Ser	ttg Leu	gtg Val	atc Ile	atg Met 340	aat Asn	1123
cat His	cca Pro	gat Asp	gtg Val 345	ttt Phe	tct Ser	gat Asp	gga Gly	caa Gln 350	aca Thr	aag Lys	act Thr	att Ile	gtc Val 355	atc Ile	gca Ala	1171
		gcg Ala 360														1219

						ggt Gly 380										1267
						ctt Leu										1315
						gta Val										1363
						aaa Lys										1411
						ccg Pro										1459
gaa Glu	gag Glu 455	gaa Glu	tcg Ser	act Thr	ggt Gly	gtt Val 460	gct Ala	gga Gly	agc Ser	tct Ser	aac Asn 465	ggt Gly	ggc Gly	agt Ser	ttt Phe	1507
gtc Val 470	gcg Ala	ctt Leu	tta Leu	gcg Ala	ctg Leu 475	ctg Leu	gca Ala	gcg Ala	ctt Leu	ggt Gly 480	ggc Gly	atc Ile	gtc Val	ggt Gly	gca Ala 485	1555
gtc Val	ctc Leu	gga Gly	ttg Leu	ctt Leu 490	aag Lys	ttg Leu	tago	gtggd	etg (gggg	egte	ja aa	aa			1599

<210> 232

<211> 492

<212> PRT

<213> Corynebacterium glutamicum

<400> 232

Val Thr Ala Gly Glu Thr Thr Met Asn Val Thr Leu Thr Asn Pro 1 10 15

Phe Asp Asn Ala Ile Phe Asp Arg Ala Val Ser Leu Glu Arg Pro Glu 20 25 30

Gly Trp Gln Ala Glu Asp Val Arg Val Ser Ile Pro Ser Gly Glu Ser 35 40 45

Val Thr Ile Pro Val Gln Val Thr Ala Pro Leu Val Ala Asp Asn Gly 50 55 60

Glu Leu Pro Val Glu Val Ser Ile Leu Asp Gly Ala Asp Arg Tyr Thr 65 70 75 80

Gly Arg Leu Asn Leu Thr Val Gln Gly Gln Glu Pro Ala Pro Thr

Ser Val Lys Val Ser Ile Pro Asn Leu Lys Asp Thr Tyr Val Ala Gly 100 105 110

Glu Lys Ile Ser Ile Asn Phe Ala Val Asn Asn Pro Phe Asp Val Thr

115 120 125

Val Asn Ser Val Pro Ser Leu Gly Glu Gly Glu Asn Trp Met Pro Ala 130 135 140

Asn Leu Arg Gly Phe Asp Pro Glu Gln Gly Thr Pro Asn Cys Arg Tyr 145 150 155 160

Lys Asn Leu Gly Ala Asn Lys Ser Tyr Asp Cys Thr Thr Thr Tyr 165 170 175

Glu Val Ser Asp Leu Asp Val Glu Arg Gly Tyr Val Asp Ile Pro Thr 180 185 190

Val Trp Thr Phe Thr Asn Ser Ala Gly Glu Thr Val Trp Ser Lys Asn 195 200 205

Val Asp Val Pro Arg Val Glu Leu Asn Gly Thr Gln Asp Ala Val Thr 210 215 220

Asp Ala Ile Val Thr Val Asp Pro Ile Asn Pro Val His Ser Asn Gly 225 230 235 240

Gln Ser Gln Thr Val Glu Val Gln Ala Asn Val Thr Ser Glu Gly Asp 245 250 255

Leu Pro Ala Gly Ser Lys Val Ala Phe Tyr Leu Asp Ser Ser Pro Ile 260 265 270

Asp Thr Ala Ala Val Asp Ala Glu Gly His Ala Ser Ile Ser Ile Asp 275 280 .285

Val Asp Asn Ile Ala Ser Glu Gln Pro Glu Arg Thr Phe Glu Val Arg

Ala Arg Leu Val Val Pro Glu Asp Ala Pro Arg Ser Ile Ala Arg Asp 305 310 315 320

Ala Leu Ala Arg Phe Thr Val Leu Ser Glu Gln Val Gln Gln Asn Ser 325 330 335

Leu Val Ile Met Asn His Pro Asp Val Phe Ser Asp Gly Gln Thr Lys 340 345 350

Thr Ile Val Ile Ala Ala Lys Ala Thr Ala His Asp Gly Ser Pro Val 355 360 365

Ala Ile Gly Thr Leu Ile Ala Phe Arg Val Asn Gly Ile Glu Arg Asp 370 375 380

Val Val Pro Thr Asn Ala Gln Gly Thr Ala Lys Leu Gln Leu Asp Leu 385 390 395 400

Lys Pro Val Asn Thr Glu Asp Glu Glu Tyr Glu Val Thr Val Glu Ala 405 410 415

Glu Leu Asp Glu Leu Thr Ala Gln Thr Thr Phe Lys Val Leu Ala Gly
420 425 430

Glu Glu Glu Glu Pro Thr Ser Thr Glu Glu Gln Pro Ser Glu Thr Glu
435 440 445

Gln Pro Ser Glu Pro Glu Glu Glu Ser Thr Gly Val Ala Gly Ser Ser Asn Gly Gly Ser Phe Val Ala Leu Leu Ala Leu Leu Ala Ala Leu Gly 470 475 Gly Ile Val Gly Ala Val Leu Gly Leu Leu Lys Leu 485 <210> 233 <211> 1297 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1297) <223> FRXA00983 <400> 233 gtgagaaaac agtggctcaa atatcgacat cttctactca cagttcaacc tqtcqtqqct 60 ggaggccggc tgcattggtg tcgacgccga tgaaacgtcc gtg act gca ggt gaa Val Thr Ala Gly Glu acc acc act atg aat gtc acg ttg acc aat cct ttc gac aac gca att 163 Thr Thr Thr Met Asn Val Thr Leu Thr Asn Pro Phe Asp Asn Ala Ile 15 ttt gac cga gca gtc tcc ctt gaa cgt ccc gaa gga tgg caa gct gag 211 Phe Asp Arg Ala Val Ser Leu Glu Arg Pro Glu Gly Trp Gln Ala Glu gat gtt cgt gtg tcg atc cca tct gga gaa tct gtc aca atc cca qtc 259 Asp Val Arg Val Ser Ile Pro Ser Gly Glu Ser Val Thr Ile Pro Val 45 cag gtc aca gca ccg ctg gta gcc gac aac ggt gaa ctt cca gtg gag 307 Gln Val Thr Ala Pro Leu Val Ala Asp Asn Gly Glu Leu Pro Val Glu gtg tcc att ctt gat gga gca gac cgc tac acg ggt cgt ctc aat ctc 355 Val Ser Ile Leu Asp Gly Ala Asp Arg Tyr Thr Gly Arg Leu Asn Leu 75 act gtt cag ggt ggg caa gaa cct gca cca act tca gtg aag gtg agc 403 Thr Val Gln Gly Gln Glu Pro Ala Pro Thr Ser Val Lys Val Ser att cca aat ctc aag gac act tat gta gca ggg gag aag atc agc att 451 Ile Pro Asn Leu Lys Asp Thr Tyr Val Ala Gly Glu Lys Ile Ser Ile 110 aac ttt gcg gtc aac ccg ttt gac gtt acg gtt aat tcg gtg cca 499 Asn Phe Ala Val Asn Asn Pro Phe Asp Val Thr Val Asn Ser Val Pro 125 age etg ggg gaa gge gag aac tgg atg eet gea aac eta ege gga ttt 547

Ser	Leu 135	Gly	Glu	Gly	Glu	Asn 140	Trp	Met	Pro	Ala	Asn 145	Leu	Arg	Gly	Phe	
gat Asp 150	Pro	gag Glu	cag Gln	ggt Gly	act Thr 155	ccc Pro	aac Asn	tgt Cys	cgt Arg	tac Tyr 160	aag Lys	aat Asn	tta Leu	ggc Gly	gcg Ala 165	595
aat Asn	aag Lys	agc Ser	tat Tyr	gac Asp 170	tgc Cys	acc	aca Thr	act Thr	acc Thr 175	tat Tyr	gaa Glu	gtc Val	agc Ser	gat Asp 180	ttg Leu	643
gat Asp	gta Val	gaa Glu	cgc Arg 185	gga Gly	tac Tyr	gtg Val	gat Asp	att Ile 190	cca Pro	acg Thr	gta Val	tgg Trp	acg Thr 195	ttt Phe	act Thr	691
aac Asn	tcc Ser	gca Ala 200	ggc Gly	gaa Glu	acg Thr	gta Val	tgg Trp 205	tcc Ser	aaa Lys	aac Asn	gtt Val	gat Asp 210	gtg Val	cct Pro	cga Arg	739
Val	Glu 215	Leu	Asn	Gly	Thr	cag Gln 220	Asp	Ala	Val	Thr	Asp 225	Ala	Ile	Val	Thr	787
gtt Val 230	gat Asp	ccc Pro	atc Ile	aac Asn	cca Pro 235	gtt Val	cat His	tcc Ser	aac Asn	ggc Gly 240	cag Gln	agc Ser	caa Gln	act Thr	gtt Val 245	835
Glu	Val	Gln	Ala	Asn 250	Val	acc Thr	Ser	Glu	Gly 255	Asp	Leu	Pro	Ala	Gly 260	Ser	883
Lys	Val	Ala	Phe 265	Tyr	Leu	gat Asp	Ser	Ser 270	Pro	Ile	Asp	Thr	Ala 275	Ala	Val	931
Asp	Ala	Glu 280	Gly	His	Ala	agc Ser	11e 285	Ser	Ile	Asp	Val	Asp 290	Asn	Ile	Ala	979
Ser	Glu 295	Gln	Pro	Glu	Arg	aca Thr 300	Phe	Glu	Val	Arg	Ala 305	Arg	Leu	Val	Val	1027
310	Glu	Asp	Ala	Pro	Arg 315	tca Ser	Ile	Ala	Arg	Asp 320	Ala	Leu	Ala	Arg	Phe 325	1075
aca Thr	gtc Val	ctg Leu	tct Ser	gaa Glu 330	caa Gln	gtg Val	cag Gln	cag Gln	aac Asn 335	tcc Ser	ttg Leu	gtg Val	atc Ile	atg Met 340	aat Asn	1123
cat His	cca Pro	gat Asp	gtg Val 345	ttt Phe	tct Ser	gat Asp	gga Gly	caa Gln 350	aca Thr	aag Lys	act Thr	att Ile	gtc Val 355	atc Ile	gca Ala	1171
gcg Ala	aag Lys	gcg Ala 360	aca Thr	gca Ala	cac His	gat Asp	gga Gly 365	tcg Ser	ccg Pro	gcg Ala	gct Ala	atc Ile 370	ggt Gly	act Thr	ctc Leu	1219
att Ile	gca Ala	ttt Phe	cgc Arg	gtc Val	aac Asn	ggt Gly	att Ile	gag Glu	cgg Arg	gac Asp	gtg Val	gtt Val	cca Pro	act Thr	aac Asn	1267

1297

375 380 385

gcg caa gga aca gca aag ctt cag cta gac Ala Gln Gly Thr Ala Lys Leu Gln Leu Asp 390 395

<210> 234 <211> 399

<212> PRT

<213> Corynebacterium glutamicum

<400> 234

Val Thr Ala Gly Glu Thr Thr Thr Met Asn Val Thr Leu Thr Asn Pro $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Phe Asp Asn Ala Ile Phe Asp Arg Ala Val Ser Leu Glu Arg Pro Glu 20 25 30

Gly Trp Gln Ala Glu Asp Val Arg Val Ser Ile Pro Ser Gly Glu Ser 35 40 45

Val Thr Ile Pro Val Gln Val Thr Ala Pro Leu Val Ala Asp Asn Gly 50 55 60

Glu Leu Pro Val Glu Val Ser Ile Leu Asp Gly Ala Asp Arg Tyr Thr 65 70 75 80

Gly Arg Leu Asn Leu Thr Val Gln Gly Gln Glu Pro Ala Pro Thr 85 90 95

Ser Val Lys Val Ser Ile Pro Asn Leu Lys Asp Thr Tyr Val Ala Gly 100 105 110

Glu Lys Ile Ser Ile Asn Phe Ala Val Asn Asn Pro Phe Asp Val Thr 115 120 125

Val Asn Ser Val Pro Ser Leu Gly Glu Gly Glu Asn Trp Met Pro Ala 130 135 140

Asn Leu Arg Gly Phe Asp Pro Glu Gln Gly Thr Pro Asn Cys Arg Tyr 145 150 155 160

Lys Asn Leu Gly Ala Asn Lys Ser Tyr Asp Cys Thr Thr Thr Tyr 165 170 175

Glu Val Ser Asp Leu Asp Val Glu Arg Gly Tyr Val Asp Ile Pro Thr 180 185 190

Val Trp Thr Phe Thr Asn Ser Ala Gly Glu Thr Val Trp Ser Lys Asn 195 200 205

Val Asp Val Pro Arg Val Glu Leu Asn Gly Thr Gln Asp Ala Val Thr 210 215 220

Asp Ala Ile Val Thr Val Asp Pro Ile Asn Pro Val His Ser Asn Gly 225 230 235 240

Gln Ser Gln Thr Val Glu Val Gln Ala Asn Val Thr Ser Glu Gly Asp 245 250 255

Leu Pro Ala Gly Ser Lys Val Ala Phe Tyr Leu Asp Ser Ser Pro Ile 260 265 270

- Asp Thr Ala Ala Val Asp Ala Glu Gly His Ala Ser Ile Ser Ile Asp 275 280 285
- Val Asp Asn Ile Ala Ser Glu Gln Pro Glu Arg Thr Phe Glu Val Arg 290 295 300
- Ala Arg Leu Val Val Pro Glu Asp Ala Pro Arg Ser Ile Ala Arg Asp 305 310 315 320
- Ala Leu Ala Arg Phe Thr Val Leu Ser Glu Gln Val Gln Gln Asn Ser 325 330 335
- Leu Val Ile Met Asn His Pro Asp Val Phe Ser Asp Gly Gln Thr Lys 340 345 350
- Thr Ile Val Ile Ala Ala Lys Ala Thr Ala His Asp Gly Ser Pro Ala 355 360 365
- Ala Ile Gly Thr Leu Ile Ala Phe Arg Val Asn Gly Ile Glu Arg Asp 370 375 380
- <210> 235
- <211> 440
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (1)..(417)
- <223> RXA00984
- <400> 235
- caa cgt ggt acc cca gtg ctc ctt ggg gaa act cca tgg atg aaa aca 48 Gln Arg Gly Thr Pro Val Leu Leu Gly Glu Thr Pro Trp Met Lys Thr 1 5 10 15
- aaa atc gtg gaa ctc agc gat gga acc ctg atg aac aac agt cgt tca 96 Lys Ile Val Glu Leu Ser Asp Gly Thr Leu Met Asn Asn Ser Arg Ser 20 25 30
- tca gga gcc gat act tac cgc aag gtg tct tat tcc acc gac ggc ggc Ser Gly Ala Asp Thr Tyr Arg Lys Val Ser Tyr Ser Thr Asp Gly Gly 35
- gtc act tgg acc gag cca act ctt gat acc cag ctg ccg gat cct cgc 192
 Val Thr Trp Thr Glu Pro Thr Leu Asp Thr Gln Leu Pro Asp Pro Arg
 50 55 60
- aac aat gct tcc ctg att cga gta ttc ccg aca gca cct gag gga agt
 Asn Asn Ala Ser Leu Ile Arg Val Phe Pro Thr Ala Pro Glu Gly Ser
 65 70 75.
- gcg cag gca aag gtt ctg ctg ttc tcc aac act gcc acc acg agt ggc 288 Ala Gln Ala Lys Val Leu Leu Phe Ser Asn Thr Ala Thr Thr Ser Gly

85 90 95

cgc acc aat ggc acc gtc cgc atg tcg tgt gat ggt cag acc tgg 336 Arg Thr Asn Gly Thr Val Arg Met Ser Cys Asp Asp Gly Gln Thr Trp 100 105 110

ccg gtg tct aag gtg ttt gaa cca gga gca atc caa tat acc tcg atg
Pro Val Ser Lys Val Phe Glu Pro Gly Ala Ile Gln Tyr Thr Ser Met
115 120 125

gca acg ctt ccc aac ggt gac atc ggc atg ctg tgagaaaaca gtggctcaaa 437 Ala Thr Leu Pro Asn Gly Asp Ile Gly Met Leu 130

tat 440

<210> 236

<211> 139

<212> PRT

<213> Corynebacterium glutamicum

<400> 236

Gln Arg Gly Thr Pro Val Leu Leu Gly Glu Thr Pro Trp Met Lys Thr
1 5 10 15

Lys Ile Val Glu Leu Ser Asp Gly Thr Leu Met Asn Asn Ser Arg Ser 20 25 30

Ser Gly Ala Asp Thr Tyr Arg Lys Val Ser Tyr Ser Thr Asp Gly Gly 35 40 45

Val Thr Trp Thr Glu Pro Thr Leu Asp Thr Gln Leu Pro Asp Pro Arg
50 55 60

Asn Asn Ala Ser Leu Ile Arg Val Phe Pro Thr Ala Pro Glu Gly Ser .65 70 75 80

Ala Gln Ala Lys Val Leu Leu Phe Ser Asn Thr Ala Thr Thr Ser Gly
85 90 95

Arg Thr Asn Gly Thr Val Arg Met Ser Cys Asp Asp Gly Gln Thr Trp 100 105 110

Pro Val Ser Lys Val Phe Glu Pro Gly Ala Ile Gln Tyr Thr Ser Met 115 120 125

Ala Thr Leu Pro Asn Gly Asp Ile Gly Met Leu 130 135

<210> 237

<211> 832

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(832)

<223> RXN02513

<400> 237 acagcaccgt tttgtaggat aagaaaatcc cgcacacaac ccgtcctggt gggtgaagtg 60 ggggaggcat gtctatgccc ccaattagac atctgacatc atg ctt cca atc tgg Met Leu Pro Ile Trp atg ggt ctt cca ttc aag aaa gca ggt gct ttg tct cgg cgt aaa gca 163 Met Gly Leu Pro Phe Lys Lys Ala Gly Ala Leu Ser Arg Arg Lys Ala gta ttc tca gcg ctt ggt gca gcc gca ctc atg ggc gca gca cta ccc 211 Val Phe Ser Ala Leu Gly Ala Ala Ala Leu Met Gly Ala Ala Leu Pro 30 acc atc cca acg gcc caa gct caa aca ccc acg ggc tac gga ttc gat 259 Thr Ile Pro Thr Ala Gln Ala Gln Thr Pro Thr Gly Tyr Gly Phe Asp 40 gca aca gca agc atc agc gaa gaa cca gag ttt tca aca caa ctc 307 Ala Thr Ala Ser Ile Ser Glu Glu Pro Glu Phe Ser Thr Gln Gln Leu 60 gct gac ggc gga act ctc gga ttt gat tgc tac cgc atc cca tcg ctt 355 Ala Asp Gly Gly Thr Leu Gly Phe Asp Cys Tyr Arg Ile Pro Ser Leu 75 ลด ggc gtc gca ccc aac ggc aac gtc ctc gca tcg tgg gat ggt cgc cca 403 Gly Val Ala Pro Asn Gly Asn Val Leu Ala Ser Trp Asp Gly Arg Pro 90 aac aac tgt tca gat gct cca caa ccc aac tcc atc gtg ggc aag gta 451 Asn Asn Cys Ser Asp Ala Pro Gln Pro Asn Ser Ile Val Gly Lys Val 105 tcg acc gac aac gga gca acc tgg ggc gaa cag cac gac att tcc gca 499 Ser Thr Asp Asn Gly Ala Thr Trp Gly Glu Gln His Asp Ile Ser Ala 120 ggt atc acc gcc gaa ccc aaa act ggc tat tcc gat ccc agc atc gtt 547 Gly Ile Thr Ala Glu Pro Lys Thr Gly Tyr Ser Asp Pro Ser Ile Val 135 140 gtg gac tgg gag agg ggc gat gtc ttt aac ttc cac gtg aag tca ttc 595 Val Asp Trp Glu Arg Gly Asp Val Phe Asn Phe His Val Lys Ser Phe 150 155 160 gat gca gga tac ttc acc tcc caa cca ggc acg gac ccg gat gat cgc 643 Asp Ala Gly Tyr Phe Thr Ser Gln Pro Gly Thr Asp Pro Asp Asp Arg 170 180 aac gtt gcc cat gtt gcc tac gcc aaa tca tca gat aac ggc tca acc 691 Asn Val Ala His Val Ala Tyr Ala Lys Ser Ser Asp Asn Gly Ser Thr 185 tgg gtt gca gac acc gtc att act gat caa gtg gtt gct cat gac acc 739 Trp Val Ala Asp Thr Val Ile Thr Asp Gln Val Val Ala His Asp Thr 200 205

787

tgg gac agc cga ttt gcc aca tcc gga aac ggc atc caa ctg caa tac

Trp Asp Ser Arg Phe Ala Thr Ser Gly Asn Gly Ile Gln Leu Gln Tyr

215 220 225

ggc gcg tac aag gga cga ttg gtc cag cca tcg gta act cgc atg
Gly Ala Tyr Lys Gly Arg Leu Val Gln Pro Ser Val Thr Arg Met
230 240

<210> 238

<211> 244

<212> PRT

<213> Corynebacterium glutamicum

<400> 238

Met Leu Pro Ile Trp Met Gly Leu Pro Phe Lys Lys Ala Gly Ala Leu 1 5 10 15

Ser Arg Arg Lys Ala Val Phe Ser Ala Leu Gly Ala Ala Ala Leu Met 20 25 30

Gly Ala Ala Leu Pro Thr Ile Pro Thr Ala Gln Ala Gln Thr Pro Thr 35 40 45

Gly Tyr Gly Phe Asp Ala Thr Ala Ser Ile Ser Glu Glu Pro Glu Phe 50 55 60

Ser Thr Gln Gln Leu Ala Asp Gly Gly Thr Leu Gly Phe Asp Cys Tyr 65 70 75 80

Arg Ile Pro Ser Leu Gly Val Ala Pro Asn Gly Asn Val Leu Ala Ser 85 90 95

Trp Asp Gly Arg Pro Asn Asn Cys Ser Asp Ala Pro Gln Pro Asn Ser 100 105 110

Ile Val Gly Lys Val Ser Thr Asp Asn Gly Ala Thr Trp Gly Glu Gln
115 120 125

His Asp Ile Ser Ala Gly Ile Thr Ala Glu Pro Lys Thr Gly Tyr Ser 130 135 140

Asp Pro Ser Ile Val Val Asp Trp Glu Arg Gly Asp Val Phe Asn Phe 145 150 155 160

His Val Lys Ser Phe Asp Ala Gly Tyr Phe Thr Ser Gln Pro Gly Thr 165 170 175

Asp Pro Asp Asp Arg Asn Val Ala His Val Ala Tyr Ala Lys Ser Ser 180 185 190

Asp Asn Gly Ser Thr Trp Val Ala Asp Thr Val Ile Thr Asp Gln Val 195 200 205

Val Ala His Asp Thr Trp Asp Ser Arg Phe Ala Thr Ser Gly Asn Gly 210 215 220

Ile Gln Leu Gln Tyr Gly Ala Tyr Lys Gly Arg Leu Val Gln Pro Ser 225 230 235 240

Val Thr Arg Met

```
<210> 239
 <211> 824
 <212> DNA
 <213> Corynebacterium glutamicum
 <220>
 <221> CDS
 <222> (93)..(824)
 <223> FRXA02513
 <400> 239
gtcatgtagg ataagaaaat cccgcacaca acccgtcctg gtggggtaag tgagggaggc 60
atgtctatgc ccccaattag acatctgaca tcatg ctt cca atc tgg atg ggt
                                                                    113
                                    Met Leu Pro Ile Trp Met Gly
                                      1
ctt cca ttc aag aaa gca ggg gct ttg tct cgg cgt aaa gca gta ttc
                                                                    161
Leu Pro Phe Lys Lys Ala Gly Ala Leu Ser Arg Arg Lys Ala Val Phe
                                                  20
tca gcg ctt ggt gca gac gca ctc atg ggc gca gca cta ccc acc atc
                                                                    209
Ser Ala Leu Gly Ala Asp Ala Leu Met Gly Ala Ala Leu Pro Thr Ile
cca acg gcc caa gct caa aca ccc acg ggc tac gga ttc gat gca aca
                                                                   257
Pro Thr Ala Gln Ala Gln Thr Pro Thr Gly Tyr Gly Phe Asp Ala Thr
 40
                     45
gca agc atc agc gaa gaa cca gag ttt tca aca caa caa ctc gct gac
                                                                   305
Ala Ser Ile Ser Glu Glu Pro Glu Phe Ser Thr Gln Gln Leu Ala Asp
                 60
ggc gga act ctc gga ttt gat tgc tac cgc atc cca tcg ctt ggc gtc
                                                                   353
Gly Gly Thr Leu Gly Phe Asp Cys Tyr Arg Ile Pro Ser Leu Gly Val
                                 . 80
gca ccc aac ggc aac gtc ctc gca tcg tgg gat ggt cgc cca aac aac
                                                                   401
Ala Pro Asn Gly Asn Val Leu Ala Ser Trp Asp Gly Arg Pro Asn Asn
tgt tca gat gct cca caa ccc aac tcc atc gtg ggc aag gta tcg acc
                                                                   449
Cys Ser Asp Ala Pro Gln Pro Asn Ser Ile Val Gly Lys Val Ser Thr
                        110
gac aac gga gca acc tgg ggc gaa cag cac gac att tcc gca ggt atc
                                                                   497
Asp Asn Gly Ala Thr Trp Gly Glu Gln His Asp Ile Ser Ala Gly Ile
acc gcc gaa ccc aaa act ggc tat tcc gat ccc agc atc gtt gtg gac
                                                                   545
Thr Ala Glu Pro Lys Thr Gly Tyr Ser Asp Pro Ser Ile Val Val Asp
                140
tgg gag agg ggc gat gtc ttt aac ttc cac gtg aag tca ttc gat gca
                                                                   593
Trp Glu Arg Gly Asp Val Phe Asn Phe His Val Lys Ser Phe Asp Ala
            155
gga tac ttc acc tcc caa cca ggc acg gac ccg gat gat cgc aac gtt
Gly Tyr Phe Thr Ser Gln Pro Gly Thr Asp Pro Asp Asp Arg Asn Val
                            175
```

689

737

785

824

gcc cat gtt gcc tac gcc aaa tca tca gat aac ggc tca acc tgg gtt Ala His Val Ala Tyr Ala Lys Ser Ser Asp Asn Gly Ser Thr Trp Val gca gac acc gtc att act gat caa gtg gtt gct cat gac acc tgg gac Ala Asp Thr Val Ile Thr Asp Gln Val Val Ala His Asp Thr Trp Asp 205 age ega ttt gee aca tee gga aac gge ate caa etg caa tae gge geg Ser Arg Phe Ala Thr Ser Gly Asn Gly Ile Gln Leu Gln Tyr Gly Ala tac aag gga cga ttg gtc cag cca tcg gta act cgc atg Tyr Lys Gly Arg Leu Val Gln Pro Ser Val Thr Arg Met 235 240 <210> 240 <211> 244 <212> PRT <213> Corynebacterium glutamicum <400> 240 Met Leu Pro Ile Trp Met Gly Leu Pro Phe Lys Lys Ala Gly Ala Leu Ser Arg Arg Lys Ala Val Phe Ser Ala Leu Gly Ala Asp Ala Leu Met Gly Ala Ala Leu Pro Thr Ile Pro Thr Ala Gln Ala Gln Thr Pro Thr 40 Gly Tyr Gly Phe Asp Ala Thr Ala Ser Ile Ser Glu Glu Pro Glu Phe Ser Thr Gln Gln Leu Ala Asp Gly Gly Thr Leu Gly Phe Asp Cys Tyr Arg Ile Pro Ser Leu Gly Val Ala Pro Asn Gly Asn Val Leu Ala Ser Trp Asp Gly Arg Pro Asn Asn Cys Ser Asp Ala Pro Gln Pro Asn Ser Ile Val Gly Lys Val Ser Thr Asp Asn Gly Ala Thr Trp Gly Glu Gln 120 His Asp Ile Ser Ala Gly Ile Thr Ala Glu Pro Lys Thr Gly Tyr Ser 135 Asp Pro Ser Ile Val Val Asp Trp Glu Arg Gly Asp Val Phe Asn Phe His Val Lys Ser Phe Asp Ala Gly Tyr Phe Thr Ser Gln Pro Gly Thr Asp Pro Asp Asp Arg Asn Val Ala His Val Ala Tyr Ala Lys Ser Ser

Asp Asn Gly Ser Thr Trp Val Ala Asp Thr Val Ile Thr Asp Gln Val

195 200 205

Val Ala His Asp Thr Trp Asp Ser Arg Phe Ala Thr Ser Gly Asn Gly 210 215 220

Ile Gln Leu Gln Tyr Gly Ala Tyr Lys Gly Arg Leu Val Gln Pro Ser 235 235

Val Thr Arg Met

<210> 241 <211> 733 <212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(733)

<223> RXA00903

<400> 241

gcacteggaa tegtegteet agaaaagaaa gacgeetaaa atgeeeteta aaatategeg 60

gccctattac caagtagatg tattcagctc cgagccgttc atg gga aac ccg ctt 115

Met Gly Asn Pro Leu

1 5

gct gtc atc gcc gat gct gat gac tta agt gcc gaa caa atg gcc cga Ala Val Ile Ala Asp Ala Asp Leu Ser Ala Glu Gln Met Ala Arg
10 15 20

atc gct agg tgg aca aac ctc tca gaa acc aca ttt ctt tta aag cca 211

Ile Ala Arg Trp Thr Asn Leu Ser Glu Thr Thr Phe Leu Leu Lys Pro
25 30 35

acc caa gaa ggt gct gac tac cgg gta cgc att ttc acc cca acc ggt
Thr Gln Glu Gly Ala Asp Tyr Arg Val Arg Ile Phe Thr Pro Thr Gly
40
45
50

gag ctc ccc ttc gct gga cac cca aca ctc gga acc gcc cac gtg ttt 307 Glu Leu Pro Phe Ala Gly His Pro Thr Leu Gly Thr Ala His Val Phe 55 60 65

agg gaa ctg cac ggt gaa cag gga acc cag ttg gtt cag gaa tgt gtc 355 Arg Glu Leu His Gly Glu Gln Gly Thr Gln Leu Val Gln Glu Cys Val 70 80 85

gcc ggt tta gtt gct gtg cgc gct att gac ggg cca gca agt gga ttg Ala Gly Leu Val Ala Val Arg Ala Ile Asp Gly Pro Ala Ser Gly Leu
90 95 100

gct ttt cag gct cca ccc aca ctc aaa gac ggg cca ttg gat gct tcc Ala Phe Gln Ala Pro Pro Thr Leu Lys Asp Gly Pro Leu Asp Ala Ser 105 110

gac cta gac gca gct tgt gag gct tta gga atc agc ccc gac ttc att Asp Leu Asp Ala Ala Cys Glu Ala Leu Gly Ile Ser Pro Asp Phe Ile 120 125 130

	***	,,,,,,,,	72												1 (1 /	ID OUT OC
					gta Val											547
					cac His 155											595
					ctc Leu											643
					gta Val											691
					ctc Leu											733
<211 <212)> 24 .> 21 !> PF !> Co	l1 RT	ebact	eriu	ım g l	Lutan	nicum	n								
)> 24 Gly	_	Pro	Leu 5	Ala	Val	Ile	Ala	Asp 10	Ala	Asp	Asp	Leu	Ser 15	Ala	
Glu	Gln	Met	Ala 20	Arg	Ile	Ala	Arg	Trp 25	Thr	Asn	Leu	Ser	Glu 30	Thr	Thr	
Phe	Leu	Leu 35	Lys	Pro	Thr	Gln	Glu 40	Gly	Ala	Asp	Tyr	Arg 45	Val	Arg	Ile	
Phe	Thr 50	Pro	Thr	Gly	Glu	Leu 55	Pro	Phe	Ala	Gly	His 60	Pro	Thr	Leu	Gly	
Thr 65	Ala	His	Val	Phe	Arg 70	Gl u	Leu	His	Gly	Glu 75	Gln	Gly	Thr	Gln	Leu 80	
Val	Gln	Glu	Cys	Val 85	Ala	Gly	Leu	Val	Ala 90	Val	Arg	Ala	Ile	Asp 95	Gly	•
Pro	Ala	Ser	Gly 100	Leu	Ala	Phe	Gln	Ala 105	Pro	Pro	Thr	Leu	Lys 110	Asp	Gly	
Pro	Leu	Asp 115	Ala	Ser	Asp	Leu	Asp 120	Ala	Ala	Cys	Glu	Ala 125	Leu	Gly	Ile	
Ser	Pro 130	Asp	Phe	Ile	Arg	Ala 135	His	Gln	Trp	Val	Asp 140	Asn	Gly	Pro	Gly	
Trp 145	Ala	Val	Val	Glu	Leu 150	Pro	Ser	Ala	Gln	His 155	Val	Leu	Asp	Leu	Glu 160	
Pro	Asp	Phe	Ser	Ala 165	His	Pro	Thr	Leu	Lys 170	Leu	Gly	Val	Ile	Gly 175	Ala	
Tyr	Pro	Glu	Gly	Ala	Pro	His	Ala	Phe	Glu	Val	Arg	Ala	Phe	Ala	Gln	

180 185 190

Gly Ile Gly Glu Asp Pro Val Thr Gly Ser Leu Asn Ala Phe Ile Ala 195 200 205

Gln Trp Leu 210

<210> 243

<211> 1146

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1123)

<223> RXA01224

<400> 243

ttggcggcgg gaagttcagg cttgggggca aacagtgctt ggattttaga caaaaaactc 60

acggaagtca tcctatggca ggcgcccta ggatggtgcc atg agc atc ctt gac 115

Met Ser Ile Leu Asp

acg ttg aaa act ccc gtg att gtc gcc ccg atg gct ggc ggc ccg tcc 163
Thr Leu Lys Thr Pro Val Ile Val Ala Pro Met Ala Gly Gly Pro Ser
10 15 20

act ccc gcg ttg gtc aat gca gca gca gag gca ggt tcc ctc ggg ttc 211
Thr Pro Ala Leu Val Asn Ala Ala Ala Glu Ala Gly Ser Leu Gly Phe
25 30 35

ttg gct ggt ggc gtc atg cct ctt gag cag ctg aaa cag gaa ttg tca 259 Leu Ala Gly Gly Val Met Pro Leu Glu Gln Leu Lys Gln Glu Leu Ser 40 45

gag gta aaa ggc gtc ttt ggc gtc aac ctg ttt cgc ccg cag acg gat 307 Glu Val Lys Gly Val Phe Gly Val Asn Leu Phe Arg Pro Gln Thr Asp

gcg cct aag cct tca gac att gat gag ctg gcg gga ttg ttg tcc tcg 355
Ala Pro Lys Pro Ser Asp Ile Asp Glu Leu Ala Gly Leu Leu Ser Ser
70 80 85

gcg ttt cgg caa ttt ggc ctc gat gag ccg acg gtg cct acg ccg gat 403 Ala Phe Arg Gln Phe Gly Leu Asp Glu Pro Thr Val Pro Thr Pro Asp 90 95 100

tig age aat ggg tgg gag get aaa tit gag gee git eit gee get aag 451 Leu Ser Asn Gly Trp Glu Ala Lys Phe Glu Ala Val Leu Ala Ala Lys 105 110 115

ccc gcc gtt ttt tcc tgc acc ttt ggt att ttt agc gct gaa gaa ttc 499 Pro Ala Val Phe Ser Cys Thr Phe Gly Ile Phe Ser Ala Glu Glu Phe 120 125 130

gcc cgg atc aaa gcc acc gga att gag gcg tgg gtg acg gtg acc aat 547 Ala Arg Ile Lys Ala Thr Gly Ile Glu Ala Trp Val Thr Val Thr Asn 135 140 145

		gac Asp			-		-		-		-				-	595
		ggc Gly							_						_	643
-		ccg Pro	_		_	_	_					-	-	-		691
		ggc Gly 200														739
		gac Asp														787
		tcc Ser														835
		gag Glu														883
		cgc Arg	_		_		_		-				_			931
		cgt Arg 280														979
		atc Ile														1027
		gcc Ala													aag Lys 325	1075
ggt Gly	agt Ser	gca Ala	aag Lys	cag Gln 330	ata Ile	ctg Leu	gaa Glu	tca Ser	tta Leu 335	aca Thr	cct Pro	tcc Ser	gct Ala	ttg Leu 340	ggc Gly	1123
taat	gtt	ggg g	ggga	gtgc1	tt to	ca									÷	1146
<211 <212)> 24 l> 34 2> Pi 3> Co	11	ebact	teri	ım gi	lutar	nicur	n								
)> 24 Ser	14 Ile	Leu	Asp 5	Thr	Leu	Lys	Thr	Pro 10	Val	Ile	Val	Ala	Pro 15	Met	

Ala Gly Gly Pro Ser Thr Pro Ala Leu Val Asn Ala Ala Glu Ala 20 25 30

- Gly Ser Leu Gly Phe Leu Ala Gly Gly Val Met Pro Leu Glu Gln Leu 35 40 45
- Lys Gln Glu Leu Ser Glu Val Lys Gly Val Phe Gly Val Asn Leu Phe 50 55 60
- Arg Pro Gln Thr Asp Ala Pro Lys Pro Ser Asp Ile Asp Glu Leu Ala 65 70 75 80
- Gly Leu Ser Ser Ala Phe Arg Gln Phe Gly Leu Asp Glu Pro Thr 85 90 95
- Val Pro Thr Pro Asp Leu Ser Asn Gly Trp Glu Ala Lys Phe Glu Ala 100 105 110
- Val Leu Ala Ala Lys Pro Ala Val Phe Ser Cys Thr Phe Gly Ile Phe 115 120 125
- Ser Ala Glu Glu Phe Ala Arg Ile Lys Ala Thr Gly Ile Glu Ala Trp 130 135 140
- Val Thr Val Thr Asn Pro Glu Asp Ala Leu Ala Ala Gln Lys Ala Gly 145 150 155 160
- Ala Asn Ala Leu Val Val Gln Gly Pro Glu Ala Gly Gly His Arg Ser 165 170 175
- Thr Trp Ser Ile Glu Val Glu Pro Asp Glu Arg Asp Leu Lys Thr Leu 180 185 190
- Leu Ala Ala Val Lys Gln Ala Gly Val Tyr Leu Pro Leu Ile Ala Ala 195 200 205
- Gly Gly Leu Ser Thr Ser Ala Asp Val Ala Ala Ile Leu Glu Ala Gly 210 215 220
- Ala Ser Ala Ala Ser Cys Gly Ser Ala Phe Leu Leu Ser Asp Glu Ala 225 230 235 240
- Gly Thr Ser Ser Leu Asn Arg Glu Ile Leu Asp Ala Ala Pro Ala Leu 245 250 255
- Gly Leu Glu Ser Val Ser Ser Arg Ala Phe Ser Gly Arg Tyr Ala Arg 260 265 270
- Gly Val Glu Thr Arg Phe Thr Arg Ser Asn Glu Gly Leu Pro Pro Leu 275 280 285
- Tyr Pro Tyr Leu Asn Pro Met Ile Thr Ser Leu Arg Lys Val Ala Gly 290 295 300
- Ser Ala Gly Asn Trp Asp Tyr Ala Tyr Cys Leu Val Gly Val Gly Leu 305 310 315 320
- Glu Ser Ile Ala Lys Gly Ser Ala Lys Gln Ile Leu Glu Ser Leu Thr 325 330 335

Pro Ser Ala Leu Gly

340

<213 <213	0> 24 1> 72 2> Dt 3> Co	23 NA	ebact	teri	um g]	Lutan	nicum	n								
<222	l> ci 2> (:	OS 101) KA01!		00)												
)> 24 ctac		ctga	gagct	ct tọ	gtaat	ttac	c ggt	gtgg	gttg	tgga	aggg	gtg d	egte	gagaag	60
cgct	cgta	agg (egeti	tttga	at tt	ttc	ggtaq	g gct	aact	ggg	_			tca Ser		115
	-			_		ggc Gly		-	-				-	_		163
						cgc Arg										211
				_		agc Ser	_					_		-		259
						ctc Leu 60										307
gtc Val 70	tct Ser	gcg Ala	gtt Val	gga Gly	tcc Ser 75	gat Asp	gta Val	acc Thr	aaa Lys	tgg Trp 80	aaa Lys	gtc Val	ggc Gly	gac Asp	cgc Arg 85	355
						gtt Val										403
						aac Asn										451
						ggc Gly										499
						cgt Arg 140										547
aac Asn 150	ttc Phe	gat Asp	gtc Val	gca Ala	gca Ala 155	cca Pro	ctg Leu	ctg Leu	tgc Cys	gca Ala 160	ggc Gly	atc Ile	acc Thr	acc Thr	tac Tyr 165	595
tcc	cca	atc	gct	cgc	tgg	aac	gtt	aaa	gaa	ggc	gac	aaa	gta	gca	gtc	643

Ser Pro Ile Ala Arg Trp Asn Val Lys Glu Gly Asp Lys Val Ala Val 170 175 180

atg ggc ctc ggc ggg act cgg aca cat ggg tgt cca gat cgc tgc agc 691 Met Gly Leu Gly Gly Thr Arg Thr His Gly Cys Pro Asp Arg Cys Ser 185 190 195

caa ggg tgc tgaggttacc gttctgtccc gtt 723 Gln Gly Cys 200

<210> 246

<211> 200

<212> PRT

<213> Corynebacterium glutamicum

<400> 246

Val Ser Ile Ser Val Lys Ala Leu Gln Lys Ser Gly Pro Glu Ala Pro 1 5 10 15

Phe Glu Val Lys Ile Ile Glu Arg Arg Asp Pro Arg Ala Asp Asp Val 20 25 30

Val Ile Asp Ile Lys Ala Ala Gly Ile Cys His Ser Asp Ile His Thr 35 40 45

Ile Arg Asn Glu Trp Gly Glu Ala His Phe Pro Leu Thr Val Gly His
50 55 60

Glu Ile Ala Gly Val Val Ser Ala Val Gly Ser Asp Val Thr Lys Trp 65 70 75 80

Lys Val Gly Asp Arg Val Gly Val Gly Cys Leu Val Asn Ser Cys Gly
85 90 95

Glu Cys Glu Gln Cys Val Ala Gly Phe Glu Asn Asn Cys Leu Arg Gly
100 105 110

Asn Val Gly Thr Tyr Asn Ser Asn Asp Val Asp Gly Thr Ile Thr Gln
115 120 125

Gly Gly Tyr Ala Glu Lys Val Val Val Asn Glu Arg Phe Leu Cys Ser 130 135 140

Gly Ile Thr Thr Tyr Ser Pro Ile Ala Arg Trp Asn Val Lys Glu Gly 165 170 175

Asp Lys Val Ala Val Met Gly Leu Gly Gly Thr Arg Thr His Gly Cys 180 185 190

Pro Asp Arg Cys Ser Gln Gly Cys 195 200

<210> 247

<211> 1338

<212> DNA

<213> Corynebacterium glutamicum

<220>
<221> CDS
<222> (101)..(1315)
<223> RXN02478

<400> 247

gacatcgtcg aagcgctctc cagcggcaac atcgacgatt atcgcagcgc cgtgctcgct 60

cactacgcgc cgtttcgccg catgatttcc aacatgctcg atg cgc act agc ctc 119

Met Arg Thr Ser Leu

1

att gcg cgc ggg ttg tac cgc att ccc gcg ctg gtc tgg gat cag ggt 163
Ile Ala Arg Gly Leu Tyr Arg Ile Pro Ala Leu Val Trp Asp Gln Gly
10 15 20

ctt tta acg ctt ttc gac gcc cgc ctc agt gtt gac gac ctc ccc gca 211 Leu Leu Thr Leu Phe Asp Ala Arg Leu Ser Val Asp Asp Leu Pro Ala 25 30 35

ccc atc gac gtg gtg tca gcg cga tcc tca gac ggc atc acc tgg acc 259
Pro Ile Asp Val Val Ser Ala Arg Ser Ser Asp Gly Ile Thr Trp Thr
40

acc cca gaa cca gca atc gtc gaa act gaa cac cgc ggt gtg ggc gat 307
Thr Pro Glu Pro Ala Ile Val Glu Thr Glu His Arg Gly Val Gly Asp
55 60 65

gtc tgc ctt gtc acg ggc gat ctg tgc ttc cac gga ttg tcc aac ctc 355 Val Cys Leu Val Thr Gly Asp Leu Cys Phe His Gly Leu Ser Asn Leu 70 80 85

gca gga ttt ttt gag gat ccc acc gac ctt gaa ccc cgg ctg gcg cgc 403 Ala Gly Phe Phe Glu Asp Pro Thr Asp Leu Glu Pro Arg Leu Ala Arg 90 95

cgg gat gtg agt ggg tgg acg tcg ata agc atg gcc cac tat ttt gcg 451 Arg Asp Val Ser Gly Trp Thr Ser Ile Ser Met Ala His Tyr Phe Ala 105 110 115

gat gtt gat gcc gcg ttc gcc tcg tcg ggg acg gga ctt gtc ctg gcg 499
Asp Val Asp Ala Ala Phe Ala Ser Ser Gly Thr Gly Leu Val Leu Ala

gat ggg cgg tgg att cag agt ttt gtg gtg cgg cgc ggg cgc gag att 547 Asp Gly Arg Trp Ile Gln Ser Phe Val Val Arg Arg Gly Arg Glu Ile 135 140 145

tcg ctt cgg att ctg cgc agc gat ggc cac atc acc gat att gcc ggc 595 Ser Leu Arg Ile Leu Arg Ser Asp Gly His Ile Thr Asp Ile Ala Gly 150 165

ggt aac gaa tcc gcg atg acg cag ctg ccg agc ggt cgg att gtg ctg 643 Gly Asn Glu Ser Ala Met Thr Gln Leu Pro Ser Gly Arg Ile Val Leu 170 175

cat tcc agg ggg gtg gga cac cgt ctg agc agt gtg tcc gat gat ttc 691 His Ser Arg Gly Val Gly His Arg Leu Ser Ser Val Ser Asp Asp Phe 185 190 195

ggg	j gag ∕Glu	aca Thr 200	Phe	act Thr	ccg Pro	ctg Leu	gag Glu 205	cct Pro	gtg Val	cct	gaa Glu	cta Leu 210	atc Ile	gac Asp	ccc Pro	739
ggc Gly	tgc Cys 215	Asn	ggc Gly	cac His	gtg Val	ttc Phe 220	tac Tyr	tgg Trp	aaa Lys	gcg Ala	gct Ala 225	gga Gly	atg Met	ctc Leu	gcc Ala	787
gca Ala 230	Thr	cac His	ctg Leu	gcg Ala	gac Asp 235	cct Pro	gat Asp	ctg Leu	cga Arg	cgc Arg 240	cac His	ttg Leu	gtg Val	gtt Val	gat Asp 245	835
tta Leu	tcc Ser	agc Ser	gac Asp	gaa Glu 250	gga Gly	gcg Ala	acc Thr	tgg Trp	gcg Ala 255	cat His	cgc Arg	atc Ile	acc Thr	atc Ile 260	gag Glu	883
cgc Arg	gaa Glu	gaa Glu	gcc Ala 265	gcc Ala	tat Tyr	tca Ser	acc Thr	gct Ala 270	gcg Ala	gaa Glu	atg Met	ccc Pro	aac Asn 275	gga Gly	gat Asp	931
Val	Ala	Val 280	Val	Trp	Glu	Ala	Glu 285	Gly	Thr	cgc Arg	Ala	Ile 290	Lys	Cys	Thr	979
vaı	295	Ser	Val	Asn	Asp	11e 300	Ser	Leu	Arg	atc Ile	Asp 305	Glu	Pro	Ile	Ser	1027
310	Ala	Ile	Ser	Leu	Arg 315	His	Val	Val	Ile	aac Asn 320	Asp	Asp	His	Asp	Gly 325	1075
ite	Glu	Val	Ala	1330	Pro	Asp	Ala	Ser	Gln 335	tgg Trp	Gly	Glu	Gly	Val 340	Phe	1123
Lys	Ile	Val	Ser 345	Asn	Pro	Asp	Ala	Ser 350	Thr	caa Gln	Lys	Ile	Arg 355	Thr	Arg	1171
GIA	Lys	90 360	Ala	Arg	Gln	Thr	Leu 365	Glu	Ile	ggg Gly	Asp	Glu 370	Leu	Val	Phe	1219
Asp	375	Arg	Lys	Gly	Gly	Glu 380	Val	Ala	Tyr	ggc Gly	Val 385	Thr	Val	Pro	Tyr	1267
gat Asp 390	ggt Gly	cgc Arg	tcg Ser	Leu	ggg Gly 395	gaa Glu	gtt Val	aaa Lys	cag Gln	gat Asp 400	ttt Phe	gga Gly	gtg Val	ggg Gly	ctg Leu 405	1315
taga	ggcc	ga t	ttgc	ggtc	c tt	t										1338

<210> 248 <211> 405 <212> PRT

<213> Corynebacterium glutamicum

<400> 248

Met Arg Thr Ser Leu Ile Ala Arg Gly Leu Tyr Arg Ile Pro Ala Leu 1 5 10 15

- Val Trp Asp Gln Gly Leu Leu Thr Leu Phe Asp Ala Arg Leu Ser Val 20 25 30
- Asp Asp Leu Pro Ala Pro Ile Asp Val Val Ser Ala Arg Ser Ser Asp 35 40 45
- Gly Ile Thr Trp Thr Thr Pro Glu Pro Ala Ile Val Glu Thr Glu His $50 \hspace{1cm} 55 \hspace{1cm} 60$
- Arg Gly Val Gly Asp Val Cys Leu Val Thr Gly Asp Leu Cys Phe His 65 70 75 80
- Gly Leu Ser Asn Leu Ala Gly Phe Phe Glu Asp Pro Thr Asp Leu Glu 85 90 95
- Pro Arg Leu Ala Arg Arg Asp Val Ser Gly Trp Thr Ser Ile Ser Met 100 105 110
- Ala His Tyr Phe Ala Asp Val Asp Ala Ala Phe Ala Ser Ser Gly Thr 115 120 125
- Gly Leu Val Leu Ala Asp Gly Arg Trp Ile Gln Ser Phe Val Val Arg 130 135 140
- Arg Gly Arg Glu Ile Ser Leu Arg Ile Leu Arg Ser Asp Gly His Ile 145 150 155 160
- Thr Asp Ile Ala Gly Gly Asn Glu Ser Ala Met Thr Gln Leu Pro Ser 165 170 175
- Gly Arg Ile Val Leu His Ser Arg Gly Val Gly His Arg Leu Ser Ser 180 185 190
- Val Ser Asp Asp Phe Gly Glu Thr Phe Thr Pro Leu Glu Pro Val Pro 195 200 205
- Glu Leu Ile Asp Pro Gly Cys Asn Gly His Val Phe Tyr Trp Lys Ala 210 215 220
- Ala Gly Met Leu Ala Ala Thr His Leu Ala Asp Pro Asp Leu Arg Arg 225 230 235 240
- His Leu Val Val Asp Leu Ser Ser Asp Glu Gly Ala Thr Trp Ala His 245 250 255
- Arg Ile Thr Ile Glu Arg Glu Glu Ala Ala Tyr Ser Thr Ala Ala Glu . 260 265 270
- Met Pro Asn Gly Asp Val Ala Val Val Trp Glu Ala Glu Gly Thr Arg 275 280 285 .
- Ala Ile Lys Cys Thr Val Ile Ser Val Asn Asp Ile Ser Leu Arg Ile 290 295 300
- Asp Glu Pro Ile Ser Asp Ala Ile Ser Leu Arg His Val Val Ile Asn 305 310 315 320

Asp Asp His Asp Gly Ile Glu Val Ala Leu Pro Asp Ala Ser Gln Trp Gly Glu Gly Val Phe Lys Ile Val Ser Asn Pro Asp Ala Ser Thr Gln 340 Lys Ile Arg Thr Arg Gly Lys Pro Ala Arg Gln Thr Leu Glu Ile Gly Asp Glu Leu Val Phe Asp Ile Arg Lys Gly Gly Glu Val Ala Tyr Gly 375 Val Thr Val Pro Tyr Asp Gly Arg Ser Leu Gly Glu Val Lys Gln Asp 395 Phe Gly Val Gly Leu <210> 249 <211> 1213 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1213) <223> RXN00343 <400> 249 ttcggtagaa tgggtaggtt gtcgtgcttg aggtgtggtg gataaccacc tctacaacac 60 cacccaaget etgttagaaa aaattgagga ageagtetaa atg aaa eae caa tat Met Lys His Gln Tyr gat gtc atc gtt gtc ggt tcc ggc gct ggc gga tta tca gct gca gtc Asp Val Ile Val Val Gly Ser Gly Ala Gly Gly Leu Ser Ala Ala Val agt gca gct tac ggc ggt aag aaa gtc gct gta att gaa aag gcc tca 211 Ser Ala Ala Tyr Gly Gly Lys Lys Val Ala Val Ile Glu Lys Ala Ser gta etc ggt gga gee ace ace tgg tee gge ggt tgg get tgg act eet 259 Val Leu Gly Gly Ala Thr Thr Trp Ser Gly Gly Trp Ala Trp Thr Pro 40 gga acc agc ctt gcg cgc aaa gac gga gta gtg gaa tcc aaa gaa gaa 307 Gly Thr Ser Leu Ala Arg Lys Asp Gly Val Val Glu Ser Lys Glu Glu ttc caa acc tac ctg caa gcg gta gtg ggg gag tac tac caa gaa gac Phe Gln Thr Tyr Leu Gln Ala Val Val Gly Glu Tyr Tyr Gln Glu Asp aac atc tcc gcc ttc ttg gac gca gcc cct gaa atg gtc gat ttc ttt 403 Asn Ile Ser Ala Phe Leu Asp Ala Ala Pro Glu Met Val Asp Phe Phe gaa aaa aac acc gac ctg cag tgg acc ccc ggc gcg aaa atc aac gac 451

Glu	Lys	Asn	Thr 105	Asp	Leu	Gln	Trp	Thr 110	Pro	Gly	Ala	Lys	Ile 115	Asn	Asp	·
		ggc Gly 120														499
		cca Pro														547
-	-	cac His	-	-		-				_		_			-	595
_		cct Pro	-	_	-					-		-		-		643
-		tgg Trp	-		-	-		-	-				_		_	691
_	-	gtg Val 200			_		-	-	-	-			-	-		739
	-	cga Arg	-	_			-	-	_	_		-	-		_	787
		cac His														835
		aaa Lys	-				_		_	-	-		-	_		883
_		gtc Val			-								-	_	-	931
		gaa Glu 280														979
		cca Pro		-				-				_	-		-	1027
		gca Ala														1075
	_	tca Ser	_	_							-					1123
		atg Met	-	_	_							-	-			1171

¹⁵ 350 355

ggt aag cga ttc gtc aat gaa gcc aac ggc tac tac gac tac
Gly Lys Arg Phe Val Asn Glu Ala Asn Gly Tyr Tyr Asp Tyr
360.
365

<210> 250

<211> 371

<212> PRT

<213> Corynebacterium glutamicum

<400> 250

Met Lys His Gln Tyr Asp Val Ile Val Val Gly Ser Gly Ala Gly Gly $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Leu Ser Ala Ala Val Ser Ala Ala Tyr Gly Gly Lys Lys Val Ala Val 20 25 30

Ile Glu Lys Ala Ser Val Leu Gly Gly Ala Thr Thr Trp Ser Gly Gly 35 40 45

Trp Ala Trp Thr Pro Gly Thr Ser Leu Ala Arg Lys Asp Gly Val Val 50 60

Glu Ser Lys Glu Glu Phe Gln Thr Tyr Leu Gln Ala Val Val Gly Glu 65 70 75 80

Tyr Tyr Gln Glu Asp Asn Ile Ser Ala Phe Leu Asp Ala Ala Pro Glu 85 90 95

Met Val Asp Phe Phe Glu Lys Asn Thr Asp Leu Gln Trp Thr Pro Gly

Ala Lys Ile Asn Asp Ile Tyr Gly Asn Leu Pro Gly Ala Gly Thr Gly
115 120 125

His Arg Ser Val Gly Pro Lys Pro Phe Asn Gly Arg Lys Val Pro Lys 130 135 140

Ser Val Leu Pro Lys Leu Arg His Gln Leu Tyr Glu Thr Ser Phe Leu 145 150 155 160

Gly Met Gly Ile Met Ala Gly Pro Asp Leu Thr Lys Phe Leu Ser Ala 165 170 175

Ser Gln Phe Asp Pro Arg Gly Trp Val His Ala Ala Arg Arg Val Ile.

Val His Met Trp Asp Met Val Val His Lys Arg Asn Met Gln Met Val 195 200 205

Asn Gly Ala Ala Leu Thr Ala Arg Leu Ala Thr Ser Ala Asp Lys Leu 210 215 220

Gly Val Asp Leu Leu Val Asn His Ser Ala Val Ser Leu Asn Tyr Lys 225 230 235

Asn Asp Arg Val Thr Gly Val Lys Val Gln Thr Pro Gln Gly Leu Val 245 250 255

Asp Phe Glu Ala Thr Ala Gly Val Val Leu Ala Thr Gly Gly Phe Pro Asn Asn Val Asp Leu Arg Lys Glu Leu Phe Pro Arg Thr Pro Ser Gly 275 280 Gln Glu His Trp Thr Leu Ala Pro Ala Glu Thr Thr Gly Asp Gly Leu Ser Met Ala Arg Glu Ile Gly Ala Gly Phe Val Asn Asp Leu Lys Ser 310 Pro Ala Ala Trp Cys Pro Val Ser Leu Val Pro Tyr Phe Asn Gly Lys 330 Val Gly Thr Phe Pro His Ile Met Asp Arg Ala Lys Pro Gly Ser Ile 345 350 Gly Val Val Ser Thr Gly Lys Arg Phe Val Asn Glu Ala Asn Gly Tyr 360 Tyr Asp Tyr 370 <210> 251 <211> 1083 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1060) <223> RXN01555 <400> 251 ctggttttgt gccgaggatc agccagcaag ttaatgatcc ttacatggcg ctgttgttgg 60 cgcggtagtc aatcatgggg gagtatccca ccgtatccgc gtg aac aag ggc gtg Val Asn Lys Gly Val gtg ctg gta gca ggt gga ttc tcc cag aat cca gaa ctg cgc atg aag 163 Val Leu Val Ala Gly Gly Phe Ser Gln Asn Pro Glu Leu Arg Met Lys 10 tac atg cca gaa ccc acc cca cag ttc tcc cgc acc aac gaa agc gcc 211 Tyr Met Pro Glu Pro Thr Pro Gln Phe Ser Arg Thr Asn Glu Ser Ala acc ggc gac acc atg gcc ctt gct gcg aaa gtg gga gca cgc cta ggc 259 Thr Gly Asp Thr Met Ala Leu Ala Ala Lys Val Gly Ala Arg Leu Gly 40 gac gac aac ggt gaa aac gca ctg tgg ttc cca tcg tcc atc ggc acc 307 Asp Asp Asn Gly Glu Asn Ala Leu Trp Phe Pro Ser Ser Ile Gly Thr cgc gcc gac gga tcc acc gcg gtg tac cca cac att tgg gac cgt ggc 355 Arg Ala Asp Gly Ser Thr Ala Val Tyr Pro His Ile Trp Asp Arg Gly 80

cgc Arg	cto Leu	gga Gly	gto Val	ato Ile 90	gca Ala	gtc Val	aac Asn	gca Ala	gca Ala 95	Gly	gag Glu	cgt Arg	ttc Phe	gtc Val 100	gat Asp	403
gaa Glu	tcc Ser	gtc Val	Ser 105	Tyr	cac	cgc Arg	ttc Phe	gtg Val 110	cgc Arg	gcc Ala	atg Met	tac Tyr	gaa Glu 115	tcc Ser	aac Asn	451
aaa Lys	acc Thr	acc Thr 120	Pro	act Thr	gtt Val	tca Ser	gcc Ala 125	tgg Trp	ctc Leu	att Ile	gtt Val	gat Asp 130	tcc Ser	cac His	acc Thr	499
ctg Leu	gca Ala 135	aaa Lys	tac Tyr	ggc Gly	ctc Leu	ggc Gly 140	atg Met	atc Ile	acc Thr	atg Met	cca Pro 145	cac His	ctg Leu	cct Pro	aaa Lys	547
ctc Leu 150	Ala	ctg Leu	caa Gln	aaa Lys	tac Tyr 155	atc Ile	gac Asp	tcc Ser	gga Gly	tac Tyr 160	ctg Leu	cac His	gca Ala	gga Gly	tca Ser 165	595
tcc Ser	ttg Leu	gat Asp	gaa Glu	ttg Leu 170	gca Ala	cgc Arg	agc Ser	att Ile	ggt Gly 175	gtg Val	gac Asp	gct Ala	cgc Arg	ggc Gly 180	ctg Leu	643
gaa Glu	caa Gln	acc Thr	gtc Val 185	aaa Lys	cgc Arg	tac Tyr	aat Asn	acc Thr 190	ttc Phe	gct Ala	aaa Lys	acg Thr	ggt Gly 195	atc Ile	gac Asp	691
gaa Glu	gac Asp	ttc Phe 200	cac His	aag Lys	ggc Gly	gaa Glu	ctc Leu 205	ctc Leu	ttc Phe	ggt Gly	caa Gln	gcc Ala 210	gcc Ala	ggc Gly	gat Asp	739
cca Pro	gac Asp 215	aac Asn	aag Lys	cca Pro	aac Asn	ccc Pro 220	aac Asn	gtc Val	gga Gly	cca Pro	atc Ile 225	aag Lys	aag Lys	gga Gly	ccg Pro	787
ttc Phe 230	tac Tyr	gca Ala	atc Ile	gct Ala	gta Val 235	gtc Val	cca Pro	acc Thr	cct Pro	ctg Leu 240	gcc Ala	act Thr	gcc Ala	ttt Phe	ggc Gly 245	835
atc Ile	agc Ser	atc Ile	aac Asn	ccc Pro 250	aac Asn	gga Gly	cag Gln	gtt Val	gtt Val 255	agt Ser	gaa Glu	gat Asp	ggg Gly	gag Glu 260	ccc Pro	883
atc Ile	att Ile	gga Gly	ctg Leu 265	tac Tyr	tcc Ser	gca Ala	gga Gly	aat Asn 270	gat Asp	gcc Ala	caa Gln	tct Ser	gtc Val 275	atg Met	gct Ala	931
tct Ser	gaa Glu	tat Tyr 280	cct Pro	ggt Gly	gct Ala	ggt Gly	tca Ser 285	cag Gln	gtt Val	ggt Gly	tcc Ser	gga Gly 290	atg Met	acc Thr	ttt Phe	979
ggt Gly	tgg Trp 295	atc Ile	gca Ala	gca Ala	cag Gln	cac His 300	gcg Ala	gtg Val	ggg [°]	Lys	gcg Ala 305	gga Gly	aaa Lys	tcc Ser	gga Gly	1027
gga Gly 310	gct Ala	aag Lys	gca Ala	gga Gly	tat Tyr 315	gcc Ala	gcg Ala	tct Ser	tct Ser	aag Lys 320	taat	tgct	tg g	tggg	ttgct	1080

1083

<210> 252

<211> 320

<212> PRT

<213> Corynebacterium glutamicum

<400> 252

Val Asn Lys Gly Val Val Leu Val Ala Gly Gly Phe Ser Gln Asn Pro 1 5 10 15

Glu Leu Arg Met Lys Tyr Met Pro Glu Pro Thr Pro Gln Phe Ser Arg
20 25 30

Thr Asn Glu Ser Ala Thr Gly Asp Thr Met Ala Leu Ala Ala Lys Val 35 40 45

Gly Ala Arg Leu Gly Asp Asp Asn Gly Glu Asn Ala Leu Trp Phe Pro 50 55 60

Ser Ser Ile Gly Thr Arg Ala Asp Gly Ser Thr Ala Val Tyr Pro His 65 70 75 80

Ile Trp Asp Arg Gly Arg Leu Gly Val Ile Ala Val Asn Ala Ala Gly
85 90 95

Glu Arg Phe Val Asp Glu Ser Val Ser Tyr His Arg Phe Val Arg Ala 100 105 110

Met Tyr Glu Ser Asn Lys Thr Thr Pro Thr Val Ser Ala Trp Leu Ile 115 120 125

Val Asp Ser His Thr Leu Ala Lys Tyr Gly Leu Gly Met Ile Thr Met 130 135 . 140

Pro His Leu Pro Lys Leu Ala Leu Gln Lys Tyr Ile Asp Ser Gly Tyr 145 150 155 160

Leu His Ala Gly Ser Ser Leu Asp Glu Leu Ala Arg Ser Ile Gly Val 165 170 175

Asp Ala Arg Gly Leu Glu Gln Thr Val Lys Arg Tyr Asn Thr Phe Ala 180 185 190

Lys Thr Gly Ile Asp Glu Asp Phe His Lys Gly Glu Leu Leu Phe Gly 195 200 . 205

Gln Ala Ala Gly Asp Pro Asp Asn Lys Pro Asn Pro Asn Val Gly Pro 210 215 220

Ile Lys Lys Gly Pro Phe Tyr Ala Ile Ala Val Val Pro Thr Pro Leu 225 230 235 240

Ala Thr Ala Phe Gly Ile Ser Ile Asn Pro Asn Gly Gln Val Val Ser 245 250 255

Glu Asp Gly Glu Pro Ile Ile Gly Leu Tyr Ser Ala Gly Asn Asp Ala 260 265 270

Gln Ser Val Met Ala Ser Glu Tyr Pro Gly Ala Gly Ser Gln Val Gly

275 280 285

Ser Gly Met Thr Phe Gly Trp Ile Ala Ala Gln His Ala Val Gly Lys 290 295 300

Ala Gly Lys Ser Gly Gly Ala Lys Ala Gly Tyr Ala Ala Ser Ser Lys 305 310 315 320

<210> 253 <211> 1428 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1405) <223> RXN01166 <400> 253 accgtaccca cagacacacc agaattaaca gaaacagact gaaaaacaac atcgctcgac 60 atgcgcgtaa tcctaacccg cgcacactaa tgtggccgat atg ggc tac acc aac Met Gly Tyr Thr Asn ctc aac gac aca egg gtc ttg ege gee ggg tca tgt gat gee tgg tgg 163 Leu Asn Asp Thr Arg Val Leu Arg Ala Gly Ser Cys Asp Ala Trp Trp 10 cgc acg atg tct ccg cta gtg cag cag gga agt gag gca gtc ttt cgg 211 Arg Thr Met Ser Pro Leu Val Gln Gln Gly Ser Glu Ala Val Phe Arg 25 ege ate atg ggt etc teg egg egt eet gat egg aaa eet gge ttt gae 259 Arg Ile Met Gly Leu Ser Arg Arg Pro Asp Arg Lys Pro Gly Phe Asp 40 45 gat gtc cca cat ttc ggc gca gct gtt cga gtt ccc ggt cta aaa cac 307 Asp Val Pro His Phe Gly Ala Ala Val Arg Val Pro Gly Leu Lys His 55 60 ggc acg ttg gtc aat gct gca ccc ttg aaa gtt ttg ggc gca cgg ggc 355 Gly Thr Leu Val Asn Ala Ala Pro Leu Lys Val Leu Gly Ala Arg Gly 70 75 gag ccc aac ccc gcg agt tcg tac cgt ttt gaa tac atc acc ggt gat 403 Glu Pro Asn Pro Ala Ser Ser Tyr Arg Phe Glu Tyr Ile Thr Gly Asp 90 100 tee gea ggt ega gee ate act geg ace gge get gte ete tit tee aca Ser Ala Gly Arg Ala Ile Thr Ala Thr Gly Ala Val Leu Phe Ser Thr 105 cgc ccc tgg aca acc ggc ccg cgt ccc gcg atc gcc atg gct cca tcc 499 Arg Pro Trp Thr Thr Gly Pro Arg Pro Ala Ile Ala Met Ala Pro Ser 120

	caa Gln 135															547
	ctc Leu															595
	ctc Leu															643
	atc Ile				_	-		-			-				-	691
	tcc Ser															739
	caa Gln 215															787
tcc Ser 230	caa Gln	gga Gly	ggc Gly	ggc Gly	gcc Ala 235	act Thr	ggc Gly	tgg Trp	gct Ala	gca Ala 240	caa Gln	ttg Leu	cag Gln	gat Asp	tac Tyr 245	835
gca Ala	cct Pro	gat Asp	gtc Val	cgc Arg 250	cca Pro	aag Lys	gca Ala	gcg Ala	gtc Val 255	gtg Val	ggc Gly	gct Ala	cca Pro	cca Pro 260	gtg Val	883
gat Asp	ctc Leu	ttc Phe	cgc Arg 265	gtc Val	ttg Leu	gac Asp	act Thr	gtc Val 270	gac Asp	ggc Gly	gga Gly	ttg Leu	ctc Leu 275	acc Thr	gga Gly	931
	att Ile															979
	gag Glu 295															1027
ctg Leu 310	aaa Lys	aat Asn	atc Ile	acc Thr	agc Ser 315	tgc Cys	gcg Ala	gga Gly	ggt Gly	tcc Ser 320	ttg Leu	ttg Leu	gcc Ala	agt Ser	ggc Gly 325	1075
	tcg Ser															1123
	ctg Leu															1171
	ggt Gly															1219
aat	gat	gat	gtc	att	ccc	att	gat	ccc	att	agg	gaa	ttg	cgt	gat	agc	1267

Asn Asp Asp Val Ile Pro Ile Asp Pro Ile Arg Glu Leu Arg Asp Ser 380 tgg gcg gac aag ggt acg cca ttg acc tgg cat gaa tcc caa gcg ccg 1315 Trp Ala Asp Lys Gly Thr Pro Leu Thr Trp His Glu Ser Gln Ala Pro 395 cgt gtg cca gga cgc aca ggt ctc aac cat ttc ggg ccc tat ttt aqa Arg Val Pro Gly Arg Thr Gly Leu Asn His Phe Gly Pro Tyr Phe Arg aac ctg gaa aag tac tcg gga tgg ctc ata gat cat ctt gtc 1405 Asn Leu Glu Lys Tyr Ser Gly Trp Leu Ile Asp His Leu Val 430 tgagtgccgt tttaaaggct cgg 1428 <210> 254 <211> 435 <212> PRT <213> Corynebacterium glutamicum <400> 254 Met Gly Tyr Thr Asn Leu Asn Asp Thr Arg Val Leu Arg Ala Gly Ser Cys Asp Ala Trp Trp Arg Thr Met Ser Pro Leu Val Gln Gln Gly Ser 25 Glu Ala Val Phe Arg Arg Ile Met Gly Leu Ser Arg Arg Pro Asp Arg Lys Pro Gly Phe Asp Asp Val Pro His Phe Gly Ala Ala Val Arg Val Pro Gly Leu Lys His Gly Thr Leu Val Asn Ala Ala Pro Leu Lys Val Leu Gly Ala Arg Gly Glu Pro Asn Pro Ala Ser Ser Tyr Arg Phe Glu Tyr Ile Thr Gly Asp Ser Ala Gly Arg Ala Ile Thr Ala Thr Gly Ala 100 105 Val Leu Phe Ser Thr Arg Pro Trp Thr Thr Gly Pro Arg Pro Ala Ile 120 Ala Met Ala Pro Ser Thr Gln Gly Val Ala Gln His Cys Asp Pro Ser His Thr Cys Ala Ile Gly Leu Asn Ala Phe Tyr Asp Lys Pro Phe Asp Ala Ile Ile Ala Tyr Glu Leu Pro Val Ile Leu Trp Phe Leu Ala His Gly Leu Asp Val Val Phe Ile Asp Tyr Pro Arg Asp Pro Ala Thr Gly Val Gln Tyr Tyr Cys Asp Ser Ile Ala Ala Ala Lys Ser Leu Leu Asp

195 200 205

Ala Val Leu Ala Ser Arg Gln Leu Gly Leu Ser Pro Glu Ala Pro Leu 210 215 220

Gly Leu Trp Gly Phe Ser Gln Gly Gly Gly Ala Thr Gly Trp Ala Ala 225 230 235 240

Gln Leu Gln Asp Tyr Ala Pro Asp Val Arg Pro Lys Ala Ala Val Val 245 250 255

Gly Ala Pro Pro Val Asp Leu Phe Arg Val Leu Asp Thr Val Asp Gly
260 265 270

Gly Leu Leu Thr Gly Val Ile Ala Tyr Ala Ile Ala Gly Leu Ala Val 275 280 285

Asn Ser Ser Glu Met Phe Glu Glu Ile Met Ser Val Leu Asn Glu Arg 290 295 300

Gly Val Ser Asp Val Leu Lys Asn Ile Thr Ser Cys Ala Gly Gly Ser 305 310 315 320

Leu Leu Ala Ser Gly Tyr Ser Ser Ser Arg Gly Trp Thr His Gln Gly 325 330 335

Thr Pro Leu Ala Asp Ile Leu Asp Asp Leu Pro Leu Val Val Ala Glu 340 345 350

Phe Gly Lys Gln Lys Leu Gly Arg Val Ala Pro Glu Ile Pro Val Leu 355 360 365

Leu Trp Gly Ser Lys Asn Asp Asp Val Ile Pro Ile Asp Pro Ile Arg 370 375 380

Glu Leu Arg Asp Ser Trp Ala Asp Lys Gly Thr Pro Leu Thr Trp His 385 390 395 400

Glu Ser Gln Ala Pro Arg Val Pro Gly Arg Thr Gly Leu Asn His Phe 405 410 415

Gly Pro Tyr Phe Arg Asn Leu Glu Lys Tyr Ser Gly Trp Leu Ile Asp 420 425 430

His Leu Val 435

<210> 255

<211> 1281

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1258)

<223> RXN02001

<400> 255

gcggtttcgt catggataag gactgtgttc gggaccattg cgatactcgt gtcaaaaggc 60

																C I/ID/00/0
ga	tagt	ccaç	, cat	agac	cgt	gctt	tatco	ga a	ggtg	aacc	Me	g cc t Pr	c gt o Va	t at l Il	c aat e Asn 5	115
ag Se	t at r Il	c go e Al	c ag a Se	t tt r Ph	e se	c gad r Asp	c gaç o Gli	g ato u Met	ac Th	r Ar	c tg g Tr	g cg p Ar	g cg	t cad g Hi: 20	c ctg s Leu O	163
ca Hi	t ca s Gl	a aa n As	c cc n Pr 2	0 61	a ato u Ile	c ago e Ser	ttt Phe	gat Asp 30	Cys	t gto	g gaa	a act u Thi	gc Ala 35	a Ala	c ttc a Phe	211
gt: Va.	g gc	c ga a Gl 4	u Gi	g cto n Lei	g cgc ı Arç	ago J Ser	tto Phe	Gly	gto Val	g gat L Asp	gaa Glu	a att ı Ile 50	e His	aco Thi	ggc Gly	259
ato Ile	gcç Ala	ч цу.	a aco	c ggt	ato / Ile	ato Ile 60	Ата	ctg Leu	att	cac His	ggg Gly 65	/ Arg	gag Glu	gct Ala	ggc Gly	307
Pro 70	, , ,	gto Val	e ggd l Gly	ctg / Leu	g cgc Arg 75	ATA	gat Asp	atg Met	gac Asp	gcg Ala 80	Leu	g ccg Pro	ctg Leu	acc	gag Glu 85	355
att	acc Thr	ggc Gly	gto Val	gac Asp 90	Tyr	gcc Ala	tcg Ser	acc Thr	acc Thr 95	Pro	gga Gly	aaa Lys	atg Met	cac His 100	Ala	403
tgc Cys	Gly	cac His	gac Asp 105	ggc Gly	cac His	acg Thr	acc Thr	atg Met 110	ctg Leu	ctg Leu	ggc Gly	gcc Ala	gcc Ala 115	aaa Lys	tat Tyr	451
ctg Leu	gcc Ala	gag Glu 120	TIIT	cgc Arg	aat Asn	ttc Phe	gca Ala 125	ggt Gly	acc Thr	gtc Val	gcg Ala	ctg Leu 130	atc Ile	ttc Phe	cag Gln	499
	135	GIU	GIU	aac Asn	GIÀ	140	GIÀ	Ala	Gly	Val	Met 145	Val	Asp	Glu	Gly	547
150	204	7100	ALG	ttt Phe	155	iie	Ala	GIU	Val	Tyr 160	Ala	Leu	His	Asn	Gln 165	595
	O17	БСС	110	ctt Leu 170	GIÀ	nis	rne	Met	175	Thr	Ala	Gly	Pro	Ile 180	Met	643
*****	nια	vai	185	acg Thr	Pne	Asp	ile	Asn 190	Ile	Thr	Gly	Arg	Gly 195	Gly	His	691
ggt Gly	gcc Ala	aaa Lys 200	ccg Pro	cac His	caa Gln	inr	cgc Arg 205	gac Asp	ccc Pro	atc Ile	gtc Val	gca Ala 210	gcc Ala	gtc Val	gga Gly	739
	gtc Val 215	caa Gln	gcg Ala	ttt Phe	GIN	acg Thr 220	ata Ile	gtc Val	agc Ser	Arg	aat Asn 225	cac His	aat Asn	ccg Pro	gtc Val	787
gag	gac	ctt	gtc	gtg	tcg	gtc	acg	caa .	atc	cac	acc	ggc	agc	gcc	gat	835

23	u As	b re	u Va	ıl Va	1 Ser 235	r Val	l Thi	c Gli	n Ile	e Hi 24		r Gl	y Se	r Al	a Asp 245	
aa As	t at n Il	c at e Il	c cc e Pr	c gaa o Gli 250	u Thi	gco Ala	tat a Tyr	ato Ile	c aad e Asr 255	ր G1։	c ac y Th	t gt r Va	c cg l Ar	c acc g Thi 260	c ttc r Phe	883
aa As	c aa n Ly	a ga s As	c gt p Va 26	T GII	g gco n Ala	ato Met	g gto : Val	ato Ile 270	e Thr	g cgo	g ato g Me	g gaa t Glu	a ga u Gl: 27:	u Ile	gtc Val	931
gc Al	g gg a Gl	c ca y Gli 28	n AT	t gca a Ala	gco Ala	tat Tyr	ggg Gly 285	' Val	gag Glu	g gco Ala	g acq	g cto Lev 290	Th:	c tac	aac Asn	979
cg Ar	c aad g Asi 29!	ı ıyı	t cce	c gcc o Ala	acc Thr	att Ile 300	Asn	gac Asp	gcc Ala	gco Ala	aaa Lys 305	Ala	gco Ala	ato a Ile	gct Ala	102
gco Ala 310	a GIL	gto Val	c gcq L Ala	g ggc a Gly	gag Glu 315	gtc Val	ggc Gly	ctc Leu	ggg	y gtc Val 320	Asr	ceg Pro	aac Asr	ggc Gly	tcg Ser 325	1075
Arq	g Gly	, ato Met	: Gl	g gcc / Ala 330	Glu	gat Asp	ttc Phe	tcg Ser	tat Tyr 335	Phe	cto Leu	gaa Glu	aag Lys	g cgc Arg 340	Pro	1123
ggt Gly	geo Ala	tac Tyr	Leu 345	ttc Phe	gtc Val	ggt Gly	aat Asn	ggc Gly 350	gac Asp	agc Ser	gcg Ala	ggc Gly	Leu 355	His	aac Asn	1171
Pro	gcc Ala	tat Tyr 360	ASI	ttc Phe	aac Asn	gac Asp	gag Glu 365	gcc Ala	gcg Ala	ccc Pro	tac Tyr	ggc Gly 370	Ala	tcg Ser	ttc Phe	1219
ttg Leu	gcc Ala 375	cgc Arg	atg Met	gca Ala	gaa Glu	cgc Arg 380	ccc Pro	ttg Leu	ccg Pro	tta Leu	aag Lys 385	ggc Gly	tga	tcca	tgg	1268
cgc	tcga	aga	tgc													1281
<21 <21	0> 2 1> 3 2> P 3> C	86 RT	ebac	teriı	ım gl	utan	nicum	ı								
	0> 2: Pro		Ile	Asn 5	Ser	Ile	Ala	Ser	Phe 10	Ser	Asp	Glu	Met	Thr 15	Arg	
Trp	Arg	Arg	His 20	Leu	His	Gln	Asn	Pro 25	Glu	Ile	Ser	Phe	Asp 30	Cys	Val	
Glu	Thr	Ala 35	Ala	Phe	Val	Ala	Glu 40	Gln	Leu	Arg	Ser	Phe 45	Gly	Val	Asp	
Glu	Ile 50	His	Thr	Gly	Ile	Ala . 55	Lys	Thr	Gly	Ile	Ile 60	Ala	Leu	Ile	His	•
Gly	Arg	Glu	Ala	Gly	Pro	Val	Val	Gly	Leu	Arg	Ala	Asp	Met	Asp	Ala	

65 70 75 80

Leu Pro Leu Thr Glu Ile Thr Gly Val Asp Tyr Ala Ser Thr Thr Pro

Gly Lys Met His Ala Cys Gly His Asp Gly His Thr Thr Met Leu Leu 100 105 110

Gly Ala Ala Lys Tyr Leu Ala Glu Thr Arg Asn Phe Ala Gly Thr Val

Ala Leu Ile Phe Gln Pro Ala Glu Glu Asn Gly Gly Gly Ala Gly Val 130 135 140

Met Val Asp Glu Gly Val Leu Asp Arg Phe Ala Ile Ala Glu Val Tyr 145 150 155 160

Ala Leu His Asn Gln Pro Gly Leu Pro Leu Gly His Phe Met Thr Thr 165 170 175

Ala Gly Pro Ile Met Ala Ala Val Asp Thr Phe Asp Ile Asn Ile Thr 180 185 190

Gly Arg Gly Gly His Gly Ala Lys Pro His Gln Thr Arg Asp Pro Ile 195 200 205

Val Ala Ala Val Gly Ile Val Gln Ala Phe Gln Thr Ile Val Ser Arg

Asn His Asn Pro Val Glu Asp Leu Val Val Ser Val Thr Gln Ile His 225 235 235

Thr Gly Ser Ala Asp Asn Ile Ile Pro Glu Thr Ala Tyr Ile Asn Gly 245 250 255

Thr Val Arg Thr Phe Asn Lys Asp Val Gln Ala Met Val Ile Thr Arg 260 265 270

Met Glu Glu Ile Val Ala Gly Gln Ala Ala Ala Tyr Gly Val Glu Ala 275 280 285

Thr Leu Thr Tyr Asn Arg Asn Tyr Pro Ala Thr Ile Asn Asp Ala Ala 290 295 300

Lys Ala Ala Ile Ala Ala Glu Val Ala Gly Glu Val Gly Leu Gly Val 305 310 315 320

Asn Pro Asn Gly Ser Arg Gly Met Gly Ala Glu Asp Phe Ser Tyr Phe 325 330 335

Leu Glu Lys Arg Pro Gly Ala Tyr Leu Phe Val Gly Asn Gly Asp Ser 340 345 350

Ala Gly Leu His Asn Pro Ala Tyr Asn Phe Asn Asp Glu Ala Ala Pro 355 360 365

Tyr Gly Ala Ser Phe Leu Ala Arg Met Ala Glu Arg Pro Leu Pro Leu 370 380

Lys Gly 385

```
<210> 257
 <211> 570
 <212> DNA
 <213> Corynebacterium glutamicum
 <220>
 <221> CDS
 <222> (101)..(547)
 <223> RXN03145
 <400> 257
 agaggtgttt aaattcccgc ctctgcccca gatttaaaac tatgatgagg gatagcttct 60
 caattttcca ggttttccaa aatgaaagag gttcacgcac atg cct act tat act
                                             Met Pro Thr Tyr Thr
 tgt tgg tcg caa aga att cgc att tct agg gaa gcc aag caa cgc atc
                                                                    163
 Cys Trp Ser Gln Arg Ile Arg Ile Ser Arg Glu Ala Lys Gln Arg Ile
gct gag gca atc acc gat gcc cac cat gaa tta gcg cat gct.ccc aag
                                                                   211
Ala Glu Ala Ile Thr Asp Ala His His Glu Leu Ala His Ala Pro Lys
tat ttg gtg cag gtg att ttc aat gag gtg gag cct gat tct tat ttc
Tyr Leu Val Gln Val Ile Phe Asn Glu Val Glu Pro Asp Ser Tyr Phe
         40
                             45
att gcg gcg cag tcg gcg tcg gaa aac cac att tgg gtc caa gca acg
                                                                   307
Ile Ala Ala Gln Ser Ala Ser Glu Asn His Ile Trp Val Gln Ala Thr
att cgt tcg ggg cgt aca gag aag caa aaa gag gaa ctt ctg ctt cgg
                                                                   355
Ile Arg Ser Gly Arg Thr Glu Lys Gln Lys Glu Glu Leu Leu Arg
 70
ctg aca caa gag atc gcg ctg att ctt ggg atc ccc aat gaa gaa gta
                                                                   403
Leu Thr Gln Glu Ile Ala Leu Ile Leu Gly Ile Pro Asn Glu Glu Val
                 90
tgg gta tat ata ccg gag att cct ggt tcc aat atg acg gaa tat ggc
                                                                   451
Trp Val Tyr Ile Pro Glu Ile Pro Gly Ser Asn Met Thr Glu Tyr Gly
            105
cgt ctc ctc atg gaa cct ggc gaa gag gag aag tgg ttt aat tcg ctt
Arg Leu Leu Met Glu Pro Gly Glu Glu Glu Lys Trp Phe Asn Ser Leu
        120
ccc gaa ggc ctg cgg gaa agg ttg acc gag cta gaa gga tcg tca gaa
Pro Glu Gly Leu Arg Glu Arg Leu Thr Glu Leu Glu Gly Ser Ser Glu
    135
                        140
tagctctcga ataggccatt tct
                                                                   570
<210> 258
<211> 149
```

<212> PRT

<213> Corynebacterium glutamicum

<400> 258

Met Pro Thr Tyr Thr Cys Trp Ser Gln Arg Ile Arg Ile Ser Arg Glu

1 5 10 15

Ala Lys Gln Arg Ile Ala Glu Ala Ile Thr Asp Ala His His Glu Leu 20 25 30

Ala His Ala Pro Lys Tyr Leu Val Gln Val Ile Phe Asn Glu Val Glu 35 40 45

Pro Asp Ser Tyr Phe Ile Ala Ala Gln Ser Ala Ser Glu Asn His Ile 50 55 60

Trp Val Gln Ala Thr Ile Arg Ser Gly Arg Thr Glu Lys Gln Lys Glu 65 70 75 80

Glu Leu Leu Arg Leu Thr Gln Glu Ile Ala Leu Ile Leu Gly Ile 85 90 95

Pro Asn Glu Glu Val Trp Val Tyr Ile Pro Glu Ile Pro Gly Ser Asn 100 105 110

Met Thr Glu Tyr Gly Arg Leu Leu Met Glu Pro Gly Glu Glu Glu Lys 115 120 125

Trp Phe Asn Ser Leu Pro Glu Gly Leu Arg Glu Arg Leu Thr Glu Leu 130 135 140

Glu Gly Ser Ser Glu

<210> 259

<211> 1083

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1060)

<223> RXN01466

<400> 259

aatccatgat cccaaactac ctcaaagcgc ttgtaggcta agacttatgg atacacaacg 60

cggctcattg cggggaaaag ctcataaagc aaggctaaag atg acg cca aat ggt 115

Met Thr Pro Asn Gly

cgc agg caa ctc ctc ctg gag cgt ggc gca gca ttt agc aaa aac cgt 163 Arg Arg Gln Leu Leu Glu Arg Gly Ala Ala Phe Ser Lys Asn Arg 10 15 20

acc ccg ggt cta aaa cac gtc gac cgc cac acc atc gtg gac tcc gac 211
Thr Pro Gly Leu Lys His Val Asp Arg His Thr Ile Val Asp Ser Asp
25 30 35

ggc ctc agc atc cac acg tac atg gtt ggc cat gcc gaa aat gcc acg 259 Gly Leu Ser Ile His Thr Tyr Met Val Gly His Ala Glu Asn Ala Thr 40 45 50

gca Ala	acg Thr 55	gtc Val	gtg Val	ttc Phe	atc Ile	cac His 60	ggc Gly	ttc Phe	acc Thr	ctc Leu	gcc Ala 65	gcc Ala	gaa Glu	gtg Val	tat Tyr	307
tac Tyr 70	atg Met	cag Gln	gtc Val	gac Asp	tac Tyr 75	cta Leu	caa Gln	acc Thr	ttt Phe	tac Tyr 80	cca Pro	aat Asn	att Ile	aaa Lys	agc Ser 85	355
					cgc Arg											403
gag Glu	ctc Leu	tgc Cys	acc Thr 105	atc Ile	gaa Glu	gga Gly	aca Thr	gcg Ala 110	aac Asn	gat Asp	gtt Val	ctc Leu	gca Ala 115	gcc Ala	atc Ile	451
					acc Thr		_			_	-					499
ggc Gly	gga Gly 135	ctc Leu	acg Thr	gca Ala	ctt Leu	aac Asn 140	ctg Leu	gtt Val	aaa Lys	cgg Arg	gca Ala 145	gat Asp	cac His	tca Ser	ctt Leu	547
					ggc Gly 155											595
tta Leu	tcc Ser	acc Thr	caa Gln	ggt Gly 170	cta Leu	cca Pro	caa Gln	gtc Val	ctg Leu 175	gca Ala	tca Ser	ccc Pro	ctt Leu	gcc Ala 180	gac Asp	643
aac Asn	atc Ile	aaa Lys	aac Asn 185	gcc Ala	gtc Val	gaa Glu	gca Ala	gcc Ala 190	ccc Pro	aac Asn	gat Asp	gcc Ala	caa Gln 195	aaa Lys	ttc Phe	691
					aca Thr											739
					aac Asn											787
					ttg Leu 235											835
caa Gln	gaa Glu	cac His	gac Asp	gaa Glu 250	ctc Leu	gat Asp	gcc Ala	gca Ala	cca Pro 255	gca Ala	ttg Leu	gaa Glu	ggc Gly	ctc Leu 260	aaa Lys 	883
ggc Gly	tac Tyr	gtc Val	ctt Leu 265	gcc Ala	ggc Gly	gaa Glu	tta Leu	gat Asp 270	gat Asp	gtc Val	acc Thr	cca Pro	att Ile 275	agc Ser	caa Gln	931
gcc Ala	gac Asp	cgc Arg 280	atc Ile	tgc Cys	gaa Glu	gtc Val	tgg Trp 285	ccc Pro	ggc Gly	gca Ala	cgc Arg	ctt Leu 290	caa Gln	atc Ile	gca Ala	979

gaa gga gca ggt cat atg ctt ccg ctt gaa gcg cca gga atc ctc aat 1027 Glu Gly Ala Gly His Met Leu Pro Leu Glu Ala Pro Gly Ile Leu Asn 295 300 305

aat gcg atc ggc aac att ttg gac ggg ctg ggc tgaggaacct ggttcgggcg 1080 Asn Ala Ile Gly Asn Ile Leu Asp Gly Leu Gly 310 315 320

1083

<210> 260

<211> 320

<212> PRT

<213> Corynebacterium glutamicum

<400> 260

Met Thr Pro Asn Gly Arg Arg Gln Leu Leu Leu Glu Arg Gly Ala Ala $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Phe Ser Lys Asn Arg Thr Pro Gly Leu Lys His Val Asp Arg His Thr $20 \hspace{1cm} 25 \hspace{1cm} 30$

Ile Val Asp Ser Asp Gly Leu Ser Ile His Thr Tyr Met Val Gly His $35 \hspace{1cm} 40 \hspace{1cm} 45 \hspace{1cm}$

Ala Glu Asn Ala Thr Ala Thr Val Val Phe Ile His Gly Phe Thr Leu 50 60

Ala Ala Glu Val Tyr Tyr Met Gln Val Asp Tyr Leu Gln Thr Phe Tyr 65 70 75 80

Pro Asn Ile Lys Ser Val Leu Ile Asp Ala Arg Gly His Gly Ala Thr 85 90 95

Gly Gln Ile Arg Pro Glu Leu Cys Thr Ile Glu Gly Thr Ala Asn Asp 100 105 110

Val Leu Ala Ala Ile His Glu His Ala Pro Thr Gly Pro Leu Ile Leu 115 120 125

Val Gly His Ser Leu Gly Gly Leu Thr Ala Leu Asn Leu Val Lys Arg 130 135 140

Thr Ser Ile Glu Ser Leu Ser Thr Gln Gly Leu Pro Gln Val Leu Ala 165 170 175

Ser Pro Leu Ala Asp Asn Ile Lys Asn Ala Val Glu Ala Ala Pro Asn 180 185 190

Asp Ala Gln Lys Phe Arg Gln Tyr Ala Thr Thr Phe Leu Ala Pro Thr 195 200 205

Leu Ala Thr Ala Val Phe Gln Arg Asp Thr Asn Asp Glu Val Ile Asp 210 215 220

Phe His Ala Ala Met Ile His Glu Thr Pro Leu Asp Thr Phe Val Gly

 225
 230
 235
 240

 Phe Phe Asp Asp Leu 245
 Gln Glu His Asp Glu 250
 Leu Asp Ala Ala Pro 255
 Ala 255

 Leu Glu Gly Leu 260
 Leu Lys Gly Tyr Val Leu 265
 Ala Gly Glu Leu Asp Asp Asp 270
 Asp Asp Val 270

 Thr Pro 11e 275
 Ser Gln Ala Asp Arg 280
 Leu Cys Glu Val Trp 285
 Pro Gly Ala 285

 Arg Leu 290
 Gln Ile Ala Glu Gly 295
 Ala Gly His Met Leu Asp 200
 Pro Leu Glu Ala 310

 Pro Gly 11e Leu Asn Asn Ala 310
 Ala Gly Asn 11e Leu Asp Gly Leu Gly 320

<210> 261 <211> 1137 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1114) <223> RXN01145 <400> 261 taatgtagtt gtctgcccaa gcgagttaaa ctcccacgat ttacagtggg gggcagacat 60 cttttcacca aaatttttac gaaaggcgag attttctccc atg gct att gaa ctg 115 Met Ala Ile Glu Leu ctt tat gat gct gac gct gac ctc tcc ttg atc cag ggc cgt aag gtt 163 Leu Tyr Asp Ala Asp Ala Asp Leu Ser Leu Ile Gln Gly Arg Lys Val 15 gcc atc gtt ggc tac ggc tcc cag ggc cac gca cac tcc cag aac ctc 211 Ala Ile Val Gly Tyr Gly Ser Gln Gly His Ala His Ser Gln Asn Leu cgc gat tot ggc gtt gag gtt gtc att ggt ctg cgc gag ggc tcc aag 259 Arg Asp Ser Gly Val Glu Val Val Ile Gly Leu Arg Glu Gly Ser Lys tee gea gag aag gea aag gaa gea gge tte gag gte aag ace ace get . Ser Ala Glu Lys Ala Lys Glu Ala Gly Phe Glu Val Lys Thr Thr Ala 60 gag get gea get tgg get gae gte ate atg ete etg get eea gae ace Glu Ala Ala Arp Ala Asp Val Ile Met Leu Leu Ala Pro Asp Thr 80 tee cag gea gaa ate tte ace aac gae ate gag eea aac etg aac gea 403 Ser Gln Ala Glu Ile Phe Thr Asn Asp Ile Glu Pro Asn Leu Asn Ala

gg(Gl _y	c gad y Asp	gc. Al	a cto a Leo 109	ı Lei	g tto 1 Ph∈	ggc Gly	cac His	ggc Gly 110	Leu	g aac 1 Asr	att Ile	cac His	ttc Phe	Asp	ctg Leu	451
ato Ile	aaq Lys	9 CC 6 Pro 120	o ATS	gac Asp	gac Asp	ato Ile	: atc : Ile 125	Val	ggc	atg Met	gtt Val	gcg Ala 130	Pro	aag Lys	ggc Gly	499
cca Pro	ggc Gly 135	, HI	ttg Leu	gtt Val	. cgc . Arg	cgt Arg 140	cag Gln	ttc Phe	gtt Val	gat Asp	ggc Gly 145	Lys	ggt Gly	gtt Val	cct Pro	547
tgc Cys 150	reu	ato Ile	gca Ala	gto Val	gac Asp 155	GIn	gac Asp	cca Pro	acc Thr	gga Gly 160	Thr	gca Ala	cag Gln	gct Ala	ctg Leu 165	595
acc	Ctg Leu	Ser	tac Tyr	gca Ala 170	Ala	gca Ala	atc Ile	ggt Gly	ggc Gly 175	gca Ala	cgc Arg	gca Ala	ggc Gly	gtt Val 180	atc Ile	643
cca Pro	acc Thr	acc Thr	ttc Phe 185	Glu	gct Ala	gag Glu	acc Thr	gtc Val 190	acc Thr	gac Asp	ctc Leu	ttc Phe	ggc Gly 195	gag Glu	cag Gln	691
gct Ala	gtt Val	ctc Leu 200	Cys	ggt Gly	ggc Gly	acc Thr	gag Glu 205	gaa Glu	ctg Leu	gtc Val	aag Lys	gtt Val 210	ggc Gly	ttc Phe	gag Glu	739
gtt Val	ctc Leu 215	acc Thr	gaa Glu	gct Ala	ggc Gly	tac Tyr 220	gag Glu	cca Pro	gag Glu	atg Met	gca Ala 225	tac Tyr	ttc Phe	gag Glu	gtt Val	787
ctt Leu 230	cac His	gag Glu	ctc Leu	aag Lys	ctc Leu 235	atc Ile	gtt Val	gac Asp	ctc Leu	atg Met 240	ttc Phe	gaa Glu	ggt Gly	ggc Gly	atc Ile 245	835
ser	Asn	Met	Asn	Tyr 250	Ser	Val	tct Ser	Asp	Thr 255	Ala	Glu	Phe	Gly	Gly 260	Tyr	883
ctc Leu	tcc Ser	ggc Gly	cca Pro 265	cgc Arg	gtc Val	atc Ile	gat Asp	gca Ala 270	gac Asp	acc Thr	aag Lys	tcc Ser	cgc Arg 275	atg Met	aag Lys	931
gac Asp	atc Ile	ctg Leu 280	acc Thr	gat Asp	atc Ile	cag Gln	gac Asp 285	ggc Gly	acc Thr	ttc Phe	acc Thr	aag Lys 290	cgc Arg	ctc Leu	atc Ile	979
gca Ala	aac Asn 295	gtt Val	gag Glu	aac Asn	ggc Gly	aac Asn 300	acc Thr	gag Glu	ctt Leu	gag Glu	ggc Gly 305	ctt Leu	cgt Arg	gct Ala	tcc Ser	1027
tac Tyr 310	aac Asn	aac Asn	cac His	cca Pro	atc Ile 315	gag Glu	gag Glu	acc Thr	ggc Gly	gct Ala 320	aag Lys	ctc Leu	cgc Arg	gac Asp	ctc Leu 325	1075
atg Met	agc Ser	tgg Trp	gtc Val	aag Lys 330	gtt Val	gac Asp	gct Ala	Arg	gca Ala 335	gaa Glu	acc Thr	gct Ala	taag	tttc	ac	1124

ccctttgacg gct 1137

<210> 262

<211> 338

<212> PRT

<213> Corynebacterium glutamicum

<400> 262

Met Ala Ile Glu Leu Leu Tyr Asp Ala Asp Ala Asp Leu Ser Leu Ile 1 5 10 15

Gln Gly Arg Lys Val Ala Ile Val Gly Tyr Gly Ser Gln Gly His Ala 20 25 30

His Ser Gln Asn Leu Arg Asp Ser Gly Val Glu Val Val Ile Gly Leu 35 40 45

Arg Glu Gly Ser Lys Ser Ala Glu Lys Ala Lys Glu Ala Gly Phe Glu
50 55 60

Val Lys Thr Thr Ala Glu Ala Ala Ala Trp Ala Asp Val Ile Met Leu 65 70 75 80

Leu Ala Pro Asp Thr Ser Gln Ala Glu Ile Phe Thr Asn Asp Ile Glu 85 90 95

Pro Asn Leu Asn Ala Gly Asp Ala Leu Leu Phe Gly His Gly Leu Asn 100 105 110

Ile His Phe Asp Leu Ile Lys Pro Ala Asp Asp Ile Ile Val Gly Met 115 120 125

Val Ala Pro Lys Gly Pro Gly His Leu Val Arg Arg Gln Phe Val Asp 130 135 140

Gly Lys Gly Val Pro Cys Leu Ile Ala Val Asp Gln Asp Pro Thr Gly 145 150 155

Thr Ala Gln Ala Leu Thr Leu Ser Tyr Ala Ala Ala Ile Gly Gly Ala 165 170 175

Arg Ala Gly Val Ile Pro Thr Thr Phe Glu Ala Glu Thr Val Thr Asp 180 185 190

Leu Phe Gly Glu Gln Ala Val Leu Cys Gly Gly Thr Glu Glu Leu Val 195 200 205

Lys Val Gly Phe Glu Val Leu Thr Glu Ala Gly Tyr Glu Pro Glu Met 210 215 220

Ala Tyr Phe Glu Val Leu His Glu Leu Lys Leu Ile Val Asp Leu Met 225 230 235 240

Phe Glu Gly Gly Ile Ser Asn Met Asn Tyr Ser Val Ser Asp Thr Ala 245 250 255

Glu Phe Gly Gly Tyr Leu Ser Gly Pro Arg Val Ile Asp Ala Asp Thr 260 265 270

Lys Ser Arg Met Lys Asp Ile Leu Thr Asp Ile Gln Asp Gly Thr Phe

275 280 285

Thr Lys Arg Leu Ile Ala Asn Val Glu Asn Gly Asn Thr Glu Leu Glu 290 295 300

Gly Leu Arg Ala Ser Tyr Asn Asn His Pro Ile Glu Glu Thr Gly Ala 305 310 315 320

Lys Leu Arg Asp Leu Met Ser Trp Val Lys Val Asp Ala Arg Ala Glu 325 330 335

Thr Ala

<210> 263

<211> 487

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(487)

<223> RXN03088

<400> 263

tcatggcacc gggacctggc atcgtagcta aggtttcttt tgatgatttc tccgacgtca 60

ccggcggcga tgaactcctc gaattggagg caaagaacta atg ggt caa acc cgc 115

Met Gly Gln Thr Arg

atc att tcc ggc gac gca cgc ggc cgc aag atc gaa gta cca cca gca 163
Ile Ile Ser Gly Asp Ala Arg Gly Arg Lys Ile Glu Val Pro Pro Ala
10 15 20

ggt acc cgc ccc acc tct gac cgc gca cgc gaa ggt ctc ttc tcc tca 211 Gly Thr Arg Pro Thr Ser Asp Arg Ala Arg Glu Gly Leu Phe Ser Ser 25 30

ctg cag gtc cgt ttc gga ttt gag ggc cag cgc gtc ctc gac att ttt 259
Leu Gln Val Arg Phe Gly Phe Glu Gly Gln Arg Val Leu Asp Ile Phe
40

gcc ggc tcc ggc gca ctc gga ttg gaa gct gcc tcc agg ggt gcc gat 307 Ala Gly Ser Gly Ala Leu Gly Leu Glu Ala Ala Ser Arg Gly Ala Asp 55 60 65

gag gta gtt ctg gtc gag tcg aat cct aag gcc gta gag gta att cga 355 Glu Val Val Leu Val Glu Ser Asn Pro Lys Ala Val Glu Val Ile Arg 70 . 80 85

cgg aat gtg gac gtc gta aag cat cct cgc gta acc gtc gca gag atg
Arg Asn Val Asp Val Val Lys His Pro Arg Val Thr Val Ala Glu Met

aaa gca tcc acc tac ctt gcg tcc gca ccc gat aag ttt ttc acg atg Lys Ala Ser Thr Tyr Leu Ala Ser Ala Pro Asp Lys Phe Phe Thr Met 105 110 115

gtg ctc gcc gac ccg ccc tat gag ctt gcg acg acg 487

Val Leu Ala Asp Pro Pro Tyr Glu Leu Ala Thr Thr 120 125

<210> 264

<211> 129

<212> PRT

<213> Corynebacterium glutamicum

<400> 264

Glu Val Pro Pro Ala Gly Thr Arg Pro Thr Ser Asp Arg Ala Arg Glu 20 25 30

Gly Leu Phe Ser Ser Leu Gln Val Arg Phe Gly Phe Glu Gly Gln Arg 35 40 45

Val Leu Asp Ile Phe Ala Gly Ser Gly Ala Leu Gly Leu Glu Ala Ala 50 55 60

Ser Arg Gly Ala Asp Glu Val Val Leu Val Glu Ser Asn Pro Lys Ala 65 70 75 80

Val Glu Val Ile Arg Arg Asn Val Asp Val Val Lys His Pro Arg Val 85 90 95

Thr Val Ala Glu Met Lys Ala Ser Thr Tyr Leu Ala Ser Ala Pro Asp 100 105 110

Lys Phe Phe Thr Met Val Leu Ala Asp Pro Pro Tyr Glu Leu Ala Thr 115 120 125

Thr

<210> 265

<211> 639

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(616)

<223> RXN02952

<400> 265

tccaaaccgc tgtttctgct cgtggcgaat cctggatatt gaagtaattg aaatccgaga 60

cctgatcttt gatctcgcta cctcattcac aagcgccggc atg agc tcc cca gca 115 Met Ser Ser Pro Ala 1 5

ctt gac gct gca aaa cag cgc ctt gct gaa tcc gat ggc ctg atc gct 163 Leu Asp Ala Ala Lys Gln Arg Leu Ala Glu Ser Asp Gly Leu Ile Ala 10 15 20

gtt acc cca gta ttt acc gcg agc tac tcc ggc atc ttc aag atg ttc 211 Val Thr Pro Val Phe Thr Ala Ser Tyr Ser Gly Ile Phe Lys Met Phe 30 35

ttt gat gtc ctg gac ccc aag acc att gtg ggt ctg ccc acc atc att 259 Phe Asp Val Leu Asp Pro Lys Thr Ile Val Gly Leu Pro Thr Ile Ile 45 gcg gca tct gct gga acg gca cgc cac tca ttg gtt ctc gac cac gcc 307 Ala Ala Ser Ala Gly Thr Ala Arg His Ser Leu Val Leu Asp His Ala atc cga cca ctg ttt acc tac ttg cga gca gtt gtc gta ccc acc ggc 355 Ile Arg Pro Leu Phe Thr Tyr Leu Arg Ala Val Val Pro Thr Gly gtg ttc gca gcc acg gaa gat ttc ggc act gaa gct ggc gca gac att 403 Val Phe Ala Ala Thr Glu Asp Phe Gly Thr Glu Ala Gly Ala Asp Ile 100 gaa cgt cgc gtg aac cgc gca gct ggc gaa tta gcg aca ctc atg ttg 451 Glu Arg Arg Val Asn Arg Ala Ala Gly Glu Leu Ala Thr Leu Met Leu 105 110 cag gat tac tcc agt gtg caa ggc ctt ggg ggc gca acc gcg aac caa 499 Gln Asp Tyr Ser Ser Val Gln Gly Leu Gly Gly Ala Thr Ala Asn Gln 120 gac gct gac ctt tee tte egt ege ace act gge gtg ace eeg gga gag 547 Asp Ala Asp Leu Ser Phe Arg Arg Thr Thr Gly Val Thr Pro Gly Glu 140 aac ttc agc agc ttt gcc gat ctt tct caa agg aca cga cgg aaa cgg 595 Asn Phe Ser Ser Phe Ala Asp Leu Ser Gln Arg Thr Arg Arg Lys Arg 150 155 160 cta aat tcg cgg atc tcc gtt taaggcattg aagcatttgg agg

639

<210> 266

<211> 172

<212> PRT

<213> Corynebacterium glutamicum

170

Leu Asn Ser Arg Ile Ser Val

<400> 266

Met Ser Ser Pro Ala Leu Asp Ala Ala Lys Gln Arg Leu Ala Glu Ser .

Asp Gly Leu Ile Ala Val Thr Pro Val Phe Thr Ala Ser Tyr Ser Gly 25 30

Ile Phe Lys Met Phe Phe Asp Val Leu Asp Pro Lys Thr Ile Val Gly

Leu Pro Thr Ile Ile Ala Ala Ser Ala Gly Thr Ala Arg His Ser Leu 55

Val Leu Asp His Ala Ile Arg Pro Leu Phe Thr Tyr Leu Arg Ala Val

Val Val Pro Thr Gly Val Phe Ala Ala Thr Glu Asp Phe Gly Thr Glu

85 90 95

Ala Gly Ala Asp Ile Glu Arg Arg Val Asn Arg Ala Ala Gly Glu Leu 100 105 110

Ala Thr Leu Met Leu Gln Asp Tyr Ser Ser Val Gln Gly Leu Gly Gly 115 120 125

Ala Thr Ala Asn Gln Asp Ala Asp Leu Ser Phe Arg Arg Thr Thr Gly 130 135 140

Val Thr Pro Gly Glu Asn Phe Ser Ser Phe Ala Asp Leu Ser Gln Arg 145 150 155 160

Thr Arg Arg Lys Arg Leu Asn Ser Arg Ile Ser Val 165 170

<210> 267

<211> 1044

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1021)

<223> RXN00513

<400> 267

cacagogtae geacgagett gaggatettt cagaacteaa cattgaattg gatgeegata 60

ttttggccaa ggctcctgtg attccggaag gactgttctg atg gcg ggt ttg ttt 115 Met Ala Gly Leu Phe 1 5

tcc tct gct gtt gca cca acg gag cgt cga aaa gca tta cgc gcg gca 163 Ser Ser Ala Val Ala Pro Thr Glu Arg Arg Lys Ala Leu Arg Ala Ala 10 15 20

ctg gct gcg cct gaa att gcc cgc atg cct ggt gca ttc tcc ccg ctg 211 Leu Ala Ala Pro Glu Ile Ala Arg Met Pro Gly Ala Phe Ser Pro Leu 25 30 35

gcg gcg cgc gca atc cag gaa gcc gga ttt gaa ggc gtg tac gtc tcg 259
Ala Ala Arg Ala Ile Gln Glu Ala Gly Phe Glu Gly Val Tyr Val Ser
40 45

ggc gcc gtc gtg gcg gct gac ctt gca ttg ccg gat atc ggc ttg acc 307 Gly Ala Val Val Ala Ala Asp Leu Ala Leu Pro Asp Ile Gly Leu Thr 55 60 65

aca ttg acc gaa gtg gcg cac cgc tcc cgg cag atc gca cgc gtg aca 355
Thr Leu Thr Glu Val Ala His Arg Ser Arg Gln Ile Ala Arg Val Thr
70 80 85

gac ttg ccc gtg ctg gtc gac gcc gac acc ggc ttc ggc gaa ccc atg 403 Asp Leu Pro Val Leu Val Asp Ala Asp Thr Gly Phe Gly Glu Pro Met 90 95 100

tcc gca gcg cgc acc gtc tcc gaa ctc gaa gat gca ggt gtc gcg ggc 451 Ser Ala Ala Arg Thr Val Ser Glu Leu Glu Asp Ala Gly Val Ala Gly

105 110 115

tgo Cys	cac His	Leu 120	. 010	gat Asp	caa Glr	gto Val	aac Asn 125	Pro	aaa Lys	a cgc s Arg	tgt Cys	ggg Gly 130	His	ctg Leu	gac Asp	499
gga Gly	a aaa / Lys 135	GIU	gta Val	gtg Val	Gly	Thr	Asp	ato	ato Met	gtt Val	cgt Arg 145	Arg	ato	gcc Ala	gca Ala	547
gct Ala 150	gtc Val	aac Asn	gag Glu	cgt Arg	cgc Arg 155	Asp	gag Glu	caa Gln	ttc Phe	gtc Val 160	Ile	tgc Cys	gct Ala	cgc Arg	acc Thr 165	595
АЗР	gcc Ala	VIG	GIY	170	Glu	GTA	Ile	Asp	Ser 175	Ala	Ile	Glu	Arg	Ala 180	Lys	643
ALG	tac Tyr	MIG	185	Ala	GIY	Ala	Asp	Met 190	Ile	Phe	Thr	Glu	Ala 195	Leu	Tyr	691
-	cct Pro	200	nsp	rne	GIU	гÀ2	205	Arg	Ala	Ala	Val	Asp 210	Ile	Pro	Leu	739
-,4	gcc Ala 215		nec	1111	GIU	220	GIÀ	гуs	Thr	Glu	Leu 225	Leu	Pro	Ala	Gln	787
230	ctg Leu	010	nsp	116	235	Tyr	ASn	Ala	val	11e 240	Tyr	Pro	Val	Thr	Leu 245	835
	cgc Arg	116	A1 a	250	сту	GIN	vaı	GLu	GIn 255	Ala	Leu	Gly	Asp	Ile 260	Ala	883
	acc Thr	GIY	265	GTII	inr	Asp	Trp	Val 270	Asp	Arg	Met	Gln	His 275	Arg	Ser	931
		280	GIU.	Leu	Leu	Arg	1yr 285	Asn	Glu	Tyr	Asn	Ala 290	Phe	gac Asp	cag Gln	979
GIII	gta Val 295	ttc . Phe '	acc f	tat Tyr :	Ser	gct Ala 300	gac Asp	agc Ser	tac Tyr	Lys	ccc Pro 305	atc Ile	ttc Phe	-		1021
taac	ccgc	ct a	tatai	caago	g ag	t										1044

<210> 268

<211> 307

<212> PRT

<213> Corynebacterium glutamicum

<400> 268

Met Ala Gly Leu Phe Ser Ser Ala Val Ala Pro Thr Glu Arg Arg Lys

1 5 10 15

Ala Leu Arg Ala Ala Leu Ala Ala Pro Glu Ile Ala Arg Met Pro Gly
20 25 30

- Ala Phe Ser Pro Leu Ala Ala Arg Ala Ile Gln Glu Ala Gly Phe Glu 35 40 45
- Gly Val Tyr Val Ser Gly Ala Val Val Ala Ala Asp Leu Ala Leu Pro 50 55 60
- Asp Ile Gly Leu Thr Thr Leu Thr Glu Val Ala His Arg Ser Arg Gln 65 70 75 80
- Ile Ala Arg Val Thr Asp Leu Pro Val Leu Val Asp Ala Asp Thr Gly
 85 90 95
- Phe Gly Glu Pro Met Ser Ala Ala Arg Thr Val Ser Glu Leu Glu Asp 100 105 110
- Ala Gly Val Ala Gly Cys His Leu Glu Asp Gln Val Asn Pro Lys Arg 115 120 125
- Cys Gly His Leu Asp Gly Lys Glu Val Val Gly Thr Asp Ile Met Val 130 135 140
- Arg Arg Ile Ala Ala Ala Val Asn Glu Arg Arg Asp Glu Gln Phe Val 145 150 155 160
- Ile Cys Ala Arg Thr Asp Ala Ala Gly Val Glu Gly Ile Asp Ser Ala 165 170 175
- Ile Glu Arg Ala Lys Ala Tyr Ala Asp Ala Gly Ala Asp Met Ile Phe 180 185 190
- Thr Glu Ala Leu Tyr Ser Pro Ala Asp Phe Glu Lys Phe Arg Ala Ala 195 200 205
- Val Asp Ile Pro Leu Leu Ala Asn Met Thr Glu Phe Gly Lys Thr Glu 210 215 220
- Leu Leu Pro Ala Gln Leu Leu Glu Asp Ile Gly Tyr Asn Ala Val Ile 225 230 235 240
- Tyr Pro Val Thr Leu Leu Arg Ile Ala Met Gly Gln Val Glu Gln Ala 245 250 255
- Leu Gly Asp Ile Ala Asn Thr Gly Ile Gln Thr Asp Trp Val Asp Arg 260 265 270
- Met Gln His Arg Ser Arg Leu Tyr Glu Leu Leu Arg Tyr Asn Glu Tyr 275 280 285
- Asn Ala Phe Asp Gln Gln Val Phe Thr Tyr Ser Ala Asp Ser Tyr Lys 290 295 300

Pro Ile Phe

<210> 269 <211> 957

<212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(934) <223> RXN01152 <400> 269 agtgaaggat ctgatgtggt ttgaacaagc cctggaagcc tatctggtaa attaacgccg 60 agttcaatca agacaagcac acagaagaaa gtgagggctc atg ccc tac tca ggt 115 Met Pro Tyr Ser Gly ccg ttc caa gca ggc gac cgc gtt cag ctc acc gac gct aaa cgc cgc 163 Pro Phe Gln Ala Gly Asp Arg Val Gln Leu Thr Asp Ala Lys Arg Arg 10 cat ttc acc atc att ttg gaa cca gga acc acc tac cac acc cac cgt His Phe Thr Ile Ile Leu Glu Pro Gly Thr Thr Tyr His Thr His Arg 211 30 gga caa atc gca cac gat gac atc atc ggc gcc gat gag ggc act gtt 259 Gly Gln Ile Ála His Ásp Ásp Ile Ile Gly Ála Ásp Glu Gly Thr Val 4.5 gtc cac tcc acc atg ggc tct gat tac ttg tgc ttc cgt cac ctc atg Val His Ser Thr Met Gly Ser Asp Tyr Leu Cys Phe Arg His Leu Met 60 gtt gat cac gtg ctg agc atg cct cgt ggc gct gca gtt att tat cca Val Asp His Val Leu Ser Met Pro Arg Gly Ala Ala Val Ile Tyr Pro 355 70 75 aag gac tot gca cag att otg gto gag ggo gat att tto oot ggo goo Lys Asp Ser Ala Gln Ile Leu Val Glu Gly Asp Ile Phe Pro Gly Ala 90 95 cga gtt ctg gaa gct ggc gct ggt tcc ggt gca ctg tcc atg gcg ctg 451 Arg Val Leu Glu Ala Gly Ala Gly Ser Gly Ala Leu Ser Met Ala Leu ctt cgt gca gtg ggt gaa aag ggc aat gtc atc tcc tac gaa atc cgt 499 Leu Arg Ala Val Gly Glu Lys Gly Asn Val Ile Ser Tyr Glu Ile Arg 120 125 gag gat cac ctg gag tac gca gtc tcc aac gtg gag gag tac ttc ggt Glu Asp His Leu Glu Tyr Ala Val Ser Asn Val Glu Glu Tyr Phe Gly 135 gag cgt cca gca acc tgg gat cca cgt ctt ggt gac ctg aaa gaa gtc Glu Arg Pro Ala Thr Trp Asp Pro Arg Leu Gly Asp Leu Lys Glu Val 595 150 155 160 acc gtt gag gat ctc ggc gga cct gtt gac cgc atc atc ttg gat atg Thr Val Glu Asp Leu Gly Gly Pro Val Asp Arg Ile Ile Leu Asp Met 643 ctt gag ccg tgg gaa atg ctg gag acc tgc aag gat ctt ctc atc cct Leu Glu Pro Trp Glu Met Leu Glu Thr Cys Lys Asp Leu Leu Ile Pro 691

185 190 195

ggt ggt gtg ttt atg acg tat gtg gcg acc gtg cca cag ctg atg aag 739 Gly Gly Val Phe Met Thr Tyr Val Ala Thr Val Pro Gln Leu Met Lys 200 205 210

gtc atg gaa ggc atc cgc gag caa aaa tgc ttc acg gag cca cgc gcg 787 Val Met Glu Gly Ile Arg Glu Gln Lys Cys Phe Thr Glu Pro Arg Ala 215 220 225

tgg gaa tct ttg gtt cgt gat tgg aag gtg gag ggc ttg gca aca cgc 835 Trp Glu Ser Leu Val Arg Asp Trp Lys Val Glu Gly Leu Ala Thr Arg 230 245

cct gag cac cgc atg aat gcc cac acc gcg ttc ttg gtg ttg acc agg 883 Pro Glu His Arg Met Asn Ala His Thr Ala Phe Leu Val Leu Thr Arg 250 260

cgt ttg gct gat ggc gtg gag cct cct cgt ccg cag cgt aag gca cgt 931 Arg Leu Ala Asp Gly Val Glu Pro Pro Arg Pro Gln Arg Lys Ala Arg 265 270 275

cga taaaaagacc tagttggagg gcg 957

<210> 270

<211> 278

<212> PRT

<213> Corynebacterium glutamicum

<400> 270

Met Pro Tyr Ser Gly Pro Phe Gln Ala Gly Asp Arg Val Gln Leu Thr $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Asp Ala Lys Arg Arg His Phe Thr Ile Ile Leu Glu Pro Gly Thr Thr 20 25 30

Tyr His Thr His Arg Gly Gln Ile Ala His Asp Asp Ile Ile Gly Ala 35 40 45

Asp Glu Gly Thr Val Val His Ser Thr Met Gly Ser Asp Tyr Leu Cys 50 60

Phe Arg His Leu Met Val Asp His Val Leu Ser Met Pro Arg Gly Ala 65 70 75 80

Ala Val Ile Tyr Pro Lys Asp Ser Ala Gln Ile Leu Val Glu Gly Asp $85 \hspace{1cm} 90 \hspace{1cm} 95$

Ile Phe Pro Gly Ala Arg Val Leu Glu Ala Gly Ala Gly Ser Gly Ala 100 105 110

Leu Ser Met Ala Leu Leu Arg Ala Val Gly Glu Lys Gly Asn Val Ile 115 120 125

Ser Tyr Glu Ile Arg Glu Asp His Leu Glu Tyr Ala Val Ser Asn Val 130 135 140

Glu Glu Tyr Phe Gly Glu Arg Pro Ala Thr Trp Asp Pro Arg Leu Gly

Asp Leu Lys Glu Val Thr Val Glu Asp Leu Gly Gly Pro Val Asp Arg 175 Ile Ile Leu Asp Met Leu Glu Pro Trp Glu Met Leu Glu Thr Cys Lys 185 Asp Leu Leu Ile Pro Gly Gly Val Phe Met Thr Tyr Val Ala Thr Val 200 Pro Gln Leu Met Lys Val Met Glu Gly Ile Arg Glu Gln Lys Cys Phe 210	
Ile Ile Leu Asp Met Leu Glu Pro Trp Glu Met Leu Glu Thr Cys Lys 180 Asp Leu Leu Ile Pro Gly Gly Val Phe Met Thr Tyr Val Ala Thr Val 200 Pro Gln Leu Met Lys Val Met Glu Gly Ile Arg Glu Gln Lys Cys Phe	
Asp Leu Leu Ile Pro Gly Gly Val Phe Met Thr Tyr Val Ala Thr Val 195 200 205 Pro Gln Leu Met Lys Val Met Glu Gly Ile Arg Glu Gln Lys Cys Phe	
Pro Gln Leu Met Lys Val Met Glu Gly Ile Arg Glu Gln Lys Cys Phe	
22V	
Thr Glu Pro Arg Ala Trp Glu Ser Leu Val Arg Asp Trp Lys Val Glu 225 230 235 240	
Gly Leu Ala Thr Arg Pro Glu His Arg Met Asn Ala His Thr Ala Phe 245 250 255	
Leu Val Leu Thr Arg Arg Leu Ala Asp Gly Val Glu Pro Pro Arg Pro 260 265 270	
Gln Arg Lys Ala Arg Arg 275	
<210> 271 <211> 2025 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)(2002) <223> RXN00787 <400> 271	
ccagcccgcc caataaataa tttctctctt ctaattgcgg agcctcatat attgagtacg	60
gtattttgaa acaccttcag cccccttttt aggagccaca gtg tct cag cct ctc Val Ser Gln Pro Leu 1 5	115
agc aag cgt ctc agc ata cga aaa gca ctc gcc agc gcc ttc ata gtt Ser Lys Arg Leu Ser Ile Arg Lys Ala Leu Ala Ser Ala Phe Ile Val 10 15 20	163
gcg ctg gcg ttt tcg ctt tcc cca gta gcc aaa gcc caa gcc aat gaa Ala Leu Ala Phe Ser Leu Ser Pro Val Ala Lys Ala Gln Ala Asn Glu 25 30 35	211
act ccg acg atg atc gtg ttg gac aat tca ggc tcc atg aca gct caa Thr Pro Thr Met Ile Val Leu Asp Asn Ser Gly Ser Met Thr Ala Gln 40 45 50	259
gat gcc ggc gga cag acc cgt atc gat gca gca aaa caa gcc tcc act Asp Ala Gly Gly Gln Thr Arg Ile Asp Ala Ala Lys Gln Ala Ser Thr 55 60 65	307
cag tta att aat gac atc tcc gac cgc acc gac gta ggt ctg acc tac	355

Gln 70	Leu	Ile	Asn	Asp	Ile 75	Ser	Asp	Arg	Thr	Asp 80	Val	Gly	Leu	Thr	Tyr 85	
tac Tyr	ggc Gly	gga Gly	aac Asn	acc Thr 90	ggc Gly	gaa Glu	aca Thr	gaa Glu	gca Ala 95	gac Asp	gtt Val	gag Glu	atg Met	gga Gly 100	tgc Cys	403
caa Gln	gac Asp	gtc Val	acc Thr 105	atc Ile	ctt Leu	ggc Gly	ggc Gly	ccc Pro 110	tcc Ser	cga Arg	gga Gly	aat Asn	gca Ala 115	gac Asp	acc Thr	451
tta Leu	att Ile	gac Asp 120	acg Thr	atc Ile	aac Asn	agc Ser	ctg Leu 125	cag Gln	cct Pro	cga Arg	ggc Gly	ttc Phe 130	acc Thr	ccc Pro	atc Ile	499
ggc Gly	aaa Lys 135	gca Ala	ctc Leu	acc Thr	gat Asp	acc Thr 140	gcc Ala	gcc Ala	gag Glu	ctc Leu	ccc Pro 145	gaa Glu	ggc Gly	gga Gly	aac Asn	547
att Ile 150	gtg Val	ttg Leu	gtc Val	tcc Ser	gat Asp 155	ggc Gly	atc Ile	gcc Ala	aac Asn	tgc Cys 160	acc Thr	cca Pro	ccg Pro	gat Asp	gtc Val 165	595
tgc Cys	gaa Glu	gta Val	gcc Ala	caa Gln 170	gaa Glu	ctg Leu	gct Ala	caa Gln	agt Ser 175	gga Gly	atc Ile	aac Asn	ctg Leu	gtt Val 180	atc Ile	643
aac Asn	acc Thr	atc Ile	gga Gly 185	cta Leu	aat Asn	gtt Val	gat Asp	cca Pro 190	gca Ala	gcg Ala	cgc Arg	gaa Glu	gaa Glu 195	ctg Leu	gag Glu	691
tgc Cys	atc Ile	gct Ala 200	gga Gly	gtc Val	ggt Gly	ggt Gly	ggc Gly 205	act Thr	tac Tyr	gcg Ala	gat Asp	gct Ala 210	tcc Ser	gac Asp	gcg Ala	739
cag Gln	agc Ser 215	ctt Leu	acc Thr	gat Asp	gcg Ala	ctg Leu 220	aca Thr	cga Arg	gcc Ala	gcc Ala	agt Ser 225	agg Arg	caa Gln	tac Tyr	aac Asn	787
tct Ser 230	tac Tyr	acc Thr	tcc Ser	gat Asp	gtg Val 235	aca Thr	aaa Lys	att	gat Asp	ggg Gly 240	gca Ala	tcg Ser	gaa Glu	caa Gln	agc Ser 245	835
gca Ala	gcc Ala	gta Val	gaa Glu	att Ile 250	gat Asp	gag Glu	gat Asp	aca Thr	gaa Glu 255	cta Leu	ttc Phe	ctc Leu	acc Thr	gac Asp 260	ctg Leu	883
cca Pro	caa Gln	gaa Glu	tcc Ser 265	cgc Arg	ttt Phe	tgg Trp	aaa Lys	atc Ile 270	cct Pro	gta Val	gag Glu	cca Pro	ggt Gly 275	gaa Glú	acc Thr	931
atc Ile	tca Ser	gtt Val 280	tct Ser	gcc Ala	aac Asn	aca Thr	gtt Val 285	acc Thr	gac Asp	cca Pro	aca Thr	gta Val 290	ctc Leu	acc Thr	atg Met	979
Gly	caa Gln 295	ggc Gly	gga Gly	atc Ile	aag Lys	ctt Leu 300	gaa Glu	gcc Ala	caa Gln	ctc Leu	cat His 305	act Thr	gaa Glu	gag Glu	gct Ala	1027
cca Pro	caa Gln	tac Tyr	ggc Gly	ctg Leu	cgt Arg	ggt Gly	cgg Arg	tgc Cys	act Thr	cgg Arg	gtc Val	tca Ser	ttt Phe	gat Asp	aat Asn	1075

														1/1000/00
310			315					320					325	
ttc aa Phe Ly	g ccc g s Pro G	gc ctt ly Leu 330	GIY	gta Val	cgc Arg	gga Gly	ato 11e 335	Glr	a aad Asr	gcg Ala	tcc Ser	gtt Val 340	l Ala	1123
tca aa Ser Ly:	a gaa g s Glu V 3	tg ggc al Gly 45	acc Thr	aac Asn	aac Asn	tgt Cys 350	Asp	acc Thr	gat Asp	gcc Ala	atc Ile 355	Tyr	ctc Leu	1171
gaa at: Glu Ile	t tct a e Ser A 360	ga agc rg Ser	gga Gly	gat Asp	tac Tyr 365	ctc Leu	aac Asn	ggg Gly	cag Gln	gac Asp 370	Ile	cca Pro	acg Thr	1219
gaa ato Glu Ile 375	s inr i	tc gag le Glu	cgc Arg	ttc Phe 380	gga Gly	aaa Lys	gta Val	gat Asp	gaa Glu 385	Ser	aca Thr	atc Ile	gga Gly	1267
aat gto Asn Val 390	c aca ga . Thr G	ag gaa lu Glu	cat His 395	agc Ser	tcc Ser	gtc Val	gat Asp	ctt Leu 400	acc Thr	gag Glu	gct Ala	gca Ala	gca Ala 405	1315
tca gag Ser Glu	gca ca Ala Hi	s Pro 410	gtc Val	aca Thr	cct Pro	ggc Gly	cag Gln 415	tgg Trp	ttc Phe	aca Thr	tcg Ser	gcc Ala 420	gct Ala	1363
gat cta Asp Leu	gat co Asp Pr 42	o Ala	ggt Gly	gag Glu	aaa Lys	gtc Val 430	tcc Ser	tcc Ser	atc Ile	atc Ile	gtt Val 435	cca Pro	gga Gly	1411
gaa acc Glu Thr	cac tt His Ph 440	c tat e Tyr	gcg Ala	ctg Leu	cct Pro 445	gtc Val	gac Asp	tac Tyr	ggc Gly	caa Gln 450	gaa Glu	ctg Leu	cgc Arg	1459
gca gct Ala Ala 455	Agt GT	a aca u Thr	Inr	ttt Phe 460	gac Asp	caa Gln	atc Ile	gac Asp	agt Ser 465	tcc Ser	gcg Ala	ctt Leu	ggc Gly	1507
acg cat Thr His 470	ctt ta Leu Ty	t atc r Ile	caa Gln 475	gcg Ala	ttc Phe	agc Ser	cca Pro	aac Asn 480	cgg Arg	gca Ala	gag Glu	ata Ile	gag Glu 485	1555
ctc acc Leu Thr	aat ag Asn Ar	a gat g Asp 490	acg t	tca Ser	tat Tyr	Ala	gac Asp 495	gac Asp	aac Asn	Gly ggg	ctc Leu	aaa Lys 500	act Thr	1603
ttt gga Phe Gly	ttc tt Phe Ph 50	e Thr	cca (Pro '	gtg Val	Ser	gca Ala 510	gca Ala	aat Asn	ttg Leu	ttc Phe	gag Glu 515	aaa Lys	agt Ser	1651
tct caa Ser Gln	ggc at Gly Il 520	a tcg e Ser	cta a Leu <i>l</i>	Arg	agc Ser 525	cca Pro	tgg Trp	caa Gln	ggt Gly	ggc Gly 530	acc Thr	caa Gln	tac Tyr	1699
ctc gca Leu Ala 535	gtg aca Val Thi	tac Tyr	Leu E	cca Pro :	agt (Ser (ggt (Gly (caa Gln	Asp	gaa Glu 545	gat Asp	gta Val	tcc Ser	gca Ala	1747
act gat Thr Asp 550	cag cto Gln Leo	Pro	aca t Thr I 555	tg (Leu (gaa t Glu T	tat (Tyr (Slu	ctc Leu 560	gtg Val	gca Ala	gaa Glu	Ala	ttt Phe 565	1795

gga gac cct gtt gac cca ccg gtt ttc gct tca ttg acg gga gca acc Gly Asp Pro Val Asp Pro Pro Val Phe Ala Ser Leu Thr Gly Ala Thr 570 575 580	
cca age ace tee ace eee cea tea gat gtt geg gaa gat gaa eaa ate Pro Ser Thr Ser Thr Pro Pro Ser Asp Val Ala Glu Asp Glu Gln Ile 585 590 595	1891
tcc gag gca aca gaa gaa gac tca agc agt ttc ccc atc gtg tgg att Ser Glu Ala Thr Glu Glu Asp Ser Ser Ser Phe Pro Ile Val Trp Ile 600 605 610	1939
ggg ctg ggt gtc att ggc tta ggc ata atc att ggt ttg atc ttt gcg Gly Leu Gly Val Ile Gly Leu Gly Ile Ile Gly Leu Ile Phe Ala 615 620 625	1987
ctg aga aga aag aat taagccctaa aagataaaga gtc Leu Arg Arg Lys Asn 630	2025
<210> 272 <211> 634 <212> PRT <213> Corynebacterium glutamicum	
.<400> 272	
Val Ser Gln Pro Leu Ser Lys Arg Leu Ser Ile Arg Lys Ala Leu Ala 1 5 10 15	
Ser Ala Phe Ile Val Ala Leu Ala Phe Ser Leu Ser Pro Val Ala Lys 20 25 30	
Ala Gln Ala Asn Glu Thr Pro Thr Met Ile Val Leu Asp Asn Ser Gly 35 40 45	
Ser Met Thr Ala Gln Asp Ala Gly Gly Gln Thr Arg Ile Asp Ala Ala 50 55 60	
Lys Gln Ala Ser Thr Gln Leu Ile Asn Asp Ile Ser Asp Arg Thr Asp 65 70 75 80	
Val Gly Leu Thr Tyr Tyr Gly Gly Asn Thr Gly Glu Thr Glu Ala Asp 85 90 95	
Val Glu Met Gly Cys Gln Asp Val Thr Ile Leu Gly Gly Pro Ser Arg 100 105 110	
Gly Asn Ala Asp Thr Leu Ile Asp Thr Ile Asn Ser Leu Gln Pro Arg 115 120 125	
Gly Phe Thr Pro Ile Gly Lys Ala Leu Thr Asp Thr Ala Ala Glu Leu 130 135 140	
Pro Glu Gly Gly Asn Ile Val Leu Val Ser Asp Gly Ile Ala Asn Cys 145 150 155 160	
Thr Pro Pro Asp Val Cys Glu Val Ala Gln Glu Leu Ala Gln Ser Gly 165 170 175	

Ile Asn Leu Val Ile Asn Thr Ile Gly Leu Asn Val Asp Pro Ala Ala 180 185 190

- Arg Glu Glu Leu Glu Cys Ile Ala Gly Val Gly Gly Gly Thr Tyr Ala 195 200 205
- Asp Ala Ser Asp Ala Gln Ser Leu Thr Asp Ala Leu Thr Arg Ala Ala 210 215 220
- Ser Arg Gln Tyr Asn Ser Tyr Thr Ser Asp Val Thr Lys Ile Asp Gly 235 235 240
- Ala Ser Glu Gln Ser Ala Ala Val Glu Ile Asp Glu Asp Thr Glu Leu 245 250 255
- Phe Leu Thr Asp Leu Pro Gln Glu Ser Arg Phe Trp Lys Ile Pro Val260 265 270
- Glu Pro Gly Glu Thr Ile Ser Val Ser Ala Asn Thr Val Thr Asp Pro 275 280 285
- Thr Val Leu Thr Met Gly Gln Gly Gly Ile Lys Leu Glu Ala Gln Leu 290 295 300
- His Thr Glu Glu Ala Pro Gln Tyr Gly Leu Arg Gly Arg Cys Thr Arg 305 310 315 320
- Val Ser Phe Asp Asn Phe Lys Pro Gly Leu Gly Val Arg Gly Ile Gln 325 330 335
- Asn Ala Ser Val Ala Ser Lys Glu Val Gly Thr Asn Asn Cys Asp Thr 340 345 350
- Asp Ala Ile Tyr Leu Glu Ile Ser Arg Ser Gly Asp Tyr Leu Asn Gly 355 360 365
- Gln Asp Ile Pro Thr Glu Ile Thr Ile Glu Arg Phe Gly Lys Val Asp 370 375 380
- Glu Ser Thr Ile Gly Asn Val Thr Glu Glu His Ser Ser Val Asp Leu 385 390 395 400
- Thr Glu Ala Ala Ser Glu Ala His Pro Val Thr Pro Gly Gln Trp 405 410 415
- Phe Thr Ser Ala Ala Asp Leu Asp Pro Ala Gly Glu Lys Val Ser Ser 420 425 430
- Ile Ile Val Pro Gly Glu Thr His Phe Tyr Ala Leu Pro Val Asp Tyr 435 440 445
- Gly Gln Glu Leu Arg Ala Ala Val Glu Thr Thr Phe Asp Gln Ile Asp 450 455 460
- Ser Ser Ala Leu Gly Thr His Leu Tyr Ile Gln Ala Phe Ser Pro Asn 465 470 475 480
- Arg Ala Glu Ile Glu Leu Thr Asn Arg Asp Thr Ser Tyr Ala Asp Asp 485 490 495
- Asn Gly Leu Lys Thr Phe Gly Phe Phe Thr Pro Val Ser Ala Ala Asn

373

500 505 510

Leu Phe Glu Lys Ser Ser Gln Gly Ile Ser Leu Arg Ser Pro Trp Gln 515 520 525

- Gly Gly Thr Gln Tyr Leu Ala Val Thr Tyr Leu Pro Ser Gly Gln Asp 530 535 540
- Glu Asp Val Ser Ala Thr Asp Gln Leu Pro Thr Leu Glu Tyr Glu Leu 545 550 555
- Val Ala Glu Ala Phe Gly Asp Pro Val Asp Pro Pro Val Phe Ala Ser 565 570 575
- Leu Thr Gly Ala Thr Pro Ser Thr Ser Thr Pro Pro Ser Asp Val Ala 580 585 590
- Glu Asp Glu Gln Ile Ser Glu Ala Thr Glu Glu Asp Ser Ser Ser Phe 595 600 605
- Pro Ile Val Trp Ile Gly Leu Gly Val Ile Gly Leu Gly Ile Ile Ile 610 615 620
- Gly Leu Ile Phe Ala Leu Arg Arg Lys Asn 625 630
- <210> 273
- <211> 576
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(553)
- <223> RXN01302
- <400> 273
- tggggctgcg tggtgttctt catcatcgcc accgctttga cctggatcta ctacgcccgc 60
- tct tct ggg aag tct tct gaa aag atc aac ccc ctc ttc aag ctc ggc 163 Ser Ser Gly Lys Ser Ser Glu Lys Ile Asn Pro Leu Phe Lys Leu Gly
- agt ttc cta aga aaa ggc acc gtc ggt tct gaa ggc cag cag att ttc 211 Ser Phe Leu Arg Lys Gly Thr Val Gly Ser Glu Gly Gln Gln Ile Phe 25 30 35
- ctt cag ggc gga cgc caa gcc gat gtg ttt tat cgc aac cga tgg gct 259 Leu Gln Gly Gly Arg Gln Ala Asp Val Phe Tyr Arg Asn Arg Trp Ala 40 45
- ttc gat aaa gtc gtg cgc tcc aca cat ggc gtg aac tgc acg ggc tcc 307 Phe Asp Lys Val Val Arg Ser Thr His Gly Val Asn Cys Thr Gly Ser 55 60 65
- tgc tcg tgg aaa gtg tat gta aaa qac qqt gtg atc acc tgg gaa tcc 355

Су 7	/s Se /0	er T	cp L	/s Va	1 Ty 7	r Va. 5	l Ly:	s As	p G1	y Va 8	1 Il	e Thi	Tr	p Gl	u Ser 85	
ca Gl	ig go .n Al	a gt .a Va	g ga al As	b ra	c cc r Pr	a act	t acc	gg Gl	t gce y Ala 9	a Ası	t ato p Mei	g ccc Pro	ga Ası	c aat o Asi 100	t gaa n Glu O	403
	O AI	9 01	10	5 FI	o Ar	3 GTZ	/ Ala	110	r Phe O	e Se	r Trp	Э Туг	Th:	r Tyr	c tcc C Ser	451
	0 111	12	0	e Ar	д Туі	r Pro	125	Ile	e Gly	/ Gl	/ Val	Leu 130	Val	Asp	atg Met	499
tc: Se:	c gc r Al 13	∝ by	g cc s Pr	a ago	g aad g Asn	gcc Ala 140	Trp	gco Ala	g ato a Ile	cgo Aro	g tgc g Cys 145	Trp	cgt Arg	ggc Gly	gcg Ala	547
aca Thi 150	r Le	g ta u	gaaa	ccc	agaa	aagc	gc a	aa								576
<21 <21	10> 2 11> 1 12> 1 13> (l51 PRT	nebad	cteri	um g	luta	micu	m								
	00> 2 Thr		Thr	: Thr	Ser	Ser	Glv	I.ve	Ser	Ser	Glu	T 110	Tla	7		
•				5					10					15		
Leu	Ph∈	. Lys	Leu 20	Gly	Ser	Phe	Leu	Arg 25	Lys	Gly	Thr	Val	Gly 30	Ser	Glu	
Gly	Gln	Glr 35	ılle	Phe	Leu	Gln	Gly 40	Gly	Arg	Gln	Ala	Asp 45	Val	Phe	Tyr	٠
Arg	Asn 50	Arg	Trp	Ala	Phe	Asp 55	Lys	Val	Val	Arg	Ser 60	Thr	His	Gly	Val	
Asn 65	Cys	Thr	Gly	Ser	Cys 70	Ser	Trp	Lys	Val	Tyr 75	Val	Lys	Asp	Gly	Val .80	
Ile	Thr	Trp	Glu	Ser 85	Gln	Ala	Val	Asp	Туг 90	Pro	Thr	Thr	Gly	Ala 95	Asp	
Met	Pro	Asp	Asn 100	Glu	Pro	Arg	Gly	Cys 105	Pro	Arg	Gly	Ala	Ser 110	Phe	Ser	
Trp	Tyr	Thr 115	Tyr	Ser	Pro	Thr	Arg 120	Ile	Arg	Tyr	Pro	Tyr 125	Ile	Gly	Gly	
Val	Leu 130	Val	Asp	Met	Ser	Ala 135	Lys	Pro	Arg	Asn	Ala 140	Trp	Ala	Ile	Arg	
Cys 145	Trp	Arg	Gly	Ala	Thr 150	Leu										

```
<210> 275
  <211> 466
  <212> DNA
  <213> Corynebacterium glutamicum
 <220>
 <221> CDS
 <222> (101)..(466)
 <223> FRXA01302
 <400> 275
 tggggctgcg tggtgttctt catcatcgcc accgctttga cctggatcta ctacgcccgc 60
 ccgaacgctc cattcccggg ataaaccgaa aggccaatcc atg act aca act act
                                             Met Thr Thr Thr Thr
 tet tet ggg aag tet tet gaa aag ate aac eec ete tte aag ete gge
                                                                    163
 Ser Ser Gly Lys Ser Ser Glu Lys Ile Asn Pro Leu Phe Lys Leu Gly
 agt ttc cta aga aaa ggc acc gtc ggt tct gaa ggc cag cag att ttc
                                                                    211
 Ser Phe Leu Arg Lys Gly Thr Val Gly Ser Glu Gly Gln Gln Ile Phe
                                  30
 ctt cag ggc gga cgc caa gcc gat gtg ttt tat cgc aac cga tgg gct
 Leu Gln Gly Gly Arg Gln Ala Asp Val Phe Tyr Arg Asn Arg Trp Ala
                              45
 ttc gat aaa gtc gtg cgc tcc aca cat ggc gtg aac tgc acg ggc tcc
                                                                    307
Phe Asp Lys Val Val Arg Ser Thr His Gly Val Asn Cys Thr Gly Ser
                          60
tgc tcg tgg aaa gtg tat gta aaa gac ggt gtg atc acc tgg gaa tcc
Cys Ser Trp Lys Val Tyr Val Lys Asp Gly Val Ile Thr Trp Glu Ser
 70
                                          80
cag gca gtg gat tac cca act acc ggt gcg gat atg ccc gac aat gaa
                                                                   403
Gln Ala Val Asp Tyr Pro Thr Thr Gly Ala Asp Met Pro Asp Asn Glu
                 90
cca cgt ggc tgc cct cgt ggt gca tca ttt tcc tgg tac acc tac tcc
                                                                   451
Pro Arg Gly Cys Pro Arg Gly Ala Ser Phe Ser Trp Tyr Thr Tyr Ser
cca acc ggc atc cgc
                                                                   466
Pro Thr Gly Ile Arg
        120
<210> 276
<211> 122
<212> PRT
<213> Corynebacterium glutamicum
<400> 276
Met Thr Thr Thr Ser Ser Gly Lys Ser Ser Glu Lys Ile Asn Pro
Leu Phe Lys Leu Gly Ser Phe Leu Arg Lys Gly Thr Val Gly Ser Glu
```

25

Gly Gln Gln Ile Phe Leu Gln Gly Gly Arg Gln Ala Asp Val Phe Tyr Arg Asn Arg Trp Ala Phe Asp Lys Val Val Arg Ser Thr His Gly Val Asn Cys Thr Gly Ser Cys Ser Trp Lys Val Tyr Val Lys Asp Gly Val 70 Ile Thr Trp Glu Ser Gln Ala Val Asp Tyr Pro Thr Thr Gly Ala Asp Met Pro Asp Asn Glu Pro Arg Gly Cys Pro Arg Gly Ala Ser Phe Ser 105 Trp Tyr Thr Tyr Ser Pro Thr Gly Ile Arg 115 <210> 277 <211> 2503 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2503) <223> RXN01308 <400> 277 tttcctggta cacctactcc ccaacccgca tccgctaccc atacatcggt ggcgtgctag 60 ttgatatgtc cgcgaagcca aggaacgcct gggcgatccg gtg ctg gcg tgg cgc Val Leu Ala Trp Arg gac att gta gaa acc cca gaa aag cgc aaa gca tat gta tcc cag cgg Asp Ile Val Glu Thr Pro Glu Lys Arg Lys Ala Tyr Val Ser Gln Arg 15 ggc aaa ggt ggc ctc atc cgc gtt cag tat gag gaa gcc atg gag att Gly Lys Gly Gly Leu Ile Arg Val Gln Tyr Glu Glu Ala Met Glu Ile 25 gct gcg gca gcc cat gtg tac acc atc cgc caa tac ggc ccc gac cgc ' Ala Ala Ala His Val Tyr Thr Ile Arg Gln Tyr Gly Pro Asp Arg 40 att cat gga ttc acc gtt att ccc gca atg tcg cag gtg tct tac ggt Ile His Gly Phe Thr Val Ile Pro Ala Met Ser Gln Val Ser Tyr Gly 307 55 gct ggt act cgc ttc ttg cag atg atc ggc gga gtg gcg ctg tcc ttc Ala Gly Thr Arg Phe Leu Gln Met Ile Gly Gly Val Ala Leu Ser Phe tac gat tgg tac gcc gac ctc cca cca gca tca cca caa act ttc ggc Tyr Asp Trp Tyr Ala Asp Leu Pro Pro Ala Ser Pro Gln Thr Phe Gly 403

																- '	D 1,1100,0
	gat Asp	caa o Gli	a ac n Th	t gad r Ası 10	p va.	t cco	g gaa o Glu	tct Ser	ggc Gly	/ Asp	tgg Trp	g tac Tyr	aac Asn	Ser 115	Ser	tac Tyr	451
	ct o	ato 1 Met	g ato Me: 120	t Tr	g ggt o Gly	tco / Ser	aac Asn	att Ile 125	Pro	gtg Val	acc Thr	cgc Arg	acg Thr 130	·cct Pro	gac Asp	tcc Ser	499
	Cac	tto Phe 135	me	g gtg t Val	g gaa L Glu	gcc Ala	cgc Arg 140	Tyr	aag Lys	ggc	acc Thr	aag Lys 145	Val	gtt Val	gtg Val	gtt Val	547
	tcc Ser 150	Pro	gat Asp	tto Phe	gct Ala	gac Asp 155	Ser	acc Thr	aaa Lys	ttt Phe	gct Ala 160	Asp	gaa Glu	tgg Trp	gca Ala	cgc Arg 165	595
	atc Ile	Cac	Pro	ggt Gly	act Thr 170	Asp	ggc Gly	gca Ala	ctc Leu	gcc Ala 175	ttt Phe	gcc Ala	atg Met	ggc Gly	cat His 180	gtg Val	643
	atc Ile	ttg Leu	aag Lys	gaa Glu 185	Phe	cat His	gtt Val	gac Asp	aag Lys 190	aag Lys	acg Thr	ccg Pro	tac Tyr	ttc Phe 195	atg Met	gac Asp	691
	tac Tyr	atg Met	cgc Arg 200	гуs	tac Tyr	acg Thr	gac Asp	tct Ser 205	cct Pro	ttc Phe	ctc Leu	gtg Val	gaa Glu 210	tta Leu	gat Asp	gag Glu	739
	cac His	ggc Gly 215	gat Asp	ggc Gly	acc Thr	tac Tyr	acc Thr 220	cca Pro	ggt Gly	aaa Lys	ttc Phe	ctc Leu 225	act Thr	gca Ala	gac Asp	cgc Arg	787
	gca Ala 230	gct Ala	gat Asp	atc Ile	tcc Ser	cca Pro 235	gcg Ala	ctt Leu	gcc Ala	gcc Ala	act Thr 240	cca Pro	aat Asn	gcc Ala	acc Thr	cac His 245	835
	cgt Arg	ctc Leu	ctt Leu	gtg Val	ctg Leu 250	caa Gln	aaa Lys	gat Asp	ggc Gly	tca Ser 255	gtt Val	gta Val	gat Asp	ccc Pro	ggt Gly 260	ggc Gly	883
•	act Thr	gtc Val	gcg Ala	gac Asp 265	Arg	Trp	ggt Gly	Glu	Glu	Gly	atg Met	ggt Gly	Lys	tgg Trp 275	aat Asn	ctg Leu	931
i	egc Arg	tta Leu	gac Asp 280	ggc Gly	gta Val	gat Asp	cca Pro	gtg Val 285	atg Met	act Thr	att Ile	gca Ala	gat Asp 290	gta Val	cag Gln	act Thr	979
į	ac Asp	acc Thr 295	gaa Glu	act Thr	gcg Ala	gaa Glu	gtc Val 300	ctc Leu	ttc Phe	ccc Pro	cgc Arg	ttc Phe 305	gat Asp	ctc Leu	cca Pro	gca Ala	1027
,	hr 310	gcc Ala	acc Thr	caa Gln	gaa Glu	ggc Gly 315	ccc Pro	att Ile	ggt Gly	gct Ala	ggc Gly 320	acc Thr	atc Ile	agc Ser	cgg Arg	ggc Gly 325	1075
Q V	tt al	ccc Pro	acc Thr	atc Ile	acg Thr 330	ttg Leu	aat Asn	ggc Gly	Arg	aag Lys 335	tac Tyr	acc Thr	act Thr	gtc Val	ttt Phe 340	gat Asp	1123
g	tg	ttg	ctc	gca	cac '	tac	ggt	gtg	aac	cgc	gaa	gag	ctc	aac	ctt	cct	1171

																- `	, 4, 110 00, 0
Va	l Le	u L	eu A 3	la 1 45	His	Туг	Gly	y Val	1 Ası 350	n Ar	g Gl	u Gl	u Lei	35!		ı Pro	
gg Gl	t ga y Gl	u r	gg c rp P 60	ct a	aag Lys	gat Asp	tto Phe	Cac Glr 369	ı Ası	CC Pro	a gto o Vai	c ato	g ggt Gl ₃ 37(Thi	cot Pro	gcg Ala	1219
tg:	g ca o G1 37	n G.	aag Lu G	ag c	ctc Leu	acg Thr	ggt G1y 380	/ Val	cct Pro	get Ala	aat Asi	caç n Glr 385	n Ala	att	cgt Arç	ttg Leu	1267
390 390	AL	g ga g Gl	aa ti .u Pl	it g ne A	jct Ma	cag Gln 395	aat Asn	gct Ala	gat Asp	gat Asp	tco Ser 400	Lys	ggc Gly	cgt Arg	Ser	cag Gln 405	1315
ato Ile	ate E Ile	c at	g gg	.у А	ict la 10	ggt Gly	gtg Val	aac Asn	cac His	tac Tyr 415	Phe	cat His	gcg Ala	gat Asp	tct Ser 420	att Ile	1363
tat Tyr	cgo Aro	ac Th	a tt r Ph 42	е г	tg eu	gcg Ala	ctg Leu	acc Thr	tct Ser 430	Met	tgt Cys	ggc	acc Thr	caa Gln 435	ggt Gly	gtt Val	1411
aac Asn	ggt Gly	gg Gl 44	у Ст	t to y T	gg rp	gct Ala	cac His	tac Tyr 445	gtt Val	ggt Gly	cag Gln	gag Glu	aaa Lys 450	ctc Leu	cgt Arg	cca Pro	1459
atg Met	aat Asn 455	GI	t tg y Tr	g go	ca la	cag Gln	tat Tyr 460	gcc Ala	ttt Phe	gct Ala	aca Thr	gac Asp 465	tgg Trp	cag Gln	cgt Arg	cca Pro	1507
470	ALG	GI	п ме	τ 1.	re .	1nr 475	Thr	Gly	Phe	Tyr	Tyr 480	Leu	acc Thr	Thr	Asp	Gln 485	1555
tgg Trp	agg Arg	ta:	t ga r As	c aa p As 49	sn :	act Thr	cgt Arg	gct Ala	aat Asn	cgt Arg 495	ctg Leu	gct Ala	tcc Ser	cca Pro	ctg Leu 500	gct Ala	1603
aat Asn	cgt Arg	ggo Gly	2 ac 7 Th 50	r va	g q	ggt Gly	gac Asp	aaa Lys	atg Met 510	acg Thr	gcg Ala	gat Asp	acc Thr	ttg Leu 515	gtg Val	gaa Glu	1651
tcc Ser	atg Met	aaa Lys 520	Ar	g Gl	ja t .y T	gg Trp	atg Met	ccg Pro 525	tca Ser	ttc Phe	ccg Pro	caa Gln	ttc Phe 530	aac Asn	cgc Arg	aat Asn	1699
ccc Pro	ctc Leu 535	ato Ile	tto Lei	g ag 1 Se	ıc c	oln .	gag Glu 540	gcg Ala	gaa Glu	gaa Glu	aag Lys	ggc Gly 545	gtg Val	tct Ser	gtt Val	tct Ser	1747
gac Asp 550	cat His	att	gtt Val	ca Gl	n G	ag Sln 555	ctc Leu	acc Thr	gat Asp	ggt Gly	gac Asp 560	ttg Leu	cag Gln	ttc Phe	gcc Ala	tgc Cys 565	1795
gag Glu	gat Asp	ccg Pro	gat Asp	gc Al 57	a P	cg (gaa Glu	aac Asn	Trp	cca Pro 575	cgc Arg	att Ile	ctg Leu	Leu	aac Asn 580	tgg Trp	1843
cgc Arg	aca Thr	aac Asn	cta Leu	ate Me	g g t G	gc (ct Ser	tca Ser	gct Ala	aag Lys	ggc Gly	acg Thr	gag Glu	ttt Phe	ttc Phe	ttg Leu	1891

585 590 595

cgc Arg	cat His	atg Met 600	ttg Leu	ggt Gly	gtg Val	gat Asp	tct Ser 605	gat Asp	gca Ala	tct Ser	gct Ala	gaa Glu 610	gaa Glu	aac Asn	gcg Ala	1939
ccg Pro	gag Glu 615	gat Asp	cgt Arg	cca Pro	agt Ser	tcc Ser 620	att Ile	gtg Val	tgg Trp	agg Arg	gat Asp 625	gag Glu	gct Ala	ccg Pro	gaa Glu	1987
gga Gly 630	aag Lys	ctc Leu	gat Asp	ttg Leu	atg Met 635	ctg Leu	acc Thr	acg Thr	gat Asp	ttc Phe 640	cgc Arg	aac Asn	act Thr	tcc Ser	acc Thr 645	2035
acc Thr	ttg Leu	gtc Val	tcg Ser	gat Asp 650	atc Ile	gtg Val	ctg Leu	ccg Pro	gca Ala 655	gcc Ala	acc Thr	tgg Trp	tat Tyr	gag Glu 660	aag Lys	2083
cat His	gat Asp	ttg Leu	tcc Ser 665	acc Thr	acg Thr	gat Asp	atg Met	cac His 670	ccc Pro	ttc Phe	atc Ile	cac His	tcg Ser 675	ttc Phe	aat Asn	2131
gct Ala	gcg Ala	atc Ile 680	aac Asn	cca Pro	ccg Pro	tgg Trp	gag Glu 685	acg Thr	cgt Arg	act Thr	gac Asp	tgg Trp 690	gag Glu	gtc Val	ttc Phe	2179
cac His	gat Asp 695	ctc Leu	acc Thr	aaa Lys	gaa Glu	ttc Phe 700	tcc Ser	tca Ser	cag Gln	gca Ala	gca Ala 705	Thr	tgg Trp	ttg Leu	ggc Gly	2227
acc Thr 710	caa Gln	acc Thr	gat Asp	gtg Val	atc Ile 715	acc Thr	gca Ala	ccg Pro	att Ile	gcc Ala 720	cat His	gac Asp	tcc Ser	ccg Pro	gat Asp 725	2275
gag Glu	ctc Leu	aat Asn	atg Met	cct Pro 730	ggc Gly	ggt Gly	atc Ile	gtg Val	cca Pro 735	gat Asp	att Ile	gat Asp	gag Glu	gtc Val 740	ggg Gly	2323
ctg Leu	atc Ile	cct Pro	ggc Gly 745	aag Lys	acg Thr	atg Met	gcc Ala	aag Lys 750	atc Ile	atc Ile	ccg Pro	gtg Val	gaa Glu 755	cgt Arg	gat Asp	2371
tac Tyr	tcc Ser	aag Lys 760	gtg Val	tat Tyr	gaa Glu	Lys	tgg Trp 765	aca Thr	cac His	ttg Leu	Gly	cca Pro 770	Leu	acc Thr	gcc Ala	2419
aaa Lys	gcg Ala 775	ggt Gly	acc Thr	gga Gly	acc Thr	cac His 780	ggc Gly	act Thr	gcg Ala	ttt Phe	aac Asn 785	gtg Val	acc Thr	aag Lys	caa Gln	2467
acc Thr 790	gag Glu	gag Glu	ctg Leu	gcg Ala	ctg Leu 795	atc Ile	aac Asn	ggc Gly	acc Thr	tcc Ser 800	atc Ile					2503

<210> 278

<211> 801

<212> PRT

<213> Corynebacterium glutamicum

<400> 278

Val Leu Ala Trp Arg Asp Ile Val Glu Thr Pro Glu Lys Arg Lys Ala 1 5 10 15

- Tyr Val Ser Gln Arg Gly Lys Gly Gly Leu Ile Arg Val Gln Tyr Glu 20 25 30
- Glu Ala Met Glu Ile Ala Ala Ala Ala His Val Tyr Thr Ile Arg Gln 35 40 45
- Tyr Gly Pro Asp Arg Ile His Gly Phe Thr Val Ile Pro Ala Met Ser 50 55 60
- Gln Val Ser Tyr Gly Ala Gly Thr Arg Phe Leu Gln Met Ile Gly Gly 65 70 75 80
- Val Ala Leu Ser Phe Tyr Asp Trp Tyr Ala Asp Leu Pro Pro Ala Ser 85 90 95
- Pro Gln Thr Phe Gly Asp Gln Thr Asp Val Pro Glu Ser Gly Asp Trp 100 105 110
- Tyr Asn Ser Ser Tyr Leu Met Met Trp Gly Ser Asn Ile Pro Val Thr 115 120 125
- Arg Thr Pro Asp Ser His Phe Met Val Glu Ala Arg Tyr Lys Gly Thr 130 140
- Lys Val Val Val Val Ser Pro Asp Phe Ala Asp Ser Thr Lys Phe Ala 145 150 155 160
- Asp Glu Trp Ala Arg Ile His Pro Gly Thr Asp Gly Ala Leu Ala Phe 165 170 175
- Ala Met Gly His Val Ile Leu Lys Glu Phe His Val Asp Lys Lys Thr 180 185 190
- Pro Tyr Phe Met Asp Tyr Met Arg Lys Tyr Thr Asp Ser Pro Phe Leu 195 200 205
- Val Glu Leu Asp Glu His Gly Asp Gly Thr Tyr Thr Pro Gly Lys Phe 210 215 220
- Leu Thr Ala Asp Arg Ala Ala Asp Ile Ser Pro Ala Leu Ala Ala Thr 225 235 240
- Pro Asn Ala Thr His Arg Leu Leu Val Leu Gln Lys Asp Gly Ser Val 245 250 255
- Val Asp Pro Gly Gly Thr Val Ala Asp Arg Trp Gly Glu Glu Gly Met 260 265 270
- Gly Lys Trp Asn Leu Arg Leu Asp Gly Val Asp Pro Val Met Thr Ile 275 280 285
- Ala Asp Val Gln Thr Asp Thr Glu Thr Ala Glu Val Leu Phe Pro Arg 290 295 300
- Phe Asp Leu Pro Ala Thr Ala Thr Gln Glu Gly Pro Ile Gly Ala Gly 305 310 315 320
- Thr Ile Ser Arg Gly Val Pro Thr Ile Thr Leu Asn Gly Arg Lys Tyr

325 330 335

Thr Thr Val Phe Asp Val Leu Leu Ala His Tyr Gly Val Asn Arg Glu 340 345 350

Glu Leu Asn Leu Pro Gly Glu Trp Pro Lys Asp Phe Gln Asp Pro Val 355 360 365

Met Gly Thr Pro Ala Trp Gln Glu Glu Leu Thr Gly Val Pro Ala Asn 370 375 380

Gln Ala Ile Arg Leu Gly Arg Glu Phe Ala Gln Asn Ala Asp Asp Ser 385 390 395 400

Lys Gly Arg Ser Gln Ile Ile Met Gly Ala Gly Val Asn His Tyr Phe 405 410 415

His Ala Asp Ser Ile Tyr Arg Thr Phe Leu Ala Leu Thr Ser Met Cys 420 425 430

Gly Thr Gln Gly Val Asn Gly Gly Gly Trp Ala His Tyr Val Gly Gln 435 440 445

Glu Lys Leu Arg Pro Met Asn Gly Trp Ala Gln Tyr Ala Phe Ala Thr 450 455 460

Asp Trp Gln Arg Pro Pro Arg Gln Met Ile Thr Thr Gly Phe Tyr Tyr 465 470 475 480

Leu Thr Thr Asp Gln Trp Arg Tyr Asp Asn Thr Arg Ala Asn Arg Leu 485 490 495

Ala Ser Pro Leu Ala Asn Arg Gly Thr Val Gly Asp Lys Met Thr Ala 500 505 510

Asp Thr Leu Val Glu Ser Met Lys Arg Gly Trp Met Pro Ser Phe Pro 515 520 525

Gln Phe Asn Arg Asn Pro Leu Ile Leu Ser Gln Glu Ala Glu Glu Lys 530 535 540

Gly Val Ser Val Ser Asp His Ile Val Gln Gln Leu Thr Asp Gly Asp 545 550 555 560

Leu Gln Phe Ala Cys Glu Asp Pro Asp Ala Pro Glu Asn Trp Pro Arg 565 570 575

Ile Leu Leu Asn Trp Arg Thr Asn Leu Met Gly Ser Ser Ala Lys Gly 580 585 590

Thr Glu Phe Phe Leu Arg His Met Leu Gly Val Asp Ser Asp Ala Ser 595 600 605

Ala Glu Glu Asn Ala Pro Glu Asp Arg Pro Ser Ser Ile Val Trp Arg 610 615 620

Asp Glu Ala Pro Glu Gly Lys Leu Asp Leu Met Leu Thr Thr Asp Phe 625 630 635 640

Arg Asn Thr Ser Thr Thr Leu Val Ser Asp Ile Val Leu Pro Ala Ala 645 650 655

Thr Trp Tyr Glu Lys His Asp Leu Ser Thr Thr Asp Met His Pro Phe Ile His Ser Phe Asn Ala Ala Ile Asn Pro Pro Trp Glu Thr Arg Thr 680 Asp Trp Glu Val Phe His Asp Leu Thr Lys Glu Phe Ser Ser Gln Ala 695 Ala Thr Trp Leu Gly Thr Gln Thr Asp Val Ile Thr Ala Pro Ile Ala 710 715 His Asp Ser Pro Asp Glu Leu Asn Met Pro Gly Gly Ile Val Pro Asp 725 Ile Asp Glu Val Gly Leu Ile Pro Gly Lys Thr Met Ala Lys Ile Ile 745 Pro Val Glu Arg Asp Tyr Ser Lys Val Tyr Glu Lys Trp Thr His Leu Gly Pro Leu Thr Ala Lys Ala Gly Thr Gly Thr His Gly Thr Ala Phe 775 Asn Val Thr Lys Gln Thr Glu Glu Leu Ala Leu Ile Asn Gly Thr Ser 795 Ile <210> 279 <211> 765 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (85)..(765) <223> FRXA01307 <400> 279 ttccccaacc cgcatccgct acccatacat cggtggcgtg ctagttgata tgtccgcgaa 60 gccaaggaac gcctgggcga tccggtg ctg gcg tgg cgc gac att gta gaa acc 114 Val Leu Ala Trp Arg Asp Ile Val Glu Thr 1 cca gaa aag cgc aaa gca tat gta tcc cag cgg ggc aaa ggt ggc ctc 162 Pro Glu Lys Arg Lys Ala Tyr Val Ser Gln Arg Gly Lys Gly Gly Leu 15 25 atc cgc gtt cag tat gag gaa gcc atg gag att gct gcg gca gcc cat 210 Ile Arg Val Gln Tyr Glu Glu Ala Met Glu Ile Ala Ala Ala His 30 gtg tac acc atc ege caa tac ggc ecc gac ege att cat gga ttc acc 258 Val Tyr Thr Ile Arg Gln Tyr Gly Pro Asp Arg Ile His Gly Phe Thr 45 50

							gtg V al									306
							gcg Ala									354
							caa Gln									402
							aac Asn									450
							acg Thr 130									498
							gtt Val									546 ·
							gaa Glu									594
							atg Met									642
							tac Tyr									690
-							gaa Glu 210		-				-			738
							act Thr	-								765
<211 <212)> 28 !> 22 !> PF B> Co	27 RT	ebact	eri	ım gl	lutaņ	nicum	n								
Val)> 28 Leu		Trp	_	Asp	Ile	Val	Glu		Pro	Glu	Lys	Arg		Ala	
1 Tyr	Val	Ser	Gln 20	Arg	Gly	Lys	Gly	Gly 25	10 Leu	Ile	Arg	Val	Gln 30	15 Tyr	Glu	
Glu	Ala	Met 35		Ile	Ala	Ala	Ala 40		His	Val	Tyr	Thr 45		Arg	Gln	
Tyr	Gly		Asp	Arg	Ile	His	Gly	Phe	Thr	Val	Ile		Ala	Met	Ser	

50 55 60

Gln Val Ser Tyr Gly Ala Gly Thr Arg Phe Leu Gln Met Ile Gly Gly 65 70 75 80

PCT/IB00/00911

Val Ala Leu Ser Phe Tyr Asp Trp Tyr Ala Asp Leu Pro Pro Ala Ser 85 90 95

Pro Gln Thr Phe Gly Asp Gln Thr Asp Val Pro Glu Ser Gly Asp Trp

Tyr Asn Ser Ser Tyr Leu Met Met Trp Gly Ser Asn Ile Pro Val Thr 115 120 125

Arg Thr Pro Asp Ser His Phe Met Val Glu Ala Arg Tyr Lys Gly Thr 130 140

Lys Val Val Val Val Ser Pro Asp Phe Ala Asp Ser Thr Lys Phe Ala 145 150 155 160

Asp Glu Trp Ala Arg Ile His Pro Gly Thr Asp Gly Ala Leu Ala Phe 165 170 175

Ala Met Gly His Val Ile Leu Lys Glu Phe His Val Asp Lys Lys Thr 180 185 190

Pro Tyr Phe Met Asp Tyr Met Arg Lys Tyr Thr Asp Ser Pro Phe Leu 195 200 205

Val Glu Leu Asp Glu His Gly Asp Gly Thr Tyr Thr Pro Gly Lys Phe 210 215 220

Leu Thr Ala 225

<210> 281

<211> 1206

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(1206)

<223> FRXA01308

<400> 281

gcc gcc act cca aat gcc acc cac cgt ctc ctt gtg ctg caa aaa gat 48 Ala Ala Thr Pro Asn Ala Thr His Arg Leu Leu Val Leu Gln Lys Asp 1 5 10 15

ggc tca gtt gta gat ccc ggt ggc act gtc gcg gac cgt tgg ggt gaa 96 Gly Ser Val Val Asp Pro Gly Gly Thr Val Ala Asp Arg Trp Gly Glu 20 25 30

gaa ggc atg ggt aag tgg aat ctg cgc tta gac ggc gta gat cca gtg 144
Glu Gly Met Gly Lys Trp Asn Leu Arg Leu Asp Gly Val Asp Pro Val
35 40 45

atg act att gca gat gta cag act gac acc gaa act gcg gaa gtc ctc 192 Met Thr Ile Ala Asp Val Gln Thr Asp Thr Glu Thr Ala Glu Val Leu 50 55 60

ttc Phe 65	ccc Pro	cgc Arg	ttc Phe	gat Asp	ctc Leu 70	cca Pro	gca Ala	act Thr	gcc Ala	acc Thr 75	caa Gln	gaa Glu	ggc Gly	ccc Pro	att Ile 80	240
					agc Ser											288
					gtc Val											336
					aac Asn											384
gat Asp	cca Pro 130	gtc Val	atg Met	ggt Gly	act Thr	cct Pro 135	gcg Ala	tgg Trp	cag Gln	gaa Glu	gag Glu 140	ctc Leu	acg Thr	ggt Gly	gtt Val	432
					att Ile 150											480
gat Asp	gat Asp	tcc Ser	aag Lys	ggc Gly 165	cgt Arg	tcc Ser	cag Gln	atc Ile	atc Ile 170	atg Met	ggt Gly	gct Ala	ggt Gly	gtg Val 175	aac Asn	528
cac His	tac Tyr	ttc Phe	cat His 180	gcg Ala	gat Asp	tct Ser	att Ile	tat Tyr 185	cgc Arg	aca Thr	ttc Phe	ttg Leu	gcg Ala 190	ctg Leu	acc Thr	576
					caa Gln											624
gtt Val	ggt Gly 210	cag Gln	gag Glu	aaa Lys	ctc Leu	cgt Arg 215	cca Pro	atg Met	aat Asn	ggt Gly	tgg Trp 220	gca Ala	cag Gln	tat Tyr	gcc Ala	672
					cag Gln 230											720
					acg Thr											768
aat Asn	cgt Arg	ctg Leu	gct Ala 260	tcc Ser	cca Pro	ctg Leu	gct Ala	aat Asn 265	cgt Arg	ggc Gly	acc Thr	gtg Val	ggt Gly 270	gac Asp	aaa Lys	816
					ttg Leu											864
					aac Asn											912

gaa Glu 305	gaa Glu	aag Lys	ggc Gly	gtg Val	tct Ser 310	val	tct Ser	gac Asp	cat His	att Ile 315	Val	cag Gln	cag Gln	ctc Leu	acc Thr 320	960
gat Asp	ggt Gly	gac Asp	ttg Leu	cag Gln 325	ttc Phe	gcc Ala	tgc Cys	gag Glu	gat Asp 330	Pro	gat Asp	gca Ala	ccg Pro	gaa Glu 335	aac Asn	1008
tgg Trp	cca Pro	cgc Arg	att Ile 340	ctg Leu	ctt Leu	aac Asn	tgg Trp	cgc Arg 345	aca Thr	aac Asn	cta Leu	atg Met	ggc Gly 350	tct Ser	tca Ser	1056
gct Ala	aag Lys	ggc Gly 355	acg Thr	gag Glu	ttt Phe	ttc Phe	ttg Leu 360	cgc Arg	cat His	atg Met	ttg Leu	ggt Gly 365	gtg Val	gat Asp	tct Ser	1104
gat Asp	gca Ala 370	tct Ser	gct Ala	gaa Glu	ny s	aac Asn 375	gcg Ala	ccg Pro	gag Glu	gat Asp	cgt Arg 380	cca Pro	agt Ser	tcc Ser	att Ile	1152
gtg Val 385	tgg Trp	agg Arg	gat Asp	-	gct Ala 390	tcc Ser	gaa Glu	ggg Gly	aag Lys	ctc Leu 395	gat Asp	ttg Leu	atg Met	ctg Leu	acc Thr 400	1200
acg Thr	_									•						1206

<210> 282

<211> 402

<212> PRT

<213> Corynebacterium glutamicum

<400> 282

Ala Ala Thr Pro Asn Ala Thr His Arg Leu Leu Val Leu Gln Lys Asp $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Gly Ser Val Val Asp Pro Gly Gly Thr Val Ala Asp Arg Trp Gly Glu
20 25 30

Glu Gly Met Gly Lys Trp Asn Leu Arg Leu Asp Gly Val Asp Pro Val
35 40 45

Met Thr Ile Ala Asp Val Gln Thr Asp Thr Glu Thr Ala Glu Val Leu 50 60

Phe Pro Arg Phe Asp Leu Pro Ala Thr Ala Thr Gln Glu Gly Pro Ile
65 70 75

Gly Ala Gly Thr Ile Ser Arg Gly Val Pro Thr Ile Thr Leu Asn Gly
85 90

Arg Lys Tyr Thr Thr Val Phe Asp Val Leu Leu Ala His Tyr Gly Val

Asn Arg Glu Glu Leu Asn Leu Pro Gly Glu Trp Pro Lys Asp Phe Gln
115 120 125

Asp Pro Val Met Gly Thr Pro Ala Trp Gln Glu Glu Leu Thr Gly Val

130 135 140

Pro Ala Asn Gln Ala Ile Arg Leu Gly Arg Glu Phe Ala Gln Asn Ala 145 150 155 160

Asp Asp Ser Lys Gly Arg Ser Gln Ile Ile Met Gly Ala Gly Val Asn 165 170 175

His Tyr Phe His Ala Asp Ser Ile Tyr Arg Thr Phe Leu-Ala Leu Thr 180 185 190

Ser Met Cys Gly Thr Gln Gly Val Asn Gly Gly Gly Trp Ala His Tyr 195 200 205

Val Gly Gln Glu Lys Leu Arg Pro Met Asn Gly Trp Ala Gln Tyr Ala 210 215 220

Phe Ala Thr Asp Trp Gln Arg Pro Pro Arg Gln Met Ile Thr Thr Gly 225 235 235

Phe Tyr Tyr Leu Thr Thr Asp Gln Trp Arg Tyr Asp Asn Thr Arg Ala 245 250 255

Asn Arg Leu Ala Ser Pro Leu Ala Asn Arg Gly Thr Val Gly Asp Lys 260 265 270

Met Thr Ala Asp Thr Leu Val Glu Ser Met Lys Arg Gly Trp Met Pro 275 280 285

Ser Phe Pro Gln Phe Asn Arg Asn Pro Leu Ile Leu Ser Gln Glu Ala 290 295 300

Glu Glu Lys Gly Val Ser Val Ser Asp His Ile Val Gln Gln Leu Thr 305 310 315 320

Asp Gly Asp Leu Gln Phe Ala Cys Glu Asp Pro Asp Ala Pro Glu Asn 325 330 335

Trp Pro Arg Ile Leu Leu Asn Trp Arg Thr Asn Leu Met Gly Ser Ser 340 345 350

Ala Lys Gly Thr Glu Phe Phe Leu Arg His Met Leu Gly Val Asp Ser 355 360 365

Asp Ala Ser Ala Glu Lys Asn Ala Pro Glu Asp Arg Pro Ser Ser Ile 370 375 380

Val Trp Arg Asp Glu Ala Ser Glu Gly Lys Leu Asp Leu Met Leu Thr 390 395 400

Thr Asp

<210> 283

<211> 824

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(801) <223> RXN01309

<400> 283 att gca gac cac gaa ggt acc cac atc aat tgg gac atg gtc aaa gaa 48 Ile Ala Asp His Glu Gly Thr His Ile Asn Trp Asp Met Val Lys Glu cgt tcc gcc gag gtg atc acc tca ccg gag tgg act ggt tcc aag aag Arg Ser Ala Glu Val Ile Thr Ser Pro Glu Trp Thr Gly Ser Lys Lys gac gga cgt cgc tac acc gcg ttt tcc atc aac att gaa tac gac aag Asp Gly Arg Arg Tyr Thr Ala Phe Ser Ile Asn Ile Glu Tyr Asp Lys 40 ccg tgg cac acc ctg tct ggt cgc atg cac tac tac ctc gac cac gat 192 Pro Trp His Thr Leu Ser Gly Arg Met His Tyr Tyr Leu Asp His Asp tgg ttt att gat tac ggc gag cag ttg cca atc ttt agg cca ccg ttg 240 Trp Phe Ile Asp Tyr Gly Glu Gln Leu Pro Ile Phe Arg Pro Pro Leu gac aag atc cac atc aat ggt gag gtc ggc cct ggc cag tcg gtc aca 288 Asp Lys Ile His Ile Asn Gly Glu Val Gly Pro Gly Gln Ser Val Thr ggc acc gac ggc gaa cca gaa gta acc gtg cgt tat ctg acc acc cac 336 Gly Thr Asp Gly Glu Pro Glu Val Thr Val Arg Tyr Leu Thr Thr His 100 105 aac aag tgg tcg att cac tcg cag tac tac gac aat ctg cat gtg ctt 384 Asn Lys Trp Ser Ile His Ser Gln Tyr Tyr Asp Asn Leu His Val Leu 115 120 tct att tct cgt ggc ggc cag gtg atc tgg atg tcc aac aag gat gca 432 Ser Ile Ser Arg Gly Gly Gln Val Ile Trp Met Ser Asn Lys Asp Ala 130 135 gag aaa ctc ggt atc gct gac aac gat tgg atc gag gct tat aac cgc 480 Glu Lys Leu Gly Ile Ala Asp Asn Asp Trp Ile Glu Ala Tyr Asn Arg 150 155 aac ggc gtt gtt tet get egt geg att gte tee eac ege att eet gaa Asn Gly Val Val Ser Ala Arg Ala Ile Val Ser His Arg Ile Pro Glu 165 gge acc gtg ttt atg aac cac gcg cag gaa cgc acc gct ggc acc ccg 576 Gly Thr Val Phe Met Asn His Ala Gln Glu Arg Thr Ala Gly Thr Pro 185 ctg aac gag aag tot ggc agg cgc ggc gga act cac aac tot ott act 624 Leu Asn Glu Lys Ser Gly Arg Arg Gly Gly Thr His Asn Ser Leu Thr 200 cga atc atg att aag ccg gtc cat gtt gcc ggt ggc tac ggc cac tta 672 Arg Ile Met Ile Lys Pro Val His Val Ala Gly Gly Tyr Gly His Leu acc tat ggc tic aac tac atc ggc caa ccg gaa ata acc gcg atg agg

Thr Tyr Gly Phe Asn Tyr Ile Gly Gln Pro Glu Ile Thr Ala Met Arg 225 230 235 240

tca cca gaa ttc gtc gcc gct ccc agg agg tgc agt act aat gaa ggt 768 Ser Pro Glu Phe Val Ala Ala Pro Arg Arg Cys Ser Thr Asn Glu Gly 245 250 255

cat ggc tca gat cgc aat gat cat gaa ctt gga taagtgcatt ggctgccaca 821 His Gly Ser Asp Arg Asn Asp His Glu Leu Gly 260 265

cgt 824

<210> 284

<211> 267

<212> PRT

<213> Corynebacterium glutamicum

<400> 284

Ile Ala Asp His Glu Gly Thr His Ile Asn Trp Asp Met Val Lys Glu 1 5 10 15

Arg Ser Ala Glu Val Ile Thr Ser Pro Glu Trp Thr Gly Ser Lys Lys 20 25 30

Asp Gly Arg Arg Tyr Thr Ala Phe Ser Ile Asn Ile Glu Tyr Asp Lys
35 40 45

Pro Trp His Thr Leu Ser Gly Arg Met His Tyr Tyr Leu Asp His Asp 50 55 60

Trp Phe Ile Asp Tyr Gly Glu Gln Leu Pro Ile Phe Arg Pro Pro Leu 65 70 75 80

Asp Lys Ile His Ile Asn Gly Glu Val Gly Pro Gly Gln Ser Val Thr 85 90 95

Gly Thr Asp Gly Glu Pro Glu Val Thr Val Arg Tyr Leu Thr His 100 105 110

Asn Lys Trp Ser Ile His Ser Gln Tyr Tyr Asp Asn Leu His Val Leu 115 120 125

Ser Ile Ser Arg Gly Gly Gln Val Ile Trp Met Ser Asn Lys Asp Ala 130 135 140

Glu Lys Leu Gly Ile Ala Asp Asn Asp Trp Ile Glu Ala Tyr Asn Arg 145 150 155 160

Asn Gly Val Val Ser Ala Arg Ala Ile Val Ser His Arg Ile Pro Glu
. 165 170 175

Gly Thr Val Phe Met Asn His Ala Gln Glu Arg Thr Ala Gly Thr Pro 180 185 190

Leu Asn Glu Lys Ser Gly Arg Gly Gly Thr His Asn Ser Leu Thr 195 200 205

Arg Ile Met Ile Lys Pro Val His Val Ala Gly Gly Tyr Gly His Leu 210 215 220

Thr Tyr Gly Phe Asn Tyr Ile Gly Gln Pro Glu Ile Thr Ala Met Arg 230 235 Ser Pro Glu Phe Val Ala Ala Pro Arg Arg Cys Ser Thr Asn Glu Gly His Gly Ser Asp Arg Asn Asp His Glu Leu Gly <210> 285 <211> 692 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(669) <223> FRXA01309 <400> 285 att gca gac cac gaa ggt acc cac atc aat tgg gac atg gtc aaa gaa 48 Ile Ala Asp His Glu Gly Thr His Ile Asn Trp Asp Met Val Lys Glu cgt tee gee gag gtg ate ace tea eeg gag tgg act ggt tee aag aag Arg Ser Ala Glu Val Ile Thr Ser Pro Glu Trp Thr Gly Ser Lys Lys 20 25 gac gga cgt cgc tac acc gcg ttt tcc atc aac att gaa tac gac aag Asp Gly Arg Arg Tyr Thr Ala Phe Ser Ile Asn Ile Glu Tyr Asp Lys 144 ccg tgg cac acc ctg tct ggt cgc atg cac tac tac ctc gac cac gat Pro Trp His Thr Leu Ser Gly Arg Met His Tyr Tyr Leu Asp His Asp 55 tgg ttt att gat tac ggc gag cag ttg cca atc ttt agg cca ccg ttg Trp Phe Ile Asp Tyr Gly Glu Gln Leu Pro Ile Phe Arg Pro Pro Leu gac aag atc cac atc aat ggt gag gtc ggc cct ggc cag tcg gtc aca 288 Asp Lys Ile His Ile Asn Gly Glu Val Gly Pro Gly Gln Ser Val Thr ggc acc gac ggc gaa cca gaa gta acc gtg cgt tat ctg acc acc cac Gly Thr Asp Gly Glu Pro Glu Val Thr Val Arg Tyr Leu Thr Thr His 105 110 aac aag tgg tcg att cac tcg cag tac tac gac aat ctg cat gtg ctt Asn Lys Trp Ser Ile His Ser Gln Tyr Tyr Asp Asn Leu His Val Leu 115 120 tct att tct cgt ggc ggc cag gtg atc tgg atg tcc aac aag gat gca Ser Ile Ser Arg Gly Gly Gln Val Ile Trp Met Ser Asn Lys Asp Ala gag aaa ctc ggt atc gct gac aac gat tgg atc gag gct tat aac cgc Glu Lys Leu Gly Ile Ala Asp Asn Asp Trp Ile Glu Ala Tyr Asn Arg 150 155

			gtt Val													528
ggc Gly	acc Thr	gtg Val	ttt Phe 180	atg Met	aac Asn	cac His	gcg Ala	cag Gln 185	gaa Glu	ccc Pro	acc Thr	gct Ala	ggc Gly 190	acc Thr	ccg Pro	576
			aag Lys													624
cga Arg	atc Ile 210	atg Met	att Ile	aaa Lys	acg Thr	gtc Val 215	cat His	gtt Val	gcc Ala	ggt Gly	ggc Gly 220	tac Tyr	ggc Gly	act Thr		669
taad	cctat	gg d	ettaa	actac	ca to	eg										692
<211 <212)> 28 i> 22 2> Pi 3> Co	23 RT	ebact	eriu	ım g]	lutan	nicum	n								
<400)> 28	36														
			His	Glu 5	Gly	Thr	His	Ile	Asn 10	Trp	Asp	Met	Val	Lys 15	Glu	
Arg	Ser	Ala	Glu 20	Val	Ile	Thr	Ser	Pro 25	Glu	Trp	Thr	Gly	Ser 30	Lys	Lys	
Asp	Gly	Arg 35	Arg	Tyr	Thr	Ala	Phe 40	Ser	Ile	Asn	Ile	Glu 45	Tyr	Asp	Lys	
Pro	Trp 50	His	Thr	Leu	Ser	Gly 55	Arg	Met	His	Tyr	Tyr 60	Leu	Asp	His	Asp	•
Trp 65	Phe	Ile	Asp	Tyr	Gly 70	Glu	Gln	Leu	Pro	Ile 75	Phe	Arg	Pro	Pro	Leu 80	
Asp	Lys	Ile	His	Ile 85	Asn	Gly	Glu	Val	Gly 90	Pro	Gly	Gln	Ser	Val 95	Thr	
Gly	Thr	Asp	Gly 100		Pro	Glu	Val	Thr 105	Val	Arg	Tyr	Leu	Thr 110	Thr	His	
Asn	Lys	Trp 115	Ser	Ile	His	Ser	Gln 120	Tyr	Tyr	Asp	Asn	Leu 125	His	Val	Leu	
Ser	Ile 130	Ser	Arg	Gly	Gly	Gln 135	Val	Ile	Trp	Met	Ser 140	Asn	Lys	Asp	Ala	
Glu 145	Lys	Leu	Gly	Ile	Ala 150	Asp	Asn	Asp	Trp	Ile 155	Glu	Ala	Tyr	Asn	Arg 160	
Asn	Gly	Val	Val	Ser 165	Ala	Arg	Ala	Ile	Val 170	Ser	His	Arg	Ile	Pro 175	Glu	
Gly	Thr	Val	Phe 180	Met	Asn	His	Ala	Gln 185	Glu	Pro	Thr	Ala	Gly 190	Thr	Pro	

Leu Asn Glu Lys Ser Gly Arg Arg Gly Gly Thr His Asn Ser Leu Thr 200 Arg Ile Met Ile Lys Thr Val His Val Ala Gly Gly Tyr Gly Thr 215 <210> 287 <211> 807 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(784) <223> RXA02017 <400> 287 gcctgtggca cgggagctcc cagcggcaag gtgagtctga cctcgtggaa cgttggcgaa 60 cgccccgctg cgatgttccc accaaggaag gactaggcgg atg cgc acc cat act Met Arg Thr His Thr ggc aaa att ccg gat cac ttt gtg cct cgc atc tcc atg acg gag gag 163 Gly Lys Ile Pro Asp His Phe Val Pro Arg Ile Ser Met Thr Glu Glu 10 cag cgg cgc gtg gtg ttc atg ctg aat agt ttg ctg ttg gat tat cca Gln Arg Arg Val Val Phe Met Leu Asn Ser Leu Leu Asp Tyr Pro 30 gag gag gga ttc gtc gac aag cta aat gcc gtc gag gcg cag ctt gat 259 Glu Glu Gly Phe Val Asp Lys Leu Asn Ala Val Glu Ala Gln Leu Asp 40 gtc ctt ccg ctc ccc gtc gcg gcg cac gtg gtc gag ttc ctt gac gcg Val Leu Pro Leu Pro Val Ala Ala His Val Val Glu Phe Leu Asp Ala 55 gca cgc gtc gct ggg cta cgc gcc atg cag gaa gcc tac gtt gag acc Ala Arg Val Ala Gly Leu Arg Ala Met Gln Glu Ala Tyr Val Glu Thr ttt gac cag cgc cga cgc tgc tca ctg ttt ctc acc tac tac gct gtg

ctc tgc gtc gtg ctt gag gcc gca gcg ctt gct gat tct tcg ctt ttc Leu Cys Val Val Leu Glu Ala Ala Ala Leu Ala Asp Ser Ser Leu Phe 547 135

Phe Asp Gln Arg Arg Cys Ser Leu Phe Leu Thr Tyr Tyr Ala Val

ggc gac acc cgg cag cgc ggc acg gcg atc ctc acc ttc cgt caa acg Gly Asp Thr Arg Gln Arg Gly Thr Ala Ile Leu Thr Phe Arg Gln Thr

ctg caa cag ctc gga ttt gaa tcc gag cgc gac gaa ttg ccc gac cac Leu Gln Gln Leu Gly Phe Glu Ser Glu Arg Asp Glu Leu Pro Asp His

125

110

90

105

120

145

gad Asp 150) WI	c gco a Ala	a Co a Thi	caç Glr	g gtg Val 155	Leu	tca Ser	gct	cac His	cgc Arg 160	, Asp	ggc Gly	ato Ile	gaa Glu	gtg Val 165	595
tto Lev	g cgo Aro	g gca g Ala	gco Ala	Leu 170	Asp	aac Asn	ctc Leu	gac Asp	tcg Ser 175	Pro	tac Tyr	aga Arg	tac Tyr	ctg Leu 180	atc	643
atg Met	tct Ser	ttg Leu	tgc Cys 185	GIN	gca Ala	ttg Leu	cca Pro	gaa Glu 190	ılle	gat Asp	gaa Glu	gaa Glu	acc Thr 195	gcc Ala	aac Asn	691
agc Ser	tac Tyr	atg Met 200	GIU	ctc Leu	atc Ile	cgc Arg	agc Ser 205	ggt Gly	cca Pro	cca Pro	gca Ala	gaa Glu 210	atg Met	gtg Val	ggc Gly	739
atc Ile	ggc Gly 215	Thr	cct Pro	cta Leu	ccg Pro	ttc Phe 220	ccc Pro	acc Thr	tca Ser	caa Gln	ccg Pro 225	gac Asp	att Ile	cac His		784
tag	gaca	cac	tatg	tcaa	ac ti	t										807
<21: <21: <21:		28 RT oryn	ebac	teri	ım g]	lutar	nicum	n								
	0> 2: Arg		His	Thr 5	Gly	Lys	Ile	Pro	Asp 10	His	Phe	Val	Pro	Arg 15	Ile	
Ser	Met	Thr	Glu 20	Glu	Gln	Arg	Arg	Val 25	Val	Phe	Met	Leu	Asn 30	Ser	Leu	
Leu	Leu	Asp 35	Tyr	Pro	Glu	Glu	Gly 40	Phe	Val	Asp	Lys	Leu 45	Asn	Ala	Val	
Glu	Ala 50	Gln	Leu	Asp	Val	Leu 55	Pro	Leu	Pro	Val	Ala 60	Ala	His	Val	Val	
Glu 65	Phe	Leu	Asp	Ala	Ala 70	Arg	Val	Ala	Gly	Leu 75	Arg	Ala	Met	Gln	Glu 80	
Ala	Tyr	Val	Glu	Thr 85	Phe	Asp	Gln	Arg	Arg 90	Arg	Cys	Ser	Leu	Phe 95	Leu	
Thr	Tyr	Tyr	Ala 100	Val	Gly	Asp		Arg 105	Gln	Arg	Gly	Thr	Ala 110	Ile	Leu	
·Thr	Phe	Arg 115	Gln	Thr	Leu	Gln	Gln 120	Leu	Gly	Phe	Glu	Ser 125	Glu	Arg	Asp	
Glu	Leu 130	Pro	Asp	His	Leu	Cys 135	Val	Val	Leu	Glu	Ala 140	Ala	Ala	Leu	Ala	
Asp 145	Ser	Ser	Leu	Phe	Asp /	Ala .	Ala	Thr		Val 155	Leu	Ser	Ala		Arg 160	
Asp	Gly	Ile	Glu	Val 165	Leu i	Arg .	Ala	Ala	Leu 170	Asp	Asn	Leu	Asp	Ser 175	Pro	

Tyr Arg Tyr Leu Ile Met Ser Leu Cys Gln Ala Leu Pro Glu Ile Asp 185 Glu Glu Thr Ala Asn Ser Tyr Met Glu Leu Ile Arg Ser Gly Pro Pro Ala Glu Met Val Gly Ile Gly Thr Pro Leu Pro Phe Pro Thr Ser Gln 210 220 Pro Asp Ile His <210> 289 <211> 1073 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(1050) <223> RXA02018 <400> 289 cgc atc tgc gag cac tgc ctc aac ccc acc tgt gtg tcc tcc tgc cca 48 Arg Ile Cys Glu His Cys Leu Asn Pro Thr Cys Val Ser Ser Cys Pro tcc ggt gct atg tac aaa cgc gcc gaa gac ggc atc gtg ctg gtt gac Ser Gly Ala Met Tyr Lys Arg Ala Glu Asp Gly Ile Val Leu Val Asp 20 25 cag gat caa tgc cgt ggc tgg cgc atg tgt gtt tcc ggc tgc ccc tac 144 Gln Asp Gln Cys Arg Gly Trp Arg Met Cys Val Ser Gly Cys Pro Tyr 35 45 aaa aag gtc tac ttc aat cac aaa tcg ggc aag gcc gaa aag tgt acg 192 Lys Lys Val Tyr Phe Asn His Lys Ser Gly Lys Ala Glu Lys Cys Thr 50 55 ctg tgc tat ccg cgc ctc gag gtc ggc cag ccg acc gtg tgc tcc gag 240 Leu Cys Tyr Pro Arg Leu Glu Val Gly Gln Pro Thr Val Cys Ser Glu 65 70 acg tgc gtg ggt cgc ttg cgc tac ttg ggc gtt ttg ctt tac gac gcc 288 Thr Cys Val Gly Arg Leu Arg Tyr Leu Gly Val Leu Leu Tyr Asp Ala 90 gac cgt gtc gct gaa gtc gcc gcc acg cca gac gaa aag gat ctt ttc Asp Arg Val Ala Glu Val Ala Ala Thr Pro Asp Glu Lys Asp Leu Phe 100 105 gaa gcc caa aag acc ctc ttc cta gat ccc cac gac cca cag gtg atc 384 Glu Ala Gln Lys Thr Leu Phe Leu Asp Pro His Asp Pro Gln Val Ile 115 gee gae gee caa ege aac gge ate eeg cae tee tgg ete gaa get geg 432 Ala Asp Ala Gln Arg Asn Gly Ile Pro His Ser Trp Leu Glu Ala Ala 130 135 140

	cag Gln 145	ASII	Ser	cca Pro	att Ile	tac Tyr 150	Asp	ctc Leu	atc	ttc Phe	aaa Lys 155	Tyr	gag Glu	gtt Val	gcc Ala	ctc Leu 160	480
	ccg Pro	ctt Leu	cac	cct Pro	gaa Glu 165	Tyr	cgc Arg	acc Thr	ttg Leu	ccg Pro 170	Met	gtt Val	tgg Trp	tac Tyr	att Ile 175		528
	cca Pro	cta Leu	ago Ser	ccc Pro 180	atc	gtt Val	gat Asp	gag Glu	gtg Val 185	acc Thr	gcg Ala	tcc Ser	ggc	aac Asn 190	Asp	ggc Gly	576
	gaa Glu	gac Asp	cac His 195	aag Lys	atc Ile	ctg Leu	ctc Leu	acc Thr 200	gcg Ala	ctg Leu	tcc Ser	acc Thr	atg Met 205	cgc Arg	atc Ile	ccg Pro	624
	ctg Leu	gaa Glu 210	tac Tyr	ctg Leu	gct Ala	gga Gly	ttg Leu 215	ttc Phe	act Thr	gcc Ala	ggt Gly	gat Asp 220	acc Thr	agg Arg	ccg Pro	gtg Val	672
	gaa Glu 225	aaa Lys	tcc Ser	ctc Leu	cga Arg	cgc Arg 230	cta Leu	gcc Ala	gcc Ala	atg Met	cga Arg 235	tca Ser	tat Tyr	atg Met	cgc Arg	gat Asp 240	720
	atc Ile	agt Ser	ttg Leu	ggc Gly	cgc Arg 245	gaa Glu	cct Pro	cag Gln	gaa Glu	gaa Glu 250	atc Ile	gca Ala	gag Glu	gct Ala	gtc Val 255	gga Gly	768
ì	atg Met	acc Thr	ggc Gly	aag Lys 260	gtg Val	gtg Val	cag Gln	gaa Glu	atg Met 265	tat Tyr	cgc Arg	atc Ile	ctg Leu	gcc Ala 270	att Ile	gcc Ala	816
Ĭ	aag Lys	ıyr	gac Asp 275	gat Asp	cgc Arg	tat Tyr	gtc Val	atc Ile 280	ccc Pro	acc Thr	gcc Ala	tcc Ser	cct Pro 285	gag Glu	acc Thr	ccg Pro	864
F	arg	gga Gly 290	att Ile	tct Ser	tcc Ser	Leu	gat Asp 295	cct Pro	ttc Phe	ggc Gly	gat Asp	gtc Val 300	gat Asp	cca Pro	gcc Ala	cga Arg	912
-	lcc la 105	acc Thr	gag Glu	cag Gln	ctc Leu	aac Asn 310	atc Ile	ggt Gly	ttg Leu	ggc Gly	gaa Glu 315	ggc Gly	gct Ala	cca Pro	gag Glu	gcc Ala 320	960
t	gt (ys (ggc (Gly '	acg Thr	GIÀ	gct Ala 325	ccc Pro	agc Ser	ggc Gly	Lys	gtg Val 330	agt Ser	ctg Leu	acc Thr	tcg Ser	tgg Trp 335	aac Asn	1008
g V	tt d	ggc (Gly (ilu .	cgc Arg 340	ccc Pro	gct Ala	gcg Ala I	Met	ttc Phe 345	cca Pro	cca Pro	agg Arg	Lys	gac Asp 350			1050
t	aggo	cggat	g c	gcac	ccat	a ct	g										1073
< <	211> 212>	> 29(> 35(> PR1)	bacte	eriu	n gli	utam:	icum									
-	400	. aar															

<400> 290

Arg Ile Cys Glu His Cys Leu Asn Pro Thr Cys Val Ser Ser Cys Pro 1 5 10 15

- Ser Gly Ala Met Tyr Lys Arg Ala Glu Asp Gly Ile Val Leu Val Asp 20 25 30
- Gln Asp Gln Cys Arg Gly Trp Arg Met Cys Val Ser Gly Cys Pro Tyr
 35 40 45
- Lys Lys Val Tyr Phe Asn His Lys Ser Gly Lys Ala Glu Lys Cys Thr 50 55 60
- Leu Cys Tyr Pro Arg Leu Glu Val Gly Gln Pro Thr Val Cys Ser Glu 65 70 75 80
- Thr Cys Val Gly Arg Leu Arg Tyr Leu Gly Val Leu Leu Tyr Asp Ala 85 90 95
- Asp Arg Val Ala Glu Val Ala Ala Thr Pro Asp Glu Lys Asp Leu Phe 100 105 110
- Glu Ala Gln Lys Thr Leu Phe Leu Asp Pro His Asp Pro Gln Val Ile 115 120 125
- Ala Asp Ala Gln Arg Asn Gly Ile Pro His Ser Trp Leu Glu Ala Ala 130 135 140
- Gln Asn Ser Pro Ile Tyr Asp Leu Ile Phe Lys Tyr Glu Val Ala Leu 145 150 155 160
- Pro Leu His Pro Glu Tyr Arg Thr Leu Pro Met Val Trp Tyr Ile Pro 165 170 175
- Pro Leu Ser Pro Ile Val Asp Glu Val Thr Ala Ser Gly Asn Asp Gly 180 185 190
- Glu Asp His Lys Ile Leu Leu Thr Ala Leu Ser Thr Met Arg Ile Pro 195 200 205
- Leu Glu Tyr Leu Ala Gly Leu Phe Thr Ala Gly Asp Thr Arg Pro Val 210 215 220
- Glu Lys Ser Leu Arg Arg Leu Ala Ala Met Arg Ser Tyr Met Arg Asp 235 230 235
- Ile Ser Leu Gly Arg Glu Pro Gln Glu Glu Ile Ala Glu Ala Val Gly 245 250 255
- Met Thr Gly Lys Val Val Gln Glu Met Tyr Arg Ile Leu Ala Ile Ala 260 . 265 . 270
- Lys Tyr Asp Asp Arg Tyr Val Ile Pro Thr Ala Ser Pro Glu Thr Pro 275 280 285
- Arg Gly Ile Ser Ser Leu Asp Pro Phe Gly Asp Val Asp Pro Ala Arg 290 295 300
- Ala Thr Glu Gln Leu Asn Ile Gly Leu Gly Glu Gly Ala Pro Glu Ala 305 310 315 320
- Cys Gly Thr Gly Ala Pro Ser Gly Lys Val Ser Leu Thr Ser Trp Asn

335

325 330

Val Gly Glu Arg Pro Ala Ala Met Phe Pro Pro Arg Lys Asp 340 345 350

<210> 291 <211> 900 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(877) <223> RXA02016 <400> 291 acatggagct catccgcagc ggtccaccag cagaaatggt gggcatcggc acgcctctac 60 cgttccccac ctcacaaccg gacattcact aggacacact atg tca aac ttt gaa Met Ser Asn Phe Glu acg ttc ctc tgg gtt gcc tac ccc tgg ctg tgt atc gcc gcc tac atc 163 Thr Phe Leu Trp Val Ala Tyr Pro Trp Leu Cys Ile Ala Ala Tyr Ile 15 atc ggc att tct tgg cgc tgg cgc gcc gac caa ttc ggt tgg acc acc 211 Ile Gly Ile Ser Trp Arg Trp Arg Ala Asp Gln Phe Gly Trp Thr Thr cac tee tee caa ate tae gaa tee aaa ete ete ege ate gee tee eea 259 His Ser Ser Gln Ile Tyr Glu Ser Lys Leu Leu Arg Ile Ala Ser Pro 40 ctc ttc cac tgg ggc atg gtg ttc gtg gtg atc ggc cac ctc atg gga Leu Phe His Trp Gly Met Val Phe Val Val Ile Gly His Leu Met Gly 307 55 60 ctt gcc atc ccc aag agc tgg acc caa gct gta gga att tct gac gcc Leu Ala Ile Pro Lys Ser Trp Thr Gln Ala Val Gly Ile Ser Asp Ala 355 gct tac cac etc atc gcc acc atc cca ggc acc att gcc ggc atc gct Ala Tyr His Leu Ile Ala Thr Ile Pro Gly Thr Ile Ala Gly Ile Ala 90 95 gca gtc ctt gga ctc atc ggc ttg att atc cgt cgc gtg atc aac aaa 451 Ala Val Leu Gly Leu Ile Gly Leu Ile Ile Arg Arg Val Ile Asn Lys acc gtc ttc ctg tcc acc tca cgc tcc gac aaa gtg atg tat gtg cta Thr Val Phe Leu Ser Thr Ser Arg Ser Asp Lys Val Met Tyr Val Leu 499 120 ctc ggc gct gca att ttg tcc ggt ttc atc gcc acc gtc tcc acc cag 547 Leu Gly Ala Ala Ile Leu Ser Gly Phe Ile Ala Thr Val Ser Thr Gln 135 gtc ttc ggc ggc gca cac ggc tac gac tac cgc gaa acc atc tcc cca

Val Phe Gly Gly Ala His Gly Tyr Asp Tyr Arg Glu Thr Ile Ser Pro

WO 01/00842 PCT/IB00/00911 150 . 155 160 165

gat gtc cct tgg gaa ttc aag gtc cac atc gtc gct gga ttc acc ctc Asp Val Pro Trp Glu Phe Lys Val His Ile Val Ala Gly Phe Thr Leu 185 190 195

atc gca ctg tgg cca ttc acc cgc cta gtc cac gcg ttc tcc gca cca 739

Ile Ala Leu Trp Pro Phe Thr Arg Leu Val His Ala Phe Ser Ala Pro
200 205 210

gtt gga tac gtc acc cgc ccc tac gtg gtc tat cgc acc cgc gac acc 787
Val Gly Tyr Val Thr Arg Pro Tyr Val Val Tyr Arg Thr Arg Asp Thr
215 220 225

acc tct gaa ccg gca cgc caa aac gtc gcc tgg gaa ccg atc cgc tcg
Thr Ser Glu Pro Ala Arg Gln Asn Val Ala Trp Glu Pro Ile Arg Ser
230 240 245

gtc aaa aat cag ctc gac aat gac tcg aaa tgg cac ggc gcc 877
Val Lys Asn Gln Leu Asp Asn Asp Ser Lys Trp His Gly Ala
250 255

taaattcctc acaagccccc tag 900

<210> 292

<211> 259

<212> PRT

<213> Corynebacterium glutamicum

<400> 292

Met Ser Asn Phe Glu Thr Phe Leu Trp Val Ala Tyr Pro Trp Leu Cys

1 10 15

Ile Ala Ala Tyr Ile Ile Gly Ile Ser Trp Arg Trp Arg Ala Asp Gln
20 25 30

Phe Gly Trp Thr Thr His Ser Ser Gln Ile Tyr Glu Ser Lys Leu Leu 35 40 45

Arg Ile Ala Ser Pro Leu Phe His Trp Gly Met Val Phe Val Val Ile $50 \hspace{1cm} 55 \hspace{1cm} 60$

Gly His Leu Met Gly Leu Ala Ile Pro Lys Ser Trp Thr Gln Ala Val 65 70 75 80

Gly Ile Ser Asp Ala Ala Tyr His Leu Ile Ala Thr Ile Pro Gly Thr 85 90 95

Ile Ala Gly Ile Ala Ala Val Leu Gly Leu Ile Gly Leu Ile Ile Arg 100 $$105\$

Arg Val Ile Asn Lys Thr Val Phe Leu Ser Thr Ser Arg Ser Asp Lys 115 120 125

Val Met Tyr Val Leu Leu Gly Ala Ala Ile Leu Ser Gly Phe Ile Ala 130 $$130\$

155

Thr Val Ser Thr Gln Val Phe Gly Gly Ala His Gly Tyr Asp Tyr Arg

150

Glu Thr Ile Ser Pro Trp Val Arg Gln Leu Leu Ile Phe Asn Ala Gln Pro Glu Leu Met Ala Asp Val Pro Trp Glu Phe Lys Val His Ile Val 185 Ala Gly Phe Thr Leu Ile Ala Leu Trp Pro Phe Thr Arg Leu Val His 200 Ala Phe Ser Ala Pro Val Gly Tyr Val Thr Arg Pro Tyr Val Val Tyr 215 Arg Thr Arg Asp Thr Thr Ser Glu Pro Ala Arg Gln Asn Val Ala Trp Glu Pro Ile Arg Ser Val Lys Asn Gln Leu Asp Asn Asp Ser Lys Trp 245 His Gly Ala <210> 293 .<211> 813 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(790) <223> RXA00471 <400> 293 acgcatcaaa tetgaaateg gegaaggeae egaagtggea ateaceatgg atgtgtagtt 60 ggtcgtacgc gcgtgtcttc ggggctgtaa cctgaaaggc atg gtt gat gtg ttt 115 Met Val Asp Val Phe 1 ttg gtc gat gac cac tcc gtg ttt cgc tcc ggc gtc aaa gca gaa cta Leu Val Asp Asp His Ser Val Phe Arg Ser Gly Val Lys Ala Glu Leu 163 10 ggc aac gcc gtc aca gta gtc ggc gaa gca ggg acg gtg gcc gac gcc GÍy Asn Ála Val Thr Val Val GÍy Glu Ála GÌy Thr Val Ala Asp Ala 211 25 gta gcc ggc atc aag gca agc aaa cca gag gta gtg ctt ctc gac gtc Val Ala Gly Ile Lys Ala Ser Lys Pro Glu Val Val Leu Leu Asp Val 259 40 45 cac atg ccc gac ggc ggc ctc gca gtg ctc cag cag atc aac gac 307 His Met Pro Asp Gly Gly Gly Leu Ala Val Leu Gln Gln Ile Asn Asp 55 60 tee gat gtg gae ace att tte ttg gea ete agt gte tet gat get geg Ser Asp Val Asp Thr Ile Phe Leu Ala Leu Ser Val Ser Asp Ala Ala 355

70	75	••	
		80	85
•	90	ggc ggt gcc agg gga g Gly Gly Ala Arg Gly 95	Tyr Val Thr 100
105	ory ora ora Lea		Arg Val Lys 115
tcc ggc gac gca Ser Gly Asp Ala 120	ttc ttc tca cca Phe Phe Ser Pro 125	cgc ctg gca ggc ttt g Arg Leu Ala Gly Phe V 130	gtc ctc gac 499 al Leu Asp
gcc ttc gcc gcc Ala Phe Ala Ala 135	ccc gat tcc gca Pro Asp Ser Ala 140	gct ggc gca ggc att g Ala Gly Ala Gly Ile V 145	tc gac gca 547 al Asp Ala
ccc gaa aaa gac Pro Glu Lys Asp 150	gcc gcc gta gaa Ala Ala Val Glu 155	tcc gga aaa atc ctc g Ser Gly Lys Ile Leu A 160	ac gac cca 595 sp Asp Pro 165
gtt gtc gac gcc Val Val Asp Ala	ctc acc cgc cgc Leu Thr Arg Arg 170	gaa ctc gaa gtc ctc co Glu Leu Glu Val Leu Ai 175	gc cta cta 643 rg Leu Leu 180
gcc cgc ggc tac Ala Arg Gly Tyr 185	THE TYP BYS GIU	atc ggc aaa gaa ctg to Ile Gly Lys Glu Leu Ph 190	ne Ile Ser
gtc aaa acc gtg Val Lys Thr Val 200	gaa acc cac gcc Glu Thr His Ala : 205	tca aac att ctg cgg aa Ser Asn Ile Leu Arg Ly 210	na acc caa 739 /s Thr Gln
caa tcc aac cgc Gln Ser Asn Arg 215	cac gcg ttg acc o His Ala Leu Thr <i>I</i> 220	cgg tgg gct cac tcg ag Arg Trp Ala His Ser Ar 225	g gat ctt 787 g Asp Leu
gac taatggegge t Asp 230	aaaaagagt ggc		813
<210> 294 <211> 230 <212> PRT <213> Corynebacte	erium glutamicum		
<400> 294		sp His Ser Val Phe Arc 10	
Val Lys Ala Glu L 20	eu Gly Asn Ala V	al Thr Val Val Gly Glu 25 30	
	40	le Lys Ala Ser Lys Pro 45	
Val Leu Leu Asp V 50	al His Met Pro As 55	sp Gly Gly Gly Leu Ala 60	Val Leu

Gln Gln Ile Asn Asp Ser Asp Val Asp Thr Ile Phe Leu Ala Leu Ser Val Ser Asp Ala Ala Glu Asp Val Ile Ala Ile Ile Arg Gly Gly Ala 85 90 Arg Gly Tyr Val Thr Lys Ser Ile Ser Gly Glu Glu Leu Ile Glu Ala 105 Ile Asn Arg Val Lys Ser Gly Asp Ala Phe Phe Ser Pro Arg Leu Ala 120 Gly Phe Val Leu Asp Ala Phe Ala Ala Pro Asp Ser Ala Ala Gly Ala 140 Gly Ile Val Asp Ala Pro Glu Lys Asp Ala Ala Val Glu Ser Gly Lys 150 155 Ile Leu Asp Asp Pro Val Val Asp Ala Leu Thr Arg Arg Glu Leu Glu Val Leu Arg Leu Ala Arg Gly Tyr Thr Tyr Lys Glu Ile Gly Lys Glu Leu Phe Ile Ser Val Lys Thr Val Glu Thr His Ala Ser Asn Ile 200 Leu Arg Lys Thr Gln Gln Ser Asn Arg His Ala Leu Thr Arg Trp Ala 215 His Ser Arg Asp Leu Asp <210> 295 <211> 936 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(913) <223> RXA00133 <400> 295 gttacatcag atgaggatgc cctatgggtg tacacatgcg acgggtgtat tgcaggagga 60 aatttgaagg tggataccca gcggattaaa gatgatgaag atg cta ttc gtt cgg Met Leu Phe Val Arg 1 cgg ctg aca tcg ctg aaa acc gca aca ggc atc cca gtc acc atg ttc 163 Arg Leu Thr Ser Leu Lys Thr Ala Thr Gly Ile Pro Val Thr Met Phe gee act gtg ttg cag gae aat ege etg caa att act eag tgg gtt ggg 211 Ala Thr Val Leu Gln Asp Asn Arg Leu Gln Ile Thr Gln Trp Val Gly 25 30 ttg cgt acc ccg gct ctg cag aat ctg gtc att gaa cca ggt gtg ggc 259 Leu Arg Thr Pro Ala Leu Gln Asn Leu Val Ile Glu Pro Gly Val Gly

40 45 50

gtt Val	ggt LGl _y 55	(61	a cgo y Aro	g gto g Val	gto Val	gca Ala 60	Thr	cgt Arg	cgt Arg	ccg Pro	gtt Val 65	Gly	gto Val	agt Ser	gat Asp	307
tac Tyr 70	Ing	age Are	g gca g Ala	a aat a Asn	gto Val 75	lle	tca Ser	cat His	gag Glu	aag Lys 80	Asp	tcc Ser	gcg	att	cag Gln 85	355
gat Asp	gag Glu	Gly	ctt / Leu	cat His 90	Ser	att Ile	gtc Val	gca Ala	gtt Val 95	Pro	gtg Val	atc Ile	gtg Val	cac His 100	cgc Arg	403
gaa Glu	att Ile	cgt Arç	ggc Gly 105	val	ttg Leu	tat Tyr	gtt Val	ggc Gly 110	gtt Val	cac His	tct Ser	gcg Ala	gtg Val 115	cgt Arg	ctc Leu	451
ggc Gly	gac Asp	act Thr 120	gtt Val	att Ile	gaa Glu	gaa Glu	gtc Val 125	acc Thr	atg Met	act Thr	gcg Ala	cgc Arg 130	acg Thr	ttg Leu	gaa Glu	499
GIN	135	Leu	gcg Ala	lle	Asn	Ser 140	Ala	Leu	Arg	Arg	Asn 145	Gly	Val	Pro	Asp	547
ggt Gly 150	cgc Arg	ggt Gly	tcc Ser	ctc Leu	aaa Lys 155	gct Ala	aac Asn	cgc Arg	gtg Val	atg Met 160	aat Asn	ggg Gly	gcg Ala	gag Glu	tgg Trp 165	595
gag Glu	cag Gln	gtt Val	cgt Arg	tcc Ser 170	act Thr	cat His	tcc Ser	aag Lys	ctg Leu 175	cgc Arg	atg Met	ctg Leu	gca Ala	aat Asn 180	cgt Arg	643
gtg Val	acc Thr	gat Asp	gag Glu 185	gat Asp	ctg Leu	cgc Arg	cgc Arg	gat Asp 190	ttg Leu	gaa Glu	gag Glu	ctt Leu	tgc Cys 195	gat Asp	cag Gln	691
atg Met	gtc Val	acc Thr 200	cca Pro	gtc Val	cgc Arg	atc Ile	aag Lys 205	cag Gln	acc Thr	acc Thr	aag Lys	ctg Leu 210	tcc Ser	gcg Ala	cgt Arg	739
gag Glu	ttg Leu 215	gac Asp	gtg Val	ctg Leu	gct Ala	tgt Cys 220	gtc Val	gcg Ala	ctc Leu	ggt Gly	cac His 225	acc Thr	aac Asn	gtc Val	gaa Glu	787
gct Ala 230	gct Ala	gaa Glu	gag Glu	atg Met	ggc Gly 235	atc Ile	ggc Gly	gcg Ala	Glu	acc Thr 240	gtc Val	aag Lys	agc Ser	tac Tyr	ctg Leu 245	835
cgc Arg	tcg Ser	gtc Val	atg Met	cgc Arg 250	aag Lys	ctc Leu	ggc Gly	Ala	cac His 255	acg Thr	cgc Arg	tac Tyr	gag Glu	gca Ala 260	gtc Val	883
aac Asn	gca Ala	gca Ala	cgc Arg 265	cgg Arg	atc Ile	ggc Gly	Ala	ctg Leu 270	cct Pro	taaa	aaga	tt t	tgct	ttac	g	933
acg																936

<210> 296

<211> 271

<212> PRT

<213> Corynebacterium glutamicum

<400> 296

Met Leu Phe Val Arg Arg Leu Thr Ser Leu Lys Thr Ala Thr Gly Ile 1 1 15

Pro Val Thr Met Phe Ala Thr Val Leu Gln Asp Asn Arg Leu Gln Ile 20 25 30

Thr Gln Trp Val Gly Leu Arg Thr Pro Ala Leu Gln Asn Leu Val Ile 35 40 45

Glu Pro Gly Val Gly Val Gly Gly Arg Val Val Ala Thr Arg Arg Pro 50 60

Val Gly Val Ser Asp Tyr Thr Arg Ala Asn Val Ile Ser His Glu Lys
65 70 75 80

Asp Ser Ala Ile Gln Asp Glu Gly Leu His Ser Ile Val Ala Val Pro-85 90 95

Val Ile Val His Arg Glu Ile Arg Gly Val Leu Tyr Val Gly Val His 100 105 110

Ser Ala Val Arg Leu Gly Asp Thr Val Ile Glu Glu Val Thr Met Thr 115 120 125

Ala Arg Thr Leu Glu Gln Asn Leu Ala Ile Asn Ser Ala Leu Arg Arg 130 135 140

Asn Gly Val Pro Asp Gly Arg Gly Ser Leu Lys Ala Asn Arg Val Met 145 150 155 160

Asn Gly Ala Glu Trp Glu Gln Val Arg Ser Thr His Ser Lys Leu Arg 165 170 175

Met Leu Ala Asn Arg Val Thr Asp Glu Asp Leu Arg Arg Asp Leu Glu 180 185 190

Glu Leu Cys Asp Gln Met Val Thr Pro Val Arg Ile Lys Gln Thr Thr 195 200 205

Lys Leu Ser Ala Arg Glu Leu Asp Val Leu Ala Cys Val Ala Leu Gly 210 215 220

His Thr Asn Val Glu Ala Ala Glu Glu Met Gly Ile Gly Ala Glu Thr 225 230 235 240

Val Lys Ser Tyr Leu Arg Ser Val Met Arg Lys Leu Gly Ala His Thr 245 250 255

Arg Tyr Glu Ala Val Asn Ala Ala Arg Arg Ile Gly Ala Leu Pro 260 265 270

<210> 297

<211> 759

<212> DNA

<213> Corynebacterium glutamicum

<220>
<221> CDS
<222> (101)..(736)
<223> RXA00650

<400> 297

aaggctagac taaagtacga ttcatctgct catcgatact cttgaaggcg cattttcatt 60

cgaaacgaag tgcgccattg ggaaggacct agttcaaaca atg att cgc gtg ctg 115

Met Ile Arg Val Leu
1 5

ctt gct gat gac cac gaa atc gtg agg ctc gga ctc cga gct gtg ctg 163 Leu Ala Asp Asp His Glu Ile Val Arg Leu Gly Leu Arg Ala Val Leu 10 15 20

gaa agc gcc gag gac att gaa gtg gtg ggc gaa gtc tcc acc gcc gaa 211 Glu Ser Ala Glu Asp Ile Glu Val Val Gly Glu Val Ser Thr Ala Glu 25 30 35

ggt gcg gtg cag gca gcc caa gaa ggc gga atc gac gtc atc ttg atg
Gly Ala Val Gln Ala Ala Gln Glu Gly Gly Ile Asp Val Ile Leu Met
40 45 50

gac ctc cga ttc ggc ccc ggc gtc caa gga acc cag gtt tcc aca ggc
Asp Leu Arg Phe Gly Pro Gly Val Gln Gly Thr Gln Val Ser Thr Gly
55 60 65

gca gac gcc acc gca gcc atc aag cga aac atc gat aac ccg cca aaa 355
Ala Asp Ala Thr Ala Ala Ile Lys Arg Asn Ile Asp Asn Pro Pro Lys
70 80

gtc ctg gtc gtg acc aac tac gac acc gac aca gac atc ctc ggc gca Val Leu Val Val Thr Asn Tyr Asp Thr Asp Thr Asp Ile Leu Gly Ala

atc gaa gcc ggc gca ctg ggc tac ctg ctc aaa gac gcc cca ccg agc 451 Ile Glu Ala Gly Ala Leu Gly Tyr Leu Leu Lys Asp Ala Pro Pro Ser 105 110 115

gaa ctc ctg gca gca gta cga tcc gca gca gaa ggt gac tcc aca ctg
Glu Leu Leu Ala Ala Val Arg Ser Ala Ala Glu Gly Asp Ser Thr Leu
120 125 130

tca ccc atg gtt gcg aac cgc ctg atg act cgc gtg cgc acc ccc aaa 547 Ser Pro Met Val Ala Asn Arg Leu Met Thr Arg Val Arg Thr Pro Lys 135 140 145

acc tca ctc acc cca cgt gaa ctg gaa gtt ctc aag ctg gtt gcc ggt
Thr Ser Leu Thr Pro Arg Glu Leu Glu Val Leu Lys Leu Val Ala Gly
150 160 165

gga tcc tcc aac cgc gac att ggc cgt atc ctc ttc ctc tca gaa gcc Gly Ser Ser Asn Arg Asp Ile Gly Arg Ile Leu Phe Leu Ser Glu Ala

acg gtg aaa tcc cac ctc gtg cac atc tac gac aag ctc ggc gtg cgg
Thr Val Lys Ser His Leu Val His Ile Tyr Asp Lys Leu Gly Val Arg
185
190
195

tca cgt acc tcc gct gtc gca gcc gca cgt gag cag ggg ctg ctg
Ser Arg Thr Ser Ala Val Ala Ala Ala Arg Glu Gln Gly Leu Leu
200 205 210

tagcgggggt tgctgcaagg ctt

759

<210> 298

<211> 212

<212> PRT

<213> Corynebacterium glutamicum

<400> 298

Met Ile Arg Val Leu Leu Ala Asp Asp His Glu Ile Val Arg Leu Gly
1 5 10 15

Leu Arg Ala Val Leu Glu Ser Ala Glu Asp Ile Glu Val Val Gly Glu 20 25 30

Val Ser Thr Ala Glu Gly Ala Val Gln Ala Ala Gln Glu Gly Gly Ile $35 \hspace{1cm} 40 \hspace{1cm} 45$

Asp Val Ile Leu Met Asp Leu Arg Phe Gly Pro Gly Val Gln Gly Thr 50 60

Gln Val Ser Thr Gly Ala Asp Ala Thr Ala Ala Ile Lys Arg Asn Ile 65 70 75 80

Asp Asn Pro Pro Lys Val Leu Val Val Thr Asn Tyr Asp Thr Asp Thr 85 90 95

Asp Ile Leu Gly Ala Ile Glu Ala Gly Ala Leu Gly Tyr Leu Leu Lys

Asp Ala Pro Pro Ser Glu Leu Leu Ala Ala Val Arg Ser Ala Ala Glu 115 120 125

Gly Asp Ser Thr Leu Ser Pro Met Val Ala Asn Arg Leu Met Thr Arg 130 135 140

Val Arg Thr Pro Lys Thr Ser Leu Thr Pro Arg Glu Leu Glu Val Leu 145 150 155 160

Lys Leu Val Ala Gly Gly Ser Ser Asn Arg Asp Ile Gly Arg Ile Leu 165 170 175

Phe Leu Ser Glu Ala Thr Val Lys Ser His Leu Val His Ile Tyr Asp 180 185 190

Lys Leu Gly Val Arg Ser Arg Thr Ser Ala Val Ala Ala Ala Arg Glu 195 200 205

Gln Gly Leu Leu 210

<210> 299

<211> 655

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (24)..(632) <223> RXA01189 <400> 299 cacctgcaga aaaggaagct taaatg att tcc att tcc atc gcc gac gaa Met Ile Ser Ile Ser Ile Ala Asp Asp Glu gcc ctg atc gca agc tcc ctg gca acc ttg ctc agc ttg gaa ccc gat 101 Ala Leu Ile Ala Ser Ser Leu Ala Thr Leu Leu Ser Leu Glu Pro Asp tta gac gtc cga cct acc gca gga tcc ggt gaa gaa ctc att gaa acg 149 Leu Asp Val Arg Pro Thr Ala Gly Ser Gly Glu Glu Leu Ile Glu Thr tgg gcg gat cca agc aac cga acc gat gta tgc gtc ctt gac ctt caa 197 Trp Ala Asp Pro Ser Asn Arg Thr Asp Val Cys Val Leu Asp Leu Gln 50 ctc gga ggc atc gac ggc atc gac acc gcc acc cgg ctc atg gaa acc 245 Leu Gly Gly Ile Asp Gly Ile Asp Thr Ala Thr Arg Leu Met Glu Thr acc cca gat ttg gcc gtg ctc atc gtg acc agc cac gcc agg ccc cga 293 Thr Pro Asp Leu Ala Val Leu Ile Val Thr Ser His Ala Arg Pro Arg 80 caa ctc aaa cgc gcg ctt gca gca ggt gtt tta gga ttc ttg ccc aaa 341 Gln Leu Lys Arg Ala Leu Ala Ala Gly Val Leu Gly Phe Leu Pro Lys 100 aca tcc acc gca gat gaa ttc gcc acc gca atc cgc acc gtt cac gct 389 Thr Ser Thr Ala Asp Glu Phe Ala Thr Ala Ile Arg Thr Val His Ala 110 gga cga cgc tac atc gac ccc gaa cta gcc gcc atg acg atc agc gcc Gly Arg Arg Tyr Ile Asp Pro Glu Leu Ala Ala Met Thr Ile Ser Ala 125 ggt gaa tcc cca tta acc aac cgt gaa gaa gaa gtc ctc gaa cta gca Gly Glu Ser Pro Leu Thr Asn Arg Glu Glu Glu Val Leu Glu Leu Ala 140 ggc caa gga cta agc gcc gaa gaa att gcg gtg gca gcg cac ctc gcg Gly Gln Gly Leu Ser Ala Glu Glu Ile Ala Val Ala Ala His Leu Ala 155 ccg gga acc acc cgc aac tat tta tcc caa gct atg aca aaa gta ggc Pro Gly Thr Thr Arg Asn Tyr Leu Ser Gln Ala Met Thr Lys Val Gly 175 gcg cag aat cgc ttt gaa gcg ttc acg cgc gcc agg gaa ttg ggc tgg Ala Gln Asn Arg Phe Glu Ala Phe Thr Arg Ala Arg Glu Leu Gly Trp 195 ttg tagcttgtgg cttatctcct att 655

```
<210> 300
 <211> 203
 <212> PRT
 <213> Corynebacterium glutamicum
 <400> 300
Met Ile Ser Ile Ser Ile Ala Asp Asp Glu Ala Leu Ile Ala Ser Ser
 Leu Ala Thr Leu Leu Ser Leu Glu Pro Asp Leu Asp Val Arg Pro Thr
Ala Gly Ser Gly Glu Glu Leu Ile Glu Thr Trp Ala Asp Pro Ser Asn
Arg Thr Asp Val Cys Val Leu Asp Leu Gln Leu Gly Gly Ile Asp Gly
Ile Asp Thr Ala Thr Arg Leu Met Glu Thr Thr Pro Asp Leu Ala Val
                     70
Leu Ile Val Thr Ser His Ala Arg Pro Arg Gln Leu Lys Arg Ala Leu
Ala Ala Gly Val Leu Gly Phe Leu Pro Lys Thr Ser Thr Ala Asp Glu
                                105
Phe Ala Thr Ala Ile Arg Thr Val His Ala Gly Arg Arg Tyr Ile Asp
Pro Glu Leu Ala Ala Met Thr Ile Ser Ala Gly Glu Ser Pro Leu Thr
                        135
Asn Arg Glu Glu Glu Val Leu Glu Leu Ala Gly Gln Gly Leu Ser Ala
                                        155
Glu Glu Ile Ala Val Ala Ala His Leu Ala Pro Gly Thr Thr Arg Asn
                165
Tyr Leu Ser Gln Ala Met Thr Lys Val Gly Ala Gln Asn Arg Phe Glu
                               185
Ala Phe Thr Arg Ala Arg Glu Leu Gly Trp Leu
                            200
<210> 301
<211> 753
<212> DNA
<213> Corynebacterium glutamicum
<220>
<221> CDS
<222> (101)..(730)
<223> RXA01607
<400> 301
```

gggctgaagg gctgggcgga acaataatta ttgaatctac aatcggatcg ggaactggaa 60

ttt	ccgc	ccg	tttt	ccct	at c	caca	aaag	g ac	caag	ataa		Ile		att Ile		115
ttg Lev	gct Ala	gat Asp	gat Asp	cat His 10	Pro	gtt Val	gtt Val	cgc Arg	gca Ala 15	ggc Gly	ctt Leu	gcc Ala	tcc Ser	ttg Leu 20	ctg Leu	163
gtg Val	agt Ser	gaa Glu	gat Asp 25	gat Asp	ttt Phe	gag Glu	ata Ile	gtg Val 30	gac Asp	atg Met	gtg Val	ggc Gly	acc Thr 35	cca Pro	gat Asp	211
gat Asp	gcc Ala	gtt Val 40	gcg Ala	cgc Arg	gcc Ala	gcg Ala	gaa Glu 45	ggc Gly	ggg Gly	gtg Val	gat Asp	gtg Val 50	gtg Val	ttg Leu	atg Met	259
gat Asp	ctg Leu 55	cgt Arg	ttt Phe	ggt Gly	gat Asp	caa Gln 60	cca Pro	ggc Gly	atc Ile	gag Glu	gtc Val 65	gcc Ala	ggc Gly	ggg Gly	gta Val	307
gag Glu 70	gca Ala	acg Thr	cgt Arg	cgc Arg	atc Ile 75	cgt Arg	gcg Ala	ctg Leu	gac Asp	aac Asn 80	ccg Pro	cca Pro	cag Gln	gta Val	ctg Leu 85	355
gtg Val	gtg Val	acc Thr	aac Asn	tac Tyr 90	tcc Ser	aca Thr	gac Asp	ggc Gly	gat Asp 95	gtg Val	gtg Val	ggc Gly	gca Ala	gta Val 100	tct Ser	403
gct Ala	ggt Gly	gcc Ala	gtg Val 105	ggg Gly	tat Tyr	ttg Leu	ctc Leu	aaa Lys 110	gat Asp	agc Ser	tcc Ser	cca Pro	gaa Glu 115	gat Asp	ctc Leu	451
att Ile	gcc Ala	ggt Gly 120	gtt Val	cgc Arg	gat Asp	gcc Ala	gcg Ala 125	cgg Arg	gga Gly	gaa Glu	tca Ser	gtg Val 130	ctt Leu	tca Ser	aag Lys	499
cag Gln	gtc Val 135	gcc Ala	agc Ser	aag Lys	atc Ile	atg Met 140	ggg Gly	cgg Arg	atg Met	aac Asn	aac Asn 145	ccc Pro	atg Met	act Thr	gct Ala	547
ctc Leu 150	agt Ser	gcc Ala	aga Arg	ġaa Glu	att Ile 155	gaa Glu	gtg Val	ctg Leu	tcc Ser	ttg Leu 160	gtg Val	gcg Ala	caa Gln	ggg Gly	caa Gln 165	595
agc Ser	aat Asn	aga Arg	gaa Glu	atc Ile 170	ggc Gly	aag Lys	aaa Lys	ctt Leu	ttc Phe 175	ctc Leu	act Thr	gag Glu	gcc Ala	acg Thr 180	gtg Val	643
aaa Lys	agt Ser	cac His	atg Met 185	Gly Gly	cat His	gtg Val	ttc Phe	aac Asn 190	aag Lys	ctg Leu	gat Asp	gtc Val	acc Thr 195	tct Ser	aga Arg	691
aca Thr	gct Ala	gcg Ala 200	gta Val	gct Ala	gaa Glu	gcc Ala	aga Arg 205	cag Gln	cgc Arg	gga Gly	att Ile	atc Ile 210	taga	cgca	ca	740
cgtg	ttgg	ta a	cc													753

<210> 302

<211> 210

<212> PRT

<213> Corynebacterium glutamicum

<400> 302

Val Ile Arg Ile Leu Leu Ala Asp Asp His Pro Val Val Arg Ala Gly
1 5 10 15

Leu Ala Ser Leu Leu Val Ser Glu Asp Asp Phe Glu Ile Val Asp Met 20 25 30

Val Gly Thr Pro Asp Asp Ala Val Ala Arg Ala Ala Glu Gly Gly Val
35 40 45

Asp Val Val Leu Met Asp Leu Arg Phe Gly Asp Gln Pro Gly Ile Glu 50 60

Val Ala Gly Gly Val Glu Ala Thr Arg Arg Ile Arg Ala Leu Asp Asn 65 70 75 80

Pro Pro Gln Val Leu Val Val Thr Asn Tyr Ser Thr Asp Gly Asp Val 85 90 95

Val Gly Ala Val Ser Ala Gly Ala Val Gly Tyr Leu Leu Lys Asp Ser 100 105 110

Ser Pro Glu Asp Leu Ile Ala Gly Val Arg Asp Ala Ala Arg Gly Glu 115 120 125

Ser Val Leu Ser Lys Gln Val Ala Ser Lys Ile Met Gly Arg Met Asn 130 135 140

Val Ala Gln Gly Gln Ser Asn Arg Glu Ile Gly Lys Lys Leu Phe Leu 165 170 175

Thr Glu Ala Thr Val Lys Ser His Met Gly His Val Phe Asn Lys Leu 180 185 190

Asp Val Thr Ser Arg Thr Ala Ala Val Ala Glu Ala Arg Gln Arg Gly
195 200 205

Ile Ile 210

<210> 303

<211> 1392

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1369)

<223> RXN00470

<400> 303

tcataaccag gttgggcaaa agggatgaat ccctggttgt ggtggggctc ctgaaaagta 60

																-,
ctc	atag	act	ctat	tgtg	ga g	tgtt	gagg	c tg	ataa	gtga		ggg Gly				115
gaa Glu	aag Lys	gtg Val	gcg Ala	ttc Phe 10	agg Arg	gtc Val	ttc Phe	cct Pro	gat Asp 15	ggt Gly	ttg Leu	gtg Val	tcg Ser	cag Gln 20	ggg Gly	163
cat His	gac Asp	atg Met	atc Ile 25	gaa Glu	gat Asp	atg Met	agt Ser	aac Asn 30	aca Thr	cct Pro	gcg Ala	cct Pro	tat Tyr 35	acc Thr	ccg Pro	211
cag Gln	cct Pro	gcg Ala 40	ggg Gly	caa Gln	gcg Ala	gtg Val	cct Pro 45	tta Leu	tat Tyr	ccc Pro	acg Thr	ttt Phe 50	acc Thr	cgg Arg	tca Ser	259
aga Arg	gat Asp 55	ggt Gly	cgg Arg	gtt Val	gtt Val	gcg Ala 60	ggt Gly	gtc Val	gca Ala	tcg Ser	ggg Gly 65	ctg Leu	gca Ala	aag Lys	cat His	307
ctt Leu 70	aat Asn	gtg Val	tcg Ser	gtg Val	ttt Phe 75	tgg Trp	gtt Val	cgt Arg	gcg Ala	ctg Leu 80	ctg Leu	att Ile	ttt Phe	gcg Ala	gcg Ala 85	355
ttg Leu	ctg Leu	agc Ser	ggt Gly	gcg Ala 90	ggt Gly	ctt Leu	ttt Phe	gcg Ala	tat Tyr 95	gcc Ala	ttg Leu	att Ile	tgg Trp	att Ile 100	ttt Phe	403
acg Thr	cgc Arg	att Ile	gag Glu 105	aaa Lys	aag Lys	Gly ggg	agt Ser	ggg Gly 110	gag Glu	gcg Ala	tcg Ser	aca Thr	agc Ser 115	aag Lys	cgc Arg	451
tgg Trp	gtg Val	tcg Ser 120	tgg Trp	tgc Cys	ctg Leu	gtg Val	ctg Leu 125	ctc Leu	gct Ala	atc Ile	ggt Gly	ggt Gly 130	gct Ala	gcg Ala	gcg Ala	499
tcg Ser	gtg Val 135	atg Met	ctg Leu	agc Ser	acc Thr	ggc Gly 140	ttc Phe	gcg Ala	gtg Val	ggc Gly	acg Thr 145	ttg Leu	gtg Val	ccc Pro	atc Ile	547
ggc Gly 150	gtg Val	gtc Val	ggt Gly	gtg Val	ggc Gly 155	ctg Leu	ttg Leu	Met	Val	Trp	Leu	Ala	Tyr	Asp	cgc Arg 165	595
Gly Ggg	gtg Val	gaa Glu	tcc Ser	ggc Gly 170	ccg Pro	aat Asn	ctg Leu	ctg Leu	att Ile 175	att Ile	gcc Ala	acc Thr	ggc Gly	ggt Gly 180	gtg Val	643
ttg Leu	atg Met	ctg Leu	gtg Val 185	gcg Ala	atc Ile	gtg Val	ctg Leu	atc Ile 190	gtg Val	atg Met	aat Asn	tgg Trp	aac Asn 195	acc Thr	cag Gln	691
gac Asp	ggc Gly	ttc Phe 200	gtc Val	atg Met	gcg Ala	ctg Leu	gtg Val 205	gcc Ala	gtg Val	gtg Val	ctc Leu	acg Thr 210	ctg Leu	gtg Val	ggt Gly	739
gtg Val	gct Ala 215	gcg Ala	ctg Leu	ggc Gly	gtt Val	ccg Pro 220	ctg Leu	tgg Trp	gtg Val	cgg Arg	atg Met 225	tgg Trp	gat Asp	cag Gln	ctg Leu	787
ggc	gag	gag	cgc	gcg	gaa	aaa	gcc	gca	gct	gct	gag	cgc	gca	gat	att	835

Gly 230	Glu	Glu	Arg	Ala	Glu 235	Lys	Ala	Ala	Ala	Ala 240	Glu	Arg	Ala	Asp	Ile 245	
					gat Asp											883
					ccc Pro											931
					caa Gln											97.9
					gtc Val											1027
					gct Ala 315											1075
					gag Glu											1123
					gtg Val											1171
					atg Met											1219
cgc Arg	ggt Gly 375	gca Ala	gga Gly	ttc Phe	gac Asp	ccc Pro 380	gac Asp	aac Asn	atc Ile	ccc Pro	gac Asp 385	ggg ggg	cac His	cac His	ggg Gly	1267
ctc Leu 390	gcc Ala	gaa Glu	tcc Ser	gtc Val	caa Gln 395	ggc Gly	cgc Arg	gtc Val	gaa Glu	cga Arg 400	gcc Ala	ggc Gly	gga Gly	aaa Lys	gta Val 405	1315
cgc Arg	atc Ile	aaa Lys	tct Ser	gaa Glu 410	atc Ile	ggc Gly	gaa Glu	ggc Gly	acc Thr 415	gaa Glu	gtg Val	gca Ala	atc Ile	acc Thr 420	atg Met	1363
gat Asp		tagt	tggt	.cg t	acgo	gcgt	g to	et								1392

<210> 304

<211> 423

<212> PRT

<213> Corynebacterium glutamicum

<400> 304

Met Gly Glu Ser Pro Glu Lys Val Ala Phe Arg Val Phe Pro Asp Gly 1 5 10 15

Leu Val Ser Gln Gly His Asp Met Ile Glu Asp Met Ser Asn Thr Pro 20 25 30

- Ala Pro Tyr Thr Pro Gln Pro Ala Gly Gln Ala Val Pro Leu Tyr Pro 35 40 45
- Thr Phe Thr Arg Ser Arg Asp Gly Arg Val Val Ala Gly Val Ala Ser 50 55 60
- Gly Leu Ala Lys His Leu Asn Val Ser Val Phe Trp Val Arg Ala Leu 65 70 75 80
- Leu Ile Phe Ala Ala Leu Leu Ser Gly Ala Gly Leu Phe Ala Tyr Ala 85 90 95
- Leu Ile Trp Ile Phe Thr Arg Ile Glu Lys Lys Gly Ser Gly Glu Ala 100 105 110
- Ser Thr Ser Lys Arg Trp Val Ser Trp Cys Leu Val Leu Leu Ala Ile 115 120 125
- Gly Gly Ala Ala Ser Val Met Leu Ser Thr Gly Phe Ala Val Gly 130 135 140
- Thr Leu Val Pro Ile Gly Val Val Gly Val Gly Leu Leu Met Val Trp
 145 150 155 160
- Leu Ala Tyr Asp Arg Gly Val Glu Ser Gly Pro Asn Leu Leu Ile Ile 165 170 175
- Ala Thr Gly Gly Val Leu Met Leu Val Ala Ile Val Leu Ile Val Met 180 185 190
- Asn Trp Asn Thr Gln Asp Gly Phe Val Met Ala Leu Val Ala Val Val 195 200 205
- Leu Thr Leu Val Gly Val Ala Ala Leu Gly Val Pro Leu Trp Val Arg 210 215 220
- Met Trp Asp Gln Leu Gly Glu Glu Arg Ala Glu Lys Ala Ala Ala Ala 225 235 240
- Glu Arg Ala Asp Ile Ala Ser Arg Leu His Asp Ser Val Leu Gln Thr 245 250 255
- Leu Ala Leu Ile Gln Lys Arg Ala Asp Asp Pro Ala Glu Val Ala Arg 260 265 270
- Leu Ala Arg Gly Gln Glu Arg Glu Leu Arg Gln Trp Leu Phe Asp Ser 275 280 285
- Gln Asp Lys Thr Pro Gln Thr Thr Gly Thr Val Phe Thr Ala Leu Glu 290 295 300
- Arg Ala Cys Gly Glu Val Glu Asp Ile Tyr Ala Leu Arg Ile Val Pro 305 310 315 320
- Val Thr Val Gly Thr Asp Glu Ala Leu Thr Glu Lys Thr Gln Ala Ala 325 330 335
- Val Met Ala Val Arg Glu Ala Leu Val Asn Val Ala Lys His Ala Gly

340 345 350

Val Glu Thr Ala Asp Val Tyr Ala Glu Ile Met Leu Gly Glu Leu Asn 355 360 365

Ile Phe Val Arg Asp Arg Gly Ala Gly Phe Asp Pro Asp Asn Ile Pro 370 375 380

Asp Gly His His Gly Leu Ala Glu Ser Val Gln Gly Arg Val Glu Arg 385 390 395 400

Ala Gly Gly Lys Val Arg Ile Lys Ser Glu Ile Gly Glu Gly Thr Glu
405 410 415

Val Ala Ile Thr Met Asp Val 420

<210> 305

<211> 1323

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1300)

<223> FRXA00470

<400> 305

tctattgtgg agtgttgagg ctgataagtg aatgggggaa agccctgaaa aggtggcqtt 60

cagggtcttc cctgatggtt tggtgtcgca ggggcatgac atg atc gaa gat atg 115
Met Ile Glu Asp Met

agt aac aca cct gcg cct tat acc ccg cag cct gcg ggg caa gcg gtg 163 Ser Asn Thr Pro Ala Pro Tyr Thr Pro Gln Pro Ala Gly Gln Ala Val 10 15 20

cct tta tat ccc acg ttt acc cgg tca aga gat ggt cgg gtt gtt gcg 211 Pro Leu Tyr Pro Thr Phe Thr Arg Ser Arg Asp Gly Arg Val Val Ala 25

ggt gtc gca tcg ggg ctg gca aag cat ctt aat gtg tcg gtg ttt tgg 259 Gly Val Ala Ser Gly Leu Ala Lys His Leu Asn Val Ser Val Phe Trp 40 45

gtt cgt gcg ctg ctg att ttt gcg gcg ttg ctg agc ggt gcg ggt ctt 307 Val Arg Ala Leu Leu Ile Phe Ala Ala Leu Leu Ser Gly Ala Gly Leu 55 60 65

ttt gcg tat gcc ttg att tgg att ttt acg cgc att gag aaa aag ggg 355 Phe Ala Tyr Ala Leu Ile Trp Ile Phe Thr Arg Ile Glu Lys Lys Gly 70 80 85

agt ggg gag gcg tcg aca agc aag cgc tgg gtg tcg tgg tgc ctg gtg 403 Ser Gly Glu Ala Ser Thr Ser Lys Arg Trp Val Ser Trp Cys Leu Val 90 95 100

ctg ctc gct atc ggt ggt gct gcg gcg tcg gtg atg ctg agc acc ggc 451 Leu Leu Ala Ile Gly Gly Ala Ala Ala Ser Val Met Leu Ser Thr Gly 105 110 115

ttc Phe	gcg Ala	gtg Val 120	ggc Gly	acg Thr	ttg Leu	gtg Val	ccc Pro 125	atc Ile	ggc Gly	gtg Val	gtc Val	ggt Gly 130	gtg Val	ggc Gly	ctg Leu	499
ttg Leu	atg Met 135	gtg Val	tgg Trp	ctg Leu	gcg Ala	tat Tyr 140	gac Asp	cgc Arg	ggg Gly	gtg Val	gaa Glu 145	tcc Ser	ggc Gly	ccg Pro	aat Asn	547
ctg Leu 150	ctg Leu	att Ile	att Ile	gcc Ala	acc Thr 155	ggc Gly	ggt Gly	gtg Val	ttg Leu	atg Met 160	ctg Leu	gtg Val	gcg Ala	atc Ile	gtg Val 165	595
ctg Leu	atc Ile	gtg Val	atg Met	aat Asn 170	tgg Trp	aac Asn	acc Thr	cag Gln	gac Asp 175	ggc Gly	ttc Phe	gtc Val	atg Met	gcg Ala 180	ctg Leu	643
gtg Val	gcc Ala	gtg Val	gtg Val 185	ctc Leu	acg Thr	ctg Leu	gtg Val	ggt Gly 190	gtg Val	gct Ala	gcg Ala	ctg Leu	ggc Gly 195	gtt Val	ccg Pro	691
ctg Leu	tgg Trp	gtg Val 200	cgg Arg	atg Met	tgg Trp	gat Asp	cag Gln 205	ctg Leu	ggc Gly	gag Glu	gag Glu	cgc Arg 210	gcg Ala	gaa Glu	aaa Lys	739
gcc Ala	gca Ala 215	gct Ala	gct Ala	gag Glu	cgc Arg	gca Ala 220	gat Asp	att Ile	gct Ala	tcc Ser	cgc Arg 225	ctg Leu	cat His	gat Asp	tcg Ser	787
gta Val 230	ctg Leu	cag Gln	acc Thr	ttg Leu	gcg Ala 235	ctg Leu	att Ile	caa Gln	aag Lys	cgt Arg 240	gcc Ala	gac Asp	gac Asp	ccc Pro	gcc Ala 245	835
gaa Glu	gtc Val	gcc Ala	cgc Arg	ctg Leu 250	gcc Ala	cgc Arg	ggg Gly	cag Gln	gaa Glu 255	cgc Arg	gag Glu	ctg Leu	cgt Arg	caa Gln 260	tgg Trp	883
ctg Leu	ttt Phe	gat Asp	tcc Ser 265	caa Gln	gat Asp	aaa Lys	aca Thr	cct Pro 270	caa Gln	aca Thr	acc Thr	ggc Gly	act Thr 275	gtc Val	ttt Phe	931
act Thr	gcg Ala	ttg Leu 280	Glu	Arg	Ala	Cys	ggt Gly 285	Glu	Val	gag Glu	Asp	Ile	Tyr	gct Ala	ctg Leu	979
cgt Arg	atc Ile 295	gtg Val	cct Pro	gtg Val	acc Thr	gtg Val 300	gga Gly	acc Thr	gat Asp	gaa Glu	gcg Ala 305	ctg Leu	act Thr	gag Glu	aaa Lys	1027
acg Thr 310	cag Gln	gca Ala	gcg Ala	gtg Val	atg Met 315	gca Ala	gtc Val	cgc Arg	gaa Glu	gca Ala 320	ctc Leu	gtg Val	aac Asn	gtg Val	gcc Ala 325	1075
aag Lys	cat His	gcc Ala	ggc Gly	gtg Val 330	gaa Glu	acc Thr	gcc Ala	gat Asp	gtg Val 335	tac Tyr	gcc Ala	gaa Glu	att Ile	atg Met 340	ctc Leu	1123
ggc Gly	gaa Glu	ctg Leu	aac Asn 345	att Ile	ttc Phe	gtc Val	cgc Arg	gac Asp 350	cgc Arg	ggt Gly	gca Ala	gga Gly	ttc Phe 355	gac Asp	ccc Pro	1171

gac aac atc ccc gac ggg cac cac ggg ctc gcc gaa tcc gtc caa ggc 1219 Asp Asn Ile Pro Asp Gly His His Gly Leu Ala Glu Ser Val Gln Gly cgc gtc gaa cga gcc ggc gga aaa gta cgc atc aaa tct gaa atc ggc 1267 Arg Val Glu Arg Ala Gly Gly Lys Val Arg Ile Lys Ser Glu Ile Gly 375 380 385 gaa ggc acc gaa gtg gca atc acc atg gat gtg tagttggtcg tacgcgcgtg 1320 Glu Gly Thr Glu Val Ala Ile Thr Met Asp Val 395 tct 1323 <210> 306 <211> 400 <212> PRT <213> Corynebacterium glutamicum <400> 306 Met Ile Glu Asp Met Ser Asn Thr Pro Ala Pro Tyr Thr Pro Gln Pro Ala Gly Gln Ala Val Pro Leu Tyr Pro Thr Phe Thr Arg Ser Arg Asp 25 Gly Arg Val Val Ala Gly Val Ala Ser Gly Leu Ala Lys His Leu Asn Val Ser Val Phe Trp Val Arg Ala Leu Leu Ile Phe Ala Ala Leu Leu Ser Gly Ala Gly Leu Phe Ala Tyr Ala Leu Ile Trp Ile Phe Thr Arg Ile Glu Lys Lys Gly Ser Gly Glu Ala Ser Thr Ser Lys Arg Trp Val 85 Ser Trp Cys Leu Val Leu Leu Ala Ile Gly Gly Ala Ala Ala Ser Val Met Leu Ser Thr Gly Phe Ala Val Gly Thr Leu Val Pro Ile Gly Val 120 Val Gly Val Gly Leu Leu Met Val Trp Leu Ala Tyr Asp Arg Gly Val Glu Ser Gly Pro Asn Leu Leu Ile Ile Ala Thr Gly Gly Val Leu Met 145 150 155 Leu Val Ala Ile Val Leu Ile Val Met Asn Trp Asn Thr Gln Asp Gly 165 170 Phe Val Met Ala Leu Val Ala Val Leu Thr Leu Val Gly Val Ala 180 190 Ala Leu Gly Val Pro Leu Trp Val Arg Met Trp Asp Gln Leu Gly Glu 195 200 205

Glu Arg Ala Glu Lys Ala Ala Ala Glu Arg Ala Asp Ile Ala Ser 210 215 220

- Arg Leu His Asp Ser Val Leu Gln Thr Leu Ala Leu Ile Gln Lys Arg 225 230 235 240
- Ala Asp Asp Pro Ala Glu Val Ala Arg Leu Ala Arg Gly Gln Glu Arg 245 250 255
- Glu Leu Arg Gln Trp Leu Phe Asp Ser Gln Asp Lys Thr Pro Gln Thr 260 265 270
- Thr Gly Thr Val Phe Thr Ala Leu Glu Arg Ala Cys Gly Glu Val Glu 275 280 285
- Asp Ile Tyr Ala Leu Arg Ile Val Pro Val Thr Val Gly Thr Asp Glu 290 295 300
- Ala Leu Thr Glu Lys Thr Gln Ala Ala Val Met Ala Val Arg Glu Ala 305 310 315 320
- Leu Val Asn Val Ala Lys His Ala Gly Val Glu Thr Ala Asp Val Tyr 325 330 335
- Ala Glu Ile Met Leu Gly Glu Leu Asn Ile Phe Val Arg Asp Arg Gly 340 345 350
- Ala Gly Phe Asp Pro Asp Asn Ile Pro Asp Gly His His Gly Leu Ala 355 360 365
- Glu Ser Val Gln Gly Arg Val Glu Arg Ala Gly Gly Lys Val Arg Ile 370 375 380
- Lys Ser Glu Ile Gly Glu Gly Thr Glu Val Ala Ile Thr Met Asp Val 385 390 395 400

<210> 307

<211> 1119

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1096)

<223> RXA00756

<400> 307

attogotaaa cotgogoagg atgagactgo cotogoagaa agcacattog acgaagocac 60

- cgcgtaaaca gtacgtggtg gaagcttgag aggaagacaa gtg aat att gat gtc 115 Val Asn Ile Asp Val
- cag gct tta aaa gcc atc gag tct gaa aaa gga atc cca gtt cca gac 163 Gln Ala Leu Lys Ala Ile Glu Ser Glu Lys Gly Ile Pro Val Pro Asp 10 15 20

															- `	J 1/11/00/
tt Le	g cto u Lei	g cg u Ar	c ac g Th 2	r II	c gco e Ala	tci a Sei	t gca r Ala	ctt Leu 30	ı Leı	g cat ı His	t tog s Ser	tac Tyr	ate Med 35	t Asp	aat Asn	211
cg Ar	c gaa g Glu	a ac u Th:	r va.	t gco	g tot a Sei	gco Ala	g aac a Asn 45	Leu	aaa Lys	cca Pro	a cgc o Arg	gtg Val 50	Asp	c ato	gat Asp	259
t co Sea	c aca r Thr 55	. 111	t ggo r Gly	c acq	g gto Val	aac Asr 60	o Val	ato	gtc Val	tca Ser	gaa Glu 65	Phe	gad Asp	gaa Glu	aac Asn	307
gga Gl ₃ 70	GIU	cto Lev	e get 1 Ala	tco Ser	gaa Glu 75	Tyr	gac Asp	gac Asp	acc Thr	cca Pro	tcc Ser	aac Asn	ttc Phe	gga Gly	cga Arg 85	355
gto Val	agc Ser	gco	cgc Arc	gct Ala 90	val	cgc	gac Asp	gcg Ala	atc Ile 95	Val	aag Lys	tcc Ser	ctg Leu	cgc Arg 100	gaa Glu	403
gca Ala	gaa Glu	gca Ala	ago Ser 105	Arg	gca Ala	ttc Phe	gat Asp	gcg Ala 110	tac Tyr	gca Ala	gat Asp	tat Tyr	gaa Glu 115	Gly	acc Thr	451
gtt Val	gtg Val	tcc Ser 120	GTA	atc	gtt Val	caa Gln	gca Ala 125	gat Asp	gcc Ala	cgc Arg	gca Ala	gct Ala 130	gaa Glu	cgc Arg	gga Gly	499
atc Ile	atc Ile 135	atc Ile	gtg Val	cag Gln	ctg Leu	ggt Gly 140	acc Thr	gaa Glu	gcg Ala	gac Asp	aac Asn 145	caa Gln	gac Asp	ggc	gtt Val	547
ttg Leu 150	ctc Leu	cca Pro	gcc Ala	gag Glu	cag Gln 155	atc Ile	cct Pro	ggc Gly	gaa Glu	aag Lys 160	ctc Leu	aag Lys	cac His	ggc	gac Asp 165	595
cgc Arg	gtc Val	aag Lys	tgc Cys	ttc Phe 170	gtc Val	gtt Val	ggc Gly	gtg Val	ggc Gly 175	aag Lys	ggc Gly	aac Asn	act Thr	gac Asp 180	atc Ile	643
cag Gln	atc Ile	aac Asn	ctg Leu 185	tct Ser	Arg	Thr	cac His	Pro	gag Glu	ctg Leu	gtg Val	cgc Arg	cga Arg 195	ctg Leu	ttt Phe	691
gaa Glu	ctg Leu	gaa Glu 200	atc Ile	cca Pro	gaa Glu	gtt Val	gct Ala 205	gac Asp	gga Gly	tcc Ser	gtg Val	gaa Glu 210	att Ile	gtt Val	gct Ala	739
atc Ile	tcc Ser 215	cgc Arg	gaa Glu	gcc Ala	gga Gly	cac His 220	cgc Arg	tcc Ser	aag Lys	gtt Val	gct Ala 225	gtt Val	caa Gln	gcc Ala	aag Lys	787
gtg Val 230	aag Lys	aac Asn	ctc Leu	aac Asn	gcc Ala 235	aag Lys	ggc Gly	gct Ala	tgc Cys	att Ile 240	ggc Gly	cca Pro	cgt Arg	gga Gly	cag Gln 245	835
cgt Arg	gtg Val	tcc Ser	aac Asn	atc Ile 250	atg Met	cgt Arg	gaa (Glu 1	Leu	ggt Gly 255	gga Gly	gaa Glu	aaa Lys	atc Ile	gac Asp 260	atc Ile	883
atc	gat	tac	tcc	gaa	gat	сса	gca a	acc	ttc	gtt	gga	aat	gca	ctg	gca	931

Ile Asp Tyr Ser Glu Asp Pro Ala Thr Phe Val Gly Asn Ala Leu Ala 265 270 275

cca tcc aag gtt gtc aac gta gag gtc acc gat ctt gaa gct caa acc 979 Pro Ser Lys Val Val Asn Val Glu Val Thr Asp Leu Glu Ala Gln Thr 280 285 290

gcg cgc gta act gtc cct gac tac cag ctt tca cta gca atc ggt aaa 1027 Ala Arg Val Thr Val Pro Asp Tyr Gln Leu Ser Leu Ala Ile Gly Lys 295 300 305

gaa ggt caa aac gcc cgc ttg gct gcc cgc ctg acc ggc tgg aag atc 1075 Glu Gly Gln Asn Ala Arg Leu Ala Ala Arg Leu Thr Gly Trp Lys Ile 310 315 320 325

gac atc cac tct gac atc gat taaaagtcgc ttgaaccggc atg 1119
Asp Ile His Ser Asp Ile Asp

<210> 308

<211> 332

<212> PRT

<213> Corynebacterium glutamicum

<400> 308

Val Asn Ile Asp Val Gln Ala Leu Lys Ala Ile Glu Ser Glu Lys Gly
1 5 10 15

Ile Pro Val Pro Asp Leu Leu Arg Thr Ile Ala Ser Ala Leu Leu His 20 25 30

Ser Tyr Met Asp Asn Arg Glu Thr Val Ala Ser Ala Asn Leu Lys Pro 35 40 45

Arg Val Asp Ile Asp Ser Thr Thr Gly Thr Val Asn Val Ile Val Ser 50 55 60

Glu Phe Asp Glu Asn Gly Glu Leu Ala Ser Glu Tyr Asp Asp Thr Pro 65 70 75 80

Ser Asn Phe Gly Arg Val Ser Ala Arg Ala Val Arg Asp Ala Ile Val 85 90 95

Lys Ser Leu Arg Glu Ala Glu Ala Ser Arg Ala Phe Asp Ala Tyr Ala 100 \$105\$ 110

Asp Tyr Glu Gly Thr Val Val Ser Gly Ile Val Gln Ala Asp Ala Arg 115 120 125

Ala Ala Glu Arg Gly Ile Ile Ile Val Gln Leu Gly Thr Glu Ala Asp 130 135 140

Asn Gln Asp Gly Val Leu Leu Pro Ala Glu Gln Ile Pro Gly Glu Lys 145 150 155 160

Leu Lys His Gly Asp Arg Val Lys Cys Phe Val Val Gly Val Gly Lys 165 170 175

Gly Asn Thr Asp Ile Gln Ile Asn Leu Ser Arg Thr His Pro Glu Leu 180 185 190

419

Val Ar	g Arg 195		Phe	Glu	Leu	Glu 200	Ile	Pro	Glu	Val	Ala 205	Asp	Gly	Ser	
Val Gl 21		Val	Ala	Ile	Ser 215	Arg	Glu	Ala	Gly	His 220	Arg	Ser	Lys	Val	
Ala Va 225	l Gln	Ala	Lys	Val 230	Lys	Asn	Leu	Asn	Ala 235	Lys	Gly	Ala	Cys	Ile 240	
Gly Pr	o Arg	Gly	Gln 245	Arg	Val	Ser	Asn	Ile 250	Met	Arg	Glu	Leu	Gly 255	Gly	
Glu Ly	s Ile	Asp 260	Ile	Ile	Asp	Tyr	Ser 265	Glu	Asp	Pro	Ala	Thr 270	Phe	Val	
Gly As	n Ala 275		Ala	Pro	Ser	Lys 280	Val	Val	Asn	Val	Glu 285	Val	Thr	Asp	
Leu Gl		Gln	Thr	Ala	Arg 295	Val	Thr	Val	Pro	Asp 300	Tyr	Gln	Leu	Ser	
Leu Al 305	a Ile	Gly	Lys	Glu 310	Gly	Gln	Asn	Ala	Arg 315	Leu	Ala	Ala	Arg	Leu 320	
Thr Gl	y Trp	Lys	Ile 325	Asp	Ile	His	Ser	Asp 330	Ile	Asp					•
<210> <211> <212> <213> <213> <220> <221> <222> <223>	834 DNA Coryn CDS (101)	(8		um g]	lutan	nicum	n			-					
<400> gaccgg		gtact	tcaaq	gg tá	agaca	accc	g cga	acggt	ttcc	taco	ctctc	ccc d	gcgtt	aacaa	60
ctaaga	ttct	taaaa	accti	t aa	agaat	cago	c caq	gaaad	catt			-	cag Gln	_	115
caa ag Gln Ar															163
gga to Gly Se															211
gcg ga Ala Gl															259
aag tt Lys Le 5															307

acc Thr 70	gaa Glu	acc Thr	atc Ile	atc Ile	aat Asn 75	ggc Gly	gtt Val	gcc Ala	gtt Val	gaa Glu 80	ctc Leu	gat Asp	acc Thr	ctc Leu	gat Asp 85	355
												ctc Leu				403
												tgg Trp				451
tac Tyr	aac Asn	gcc Ala 120	gac Asp	gtt Val	cct Pro	gtc Val	acc Thr 125	acc Thr	gca Ala	atc Ile	gtt Val	gaa Glu 130	gcc Ala	gtg Val	gaa Glu	499
												tac Tyr				547
aca Thr 150	ctt Leu	gac Asp	gcc Ala	atg Met	gca Ala 155	tca Ser	aag Lys	gtg Val	gag Glu	acc Thr 160	ctc Leu	cgc Arg	gag Glu	cgc Arg	gcc Ala 165	595
												tct Ser				. 643
gct Ala	ccg Pro	gtc Val	gcg Ala 185	ccg Pro	tgg Trp	gat Asp	gac Asp	tcg Ser 190	gat Asp	gct Ala	ttg Leu	gat Asp	gac Asp 195	tcg Ser	gat Asp	691
gaa Glu	gat Asp	ttt Phe 200	gag Glu	gct Ala	gta Val	gat Asp	gct Ala 205	gct Ala	gag Glu	gtt Val	ttt Phe	gag Glu 210	gct Ala	gaa Glu	gag Glu	739
act Thr	gta Val 215	gag Glu	gtt Val	tcc Ser	gaa Glu	gtc Val 220	gca Ala	gaa Glu	gac Asp	tct Ser	gaa Glu 225	gtt Val	tca Ser	aag Lys	gtt Val	787
				gct Ala				taaa	tctt	itt o	etggo	ctaad	ca co	ca		834
<211 <212)> 31 .> 23 !> PF B> Co	37 RT	ebact	eriu	ım gl	Lutam	nicum	n								٠
)> 31 Ile		Gln	Glu 5	Gln	Arg	Glu	Gln	Asn 10	Val	Ser	Glu	Arg	Arg 15	Gln	
Asp	Tyr	Lys	Arg 20	His	Gly	Ser	Arg	Tyr 25	Lys	Ala	Arg	Met	Arg 30	Ala	Val	
Asp	Ile	Leu 35	Phe	Glu	Ala	Glu	Ser 40	Arg	Asp	Val	Asp	Pro 45	Val	Ala	Ile	

Ile Asp Asp Arg His Lys Leu Ala Arg Asp Thr Asn Pro Ile Val Ala Pro Val Ala Glu Tyr Thr Glu Thr Ile Ile Asn Gly Val Ala Val Glu 70 Leu Asp Thr Leu Asp Val Phe Leu Ala Glu His Ile Ala Glu Thr Trp Thr Leu Gly Arg Leu Pro Ser Val Asp Arg Ala Ile Leu Arg Val Ala 105 Ser Trp Glu Met Ile Tyr Asn Ala Asp Val Pro Val Thr Thr Ala Ile 120 Val Glu Ala Val Glu Ile Ala Ser Glu Tyr Ser Gly Asp Lys Ser Ser 135 Ala Tyr Ile Asn Ala Thr Leu Asp Ala Met Ala Ser Lys Val Glu Thr Leu Arg Glu Arg Ala Ala Asn Pro Glu Ala Val Leu Ala Glu Ala Ser Glu Ser Leu Asp Asp Ala Pro Val Ala Pro Trp Asp Asp Ser Asp Ala Leu Asp Asp Ser Asp Glu Asp Phe Glu Ala Val Asp Ala Ala Glu Val Phe Glu Ala Glu Glu Thr Val Glu Val Ser Glu Val Ala Glu Asp Ser Glu Val Ser Lys Val Ser Glu Glu Lys Ala Asp Glu Ser 230 <210> 311 <211> 1458 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1435) <223> RXA01303 <400> 311 aacatgcggg cgcaggtcag agctgttatc ttagtactta tcacagccat agggcgggct 60 tgacggaaag cctttccgcg taaccatgaa gaggcatcac gtg aca caa ctc aac Val Thr Gln Leu Asn 1 acc aaa ggc gtt gtt ctg caa ggg tgg gat cca gaa gat cct gaa cat Thr Lys Gly Val Val Leu Gln Gly Trp Asp Pro Glu Asp Pro Glu His tgg gac tcg aaa att gca tgg cga acc ctg tgg att acc acc ttc tcc 211 Trp Asp Ser Lys Ile Ala Trp Arg Thr Leu Trp Ile Thr Thr Phe Ser

30 -

25

atg Met	att Ile	att Ile 40	ggg Gly	ttc Phe	tgc Cys	gtg Val	tgg Trp 45	tat Tyr	ttg Leu	gtt Val	tct Ser	gcc Ala 50	atc Ile	gct Ala	ccc Pro	259
cta Leu	ctc Leu 55	aat Asn	cga Arg	att Ile	gga Gly	ttt Phe 60	gat Asp	ctc Leu	tca Ser	gca Ala	ggt Gly 65	cag Gln	ctt Leu	tat Tyr	tgg Trp	307
ctc Leu 70	gca Ala	tct Ser	atc Ile	ccc Pro	ggt Gly 75	ttg Leu	gcc Ala	ggc	gga Gly	tta Leu 80	atc Ile	cga Arg	ttg Leu	att Ile	tac Tyr 85	355
atg Met	ttc Phe	ctt Leu	cca Pro	ccg Pro 90	att Ile	ctt Leu	gga Gly	acc Thr	cgc Arg 95	aaa Lys	ttg Leu	gtc Val	gga Gly	att Ile 100	tcc Ser	403
tcc Ser	ggt Gly	cta Leu	ttt Phe 105	ttg Leu	atc Ile	ccc Pro	atg Met	ttt Phe 110	Gly Gly	tgg. Trp	ttc Phe	ctg Leu	gct Ala 115	gtc Val	caa Gln	451
gat Asp	tca Ser	agc Ser 120	act Thr	ccc Pro	tac Tyr	tgg Trp	tgg Trp 125	ctt Leu	ctc Leu	aca Thr	ctc Leu	gct Ala 130	gca Ala	ctc Leu	act Thr	499
ggc Gly	att Ile 135	ggt Gly	ggt Gly	ggc Gly	gtg Val	ttc Phe 140	tct Ser	gga Gly	tat Tyr	atg Met	ccg Pro 145	tcc Ser	acg Thr	gga Gly	tac Tyr	547
ttc Phe 150	ttc Phe	ccc Pro	aag Lys	gca Ala	aaa Lys 155	tcg Ser	ggc Gly	act Thr	gcg Ala	ctg Leu 160	ggc Gly	att Ile	cag Gln	gca Ala	ggt Gly 165	595
atc Ile	ggc Gly	aac Asn	ctc Leu	ggc Gly 170	gtc Val	tcg Ser	ata Ile	att Ile	cag Gln 175	ttc Phe	atg Met	ggc Gly	cca Pro	tgg Trp 180	gtc Val	643
atg Met	ggt Gly	ttc Phe	ggt Gly 185	ctg Leu	ctg Leu	ggc Gly	att Ile	ggt Gly 190	ttc Phe	ctc Leu	acc Thr	ccg Pro	cag Gln 195	cgc Arg	acc Thr	691
att Ile	gaa Glu	ggc Gly 200	acc Thr	acg Thr	gtg Val	ttt Phe	gtg Val 205	cac His	aat Asn	gct Ala	gcg Ala	att Ile 210	gtg Val	ttg Leu	gtc Val	739
ccg Pro	tgg Trp 215	act Thr	att Ile	ctc Leu	gcg Ala	gcc Ala 220	gtt Val	tta Leu	tcc Ser	ttc Phe	ctg Leu 225	ttt Phe	ctt Leu	aaa Lys	gat Asp	787
gtc Val 230	cca Pro	gtc Val	acc Thr	gca Ala	aat Asn 235	ttc Phe	cgg Arg	caa Gln	cag Gln	atc Ile 240	gat Asp	atc Ile	ttt Phe	ggc Gly	aac Asn 245	835
aag Lys	aac Asn	aca Thr	tgg Trp	att Ile 250	ttg Leu	tcc Ser	att Ile	atc Ile	tac Tyr 255	ttg Leu	atg Met	aca Thr	ttc Phe	ggt Gly 260	gcc Ala	883
ttc Phe	gcc Ala	ggt Gly	ttc Phe 265	gcc Ala	gcg Ala	cag Gln	ttc Phe	ggt Gly 270	ctg Leu	atc Ile	atc Ile	aac Asn	aac Asn 275	aac Asn	ttc Phe	931

ggc atc g Gly Ile A					-		_		979
gcc ggt g Ala Gly A 295	_		Leu		-		•		1027
cgt gct gc Arg Ala A 310		-		-					1075
acc ttt g		y Ile Gly	-		_		-	-	1123
atc ttc co			Thr	-	-	Trp P		_	1171
tgg tcc at Trp Ser Me 30									1219
acc ttc aa Thr Phe Ly 375			Ile I						
gtg atc gg Val Ile G 390								_	1315
ggt gtc tt Gly Val Le		r Phe Thr							1363
gtg gtg tt Val Val Ph			Thr A			Ile T			1411
cgc ccg aa Arg Pro As	n Ala Pr			taaaccga	aaa ggcca	atcca	tga		1458
<210> 312 <211> 445 <212> PRT <213> Cory	vnebacter	ium gluta	micum						
<400> 312 Val Thr Gl		n Thr Lys 5	Gly	Val Val	Leu Gln	Gly T	rp Asp	Pro	
Glu Asp Pı	o Glu Hi 20	s Trp Asp	Ser I	Lys Ile 25	Ala Trp	-	hr Leu 30	Trp	
Ile Thr Th	r Phe Se 85	r Met Ile	1le (Gly Phe	Cys Val	Trp T:	yr Leu	Val	
Ser Ala Il	e Ala Pr	o Leu Leu	Asn A	Arg Ile	Gly Phe	Asp L	eu Ser	Ala	•

50 55 60

Gly Gln Leu Tyr Trp Leu Ala Ser Ile Pro Gly Leu Ala Gly Gly Leu 65 70 75 80

Ile Arg Leu Ile Tyr Met Phe Leu Pro Pro Ile Leu Gly Thr Arg Lys 85 90 95

Leu Val Gly Ile Ser Ser Gly Leu Phe Leu Ile Pro Met Phe Gly Trp 100 105 110

Phe Leu Ala Val Gln Asp Ser Ser Thr Pro Tyr Trp Trp Leu Leu Thr 115 120 125

Leu Ala Ala Leu Thr Gly Ile Gly Gly Val Phe Ser Gly Tyr Met 130 135 140

Pro Ser Thr Gly Tyr Phe Phe Pro Lys Ala Lys Ser Gly Thr Ala Leu 145 150 155 160

Gly Ile Gln Ala Gly Ile Gly Asn Leu Gly Val Ser Ile Ile Gln Phe 165 170 175

Met Gly Pro Trp Val Met Gly Phe Gly Leu Leu Gly Ile Gly Phe Leu 180 185 190

Thr Pro Gln Arg Thr Ile Glu Gly Thr Thr Val Phe Val His Asn Ala 195 200 205

Ala Ile Val Leu Val Pro Trp Thr Ile Leu Ala Ala Val Leu Ser Phe 210 215 220

Leu Phe Leu Lys Asp Val Pro Val Thr Ala Asn Phe Arg Gln Gln Ile 225 230 235 240

Asp Ile Phe Gly Asn Lys Asn Thr Trp Ile Leu Ser Ile Ile Tyr Leu 245 250 255

Met Thr Phe Gly Ala Phe Ala Gly Phe Ala Ala Gln Phe Gly Leu Ile 260 265 270

Ile Asn Asn Asn Phe Gly Ile Ala Ser Pro Met Ala Glu Thr Tyr Pro 275 280 285

Ala Glu Met Leu His Ala Gly Ala Thr Phe Ala Phe Leu Gly Pro Leu 290 295 300

Ile Gly Ala Leu Val Arg Ala Ala Trp Gly Pro Leu Cys Asp Arg Phe 305 310 315 320

Gly Gly Ala Ile Trp Thr Phe Val Gly Gly Ile Gly Met Thr Ile Ala 325 330 335

Thr Ala Ala Ala Ile Phe Leu Ser Arg Ala Glu Thr Pro Asp Asp 340 345 350

Phe Trp Pro Phe Leu Trp Ser Met Leu Ala Leu Phe Phe Phe Thr Gly 355 360 365

Leu Gly Asn Ala Gly Thr Phe Lys Gln Met Pro Met Ile Leu Pro Lys 370 375 380

Arg Gln Ala Gly Gly Val Ile Gly Trp Thr Gly Ala Ile Gly Ala Phe Gly Pro Phe Ile Val Gly Val Leu Leu Ser Phe Thr Pro Thr Val Ala Phe Phe Trp Gly Cys Val Val Phe Phe Ile Ile Ala Thr Ala Leu Thr 425 Trp Ile Tyr Tyr Ala Arg Pro Asn Ala Pro Phe Pro Gly 440 <210> 313 <211> 327 <212> DNA <213> Corynebacterium glutamicum <221> CDS <222> (101)..(304) <223> RXA01412 <400> 313 egeettettt geagetgaga attaacteae eettgeeett ataceeeata ggggtatage 60 cttgagggag agagtacttc acctgaaagg ggccagtgac atg gca tta aag aac Met Ala Leu Lys Asn tac acc gtt gag ggc atg acc tgc gca cac tgc gtg gca tcg gta act 163 Tyr Thr Val Glu Gly Met Thr Cys Ala His Cys Val Ala Ser Val Thr 10 15 gaa gag gta age gaa gtt aat gge gtt age get gtt gae gte aet eta 211 Glu Glu Val Ser Glu Val Asn Gly Val Ser Ala Val Asp Val Thr Leu 30 gaa toa gga aac gtc gct gtc agt ggc gaa ggt ttc agc gat gca gag 259 Glu Ser Gly Asn Val Ala Val Ser Gly Glu Gly Phe Ser Asp Ala Glu ate cag get get gta gag gaa gee gge tae aag ate gtt gee tee 304 Ile Gln Ala Ala Val Glu Glu Ala Gly Tyr Lys Ile Val Ala Ser 60 taaagcaccc aagaacattt aaa 327 <210> 314 <211> 68 <212> PRT <213> Corynebacterium glutamicum <400> 314 Met Ala Leu Lys Asn Tyr Thr Val Glu Gly Met Thr Cys Ala His Cys Val Ala Ser Val Thr Glu Glu Val Ser Glu Val Asn Gly Val Ser Ala 20

Val Asp Val Thr Leu Glu Ser Gly Asn Val Ala Val Ser Gly Glu Gly 40 Phe Ser Asp Ala Glu Ile Gln Ala Ala Val Glu Glu Ala Gly Tyr Lys Ile Val Ala Ser 65 <210> 315 <211> 1266 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1243) <223> RXA00773 <400> 315 gcccccaaaa agtgaaagca caccactttc ctagttgcgc cctgctcaca atttgcttca 60 aatattttgc ccaacctgat tcacggggga caatagttag gtg act tta aaa atc 115 Val Thr Leu Lys Ile 1 ggc ccc ttt gac ctt gcc tcc cct gtg gtt cta gcc ccc atg gct ggt 163 Gly Pro Phe Asp Leu Ala Ser Pro Val Val Leu Ala Pro Met Ala Gly 10 15 20 gta acc aac gtt gct ttc cgc acg ctg tgc cgt gaa cag gaa atg caa 211 Val Thr Asn Val Ala Phe Arg Thr Leu Cys Arg Glu Gln Glu Met Gln 25 cgc acg gga aca atc tcg ggg ctg tac gtc tgt gaa atg gtg act gcg 259 Arg Thr Gly Thr Ile Ser Gly Leu Tyr Val Cys Glu Met Val Thr Ala 40 cgt gct ctt gtt gag cgc aat gag aaa acc atg cac atg acc acc ttc 307 Arg Ala Leu Val Glu Arg Asn Glu Lys Thr Met His Met Thr Thr Phe 55 60 gcg ccg gat gaa aat ccc cga agc ttg cag ctg tac acg gtt gac ccg 355 Ala Pro Asp Glu Asn Pro Arg Ser Leu Gln Leu Tyr Thr Val Asp Pro 75 RΩ aag tac acc tac gaa geg geg aag atg ate gtt gat gaa aac ttg geg 403 Lys Tyr Thr Tyr Glu Ala Ala Lys Met Ile Val Asp Glu Asn Leu Ala gat cat att gat atg aac ttt ggc tgc ccg gtt cca aag gtc acg cgc 451 Asp His Ile Asp Met Asn Phe Gly Cys Pro Val Pro Lys Val Thr Arg 105 110 cgg ggt ggc ggt tct gcg att cct tac aag cgc cgt ttg ttt gaa aac 499 Arg Gly Gly Ser Ala Ile Pro Tyr Lys Arg Arg Leu Phe Glu Asn 120 . atc gtt tcc gcg gct gtg aag gct acg gaa ggc acg gac att ccg qtg

Ile	Val 135	Ser	Ala	Ala	Val	Lys 140	Ala	Thr	Glu	Gly	Thr 145	Asp	Ile	Pro	Val	
acg Thr 150	gtg Val	aag Lys	ttc Phe	cgc Arg	gtt Val 155	ggt Gly	att Ile	gat Asp	gat Asp	gag Glu 160	cac His	cat His	act Thr	cac His	ttg Leu 165	595
											aag Lys					643
cac His	gcc Ala	cgc Arg	act Thr 185	gcg Ala	gcg Ala	cag Gln	cgc Arg	tat Tyr 190	tcc Ser	ggt Gly	gag Glu	gct Ala	gat Asp 195	tgg Trp	aac Asn	691
											acc Thr					739
ttg Leu	ggc Gly 215	aat Asn	ggc Gly	gat Asp	att Ile	ttc Phe 220	gcg Ala	gca Ala	tcc Ser	gat Asp	gca Ala 225	acg Thr	cgc Arg	atg Met	atg Met	787
											cgt Arg					835
											gtt Val					883
atc Ile	cca Pro	gag Glu	gag Glu 265	cct Pro	acc Thr	ttc Phe	ggc Gly	gaa Glu 270	gtt Val	acc Thr	caa Gln	atc Ile	atc Ile 275	ctg Leu	cgc Arg	931
cac His	gca Ala	gaa Glu 280	ctc Leu	ctc Leu	atg Met	cag Gln	cat His 285	gat Asp	ggc Gly	gaa Glu	acc Thr	aag Lys 290	Gly ggg	ctg Leu	cgc Arg	979
gat Asp	ctg Leu 295	cgt Arg	aag Lys	cac His	atg Met	ggt Gly 300	tgg Trp	tac Tyr	ctg Leu	cgc Arg	ggt Gly 305	ttc Phe	cct Pro	gtt Val	ggc Gly	1027
ggc Gly 310	gaa Glu	ttc Phe	cgc Arg	tcc Ser	aat Asn 315	ctg Leu	gcc Ala	aag Lys	gtt Val	tcc Ser 320	acc Thr	tat Tyr	gtg Val	gag Glu	ctt Leu 325	1075
gag Glu	gat Asp	ctc Leu	cta Leu	gca Ala 330	cca Pro	tgg Trp	gct Ala	gac Asp	tcc Ser 335	acc Thr	gcc Ala	aag Lys	gca Ala	gag Glu 340	gac Asp	1123
gcg Ala	gaa Glu	ggt Gly	gca Ala 345	cga Arg	ggt Gly	cga Arg	cag Gln	ggc Gly 350	gct Ala	cct Pro	gca Ala	aag Lys	gtg Val 355	gca Ala	ctt Leu	1171
cca Pro	gat Asp	ggc Gly 360	tgg Trp	ttg Leu	gac Asp	gat Asp	cct Pro 365	gag Glu	gat Asp	gcc Ala	act Thr	gtt Val 370	cct Pro	aaa Lys	ggc Gly	1219
	gaa Glu							tagt	taat	itt a	aatao	cttad	CC C	cc		1266

<210> 316

<211> 381

<212> PRT

<213> Corynebacterium glutamicum

<400> 316

Val Thr Leu Lys Ile Gly Pro Phe Asp Leu Ala Ser Pro Val Val Leu
1 5 10 15

Ala Pro Met Ala Gly Val Thr Asn Val Ala Phe Arg Thr Leu Cys Arg 20 25 30

Glu Gln Glu Met Gln Arg Thr Gly Thr Ile Ser Gly Leu Tyr Val Cys 35 40 45

Glu Met Val Thr Ala Arg Ala Leu Val Glu Arg Asn Glu Lys Thr Met $50 \hspace{1cm} 55 \hspace{1cm} 60$

His Met Thr Thr Phe Ala Pro Asp Glu Asn Pro Arg Ser Leu Gln Leu 65 70 75 80

Tyr Thr Val Asp Pro Lys Tyr Thr Tyr Glu Ala Ala Lys Met Ile Val 85 90 95

Asp Glu Asn Leu Ala Asp His Ile Asp Met Asn Phe Gly Cys Pro Val

Pro Lys Val Thr Arg Arg Gly Gly Gly Ser Ala Ile Pro Tyr Lys Arg 115 120 125

Arg Leu Phe Glu Asn Ile Val Ser Ala Ala Val Lys Ala Thr Glu Gly 130 135 140

Thr Asp Ile Pro Val Thr Val Lys Phe Arg Val Gly Ile Asp Asp Glu 145 150 155 160

His His Thr His Leu Asp Ala Gly Arg Ile Ala Val Asp Ala Gly Ala 165 170 175

Lys Ser Val Ala Leu His Ala Arg Thr Ala Ala Gln Arg Tyr Ser Gly 180 185 190

Glu Ala Asp Trp Asn Glu Ile Ala Arg Leu Lys Glu His Leu Ala Asp 195 200 205

Thr Gly Ile Pro Val Leu Gly Asn Gly Asp Ile Phe Ala Ala Ser Asp 210 215 220

Ala Thr Arg Met Met Glu Gln Thr Gly Cys Asp Gly Val Val Val Gly 225 235 235

Arg Gly Cys Leu Gly Arg Pro Trp Leu Phe Ala Glu Leu Ser Ala Ala 245 250 255

Val Arg Gly Glu Glu Ile Pro Glu Glu Pro Thr Phe Gly Glu Val Thr 260 265 270

Gln Ile Ile Leu Arg His Ala Glu Leu Leu Met Gln His Asp Gly Glu

275 280 285

Thr Lys Gly Leu Arg Asp Leu Arg Lys His Met Gly Trp Tyr Leu Arg 290 295 300

Gly Phe Pro Val Gly Glu Phe Arg Ser Asn Leu Ala Lys Val Ser 305 310 315 320

Thr Tyr Val Glu Leu Glu Asp Leu Leu Ala Pro Trp Ala Asp Ser Thr 325 330 335

Ala Lys Ala Glu Asp Ala Glu Gly Ala Arg Gly Arg Gln Gly Ala Pro 340 345 350

Ala Lys Val Ala Leu Pro Asp Gly Trp Leu Asp Asp Pro Glu Asp Ala 355 360 365

Thr Val Pro Lys Gly Ala Glu Met Glu Asn Ser Glý Gly 370 375 380

<210> 317

<211> 290

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(267)

<223> RXA02746

<400> 317

ggt gtg cag ggc atg act gtc acc gaa acc caa ggc ttt ggc cag cag 48 Gly Val Gln Gly Met Thr Val Thr Glu Thr Gln Gly Phe Gly Gln Gln

aaa ggc cac acc gag gtg tac cgt ggt gct gaa tac gct gtc gat ttt 96
Lys Gly His Thr Glu Val Tyr Arg Gly Ala Glu Tyr Ala Val Asp Phe
20 25

gtg cct aag gtc aag att gaa gtt att atc tcc gat gct cag gct gag 144 Val Pro Lys Val Lys Ile Glu Val Ile Ile Ser Asp Ala Gln Ala Glu

gaa gtc atc aac att atc gtc gag acc gca cgc acc ggc aaa gtc ggc 192 Glu Val Ile Asn Ile Ile Val Glu Thr Ala Arg Thr Gly Lys Val Gly 50 55

gac ggc aaa gtg tgg atg act aac atc gaa gag ctg gtt cgt gtt cgt 240 Asp Gly Lys Val Trp Met Thr Asn Ile Glu Glu Leu Val Arg Val Arg 65 70 75 80

acc ggt gag cgc ggc gaa gcc ctt taaaaactta tgaataatcc 287 Thr Gly Glu Arg Gly Glu Ala Ala Leu 85

agc 290

<210> 318 <211> 89

<212> PRT

<213> Corynebacterium glutamicum

<400> 318

Gly Val Gln Gly Met Thr Val Thr Glu Thr Gln Gly Phe Gly Gln Gln 1 5 10 15

Lys Gly His Thr Glu Val Tyr Arg Gly Ala Glu Tyr Ala Val Asp Phe
20 25 30

Val Pro Lys Val Lys Ile Glu Val Ile Ile Ser Asp Ala Gln Ala Glu 35 40 45

Glu Val Ile Asn Ile Ile Val Glu Thr Ala Arg Thr Gly Lys Val Gly 50 55 60

Asp Gly Lys Val Trp Met Thr Asn Ile Glu Glu Leu Val Arg Val Arg 65 70 75 80

Thr Gly Glu Arg Gly Glu Ala Ala Leu 85

<210> 319

<211> 902

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(879)

<223> RXA02745

<400> 319

gcc gga atc tcc ttc gaa gtc ccc cgc ggt caa gtt ttg gcc ctc ctg
Ala Gly Ile Ser Phe Glu Val Pro Arg Gly Gln Val Leu Ala Leu Leu
1 5 10 15

gga cct aat ggc gca ggc aaa acc acc acc att gaa atg tgc gaa ggt 96 Gly Pro Asn Gly Ala Gly Lys Thr Thr Thr Ile Glu Met Cys Glu Gly
20 25

ttt acc gcc ccc acc tct ggc agc atc cga gtc ttg ggc atc gat cca 144 Phe Thr Ala Pro Thr Ser Gly Ser Ile Arg Val Leu Gly Ile Asp Pro 35 40 45

gcc aca gaa cca gac cag gtg cgc cga cgc atc ggc atc atg ctt caa 192
Ala Thr Glu Pro Asp Gln Val Arg Arg Ile Gly Ile Met Leu Gln
50 55 60

ggt ggc ggt tcc tac agc gga atc cgc gtg ttt gaa atg ctc aag ctt 240 Gly Gly Gly Ser Tyr Ser Gly Ile Arg Val Phe Glu Met Leu Lys Leu 65 70 75

gcg gcg tcc tac aac gac aac cca cac gat cct gaa tgg ctg ctf gat 288
Ala Ala Ser Tyr Asn Asp Asn Pro His Asp Pro Glu Trp Leu Leu Asp
85 90 95

ctt gta gga ctg cgt gaa caa cgc aaa acc acc tac cga cgt ctg tca 336 Leu Val Gly Leu Arg Glu Gln Arg Lys Thr Thr Tyr Arg Arg Leu Ser 100 105 110

-					cgc Arg			_	-		-				-	384
					ctc Leu											432
					tgg Trp 150											480
					acc Thr											528
					atc Ile											576
					act Thr											624
				_	agc Ser	_		•		-	-	-		-	-	672
					atc Ile 230											720
_					cgg Arg	-			-		-	-		_		768
					gtc Val											816
				_	tca Ser	_	_	-	-		_	_				864
	gaa Glu 290	-		_	taad	egcad	cac o	catgi	ctaa	aa co	ct		·			902
<211 <212)> 32 L> 29 2> PF 3> Co)3 RT	ebact	eriu	im g]	lutar	nicur	n						-		
)> 32 Gly		Ser	Phe 5	Glu	Val	Pro	Arg	Gly 10	Gln	Val	Leu	Ala	Leu 15	Leu	
Gly	Pro	Asn	Gly 20	Ala	Gly	Lys	Thr	Thr 25	Thr	Ile	Glu	Met	Cys 30	Glu	Gly	

Phe Thr Ala Pro Thr Ser Gly Ser Ile Arg Val Leu Gly Ile Asp Pro 35 40 45

- Ala Thr Glu Pro Asp Gln Val Arg Arg Arg Ile Gly Ile Met Leu Gln 50 60
- Gly Gly Gly Ser Tyr Ser Gly Ile Arg Val Phe Glu Met Leu Lys Leu 65 70 75 80
- Ala Ala Ser Tyr Asn Asp Asn Pro His Asp Pro Glu Trp Leu Leu Asp 85 90 95
- Leu Val Gly Leu Arg Glu Gln Arg Lys Thr Thr Tyr Arg Arg Leu Ser
- Gly Gly Gln Gln Arg Leu Ser Leu Ala Leu Ala Leu Ile Gly Arg 115 120 125
- Pro Glu Ile Ile Phe Leu Asp Glu Pro Thr Ala Gly Met Asp Ala Gln 130 135 140
- Ser Arg Asn Met Val Trp Glu Leu Val Asn Asp Leu Arg Arg Asp Gly 145 150 155 160
- Val Thr Ile Val Leu Thr Thr His Leu Met Asp Glu Ala Glu Ala Leu 165 170 175
- Ala Asp His Val Ile Ile Val Ala Asn Gly Gln Ile Leu Ala Ser Gly 180 185 190
- Thr Pro Asp Glu Leu Thr Ala Gln Arg Asp His Leu Glu Ile Asn Val 195 200 205
- Ser Val Glu Thr Thr Ser Pro Leu Asp Leu Asp Arg Leu Val Asp Asp 210 215 220
- Leu Ser Ser Leu Asn Ile Gly Asp Val Lys Ala Arg Ala Asn Arg Pro 225 230 235 240
- Leu His Tyr Ser Leu Arg Thr Gln Gln Ala Thr Pro Asp Ser Leu Ala 245 250 255
- His Ile Val Gln Ala Val Ala Arg Gln Asn Val Met Ile Arg Ser Leu 260 265 270
- Asp Thr Gly His Arg Ser Leu Glu Asp Val Phe Leu Asp Ile Thr Gly 275 280 285
- Lys Glu Leu Arg Ser 290
- <210> 321
- <211> 486
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(463)

<223> RXN00820

<400> 321

acttccacca ccccaaacca tcgtttcttt cgaagacgca ccaaccctca ccggccagga 60

- cctgggcttt tcgcagtggc gcactgtcac ccaggagatg gtg aac acc ttg gcg 115
 Val Asn Thr Leu Ala
- gac gca act gat gat cag cag tgg att cac act gat cct gag cgc gcc 163 Asp Ala Thr Asp Asp Gln Gln Trp Ile His Thr Asp Pro Glu Arg Ala 10 15 20
- aag gac ggt cct ttt ggt ggc gca att gcc cac ggt ttc ctc acc ttg 211 Lys Asp Gly Pro Phe Gly Gly Ala Ile Ala His Gly Phe Leu Thr Leu 25 30 35
- tcc atg atc att ccg ttc tgg ggc gag ctt ctc gat gtc acc ggc gtg 259 Ser Met Ile Ile Pro Phe Trp Gly Glu Leu Leu Asp Val Thr Gly Val 40 45 50
- acc acc aag gtg aac tat ggc ctg gat aag gtg cgt ttc acc tct ccc 307
 Thr Thr Lys Val Asn Tyr Gly Leu Asp Lys Val Arg Phe Thr Ser Pro
 55
- gtc aag gtc ggt tcc cgc atc cgc atg ggc gct gtg gtc cgt gag atc 355 Val Lys Val Gly Ser Arg Ile Arg Met Gly Ala Val Val Arg Glu Ile 70 80 85
- tct gag gtg aag ggc aat ggc ctg cac ctg gtc gcc gat ggc act att 403 Ser Glu Val Lys Gly Asn Gly Leu His Leu Val Ala Asp Gly Thr Ile 90 95 100
- gag atc gaa ggg cag gag cgc ccg gcc gtc gta gct acc ttc ctc acc 451 Glu Ile Glu Gly Gln Glu Arg Pro Ala Val Val Ala Thr Phe Leu Thr 105 110 115
- cgc ttc tac gct taaaagcttg cttctcgacg caa 486
 Arg Phe Tyr Ala
 . 120

<210> 322

<211> 121

<212> PRT

<213> Corynebacterium glutamicum

<400> 322

- Val Asn Thr Leu Ala Asp Ala Thr Asp Asp Gln Gln Trp Ile His Thr 1 5 10 15
- Asp Pro Glu Arg Ala Lys Asp Gly Pro Phe Gly Gly Ala Ile Ala His 20 25 30
- Gly Phe Leu Thr Leu Ser Met Ile Ile Pro Phe Trp Gly Glu Leu Leu 35 40 45
- Asp Val Thr Gly Val Thr Thr Lys Val Asn Tyr Gly Leu Asp Lys Val 50 60
- Arg Phe Thr Ser Pro Val Lys Val Gly Ser Arg Ile Arg Met Gly Ala

WO 01/00842 PCT/IB00/00911 65 70 75 80

Val Val Arg Glu Ile Ser Glu Val Lys Gly Asn Gly Leu His Leu Val 85 90 95

Ala Asp Gly Thr Ile Glu Ile Glu Gly Gln Glu Arg Pro Ala Val Val 100 105 110

Ala Thr Phe Leu Thr Arg Phe Tyr Ala 115 120

<210> 323 <211> 486 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(463)

<400> 323

<223> FRXA00820

acttecacea ecceaaacea tegtttettt egaagaegea ecaaceetea eeggeeagga 60

cctgggcttt tcgcagtggc gcactgtcac ccaggagatg gtg aac acc ttc gcg 115

Val Asn Thr Phe Ala

1

gac gca act gat gat cag cag tgg att cac act gat cct gag cgc gcc 163 Asp Ala Thr Asp Asp Gln Gln Trp Ile His Thr Asp Pro Glu Arg Ala 10 15 20

aag gac ggt cct ttt ggt ggc gca att gcc cac ggt ttc ctc acc ttg 211 Lys Asp Gly Pro Phe Gly Gly Ala Ile Ala His Gly Phe Leu Thr Leu 25 30 35

tcc atg atc att ccg ttc tgg ggc gag ctt ctc gat gtc acc ggc gtg 259 Ser Met Ile Ile Pro Phe Trp Gly Glu Leu Leu Asp Val Thr Gly Val 40

acc acc aag gtg aac tat ggc ctg gat aag gtg cgt ttc acc tct ccc 307 Thr Thr Lys Val Asn Tyr Gly Leu Asp Lys Val Arg Phe Thr Ser Pro 55 60 65

gtc aag gtc ggt tcc cgc atc cgc atg ggc gct gtg gtc cgt gag atc 355 Val Lys Val Gly Ser Arg Ile Arg Met Gly Ala Val Val Arg Glu Ile 70 80 85

tct gag gtg aag ggc aat ggc ctg cac ctg gtc gcc gat ggc act att 403 Ser Glu Val Lys Gly Asn Gly Leu His Leu Val Ala Asp Gly Thr Ile 90 95 100

gag atc gaa ggg cag gag cgc ccg gcc gtc gta gct acc ttc ctc acc 451 Glu Ile Glu Gly Gln Glu Arg Pro Ala Val Val Ala Thr Phe Leu Thr 105 110 115

cgc ttc tac gct taaaagcttg cttctcgacg caa 486 Arg Phe Tyr Ala 120

<210> 324 <211> 121 <212> PRT <213> Corynebacterium glutamicum Val Asn Thr Phe Ala Asp Ala Thr Asp Asp Gln Gln Trp Ile His Thr Asp Pro Glu Arg Ala Lys Asp Gly Pro Phe Gly Gly Ala Ile Ala His Gly Phe Leu Thr Leu Ser Met Ile Ile Pro Phe Trp Gly Glu Leu Leu 35 40 Asp Val Thr Gly Val Thr Thr Lys Val Asn Tyr Gly Leu Asp Lys Val 55 Arg Phe Thr Ser Pro Val Lys Val Gly Ser Arg Ile Arg Met Gly Ala Val Val Arg Glu Ile Ser Glu Val Lys Gly Asn Gly Leu His Leu Val Ala Asp Gly Thr Ile Glu Ile Glu Gly Gln Glu Arg Pro Ala Val Val Ala Thr Phe Leu Thr Arg Phe Tyr Ala <210> 325 <211> 732 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(709) <223> RXA01059 <400> 325 aattattage titecaatae aaaatttaaa teecagageg atetgeeeca caettaettg 60 atgcgggaac aaatttgaag gtttttcagt tgctataggt atg act aca gtt act Met Thr Thr Val Thr caa gac ctt cta gca ctt gac gaa gac gca cag aac ctc ctt ttc cgt 163 Gln Asp Leu Leu Ala Leu Asp Glu Asp Ala Gln Asn Leu Leu Phe Arg gag get ege ace gea aat get tte act gat gaa eea ate tet gae gag 211 Glu Ala Arg Thr Ala Asn Ala Phe Thr Asp Glu Pro Ile Ser Asp Glu 25 . cag atc gaa gca atc ttc gac cta gtt aag tgg gca cca acc gca atg 259 Gln Ile Glu Ala Ile Phe Asp Leu Val Lys Trp Ala Pro Thr Ala Met

		WU	01/00	042												PCI	/ 1B 00/0
	aac Asn	tcc Ser 55	cag Gln	cct Pro	ctg Leu	cgc Arg	gtg Val 60	gta Val	att Ile	gtt Val	cgt Arg	tcc Ser 65	gaa Glu	gaa Glu	gcc Ala	aaa Lys	307
	gct Ala 70	cgc Arg	ctc Leu	gtg Val	cca Pro	ttg Leu 75	atg Met	gca Ala	gaa Glu	ggc Gly	aac Asn 80	cag Gln	gcc Ala	aag Lys	gtt Val	gct Ala 85	355
	gca Ala	gct Ala	cct Pro	gcg Ala	gtc Val 90	gca Ala	ctt Leu	ctt Leu	gca Ala	gcc Ala 95	gac Asp	atc Ile	gac Asp	ttc Phe	cac His 100	gaa Glu	403
	gaa Glu	atg Met	ccc Pro	aag Lys 105	ctc Leu	ttc Phe	cca Pro	cct Pro	ttc Phe 110	cca Pro	ggc Gly	gca Ala	cgc Arg	gac Asp 115	atg Met	ttc Phe	451
	gaa Glu	gcc Ala	gat Asp 120	gaa Glu	gct Ala	tca Ser	cgt Arg	gct Ala 125	tcc Ser	tcc Ser	gca Ala	gaa Glu	ctc Leu 130	aat Asn	gct Ala	ggc Gly	499
	ctt Leu	cag Gln 135	atc Ile	gga Gly	tac Tyr	gcc Ala	atc Ile 140	atc Ile	ggt Gly	atc Ile	cgc Arg	gca Ala 145	gca Ala	ggt Gly	ctc Leu	gcc Ala	547
	gct Ala 150	ggc Gly	cca Pro	atg Met	acc Thr	ggc Gly 155	atg Met	gat Asp	gca Ala	gac Asp	gct Ala 160	atc Ile	tcc Ser	aag Lys	gag Glu	ttc Phe 165	595
	ttc Phe	cca Pro	gac Asp	ggc Gly	cgc Arg 170	cac His	cgc Arg	gtt Val	ctg Leu	gtt Val 175	gcc Ala	atc Ile	aac Asn	atg Met	ggt Gly 180	aag Lys	643
	cca Pro	gct Ala	gac Asp	aat Asn 185	gct Ala	tgg Trp	tac Tyr	gac Asp	cgc Arg 190	ctg Leu	cca Pro	cgc Arg	ctt Leu	gag Glu 195	cag Gln	gac Asp	691
				gaa Glu			taga	aaco	cac t	ctaç	gaaat	:a⊹go	et			•	732
	<211 <212)> 32 .> 20 !> PF I> Co)3 RT	ebact	eri	ım gl	utam	nicum	n								
)> 32 Thr		Val	Thr 5	Gln	Asp	Leu	Leu	Ala 10	Leu	Asp _.	Glu	Asp	Ala 15	Gln	
1	Asn	Leu	Leu [·]	Phe 20	Arg	Glu	Ala	Arg	Thr 25	Ala	Asn	Ala	Phe	Thr 30	Asp	Glu	
I	Pro	Ile	Ser 35	Asp	Glu	Gln	Ile	Glu 40	Ala	Ile	Phe	Asp	Leu 45	Val	Lys	Trp	
F	Ala	Pro 50	Thr	Ala	Met	Asn	Ser 55	Gln	Pro	Leu	Arg	Val 60	Val	Ile	Val	Arg	
S	Ser 65	Glu	Glu	Ala	Lys	Ala 70	Arg	Leu	Val _.	Pro	Leu 75	Met	Ala	Glu	Gly	Asn 80	

Gln Ala Lys Val Ala Ala Ala Pro Ala Val Ala Leu Leu Ala Ala Asp 85 90 95

- Ile Asp Phe His Glu Glu Met Pro Lys Leu Phe Pro Pro Phe Pro Gly
 100 105 110
- Ala Arg Asp Met Phe Glu Ala Asp Glu Ala Ser Arg Ala Ser Ser Ala 115 120 125
- Glu Leu Asn Ala Gly Leu Gln Ile Gly Tyr Ala Ile Ile Gly Ile Arg 130 135 140
- Ala Ala Gly Leu Ala Ala Gly Pro Met Thr Gly Met Asp Ala Asp Ala 145 150 155
- Ile Ser Lys Glu Phe Phe Pro Asp Gly Arg His Arg Val Leu Val Ala 165 170 175
- Ile Asn Met Gly Lys Pro Ala Asp Asn Ala Trp Tyr Asp Arg Leu Pro 180 185 190
- Arg Leu Glu Gln Asp Glu Val Val Glu Thr Leu 195 200
- <210> 327
- <211> 1053
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(1030)
- <223> RXN01386
- <400> 327
- ctctattgtg gtacgcacca tgactgctca accagcccac gagccgccaa ggcatctccg 60
- gttcagtacg agcgggatcc tcccggacaa tcgcgtccaa atg tgg gag ggc cac 119

 Met Trp Glu Gly His

 1 5
- aat gct cgc gca ttg ctt ccg ctc gac att aga acc att gac gat cgc 163 Asn Ala Arg Ala Leu Leu Pro Leu Asp Ile Arg Thr Ile Asp Asp Arg 10 15 20
- ccc atg cag gcc tcc gaa acc aac ctg cac ctc cca tca atg cgg atg 211
 Pro Met Gln Ala Ser Glu Thr Asn Leu His Leu Pro Ser Met Arg Met
 25 30 35
- gcg agc gta ttc ggg act tcg caa ttt gtc gag cgt tca gag agt ttc 259 Ala Ser Val Phe Gly Thr Ser Gln Phe Val Glu Arg Ser Glu Ser Phe 40 45
- atc tca gaa aac ccc acg ggt gtg gtt gcg atc ttc ttt gcg act gaa 307 Ile Ser Glu Asn Pro Thr Gly Val Val Ala Ile Phe Phe Ala Thr Glu
 55 60
- ggt gaa gca gtc ttc ttc cac cgt ggt gga cat gta gcg ctt cgg cca 355 Gly Glu Ala Val Phe Phe His Arg Gly Gly His Val Ala Leu Arg Pro

	wo	1/008	842													PCT/IB00/00911		
70					75					80					85			
						gac Asp										403		
						cta Leu										451		
						aaa Lys										499		
						gcc Ala 140										547		
cag Gln 150	gaa Glu	tct Ser	cta Leu	cac His	agg Arg 155	att Ile	gaa Glu	agt Ser	ggc Gly	gag Glu 160	ccg Pro	aag Lys	cat His	atc Ile	gat Asp 165	595		
tcc Ser	agt Ser	gga Gly	cct Pro	tta Leu 170	gga Gly	aaa Lys	ccg Pro	tgg Trp	agc Ser 175	gat Asp	atc Ile	gag Glu	cac His	gag Glu 180	gcc Ala	643		
						gta Val										691		
						cag Gln										739		
						cgg Arg 220										787		
						ttc Phe										835		
						ctg Leu										883		
						tcg Ser										931		
						ttc Phe										979		
atg Met	acg Thr 295	ccg Pro	ctt Leu	caa Gln	tgg Trp	agg Arg 300	aag Lys	gaa Glu	tcg Ser	cag Gln	cgt Arg 305	caa Gln	tcc Ser	ttt Phe	caa Gln	1027		

1053

gag tgaggttttt gttctcaggc gga ·· Glu 310

<210> 328

<211> 310

<212> PRT

<213> Corynebacterium glutamicum

<400> 328

Met Trp Glu Gly His Asn Ala Arg Ala Leu Leu Pro Leu Asp Ile Arg 1 5 10 15

Thr Ile Asp Asp Arg Pro Met Gln Ala Ser Glu Thr Asn Leu His Leu 20 25 30

Pro Ser Met Arg Met Ala Ser Val Phe Gly Thr Ser Gln Phe Val Glu 35 40 45

Arg Ser Glu Ser Phe Ile Ser Glu Asn Pro Thr Gly Val Val Ala Ile 50 55 60

Phe Phe Ala Thr Glu Gly Glu Ala Val Phe Phe His Arg Gly Gly His 65 70 75 80

Val Ala Leu Arg Pro Gly Gln Ala Ile Val Tyr Asp Ala Asp Arg Pro 85 90 95

Phe Leu Arg Gly Phe Asn Asn Arg Phe Arg Glu Leu Val Leu Thr Ile 100 105 110

Pro Lys Gln Arg Tyr Leu Glu Ile Val Gly Ser Lys Gly Pro Glu Leu 115 120 125

Pro Ala Ile Phe Glu Phe Gly Ala Thr Gly Thr Ala Asn Glu Gln Ala 130 135 140

Leu Ala Arg Leu Val Gln Glu Ser Leu His Arg Ile Glu Ser Gly Glu 145 150 155 160

Pro Lys His Ile Asp Ser Ser Gly Pro Leu Gly Lys Pro Trp Ser Asp 165 170 175

Ile Glu His Glu Ala His Gly Leu Ile Arg Asn Val Leu Gly Asp Ala 180 185 190

Thr Ser Ser Glu Glu Gly Leu Ile Ser Ala Ala Gln Arg Phe Ile Asp 195 200 205

Ile Asn Ile Ser Glu Ser Asp Leu Gln Ala Ser Arg Ile Ala Ala Ala 210 . 215 220

Val Gly Ile Ser Glu Arg Gln Leu Ser Arg Ile Phe Ser Asp Ser Gly 225 230 235 240

Gln Thr Ile Gly Arg Tyr Val Leu Asn Thr Arg Leu Asp Phe Ala Lys 245 250 255

Glu Ala Leu Ser Thr Pro Glu Arg Asp Lys Val Ser Val Ser Glu Ile 260 265 270

Gly Lys Arg Phe Gly Phe Ala Ser Pro Ser His Phe Ser Arg Thr Phe 275 280 285

Arg Glu Arg Phe Glu Met Thr Pro Leu Gln Trp Arg Lys Glu Ser Gln 295 Arg Gln Ser Phe Gln Glu <210> 329 <211> 1806 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1783) <223> RXN00073 <400> 329 gaatctaatg gttggtctag acagagcggt acgtctaagt ttgcggatag atcaaaccga 60 gtgacatgta cttcactagc tctttaagga ttaactcccc atg aca aca acc acc Met Thr Thr Thr gga agt gcc cgg cca gca cgt gcc gcc agg aag cct aag ccc gaa qqc 163 Gly Ser Ala Arg Pro Ala Arg Ala Ala Arg Lys Pro Lys Pro Glu Gly caa tgg aaa atc gac ggc acc gag ccg ctt aac cat gcc gag gaa att 211 Gln Trp Lys Ile Asp Gly Thr Glu Pro Leu Asn His Ala Glu Glu Ile aag caa gaa gaa ccc gct ttt gct gtc aag cag cgg gtc att gat att 259 Lys Gln Glu Glu Pro Ala Phe Ala Val Lys Gln Arg Val Ile Asp Ile 45 tac tcc aag cag ggt ttt tct tcc att gca ccg gat gac att gcc cca 307 Tyr Ser Lys Gln Gly Phe Ser Ser Ile Ala Pro Asp Asp Ile Ala Pro cgc ttt aag tgg ttg ggc att tac acc cag cgt aag cag gat ctg ggc 355 Arg Phe Lys Trp Leu Gly Ile Tyr Thr Gln Arg Lys Gln Asp Leu Gly 75 ggt gaa ctg acc ggt cag ctt cct gat gat gag ctg cag gat gag tac 403 Gly Glu Leu Thr Gly Gln Leu Pro Asp Asp Glu Leu Gln Asp Glu Tyr 90 -95 ttc atg atg cgt gtg cgt ttt gat ggc gga ctg gct tcc cct gag cgc 451 Phe Met Met Arg Val Arg Phe Asp Gly Gly Leu Ala Ser Pro Glu Arg 110 ctg cgt gcc gtg ggt gaa att tct agg gat tat gct cgt tcc acc qcq 499 Leu Arg Ala Val Gly Glu Ile Ser Arg Asp Tyr Ala Arg Ser Thr Ala 125 gac ttc acc gac cgc cag aac att cag ctg cac tgg att cgt att gaa 547 Asp Phe Thr Asp Arg Gln Asn Ile Gln Leu His Trp Ile Arg Ile Glu 140

						gag Glu										595
						gtt Val										643
						gag Glu										691
						cta Leu										739
						atc Ile 220										787
			-	-	-	tcc Ser		-		-				_		835
						ttt Phe										883
						ggt Gly										931
						gcc Ala										979
						cgc Arg 300										1027
						gtt Val										1075
						gtt Val										1123
						aag Lys										1171
		-				acc Thr		-	_			-		-	-	1219
						atc Ile 380										1267
gaa	ctg	ctc	ttc	ctc	gat	att	gag	aga	aag	aac	ctt	act	acc	gtt	gca	1315

WO 01/00842														PCT/	IB00/00911	
Glu 390	Leu	Leu	Phe	Leu	Asp 395	Ile	Glu	Arg	Lys	Asn 400	Leu	Thr	Thr	Val	Ala 405	
						gga Gly										1363
cgc Arg	ggc Gly	atc Ile	att Ile 425	tcc Ser	tgc Cys	acc Thr	ggc Gly	ttg Leu 430	gag Glu	ttc Phe	tgc Cys	aag Lys	ctt Leu 435	gcg Ala	cac His	1411
gca Ala	acc Thr	acc Thr 440	aag Lys	tca Ser	cga Arg	gca Ala	att Ile 445	gag Glu	ctt Leu	gtc Val	gac Asp	gaa Glu 450	ctg Leu	gaa Glu	gag Glu	1459
cgc Arg	ctc Leu 455	ggc Gly	gat Asp	ttg Leu	gat Asp	gtt Val 460	ccc Pro	atc Ile	aag Lys	att Ile	gca Ala 465	ctg Leu	aac Asn	ggt Gly	tgc Cys	1507
cct Pro 470	aac Asn	tct Ser	tgt Cys	gca Ala	cgc Arg 475	acc Thr	cag Gln	gtt Val	tcc Ser	gac Asp 480	atc Ile	gga Gly	ttc Phe	aag Lys	gga Gly 485	1555
cag Gln	acc Thr	gtc Val	act Thr	gat Asp 490	gct Ala	gac Asp	ggc Gly	aac Asn	cgc Arg 495	gtt Val	gaa Glu	ggt Gly	ttc Phe	cag Gln 500	gtt Val	1603
cac His	ctg Leu	ggc Gly	ggt Gly 505	tcc Ser	atg Met	aac Asn	ttg Leu	gat Asp 510	cca Pro	aac Asn	ttc Phe	gga Gly	cgc Arg 515	aag Lys	ctc Leu	1651
aag Lys	ggc Gly	cac His 520	aag Lys	gtt Val	att Ile	gcc Ala	gat Asp 525	gaa Glu	gtg Val	gga Gly	gag Glu	tac Tyr 530	gtc Val	act Thr	cgc Arg	1699
gtt Val	gtt Val 535	acc Thr	cac His	ttc Phe	aag Lys	gaa Glu 540	cag Gln	cgc Arg	cac His	gag Glu	gac Asp 545	gag Glu	cac His	ttc Phe	cgc Arg	1747
gat Asp 550	tgg Trp	gtc Val	Gln	Arg	gcc Ala 555	gct Ala	gag Glu	gaa Glu	gat Asp	ttg Leu 560	gtg Val	tgad	gtctt	cg		1793
gagg	aaac	cc a	at													1806
<210> 330 <211> 561 <212> PRT <213> Corynebacterium glutamicum																
<400> 330																
			Thr	Thr 5	Gly	Ser	Ala	Arg	Pro 10	Ala	Arg	Ala	Ala	Arg 15	Lys	
Pro	Lys	Pro	Glu 20	Gly	Gln	Trp	Lys	Ile 25	Asp	Gly	Thr	Glu	Pro 30	Leu	Asn	
His	Ala	Glu 35	Glu	Ile ·	Lys	Gln	Glu 40	Glu	Pro	Ala	Phe	Ala 45	Val	Lys	Gln	

Arg Val Ile Asp Ile Tyr Ser Lys Gln Gly Phe Ser Ser Ile Ala Pro 50 55

- Asp Asp Ile Ala Pro Arg Phe Lys Trp Leu Gly Ile Tyr Thr Gln Arg
 65 70 75 80
- Lys Gln Asp Leu Gly Gly Glu Leu Thr Gly Gln Leu Pro Asp Asp Glu 85 90 95
- Leu Gln Asp Glu Tyr Phe Met Met Arg Val Arg Phe Asp Gly Gly Leu 100 105 110
- Ala Ser Pro Glu Arg Leu Arg Ala Val Gly Glu Ile Ser Arg Asp Tyr 115 120 125
- Ala Arg Ser Thr Ala Asp Phe Thr Asp Arg Gln Asn Ile Gln Leu His 130 135 140
- Trp Ile Arg Ile Glu Asp Val Pro Ala Ile Trp Glu Lys Leu Glu Thr 145 150 155 160
- Val Gly Leu Ser Thr Met Leu Gly Cys Gly Asp Val Pro Arg Val Ile 165 170 175
- Leu Gly Ser Pro Val Ser Gly Val Ala Ala Glu Glu Leu Ile Asp Ala 180 185 190
- Thr Pro Ala Ile Asp Ala Ile Arg Glu Arg Tyr Leu Asp Lys Glu Glu 195 200 205
- Phe His Asn Leu Pro Arg Lys Phe Lys Thr Ala Ile Thr Gly Asn Gln 210 215 220
- Arg Gln Asp Val Thr His Glu Ile Gln Asp Val Ser Phe Val Pro Ser 225 230 235 240
- Ile His Pro Glu Phe Gly Pro Gly Phe Glu Cys Phe Val Gly Gly Gly 245 250 255
- Leu Ser Thr Asn Pro Met Leu Ala Gln Pro Leu Gly Ser Trp Ile Pro 260 265 270
- Leu Asp Glu Val Pro Glu Val Trp Ala Gly Val Ala Gly Ile Phe Arg 275 280 285
- Asp Tyr Gly Phe Arg Arg Leu Arg Asn Arg Ala Arg Leu Lys Phe Leu 290 295 300
- Val Ala Gln Trp Gly Ile Glu Lys Phe Arg Glu Val Leu Glu Thr Glu 305 310 315 320
- Tyr Leu Glu Arg Lys Leu Ile Asp Gly Pro Val Val Thr Thr Asn Pro 325 330 335
- Gly Tyr Arg Asp His Ile Gly Ile His Pro Gln Lys Asp Gly Lys Phe 340 345 350
- Tyr Leu Gly Val Lys Pro Thr Val Gly His Thr Thr Gly Glu Gln Leu 355 360 365
- Ile Ala Ile Ala Asp Val Ala Glu Lys His Gly Ile Thr Arg Ile Arg

444

370 375 380

Thr Thr Ala Glu Lys Glu Leu Leu Phe Leu Asp Ile Glu Arg Lys Asn 385 390 395 400

Leu Thr Thr Val Ala Arg Asp Leu Asp Glu Ile Gly Leu Tyr Ser Ser 405 410 415

Pro Ser Glu Phe Arg Arg Gly Ile Ile Ser Cys Thr Gly Leu Glu Phe 420 425 430

Cys Lys Leu Ala His Ala Thr Thr Lys Ser Arg Ala Ile Glu Leu Val 435 440 445

Asp Glu Leu Glu Glu Arg Leu Gly Asp Leu Asp Val Pro Ile Lys Ile 450 460

Ala Leu Asn Gly Cys Pro Asn Ser Cys Ala Arg Thr Gln Val Ser Asp 465 470 475

Ile Gly Phe Lys Gly Gln Thr Val Thr Asp Ala Asp Gly Asn Arg Val 485 490 495

Glu Gly Phe Gln Val His Leu Gly Gly Ser Met Asn Leu Asp Pro Asn 500 505 510

Phe Gly Arg Lys Leu Lys Gly His Lys Val Ile Ala Asp Glu Val Gly 515 520 525

Glu Tyr Val Thr Arg Val Val Thr His Phe Lys Glu Gln Arg His Glu 530 535 540

Asp Glu His Phe Arg Asp Trp Val Gln Arg Ala Ala Glu Glu Asp Leu 545 550 555 560

Val

<210> 331

<211> 373

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(373)

<223> RXN03131

<400> 331

aacgcggctc gtgaagatta cctgaaaaac caagccctcc agcgtccgct gctcggctaa 60

accagttggc taaaccaaaa cgtatttaag gagaaacacc atg acc act tct gta 115

Met Thr Thr Ser Val

cct gca tcc acc aaa gct tta tct gtg gct ggc gaa aac cca ggc ctg $\,$ 163 Pro Ala Ser Thr Lys Ala Leu Ser Val Ala Gly Glu Asn Pro Gly Leu $\,$ 10 $\,$ 15 $\,$ 20

cgc atc ggc acc gca cct gac tcg tgg ggc gtg tgg ttc cca gag gat 211

Arg Ile Gly Thr Ala Pro Asp Ser Trp Gly Val Trp Phe Pro Glu Asp cca aag cag atc cct tgg gag cgt ttt ctc tac gag gtc gtg aaa gct 259 Pro Lys Gln Ile Pro Trp Glu Arg Phe Leu Tyr Glu Val Val Lys Ala 40 ggc tac acc tgg atc gag ctt ggc cca tac ggc tac ctq cca acc gat 307 Gly Tyr Thr Trp Ile Glu Leu Gly Pro Tyr Gly Tyr Leu Pro Thr Asp 55 60 65 gcc aac cag ctt gaa gat gaa ctg ggc aag cgc ggc ctg aag ctg tcc 355 Ala Asn Gln Leu Glu Asp Glu Leu Gly Lys Arg Gly Leu Lys Leu Ser 75 80 gct ggc acc gag ttc acc 373 Ala Gly Thr Glu Phe Thr <210> 332 <211> 91 <212> PRT <213> Corynebacterium glutamicum <400> 332 Met Thr Thr Ser Val Pro Ala Ser Thr Lys Ala Leu Ser Val Ala Gly Glu Asn Pro Gly Leu Arg Ile Gly Thr Ala Pro Asp Ser Trp Gly Val Trp Phe Pro Glu Asp Pro Lys Gln Ile Pro Trp Glu Arg Phe Leu Tyr 40 Glu Val Val Lys Ala Gly Tyr Thr Trp Ile Glu Leu Gly Pro Tyr Gly Tyr Leu Pro Thr Asp Ala Asn Gln Leu Glu Asp Glu Leu Gly Lys Arg Gly Leu Lys Leu Ser Ala Gly Thr Glu Phe Thr <210> 333 <211> 549 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(526) <223> RXS00153 <400> 333 cctcgatttg agtaaagagg acgtcctcgc ctgatttttc gggtgtgttt ttgcgtggcg 60 agccctgcct ggcccttcca aattatgtag ggtggcctgc gtg gga gca ata att Val Gly Ala Ile Ile 1

Trp					ttg Leu											163
gag Glu	ttc Phe	acc Thr	tta Leu 25	ttg Leu	atg Met	ctc Leu	ggc Gly	ggt Gly 30	gca Ala	gct Ala	ttg Leu	gca Ala	acc Thr 35	gcc Ala	ggc Gly	211
					gtc Val											259
gtg Val	gcc Ala 55	tca Ser	gct Ala	gct Ala	cta Leu	ctg Leu 60	atg Met	ttc Phe	att Ile	agg Arg	ccg Pro 65	gcc Ala	att Ile	aga Arg	aag Lys	307
					aag Lys 75											355
ggc Gly	cac His	cgt Arg	gct Ala	gaa Glu 90	gtg Val	ctc Leu	gaa Glu	gat Asp	gtc Val 95	gga Gly	gcg Ala	acc Thr	agc Ser	ggg Gly 100	cag Gln	403
					tca Ser											451
					ggt Gly											499
													•			
-				-	tgg Trp		-	-	taaa	attt	ta a	acaat	caaa	at		546
-	Thr			-		Lys	-	-	taaa	attt	ita a	acaat	caaa	at		546
Thr agt <210 <211 <212	Thr 135 0> 33 1> 14 2> PF	Ala 34 12 RT	Ile	Val		Lys 140	Glu	Ala	taaa	attt	ta a	acaat	caaa	at		
Thr agt <210 <211 <212 <400	Thr 135 0> 33 1> 14 2> PR 3> Co	Ala 34 12 RT pryne	Ile	Val	Trp	Lys 140	Glu	Ala								
Thr agt <210 <211 <212 <400	Thr 135 0> 33 1> 14 2> PR 3> Co	Ala 34 12 RT pryne	Ile	Val	Trp	Lys 140	Glu	Ala							Leu	
<pre>agt <210 <211 <212 <213 <400 Val 1</pre>	Thr 135 0> 33 1> 14 2> PE 3> Co 0> 33 Gly	Ala 34 12 RT oryne 34 Ala	Ile ebact	Val Eeriu Ile 5	Trp	Lys 140 Lutar	Glu nicum Ile	Ala Gly	Ala 10	Leu	Val	Leu	Ala	Gly 15		
<pre>agt <210 <211 <212 <213 <400 Val</pre>	Thr 135 0> 33 1> 14 2> PP 3> Co 0> 33 Gly Leu	Ala 34 12 RT oryne 34 Ala	Ile bact Ile Val	Val Ile 5 Gly	Trp	Lys 140 Lutar Phe Phe	Glu Micum Ile Thr	Ala Gly Leu 25	Ala 10 Leu	Leu Met	Val Leu	Leu Gly	Ala Gly 30	Gly 15 Ala	Ala	
<pre>agt <210 <211 <212 <213 <400 Val</pre>	Thr 135 0> 33 1> 14 2> PP 3> Co 0> 33 Gly Leu	Ala 34 12 RT bryne 34 Ala Ala Thr 35	Ile bact Ile Val 20 Ala	val Ile 5 Gly Gly	Trp Trp Glu	Lys 140 Lutar Phe Phe	Glu Ile Thr Leu 40	Ala Gly Leu 25 Ile	Ala 10 Leu Gly	Leu Met Val	Val Leu Pro	Leu Gly Val 45	Ala Gly 30 Trp	Gly 15 Ala Ala	Ala Glu	

447

PCT/IB00/00911

WO 01/00842 Pro Arg Ala Leu Val Gly His Arg Ala Glu Val Leu Glu Asp Val Gly 85 90 Ala Thr Ser Gly Gln Val Arg Leu Asp Gly Ser Ile Trp Ser Ala Arg 105 Ser Met Asp Pro Thr His Thr Phe Ala Glu Gly Glu Ile Val Ser Val 120 Ile Asp Ile Gln Gly Thr Thr Ala Ile Val Trp Lys Glu Ala 135 <210> 335 <211> 509 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(486) <223> RXN01716 gaa gtc act cct gag gga ttc aaa gag atc acc cgt gaa aac acc atc 48 Glu Val Thr Pro Glu Gly Phe Lys Glu Ile Thr Arg Glu Asn Thr Ile 10 gtt cgc ctg ggc aaa ggc gtc gac gcc acc ggt cag cta gac ccc gag 96 Val Arg Leu Gly Lys Gly Val Asp Ala Thr Gly Gln Leu Asp Pro Glu 20 25 gca atc gag cgc act cgt gtc gct ttg gaa aac tac gtt gaa ctc atg Ala Ile Glu Arg Thr Arg Val Ala Leu Glu Asn Tyr Val Glu Leu Met 35 gaa acc cat ggg gta gag gcc gta cga atg gtt gcc acc tcc gca acc 192 Glu Thr His Gly Val Glu Ala Val Arq Met Val Ala Thr Ser Ala Thr 50 55 ege gat geg tee aac ege gat gaa tte ttt teg atg ace ege eag ett Arg Asp Ala Ser Asn Arg Asp Glu Phe Phe Ser Met Thr Arg Gln Leu 65 · 70 ctg tcc aag atc cgt cct gga tac caa gct gaa gta att tcc ggc gaa 288 Leu Ser Lys Ile Arg Pro Gly Tyr Gln Ala Glu Val Ile Ser Gly Glu 95 gag gaa gct ctg ctg tcc ttc cga ggt gca atc gtt gac ctg cct gaa 336 Glu Glu Ala Leu Leu Ser Phe Arg Gly Ala Ile Val Asp Leu Pro Glu 100 gac caa ggt cct ttc tgt gtt atc gac ctt ggc ggt gga tcc act gag 384 Asp Gln Gly Pro Phe Cys Val Ile Asp Leu Gly Gly Gly Ser Thr Glu

tto ato gtt ggc acc tac gac ggt gaa ato cta ggc too cac toa acc Phe Ile Val Gly Thr Tyr Asp Gly Glu Ile Leu Gly Ser His Ser Thr 130 135

125

115

Caa atg gga tgc gtg cgc ctg acc gaa cga atc atg cgc agc gac cca 480

448

 WO 01/00842
 PCT/IB00/00911

 Gln Met Gly Cys Val Arg Leu Thr Glu Arg Ile Met Arg Ser Asp Pro

 145
 150
 155
 160

ccc gac tgaaaccgaa gtggaaatcg ccc Pro Asp 509

<210> 336 <211> 162

<212> PRT

<213> Corynebacterium glutamicum

<400> 336

Glu Val Thr Pro Glu Gly Phe Lys Glu Ile Thr Arg Glu Asn Thr Ile $1 \hspace{1.5cm} 5 \hspace{1.5cm} 10 \hspace{1.5cm} 15$

Val Arg Leu Gly Lys Gly Val Asp Ala Thr Gly Gln Leu Asp Pro Glu 20 25 30

Ala Ile Glu Arg Thr Arg Val Ala Leu Glu Asn Tyr Val Glu Leu Met 35 40 45

Glu Thr His Gly Val Glu Ala Val Arg Met Val Ala Thr Ser Ala Thr 50 55 60

Arg Asp Ala Ser Asn Arg Asp Glu Phe Phe Ser Met Thr Arg Gln Leu 65 70 75 80

Leu Ser Lys Ile Arg Pro Gly Tyr Gln Ala Glu Val Ile Ser Gly Glu 85 90 95

Glu Glu Ala Leu Leu Ser Phe Arg Gly Ala Ile Val Asp Leu Pro Glu 100 105 110

Asp Gln Gly Pro Phe Cys Val Ile Asp Leu Gly Gly Gly Ser Thr Glu 115 120 125

Phe Ile Val Gly Thr Tyr Asp Gly Glu Ile Leu Gly Ser His Ser Thr 130 135 140

Gln Met Gly Cys Val Arg Leu Thr Glu Arg Ile Met Arg Ser Asp Pro 145 150 155 160

Pro Asp

<210> 337

<211> 534

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(511)

<223> RXN02972

<400> 337

acctacgacg gtgaaatcct aggctcccac tcaacccaaa tgggatgcgt gcgcctgacc 60

gaa	cgaa	tca	tgcg	cago	ga co	ccac	ccga	c tga	aaac	cgaa			atc Ile			115
gac Asp	tac Tyr	gtt Val	gca Ala	gaa Glu 10	cgc Arg	atc Ile	cag Gln	gaa Glu	gta Val 15	aaa Lys	gcc Ala	atc Ile	gtc Val	cca Pro 20	att Ile	163
tca Ser	aag Lys	gca Ala	aaa Lys 25	acc Thr	ttt Phe	gtg Val	gga Gly	tgc Cys 30	gca Ala	ggc Gly	acc Thr	ttc Phe	acc Thr 35	aca Thr	atc Ile	211
							gaa Glu 45									259
ctc Leu	tct Ser 55	gca Ala	ctc Leu	aac Asn	ttc Phe	gat Asp 60	gca Ala	ctg Leu	cga Arg	gtt Val	gtc Val 65	acc Thr	gat Asp	gag Glu	atc Ile	307
							cgc Arg									355
ggt Gly	cgc Arg	gcc Ala	gac Asp	gtc Val 90	atc Ile	ggt Gly	ggc Gly	gga Gly	tcc Ser 95	gtt Val	gtt Val	gtc Val	caa Gln	gca Ala 100	gcg Ala	403
atc Ile	gac Asp	tta Leu	gcc Ala 105	tcc Ser	aaa Lys	gaa Glu	gcc Ala	ggt Gly 110	gta Val	gac Asp	tac Tyr	atc Ile	att Ile 115	att Ile	tcc Ser	451
							ctc Leu 125									499
_	ttg Leu 135			tagg	jacco	cta q	gtttt	aaad	ec ad	et						534
<211 <212)> 33 .> 13 ?> PF B> Co	37 RT	ebact	eriu	ım gl	.utan	nicum	n								
)> 33 Glu		Ala	Arg 5	Asp	Tyr	Val	Ala	Glu 10	Arg	Ile	Gln	Glu	Val 15	Lys	
Ala	Ile	Val	Pro 20	Ile	Ser	Lys	Ala	Lys 25	Thr	Phe	Val	Gly	Cys 30	Ala	Gly	
Thr	Phe	Thr 35	Thr	Ile	Ser	Ala	Trp 40	Val	Gln	Gly	Leu	Glu 45	Ser	Tyr	Asp	
Arg	Asp 50	Ala	Ile	His	Leu	Ser 55	Ala	Leu	Asn	Phe	Asp 60	Ala	Leu	Arg	Val	
Val 65	Thr	Asp	Glu	Ile	Ile 70	Ser	Glu	Ser	Ser	Ser 75	Gln	Arg	Ala	Ser	Asn 80	

450

Pro Val Val Asp Pro Gly Arg Ala Asp Val Ile Gly Gly Gly Ser Val Val Val Gln Ala Ala Ile Asp Leu Ala Ser Lys Glu Ala Gly Val Asp 100 Tyr Ile Ile Ser Glu Lys Asp Ile Leu Asp Gly Leu Ile Leu Gly Leu Val Glu Ala Asp Ser Leu Lys Lys 135 <210> 339 <211> 1497 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1474) <223> RXN00663 <400> 339 ctgaacgatt ggtgaccggc tcatgaaaac ttgacgagtc cccqgtattc qccaqcqqtq 60 actactaccg tgggcgacaa gcccacttag aggaggactt gtg aca acc acc tat Val Thr Thr Thr Tyr cca gat ttc ctt gga aat tct tcg ctc caa aca gat acg gag cac tgg 163 Pro Asp Phe Leu Gly Asn Ser Ser Leu Gln Thr Asp Thr Glu His Trp gaa atg gaa gga ggt gcg cag gaa gtc tct gtt act tat gtt ttg gac 211 Glu Met Glu Gly Gly Ala Gln Glu Val Ser Val Thr Tyr Val Leu Asp acg tca gtg ttg ctg tct gat ccg ttg tcg ttg aca cgg ttc gcg gag 259 Thr Ser Val Leu Leu Ser Asp Pro Leu Ser Leu Thr Arg Phe Ala Glu 45 cac gat gta gtt ctg cca att gtt gta att acg gaa tta gaa gcc aag 307 His Asp Val Val Leu Pro Ile Val Val Ile Thr Glu Leu Glu Ala Lys cgt cat cac ccg gac ctt ggc ttt ttt gct cgc caa gcg ctt cgg atg 355 Arg His His Pro Asp Leu Gly Phe Phe Ala Arg Gln Ala Leu Arg Met ctg gat gag ctg cgt gag atc cat ggg gat ttg tcc aag cca ctg cca 403 Leu Asp Glu Leu Arg Glu Ile His Gly Asp Leu Ser Lys Pro Leu Pro att ggc gat gaa ggc gga cac atc cat gtt gag ctg aat cac caa aac 451 Ile Gly Asp Glu Gly Gly His Ile His Val Glu Leu Asn His Gln Asn 110 acg ggg tee ttg eee gtg gga tte ege ett ggt gae aat gae ace ege Thr Gly Ser Leu Pro Val Gly Phe Arg Leu Gly Asp Asn Asp Thr Arg

120 125 130

														gtg Val		547
ctg Leu 150	gtg Val	tcg Ser	aag Lys	gac Asp	ctg Leu 155	ccg Pro	atg Met	cgg Arg	att Ile	aag Lys 160	gcg Ala	tcg Ser	gca Ala	agc Ser	gga Gly 165	595
atc Ile	gcc Ala	gca Ala	cag Gln	gaa Glu 170	tac Tyr	cgc. Arg	gct Ala	gcc Ala	ctg Leu 175	gcg Ala	cgc Arg	gac Asp	cgt Arg	ggt Gly 180	tac Tyr	643
acc Thr	ggc Gly	atg Met	acc Thr 185	cac His	gcc Ala	aat Asn	atc Ile	acc Thr 190	gat Asp	gac Asp	cag Gln	ctc Leu	agc Ser 195	gag Glu	ctc Leu	691
														ccc Pro		739
aac Asn	cac His 215	ggc Gly	ttc Phe	acc Thr	ctc Leu	aaa Lys 220	tcc Ser	aac Asn	agc Ser	ggt Gly	tcg Ser 225	gcg Ala	ctt Leu	ggt Gly	cgt Arg	787
														cag Gln		835
ttc Phe	ggt Gly	atc Ile	agc Ser	ggg Gly 250	cgt Arg	agc Ser	gct Ala	gag Glu	cag Gln 255	cgg Arg	gtt Val	gcc Ala	att Ile	gat Asp 260	ttg Leu	883
														gcg Ala		931
														gtg Val		979
gag Glu	cgt Arg 295	Arg	Ile	Gln	Arg	aag Lys 300	Ile	Ile	gtg Val	Phe	Arg	Pro	ctc Leu	ttt Phe	gcc Ala	1027
gtt Val 310	ggc Gly	gga Gly	cag Gln	gaa Glu	ctt Leu 315	ggc Gly	tac Tyr	ctg Leu	cct Pro	ggc Gly 320	gac Asp	caa Gln	gaa Glu	gaa Glu	aaa Lys 325	-1075
atg Met	ggg Gly	cct Pro	tgg Trp	gcg Ala 330	caa Gln	gcg Ala	gtt Val	ttt Phe	gac Asp 335	acc Thr	cta Leu	agc Ser	tcc Ser	atg Met 340	gtc Val	1123
														gaa Glu		1171
														ttc Phe		1219

atc gtc g													
Ile Val A 375	ac gag sp Glu	gcc caa Ala Gln	tcc o Ser 1 380	cta Leu	gaa Glu	cgc Arg	aac Asn	gtg Val 385	ttg Leu	ctc Leu	acc Thr	atg Met	1267
ctg tct c Leu Ser A 390	gc atc rg Ile	ggc cag Gly Gln 395	aat (Asn S	tcc Ser	cga Arg	gta Val	gtt Val 400	ctc Leu	acc Thr	cat His	gac Asp	gta Val 405	1315
gcg cag c Ala Gln A	rg Asp	aac ctg Asn Leu 410	cgc (gtt (Val (ggt Gly	cgc Arg 415	tac Tyr	gac Asp	ggc Gly	atc Ile	gtc Val 420	tct Ser	1363
gtg gtg g Val Val G	aa gca lu Ala 425	ctc aag Leu Lys	gat o	His (gaa Glu 430	ctg Leu	ttt Phe	ggc Gly	cac His	atc Ile 435	acg Thr	ttg Leu	1411
cag cgt to Gln Arg So 4	er Glu 2 40	cgc tcc Arg Ser	Arg 1	atc (Ile 1 445	gct Ala	gag Glu	ttg Leu	gtc Val	acc Thr 450	caa Gln	gtt Val	ttg Leu	1459
gat gcg co Asp Ala P: 455			cgcgc	ca g	tctg	tggc	g at	t					1497
<210> 340 <211> 458 <212> PRT <213> Corr	ynebacte	erium gl	Lutami	icum									
<400> 340	•												
Val Thr Th	nr Thr 1	Tyr Pro 5	Asp F	Phe 1	Leu	Gly 10	Asn	Ser	Ser	Leu	Gln 15	Thr	
Asp Thr G											1.0		
	lu His 1	Trp Glu	Met G	Glu (Gly 25	Gly	Ala	Gln	Glu	Val 30		Val	
Thr Tyr Va	20	•			25					30	Ser		
	20 al Leu <i>l</i> 35	Asp Thr	Ser V	Val 1 40	25 Leu	Leu	Ser	Asp	Pro 45	30 Leu	Ser	Leu	
Thr Arg Pi	20 al Leu 1 35 ne Ala 0	Asp Thr	Ser V Asp V 55	Val 1 40 Val V	25 Leu Val	Leu Leu	Ser Pro	Asp Ile 60	Pro 45 Val	30 Leu Val	Ser Ser Ile	Leu Thr	
Thr Arg Ph 50	20 al Leu A 35 ne Ala C	Asp Thr Glu His Lys Arg 70	Ser V Asp V 55	Val 1 40 Val V	25 Leu Val	Leu Leu Asp	Ser Pro Leu 75	Asp Ile 60 Gly	Pro 45 Val	30 Leu Val Phe	Ser Ser Ile	Leu Thr Arg 80	
Thr Arg Ph 50 Glu Leu Gl 65	20 al Leu 2 35 ae Ala 0 au Ala 1 au Arg N	Asp Thr Glu His Lys Arg 70 Met Leu 85	Ser V Asp V 55 His H	Val 140 Val	25 Leu Val Pro	Leu Leu Asp Arg 90	Ser Pro Leu 75 Glu	Asp Ile 60 Gly Ile	Pro 45 Val Phe His	30 Leu Val Phe Gly	Ser Ser Ile Ala Asp 95	Leu Thr Arg 80 Leu	
Thr Arg Ph 50 Glu Leu Gl 65 Gln Ala Le	20 al Leu A 35 ae Ala (au Ala I au Arg N 100 as Gln A	Asp Thr Glu His Lys Arg 70 Met Leu 85 Pro Ile	Ser V Asp V 55 His H Asp G	Val I 40 Val V His I Glu I	25 Leu Val Pro . Leu . Glu !	Leu Leu Asp Arg 90 Gly	Ser Pro Leu 75 Glu	Asp Ile 60 Gly Ile	Pro 45 Val Phe His	30 Leu Val Phe Gly His 110	Ser Ile Ala Asp 95 Val	Leu Thr Arg 80 Leu Glu	
Thr Arg Ph 50 Glu Leu Gl 65 Gln Ala Le Ser Lys Pr	20 al Leu A 35 ae Ala C au Ala I au Arg A 100 as Gln A 5	Asp Thr Glu His Lys Arg 70 Met Leu 85 Pro Ile Asn Thr	Asp V 55 His H Asp G	Val I 40 Val V His I Glu I Asp (Z5 Leu Val Pro . Glu 105 Leu	Leu Leu Asp Arg 90 Gly	Ser Pro Leu 75 Glu Gly Val	Asp Ile 60 Gly Ile His	Pro 45 Val Phe His Ile Phe 125	30 Leu Val Phe Gly His 110 Arg	Ser Ile Ala Asp 95 Val Leu	Leu Thr Arg 80 Leu Glu	

- Ala Ser Ala Ser Gly Ile Ala Ala Gln Glu Tyr Arg Ala Ala Leu Ala 165 170 175
- Arg Asp Arg Gly Tyr Thr Gly Met Thr His Ala Asn Ile Thr Asp Asp 180 185 190
- Gln Leu Ser Glu Leu Tyr Asp Thr Gly Glu Val Arg Ile Glu Glu Leu 195 200 205
- Glu Lys Leu Pro Val Asn His Gly Phe Thr Leu Lys Ser Asn Ser Gly 210 215 220
- Ser Ala Leu Gly Arg Met Asn Ser Asp Lys Ile Ile Glu Leu Val Pro 225 230 235 240
- Gly Asp Gln Gln Val Phe Gly Ile Ser Gly Arg Ser Ala Glu Gln Arg
 245 250 255
- Val Ala Ile Asp Leu Leu Asn Asp Asp Ala Val Gly Ile Val Ser Ile 260 265 270
- Gly Gly Pro Ala Gly Thr Gly Lys Ser Ala Leu Ala Leu Cys Ala Gly 275 280 285
- Leu Glu Ala Val Met Glu Arg Arg Ile Gln Arg Lys Ile Ile Val Phe 290 295 300
- Arg Pro Leu Phe Ala Val Gly Gly Gln Glu Leu Gly Tyr Leu Pro Gly 305 310 315 320
- Asp Gln Glu Glu Lys Met Gly Pro Trp Ala Gln Ala Val Phe Asp Thr 325 330 335
- Leu Ser Ser Met Val Ser Gln Asn Ile Ile Asp Glu Ala Leu Ser Arg 340 345 350
- Gly Leu Ile Glu Val Leu Pro Leu Thr His Ile Arg Gly Arg Ser Leu 355 360 365
- His Asp Ala Phe Val Ile Val Asp Glu Ala Gln Ser Leu Glu Arg Asn 370 . 375 380
- Val Leu Leu Thr Met Leu Ser Arg Ile Gly Gln Asn Ser Arg Val Val 385 390 395 400
- Leu Thr His Asp Val Ala Gln Arg Asp Asn Leu Arg Val Gly Arg Tyr 405 410 415
- Asp Gly Ile Val Ser Val Val Glu Ala Leu Lys Asp His Glu Leu Phe 420 425 430
- Gly His Ile Thr Leu Gln Arg Ser Glu Arg Ser Arg Ile Ala Glu Leu 435 440 445
- Val Thr Gln Val Leu Asp Ala Pro Ser Leu 450 455

<210> 341 <211> 1248

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1225)

<223> RXN00778 .

<400> 341

aggtettagg tttttaagte gtgageaate eggagggaaa etageeegee taeaggatet 60

gctcagacga tgtcttcact taaaccggaa aggcttcccc gtg aac ctc act ctt 115Val Asn Leu Thr Leu

1 5

aag cgc tcc atc gcc ctt gtg ggc gca gtt act gca ggc tcc ttc gct 163

Lys Arg Ser Ile Ala Leu Val Gly Ala Val Thr Ala Gly Ser Phe Ala
10 15 20

ctt gta gct tgc tcc gac tcc aat gag tct gat tcc acc tcc tca tct 211 Leu Val Ala Cys Ser Asp Ser Asn Glu Ser Asp Ser Thr Ser Ser Ser 25 30 35

gca gct tcc acc ggt tct tcc gat gct gca tcc att gag ggc ctt tcc 259 Ala Ala Ser Thr Gly Ser Ser Asp Ala Ala Ser Ile Glu Gly Leu Ser 40 45

ggt gtt acc ggt cag ctc gtt gct gaa ggt gca tct tcc cag cag tcc 307 Gly Val Thr Gly Gln Leu Val Ala Glu Gly Ala Ser Ser Gln Gln Ser 55 60 65

gca atg gac tac ttt ggt atc cgt tac tcc gag gct gtc agc ggt gca 355 Ala Met Asp Tyr Phe Gly Ile Arg Tyr Ser Glu Ala Val Ser Gly Ala 70 80 85

tct ctg gct tac acc cct tca ggt tcc ggt tcc ggc cgc acc aac ttc 403 Ser Leu Ala Tyr Thr Pro Ser Gly Ser Gly Ser Gly Arg Thr Asn Phe 90 95 100

gct gca ggc cag gtt gct ttc ggt ggc tcc gac tcc gca atg aag gac 451 Ala Ala Gly Gln Val Ala Phe Gly Gly Ser Asp Ser Ala Met Lys Asp 105 110 115

gac cag gct gca gaa gca gaa gca cgt tgc aac ggc aac gaa gca tgg 499 Asp Gln Ala Ala Glu Ala Glu Ala Arg Cys Asn Gly Asn Glu Ala Trp 120 125

cac ctg cca ttc gtt atc ggc cca gtt gca gtt gct tac aac ctg cct 547 His Leu Pro Phe Val Ile Gly Pro Val Ala Val Ala Tyr Asn Leu Pro 135 140 145

ggc gtt gac acc ctg aac ctg gac acc aac atc atc gct cag atc ttc 595 Gly Val Asp Thr Leu Asn Leu Asp Thr Asn Ile Ile Ala Gln Ile Phe 150 165

aag ggc gag atc acc aag tgg aac gac gaa gca atc gct tcc cag aac 643 Lys Gly Glu Ile Thr Lys Trp Asn Asp Glu Ala Ile Ala Ser Gln Asn 170 175 180

gag ggc acc gac ctc cca gac cag gac atc tcc gtt ctg tac cgt tcc 691 Glu Gly Thr Asp Leu Pro Asp Gln Asp Ile Ser Val Leu Tyr Arg Ser

455

185	190	195
-----	-----	-----

							aac Asn 205									739
	-					-	ggc Gly	_	-					-		787
							ggt Gly									835
							gaa Glu									883
							ttc Phe									931
-			_		_	-	ctt Leu 285		-		-		_			979
			-	-	-	-	acc Thr	-	-	_		-	-		-	1027
_							ctc Leu				-					1075
							cgc Arg									1123
-		_	-		_	-	gac Asp	•			-					1171
							gat Asp 365					_	_	_	_	1219
	cag Gln 375	taat	caaa	ecg (ctgc	cgtaq	ge ti	ic					,			1248

<210> 342

<211> 375

<212> PRT

<213> Corynebacterium glutamicum

<400> 342 ·

Val Asn Leu Thr Leu Lys Arg Ser Ile Ala Leu Val Gly Ala Val Thr 1° 5 10 15

Ala Gly Ser Phe Ala Leu Val Ala Cys Ser Asp Ser Asn Glu Ser Asp

20 25 30

Ser Thr Ser Ser Ser Ala Ala Ser Thr Gly Ser Ser Asp Ala Ala Ser 35 40 45

- Ile Glu Gly Leu Ser Gly Val Thr Gly Gln Leu Val Ala Glu Gly Ala 50 55 60
- Ser Ser Gln Gln Ser Ala Met Asp Tyr Phe Gly Ile Arg Tyr Ser Glu 65 70 75 80
- Ala Val Ser Gly Ala Ser Leu Ala Tyr Thr Pro Ser Gly Ser Gly Ser 85 90 95
- Gly Arg Thr Asn Phe Ala Ala Gly Gln Val Ala Phe Gly Gly Ser Asp 100 105 110
- Ser Ala Met Lys Asp Asp Gln Ala Ala Glu Ala Glu Ala Arg Cys Asn 115 120 125
- Gly Asn Glu Ala Trp His Leu Pro Phe Val Ile Gly Pro Val Ala Val 130 135 140
- Ala Tyr Asn Leu Pro Gly Val Asp Thr Leu Asn Leu Asp Thr Asn Ile 145 150 155 160
- Ile Ala Gln Ile Phe Lys Gly Glu Ile Thr Lys Trp Asn Asp Glu Ala 165 170 175
- Ile Ala Ser Gln Asn Glu Gly Thr Asp Leu Pro Asp Gln Asp Ile Ser 180 185 190
- Val Leu Tyr Arg Ser Glu Glu Ser Gly Thr Ser Asp Asn Phe Gln Lys 195 200 205
- Phe Leu Gly Ala Ser Thr Asp Ile Trp Glu Thr Glu Gly Gln Gln Phe 210 215 220
- Pro Thr Glu Val Gly Ser Gly Ala Gln Gly Ser Asn Gly Val Ala Ser 225 235 240
- Glu Ala Ser-Asn Ile Glu Gly Ala Ile Thr Tyr Val Glu Ala Gly Phe 245 250 255
- Ala Asn Gln Ser Gly Leu Gly Val Ala Asn Ile Asp Phe Gly Ser Gly 260 265 270
- Pro Val Glu Leu Asn Ala Glu Ser Val Gly Val Ala Leu Gly Ala Leu 275 280 285
- Asp Phe Leu Thr Glu Gly His Asn Met Val Val Asp Thr Asp Ala Met 290 295 300
- Phe Ala Met Asn Glu Ala Gly Ala Tyr Pro Leu Ile Leu Thr Thr Tyr 305 310 315 320
- Glu Ile Val Cys Ser Ala Gly Tyr Asp Glu Thr Thr Arg Asp Gln Val
- Lys Asp Phe Leu Thr Val Ala Leu Asp Ser Gln Asp Asp Gln Leu Glu 340 345 350

Ala Leu Gly Tyr Ile Pro Val Thr Gly Glu His Tyr Asp Arg Leu Val Ala Ala Val Glu Ala Ile Gln <210> 343 <211> 870 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(847) <223> RXN00250 <400> 343 acaacaccag accacccaa cootgaataa accootattt ttotaaaaag toacactttg 60 ccgtatagaa attcagtcaa ccaagagtac tctgtccacc atg gtt ttt act ctt Met Val Phe Thr Leu gcg gac tcc gtc tcc cag gtt gcg cta ggt ccg tcc tgg ctg gac cct 163 Ala Asp Ser Val Ser Gln Val Ala Leu Gly Pro Ser Trp Leu Asp Pro atg gaa ctt ctt tcc ggc tcc ggc ccg ttc ggt agc ttc att ctt ccg 211 Met Glu Leu Leu Ser Gly Ser Gly Pro Phe Gly Ser Phe Ile Leu Pro 30 gcg atg ctt gcc att gtc ttt atc gaa tca ggc cta ctt ttc cca ctt 259 Ala Met Leu Ala Ile Val Phe Ile Glu Ser Gly Leu Leu Phe Pro Leu 40 cta cca ggt gat tct ctc ctt ttc acc ggt ggt ctc cta gct aac cag 307 Leu Pro Gly Asp Ser Leu Leu Phe Thr Gly Gly Leu Leu Ala Asn Gln gct gac cct ttt gca ccg ctg tgg ctg gtg ctg atc ctc tgc cct atc 355 Ala Asp Pro Phe Ala Pro Leu Trp Leu Val Leu Ile Leu Cys Pro Ile 75 gcc gca att ctt ggc gat cag gtg ggt tac tgg att ggc cac aag ttc 403 Ala Ala Ile Leu Gly Asp Gln Val Gly Tyr Trp Ile Gly His Lys Phe 90 95 cac cct cgc ctg gtc aat cgt ccg gat ggc agg att ttc aag cag gaa 451 His Pro Arg Leu Val Asn Arg Pro Asp Gly Arg Ile Phe Lys Gln Glu 110 tac ctc aag cag act gag gat ttc ttt gag aag cat ggc ccc gtg acg 499 Tyr Leu Lys Gln Thr Glu Asp Phe Phe Glu Lys His Gly Pro Val Thr 125 atc att ttg tgc cgt ttc gtg ccc atc gtc cgt act tac gca cct ctg 547 Ile Ile Leu Cys Arg Phe Val Pro Ile Val Arg Thr Tyr Ala Pro Leu 135 140 145

gtc gca ggt atg gct ggc atg cgt tac cgc acg ttc att att tac aac 595 Val Ala Gly Met Ala Gly Met Arg Tyr Arg Thr Phe Ile Ile Tyr Asn 150 155 160 atg atc ggt ggc att ttg tgg ggt tcc ggc gtg gtg gct ttg ggt gct 643 Met Ile Gly Gly Ile Leu Trp Gly Ser Gly Val Val Ala Leu Gly Ala 170 175 gcg ttg ggt cag ttc gat ttc gtc cgc aac aat att gat ctg att ttc 691 Ala Leu Gly Gln Phe Asp Phe Val Arg Asn Asn Ile Asp Leu Ile Phe 185 190 ttg ctg atc gtg ttc att tcg gtg gtt cct ggt ttg gtc ggc atg gcc 739 Leu Leu Ile Val Phe Ile Ser Val Val Pro Gly Leu Val Gly Met Ala 205 cgc aag ctg gct gac ggc cac aag caa gcc aac acc gag cca caa gaa 787 Arg Lys Leu Ala Asp Gly His Lys Gln Ala Asn Thr Glu Pro Gln Glu 220 aac ccc gca gtc cag aca gcc cca gta aaa acc cag gaa gcc cag gaa 835 Asn Pro Ala Val Gln Thr Ala Pro Val Lys Thr Gln Glu Ala Gln Glu 235 240 gcc ccc cag aac taatetttee ggteegeeag tte 870 Ala Pro Gln Asn <210> 344 <211> 249 <212> PRT <213> Corynebacterium glutamicum <400> 344 Met Val Phe Thr Leu Ala Asp Ser Val Ser Gln Val Ala Leu Gly Pro Ser Trp Leu Asp Pro Met Glu Leu Leu Ser Gly Ser Gly Pro Phe Gly Ser Phe Ile Leu Pro Ala Met Leu Ala Ile Val Phe Ile Glu Ser Gly Leu Leu Phe Pro Leu Leu Pro Gly Asp Ser Leu Leu Phe Thr Gly Gly Leu Leu Ala Asn Gln Ala Asp Pro Phe Ala Pro Leu Trp Leu Val Leu 70 Ile Leu Cys Pro Ile Ala Ala Ile Leu Gly Asp Gln Val Gly Tyr Trp Ile Gly His Lys Phe His Pro Arg Leu Val Asn Arg Pro Asp Gly Arg 100 105 Ile Phe Lys Gln Glu Tyr Leu Lys Gln Thr Glu Asp Phe Phe Glu Lys 115 120 His Gly Pro Val Thr Ile Ile Leu Cys Arg Phe Val Pro Ile Val Arg

Thr Tyr Ala Pro Leu Val Ala Gly Met Ala Gly Met Arg Tyr Arg Thr 150 155 Phe Ile Ile Tyr Asn Met Ile Gly Gly Ile Leu Trp Gly Ser Gly Val 170 Val Ala Leu Gly Ala Ala Leu Gly Gln Phe Asp Phe Val Arg Asn Asn 185 Ile Asp Leu Ile Phe Leu Leu Ile Val Phe Ile Ser Val Val Pro Gly Leu Val Gly Met Ala Arg Lys Leu Ala Asp Gly His Lys Gln Ala Asn 215 Thr Glu Pro Gln Glu Asn Pro Ala Val Gln Thr Ala Pro Val Lys Thr 235 Gln Glu Ala Gln Glu Ala Pro Gln Asn 245 <210> 345 <211> 541 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(541) <223> RXA00072 <400> 345 acggccagga cgatccagtg cacaggccag caccagcaaa qtccacatcg caaqcattaa 60 aagaatetet egaaagacae aaaagaggtg agtegeaaca atg age ttt caa eta Met Ser Phe Gln Leu gtt aac gcc ctg aaa aat act ggt tcg gta aaa gat ccc gag atc tca 163 Val Asn Ala Leu Lys Asn Thr Gly Ser Val Lys Asp Pro Glu Ile Ser 10 ccc gaa gga cct cgc acg acc aca ccg ttg tca cca gag gta gca aaa 211 Pro Glu Gly Pro Arg Thr Thr Pro Leu Ser Pro Glu Val Ala Lys 25 30 cat aac gag gaa ctc gtc gaa aag cat gct gct gcg ttg tat gac gcc 259 His Asn Glu Glu Leu Val Glu Lys His Ala Ala Leu Tyr Asp Ala 40 45 age geg caa gag ate etg gaa tgg aca gee gag cae geg eeg gge get 307 Ser Ala Gln Glu Ile Leu Glu Trp Thr Ala Glu His Ala Pro Gly Ala att gca gtg acc ttg agc atg gaa aac acc gtg ctg gcg gag ctg gct Ile Ala Val Thr Leu Ser Met Glu Asn Thr Val Leu Ala Glu Leu Ala 75 gcg cgg cac ctg ccg gaa gct gat ttc ctc ttt ttg gac acc ggt tac 403

Ala Arg His Leu Pro Glu Ala Asp Phe Leu Phe Leu Asp Thr Gly Tyr cac ttc aag gag acc ctt gaa gtt gcc cgt cag gta gat gag cgc tat 451 His Phe Lys Glu Thr Leu Glu Val Ala Arg Gln Val Asp Glu Arg Tyr too cag aag ott gto acc gog otg oog atc otc aag ogc acg gag cag 499 Ser Gln Lys Leu Val Thr Ala Leu Pro Ile Leu Lys Arg Thr Glu Gln 120 gat too att tat ggt oto aac otg tac ogc ago aac oca gog 541 Asp Ser Ile Tyr Gly Leu Asn Leu Tyr Arg Ser Asn Pro Ala 135 140 <210> 346 <211> 147 <212> PRT <213> Corynebacterium glutamicum Met Ser Phe Gln Leu Val Asn Ala Leu Lys Asn Thr Gly Ser Val Lys Asp Pro Glu Ile Ser Pro Glu Gly Pro Arg Thr Thr Pro Leu Ser 25 Pro Glu Val Ala Lys His Asn Glu Glu Leu Val Glu Lys His Ala Ala Ala Leu Tyr Asp Ala Ser Ala Gln Glu Ile Leu Glu Trp Thr Ala Glu His Ala Pro Gly Ala Ile Ala Val Thr Leu Ser Met Glu Asn Thr Val 70 Leu Ala Glu Leu Ala Ala Arg His Leu Pro Glu Ala Asp Phe Leu Phe Leu Asp Thr Gly Tyr His Phe Lys Glu Thr Leu Glu Val Ala Arg Gln Val Asp Glu Arg Tyr Ser Gln Lys Leu Val Thr Ala Leu Pro Ile Leu 120 Lys Arg Thr Glu Gln Asp Ser Ile Tyr Gly Leu Asn Leu Tyr Arg Ser 135 Asn Pro Ala 145 <210> 347 <211> 1299 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1276)

<223> RXA00793

<400> 347 tcgctggttt ttagatggtt ttcaagccag cgagaccaca ttagtttcac gctggttgaa 60 acctttgaga tcaatataga ccgtgtggtc tactcgagga atg agt gaa aac aat 115 Met Ser Glu Asn Asn ccc act acc ttg cac tgg ttc cta ccc acc tat ggc gat tct cgc gga 163 Pro Thr Thr Leu His Trp Phe Leu Pro Thr Tyr Gly Asp Ser Arg Gly atc aca gcc ggc ggg cat ggc ttc ggc ttc cac tcc gga agc cgg aca 211 Ile Thr Ala Gly Gly His Gly Phe Gly Phe His Ser Gly Ser Arg Thr 30 gca gac ctc gat tac ctc tcc caa att gcc ctg gcc gct gaa cga aac 259 Ala Asp Leu Asp Tyr Leu Ser Gln Ile Ala Leu Ala Ala Glu Arg Asn ggt ttt gaa tcc gtc ctg act ccc act gga ttg tgg tgc gaa gat gcg 307 Gly Phe Glu Ser Val Leu Thr Pro Thr Gly Leu Trp Cys Glu Asp Ala 60 tgg atc acc acc gca gcg ctg ctg tct agg aca tca aaa ctg aaa ttc 355 Trp Ile Thr Thr Ala Ala Leu Leu Ser Arg Thr Ser Lys Leu Lys Phe ctc gtt gct att cga cca ggc caa gtt agc ccc acc atc atc qcg caq 403 Leu Val Ala Ile Arg Pro Gly Gln Val Ser Pro Thr Ile Ile Ala Gln cag ggt gct gcc ttc cag aaa ttc tca aat aac cgc ctg ctc atc aac 451 Gln Gly Ala Ala Phe Gln Lys Phe Ser Asn Asn Arg Leu Leu Ile Asn 110 gtc gtg gtg ggt ggc gaa gac cat gaa cag cgc gct ttc gct gat tat 499 Val Val Val Gly Gly Glu Asp His Glu Gln Arg Ala Phe Ala Asp Tyr 120 125 tct tcc aaa gag gag cgc tac cac aag gct gat gaa acc tta gag atc 547 Ser Ser Lys Glu Glu Arg Tyr His Lys Ala Asp Glu Thr Leu Glu Ile 140 atc gat cac cta tgg aac agc gca gaa cct cta aat ttc cag ggt gaa 595 Ile Asp His Leu Trp Asn Ser Ala Glu Pro Leu Asn Phe Gln Gly Glu 160 ttc ctc agt gtg gaa aac gcg gta ttg aag gaa cag ccc gag gtt tcc 643 Phe Leu Ser Val Glu Asn Ala Val Leu Lys Glu Gln Pro Glu Val Ser 170 cca ccg att tac ttt ggc gga tcc tca caa ctc ggc atc gaa atc gca 691 Pro Pro Ile Tyr Phe Gly Gly Ser Ser Gln Leu Gly Ile Glu Ile Ala 190 gcc caa cat tcc gat gtt tat ctc acc tgq qqt qaa cct qcq qaa aaq Ala Gln His Ser Asp Val Tyr Leu Thr Trp Gly Glu Pro Ala Glu Lys 205

gta Val	gag Glu 215	gag Glu	aag Lys	ctt Leu	gcc Ala	cgg Arg 220	gtg Val	cgc Arg	gcc Ala	gaa Glu	gca Ala 225	gat Asp	aag Lys	cga Arg	aac Asn	787
cgc Arg 230	gaa Glu	cta Leu	gac Asp	tat Tyr	ggc Gly 235	atc Ile	cgc Arg	ctg Leu	cat His	gtc Val 240	att Ile	gct Ala	cga Arg	cca Pro	act Thr 245	835
gag Glu	gat Asp	gaa Glu	gcc Ala	tgg Trp 250	tca Ser	gtg Val	gct Ala	caa Gln	aat Asn 255	ctt Leu	ctt Leu	gac Asp	caa Gln	ctt Leu 260	gat Asp	883
cag Gln	gaa Glu	gag Glu	gtt Val 265	gcc Ala	cgc Arg	att Ile	cag Gln	gaa Glu 270	GJ À G3 À	ctt Leu	gcg Ala	cgt Arg	tct Ser 275	caa Gln	tcg Ser	931
gaa Glu	ggt Gly	cag Gln 280	cgt Arg	cgc Arg	atg Met	acg Thr	gaa Glu 285	ctt Leu	cat His	gga Gly	caa Gln	ggg Gly 290	gca Ala	gca Ala	ttc Phe	979
aca Thr	gca Ala 295	gga Gly	gca Ala	gat Asp	gct Ala	cgc Arg 300	tcc Ser	ctt Leu	gaa Glu	att Ile	gca Ala 305	ccg Pro	aat Asn	ctc Leu	tgg Trp	1027
gca Ala 310	Gly	gtt Val	ggg Gly	cta Leu	gtc Val 315	cgc Arg	ggt Gly	ggc Gly	gcc Ala	ggc Gly 320	aca Thr	gcg Ala	ttg Leu	gtg Val	ggt Gly 325	1075
tcc Ser	tat Tyr	gag Glu	caa Gln	gtc Val 330	gcg Ala	caa Gln	gca Ala	att Ile	ttg Leu 335	cga Arg	tac Tyr	cgc Arg	gat Asp	att Ile 340	ggt Gly	1123
ctg Leu	agc Ser	cac His	ttc Phe 345	att Ile	ttc Phe	tcc Ser	ggc Gly	tat Tyr 350	cca Pro	cat Kis	ttg Leu	gag Glu	gaa Glu 355	acc Thr	tat Tyr	1171
cac His	gtg Val	ggc Gly 360	gaa Glu	gga Gly	gtg Val	gta Val	cct Pro 365	gag Glu	ctc Leu	ctc Leu	aaa Lys	ttg Leu 370	ggt Gly	gtt Val	ccg Pro	1219
gtg Val	aac Asn 375	aac Asn	cat His	gaa Glu	gaa Glu	caa Gln 380	cgc Arg	aac Asn	gac Asp	gtg Val	gta Val 385	gcg Ala	act Thr	ccg Pro	ttt Phe	1267
att Ile 390	tcc Ser	aga Arg	taga	tcac	gg a	tcgg	ctgc	t tt	а							1299
<211 <212	> 34 > 39 > PR > Co	2 T	bact	eriu	m gl	utam	icum									·
<400 Met 1			Asn .	Asn 5	Pro	Thr	Thr	Leu	His 10	Trp	Phe	Leu	Pro	Thr 15	Tyr	
Gly	Asp	Ser .	Arg 20	Gly	Ile	Thr	Ala	Gly 25	Gly	His	Gly	Phe	Gly 30	Phe	His	

Ser Gly Ser Arg Thr Ala Asp Leu Asp Tyr Leu Ser Gln Ile Ala Leu 35 40

- Ala Ala Glu Arg Asn Gly Phe Glu Ser Val Leu Thr Pro Thr Gly Leu 50 55 60
- Trp Cys Glu Asp Ala Trp Ile Thr Thr Ala Ala Leu Leu Ser Arg Thr 65 70 75 80
- Ser Lys Leu Lys Phe Leu Val Ala Ile Arg Pro Gly Gln Val Ser Pro 85 90 95
- Thr Ile Ile Ala Gln Gln Gly Ala Ala Phe Gln Lys Phe Ser Asn Asn 100 105 110
- Arg Leu Leu Ile Asn Val Val Gly Gly Glu Asp His Glu Gln Arg 115 120 125
- Ala Phe Ala Asp Tyr Ser Ser Lys Glu Glu Arg Tyr His Lys Ala Asp 130 135 140
- Glu Thr Leu Glu Ile Ile Asp His Leu Trp Asn Ser Ala Glu Pro Leu 145 150 155 160
- Asn Phe Gln Gly Glu Phe Leu Ser Val Glu Asn Ala Val Leu Lys Glu 165 170 175
- Gln Pro Glu Val Ser Pro Pro Ile Tyr Phe Gly Gly Ser Ser Gln Leu 180 185 190
- Gly Ile Glu Ile Ala Ala Gln His Ser Asp Val Tyr Leu Thr Trp Gly 195 200 205
- Glu Pro Ala Glu Lys Val Glu Glu Lys Leu Ala Arg Val Arg Ala Glu 210 215 220 .
- Ala Asp Lys Arg Asn Arg Glu Leu Asp Tyr Gly Ile Arg Leu His Val 225 230 235 240
- Ile Ala Arg Pro Thr Glu Asp Glu Ala Trp Ser Val Ala Gln Asn Leu 245 . 250 255
- Leu Asp Gln Leu Asp Gln Glu Glu Val Ala Arg Ile Gln Glu Gly Leu 260 265 270
- Ala Arg Ser Gln Ser Glu Gly Gln Arg Arg Met Thr Glu Leu His Gly 275 280 285
- Gln Gly Ala Ala Phe Thr Ala Gly Ala Asp Ala Arg Ser Leu Glu Ile 290 295 300
- Ala Pro Asn Leu Trp Ala Gly Val Gly Leu Val Arg Gly Gly Ala Gly 305 310 315 320
- Thr Ala Leu Val Gly Ser Tyr Glu Gln Val Ala Gln Ala Ile Leu Arg 325 330 335
- Tyr Arg Asp Ile Gly Leu Ser His Phe Ile Phe Ser Gly Tyr Pro His 340 345 350
- Leu Glu Glu Thr Tyr His Val Gly Glu Gly Val Val Pro Glu Leu Leu

464

355 360 365

Lys Leu Gly Val Pro Val Asn Asn His Glu Glu Gln Arg Asn Asp Val 370 375 380

Val Ala Thr Pro Phe Ile Ser Arg

<210> 349

<211> 681

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(673)

<223> RXA01192

<400> 349

ccacggtgaa cacctgcagg tggagcaagc tagccttgcg catccgccag agattattcc 60

ggagattett tttggtggat egtegeeage tgeaggtgag gtg get gea egt tat 115

Val Ala Ala Arg Tyr

1 5

gcg gac acc tat ctc acg tgg ggt gaa act ccc gat cag gtg gcg cag $\,$ 163 Ala Asp Thr Tyr Leu Thr Trp Gly Glu Thr Pro Asp Gln Val Ala Gln $\,$ 10 $\,$ 15 $\,$ 20

aaa atc aac tgg atc aac gag cta gca gca cag cgc ggc cgg gaa ctg 211 Lys Ile Asn Trp Ile Asn Glu Leu Ala Ala Gln Arg Gly Arg Glu Leu 25 30 35

cgc cat gga atc cgc ttc cat gtg atc acc cgc gat acg tct gaa gaa 259 Arg His Gly Ile Arg Phe His Val Ile Thr Arg Asp Thr Ser Glu Glu

gca tgg gtg gtg gca gag aag ttg att agc ggg gtc act cca gaa cag 307 Ala Trp Val Val Ala Glu Lys Leu Ile Ser Gly Val Thr Pro Glu Gln 55 60 65

gtc gct aag gct caa gcc ggg ttt gca acg tct aag tcg gag ggg cag · 355 Val Ala Lys Ala Gln Ala Gly Phe Ala Thr Ser Lys Ser Glu Gly Gln 70 75 80 85

cgc cgg atg gct gag ctg cac agc aag ggt cgt gcc ttt act agt ggc 403 Arg Arg Met Ala Glu Leu His Ser Lys Gly Arg Ala Phe Thr Ser Gly 90 95

tca act gct cgt gat ctg gag gtg tat ccc aat gtg tgg gca ggc gtc 451 Ser Thr Ala Arg Asp Leu Glu Val Tyr Pro Asn Val Trp Ala Gly Val 105 110 115

ggt ttg ctt cgc gga ggt gca gga aca gcc ctt gtg ggc tcg cat gaa 499 Gly Leu Leu Arg Gly Gly Ala Gly Thr Ala Leu Val Gly Ser His Glu 120 125 130

gag gtc gcc gat cgc atc gaa gaa tac gca gca ctc ggc ttg gat cag 547 Glu Val Ala Asp Arg Ile Glu Glu Tyr Ala Ala Leu Gly Leu Asp Gln 135 140 145

595

643

681

```
ttt gta ctg tcg ggt tat cca aac ttg gag gag gcc ttc cac ttc ggt
 Phe Val Leu Ser Gly Tyr Pro Asn Leu Glu Glu Ala Phe His Phe Gly
 150
                     155
gag ggt gtg att ccg aaa ctg ctg cgc cgc ggt gtg gat atc aaa aat
 Glu Gly Val Ile Pro Lys Leu Leu Arg Arg Gly Val Asp Ile Lys Asn
                 170
                                     175
 caa gaa tca cga gtt ttg gaa cct gtt ggg taaacggg
Gln Glu Ser Arg Val Leu Glu Pro Val Gly
             185
 <210> 350
 <211> 191
 <212> PRT
<213> Corynebacterium glutamicum
Val Ala Ala Arg Tyr Ala Asp Thr Tyr Leu Thr Trp Gly Glu Thr Pro
Asp Gln Val Ala Gln Lys Ile Asn Trp Ile Asn Glu Leu Ala Ala Gln
                                 25
Arg Gly Arg Glu Leu Arg His Gly Ile Arg Phe His Val Ile Thr Arg
Asp Thr Ser Glu Glu Ala Trp Val Val Ala Glu Lys Leu Ile Ser Gly
Val Thr Pro Glu Gln Val Ala Lys Ala Gln Ala Gly Phe Ala Thr Ser
Lys Ser Glu Gly Gln Arg Arg Met Ala Glu Leu His Ser Lys Gly Arg
Ala Phe Thr Ser Gly Ser Thr Ala Arg Asp Leu Glu Val Tyr Pro Asn
Val Trp Ala Gly Val Gly Leu Leu Arg Gly Gly Ala Gly Thr Ala Leu
Val Gly Ser His Glu Glu Val Ala Asp Arg Ile Glu Glu Tyr Ala Ala
                        135
Leu Gly Leu Asp Gln Phe Val Leu Ser Gly Tyr Pro Asn Leu Glu Glu
Ala Phe His Phe Gly Glu Gly Val Ile Pro Lys Leu Leu Arg Arg Gly
Val Asp Ile Lys Asn Gln Glu Ser Arg Val Leu Glu Pro Val Gly
            180
                                 185
<210> 351
<211> 918
<212> DNA
```

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(895) <223> RXA00715 <400> 351 gtggtgttaa gcactaagat ggcaggttat gacttctctt aaagtaactt cqtccqcaqa 60 tgcaaccaat aacaatgatg cccattttcc tgaaggtcca gtg gta acc gtt gac Val Val Thr Val Asp tgg ttg tca cac aac ctt gac cgg gat gat gtc atc gtg ttg tgt gcc 163 Trp Leu Ser His Asn Leu Asp Arg Asp Asp Val Ile Val Leu Cys Ala 10 aca atg gag gat gat gaa att gca cgt caa gcg gga att ccg ggg gca 211 Thr Met Glu Asp Asp Glu Ile Ala Arg Gln Ala Gly Ile Pro Gly Ala ttt ctc gct gac ttg gaa gga gat ttc tca gat cca cat tcc gag ctt 259 Phe Leu Ala Asp Leu Glu Gly Asp Phe Ser Asp Pro His Ser Glu Leu 40 cca cac acc gcg cca cca aat ttg gtg ggt ttg cta gaa agc tac ggc 307 Pro His Thr Ala Pro Pro Asn Leu Val Gly Leu Leu Glu Ser Tyr Gly att agc acc gat tee acg gtg gtt gtt tat gat etg cac gge etc atg 355 Ile Ser Thr Asp Ser Thr Val Val Val Tyr Asp Leu His Gly Leu Met 80 gtt gca ccg cgg gtg tgg tgg ctt ctc cgt gtt gct gga tta agc agc 403 Val Ala Pro Arg Val Trp Trp Leu Leu Arg Val Ala Gly Leu Ser Ser att ggc gtg ctt gat ggc gga ttg cca gcc tgg gtt gat gct ggc ctt 451 Ile Gly Val Leu Asp Gly Gly Leu Pro Ala Trp Val Asp Ala Gly Leu cca acg gaa ccg ctg tcg cta cct aca agt ggt gga agg atc agc gca 499 Pro Thr Glu Pro Leu Ser Leu Pro Thr Ser Gly Gly Arg Ile Ser Ala 125 130 gaa cca cag cca gat tta ctc gtt ggt gcc tcc ggc gtt gaa cgg gcg 547 Glu Pro Gln Pro Asp Leu Leu Val Gly Ala Ser Gly Val Glu Arg Ala atc gcg cgc tca agc aag gca gtg att gat gct cgt aat gcg agc cga 595 Ile Ala Arg Ser Ser Lys Ala Val Ile Asp Ala Arg Asn Ala Ser Arg 155 ttc gct ggc gtt gaa gaa gag ccc cgt cca ggc ctt cga aaa ggg tcg 643 Phe Ala Gly Val Glu Glu Pro Arg Pro Gly Leu Arg Lys Gly Ser 170 175 atc cct gga agc gtc aac att ccc ttc act gac att tct gat gag cat 691 Ile Pro Gly Ser Val Asn Ile Pro Phe Thr Asp Ile Ser Asp Glu His 185 190

ggt ttt gtc cgg cca gca gaa gaa ctg aag gaa ttg atc ttc agc cgc 739 Gly Phe Val Arg Pro Ala Glu Glu Leu Lys Glu Leu Ile Phe Ser Arg aca aat gga gcg cag tcg ttg gtc ttt agc tgt ggc tcc gga gtc acg 787 Thr Asn Gly Ala Gln Ser Leu Val Phe Ser Cys Gly Ser Gly Val Thr . 225 gca tgt gtt gat gcc tac gct gca gtt atc gca ggt tat gac gac gtt 835 Ala Cys Val Asp Ala Tyr Ala Ala Val Ile Ala Gly Tyr Asp Asp Val 235 gta gtg tat gaa ggc tct tgg gcg gag tgg ggc aac ccg gca aac caa 883 Val Val Tyr Glu Gly Ser Trp Ala Glu Trp Gly Asn Pro Ala Asn Gln 255 aag ccg att gct taacgcccgc tatgataacc act 918 Lys Pro Ile Ala <210> 352 <211> 265 <212> PRT <213> Corynebacterium glutamicum <400> 352 Val Val Thr Val Asp Trp Leu Ser His Asn Leu Asp Arg Asp Val Ile Val Leu Cys Ala Thr Met Glu Asp Asp Glu Ile Ala Arg Gln Ala Gly Ile Pro Gly Ala Phe Leu Ala Asp Leu Glu Gly Asp Phe Ser Asp Pro His Ser Glu Leu Pro His Thr Ala Pro Pro Asn Leu Val Gly Leu Leu Glu Ser Tyr Gly Ile Ser Thr Asp Ser Thr Val Val Val Tyr Asp 65 70 Leu His Gly Leu Met Val Ala Pro Arg Val Trp Trp Leu Leu Arg Val Ala Gly Leu Ser Ser Ile Gly Val Leu Asp Gly Gly Leu Pro Ala Trp 100 105 Val Asp Ala Gly Leu Pro Thr Glu Pro Leu Ser Leu Pro Thr Ser Gly 120 Gly Arg Ile Ser Ala Glu Pro Gln Pro Asp Leu Leu Val Gly Ala Ser 135 Gly Val Glu Arg Ala Ile Ala Arg Ser Ser Lys Ala Val Ile Asp Ala Arg Asn Ala Ser Arg Phe Ala Gly Val Glu Glu Pro Arg Pro Gly 170 Leu Arg Lys Gly Ser Ile Pro Gly Ser Val Asn Ile Pro Phe Thr Asp

180 185 190

Ile Ser Asp Glu His Gly Phe Val Arg Pro Ala Glu Glu Leu Lys Glu 195 200 205

Leu Ile Phe Ser Arg Thr Asn Gly Ala Gln Ser Leu Val Phe Ser Cys 210 215 220

Gly Ser Gly Val Thr Ala Cys Val Asp Ala Tyr Ala Ala Val Ile Ala 225 230 235 240

Gly Tyr Asp Asp Val Val Val Tyr Glu Gly Ser Trp Ala Glu Trp Gly 245 250 255

Asn Pro Ala Asn Gln Lys Pro Ile Ala 260 265

<210> 353

<211> 945

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(922)

<223> RXA01664

<400> 353

cgggttacca aagtgaatgg taggggaagt ttccgtgtct tataccggtt aggttttgcc 60

cgcgctgcgc ttggtcacat taacgcctag gctcggggct atg acc gtg ttg att $$\,^{\circ}\,$ 115 $\,^{\circ}\,$ Met Thr Val Leu Ile

tet eeg tee ace ett get gaa tea ate eac get ggt aag aaa eaa act 163 Ser Pro Ser Thr Leu Ala Glu Ser Ile His Ala Gly Lys Lys Gln Thr

gtt ctc gct gct ttc tgg gct cca att gaa gga gca ggc cgc aca gtt 211 Val Leu Ala Ala Phe Trp Ala Pro Ile Glu Gly Ala Gly Arg Thr Val 25

ttc tgc tct gag cac atc cca act tcc att ttc tgc gac cct gcc ctt 259
Phe Cys Ser Glu His Ile Pro Thr Ser Ile Phe Cys Asp Pro Ala Leu
45

gag ctt tcc gga gtt cct tcc tct gaa gat ggc cgc aac cca ctg cca 307 Glu Leu Ser Gly Val Pro Ser Ser Glu Asp Gly Arg Asn Pro Leu Pro 55 60 65

ccg ctg aat gtg ttg gca cgt tct ttc agg acc tgg ggt ttg aat acc 355
Pro Leu Asn Val Leu Ala Arg Ser Phe Arg Thr Trp Gly Leu Asn Thr
70 80 85

gat cgt gaa atc gtg ttt tac gat cag gga cgt ggc ctt ttt gct gca 403 Asp Arg Glu Ile Val Phe Tyr Asp Gln Gly Arg Gly Leu Phe Ala Ala 90 95 100

cgc gcc tgg tgg atc ctc cga tgg gcg ggc atg ccc aac gtt cgc atc $\,$ 451 Arg Ala Trp Trp Ile Leu Arg Trp Ala Gly Met Pro Asn Val Arg Ile

105 110 115 ctt gac ggt ggt ttc cag aag tgg gaa gac cat gag ctg gga cac gct 499 Leu Asp Gly Gly Phe Gln Lys Trp Glu Asp His Glu Leu Gly His Ala 120 125 ggc ggg cct gga aac ttc ccg cac ttt tgc aat gtg cgt ccc aac cca 547 Gly Gly Pro Gly Asn Phe Pro His Phe Cys Asn Val Arg Pro Asn Pro 140 145 ggt cag ctg tcg gta gcg acc atc gaa gat gtc aag gca cat cag ggc 595 Gly Gln Leu Ser Val Ala Thr Ile Glu Asp Val Lys Ala His Gln Gly 160 att ttg att gat tct cgc gat gaa caa cga ttt gcg ggt cgc agt gaa 643 Ile Leu Ile Asp Ser Arg Asp Glu Gln Arg Phe Ala Gly Arg Ser Glu 170 175 aag etc gat etg aaa gee gga eac att eea gge get ate aac ate aac 691 Lys Leu Asp Leu Lys Ala Gly His Ile Pro Gly Ala Ile Asn Ile Asn 190 gct aaa tct ttg ctg gaa gat gat ttc acc ttc aaa tca cca gaa gaa 739 Ala Lys Ser Leu Leu Glu Asp Asp Phe Thr Phe Lys Ser Pro Glu Glu 205 atc cgc cag att ttt gcg gac aag ggg gta.acc agc gga gag aac gtc 787 Ile Arg Gln Ile Phe Ala Asp Lys Gly Val Thr Ser Gly Glu Asn Val 215 220 ate gtt tat tee ggt tee ggt aac cae teg tee eag ttg etg get gge 835 Ile Val Tyr Ser Gly Ser Gly Asn His Ser Ser Gln Leu Leu Ala Gly 235 240 atg gag cac gcg ggg cta acc ggt gcg agc cat tat ttt gct ggt tgg 883 Met Glu His Ala Gly Leu Thr Gly Ala Ser His Tyr Phe Ala Gly Trp tca cag tgg agc gct aac ccc gag aat cct atc gag gcc taaaatcgtg 932 Ser Gln Trp Ser Ala Asn Pro Glu Asn Pro Ile Glu Ala 265 gcttgagtac gca 945 <210> 354 <211> 274 <212> PRT <213> Corynebacterium glutamicum <400> 354 Met Thr Val Leu Ile Ser Pro Ser Thr Leu Ala Glu Ser Ile His Ala Gly Lys Lys Gln Thr Val Leu Ala Ala Phe Trp Ala Pro Ile Glu Gly Ala Gly Arg Thr Val Phe Cys Ser Glu His Ile Pro Thr Ser Ile Phe 40 45

Cys Asp Pro Ala Leu Glu Leu Ser Gly Val Pro Ser Ser Glu Asp Gly

50 55 60

Arg Asn Pro Leu Pro Pro Leu Asn Val Leu Ala Arg Ser Phe Arg Thr
65 70 75 80

Trp Gly Leu Asn Thr Asp Arg Glù Ile Val Phe Tyr Asp Gln Gly Arg 85 90 95

Gly Leu Phe Ala Ala Arg Ala Trp Trp Ile Leu Arg Trp Ala Gly Met 100 105 110

Pro Asn Val Arg Ile Leu Asp Gly Gly Phe Gln Lys Trp Glu Asp His 115 120 125

Glu Leu Gly His Ala Gly Gly Pro Gly Asn Phe Pro His Phe Cys Asn 130 135 140

Val Arg Pro Asn Pro Gly Gln Leu Ser Val Ala Thr Ile Glu Asp Val 145 150 155 160

Lys Ala His Gln Gly Ile Leu Ile Asp Ser Arg Asp Glu Gln Arg Phe 165 170 175

Ala Gly Arg Ser Glu Lys Leu Asp Leu Lys Ala Gly His Ile Pro Gly 180 185 190

Ala Ile Asn Ile Asn Ala Lys Ser Leu Leu Glu Asp Asp Phe Thr Phe 195. 200 205

Lys Ser Pro Glu Glu Ile Arg Gln Ile Phe Ala Asp Lys Gly Val Thr 210 215 220

Ser Gly Glu Asn Val Ile Val Tyr Ser Gly Ser Gly Asn His Ser Ser 225 230 235 240

Gln Leu Leu Ala Gly Met Glu His Ala Gly Leu Thr Gly Ala Ser His 245 250 255

Tyr Phe Ala Gly Trp Ser Gln Trp Ser Ala Asn Pro Glu Asn Pro Ile 260 265 270

Glu Ala

<210> 355

<211> 746

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(723)

<223> RXN02334

<400> 355

gtc aaa gac ctc aac gat ccc ctc acc cgc gat ttc att gac ggt gaa 48
Val Lys Asp Leu Asn Asp Pro Leu Thr Arg Asp Phe Ile Asp Gly Glu
1 5 15

gct ttc gct gag ctg atg aac cgc aag ggc atc gct cgc gat gac acc 96

	wo (1/008	42												PCT	/IB00/00911
Ala	Phe	Ala	Glu 20	Leu	Met	Asn	Arg	Lys 25	Gly	Ile	Ala	Arg	Asp 30	Asp	Thr	
-	gtt Val	-			-						-				-	144
	gtc Val 50		-	-					_	-	•	-				192
	cgc Arg															240
	gag Glu															288
	cag Gln	_				-					_		-			336
	ggc Gly															384
-	gat Asp 130													-		432
	cac His															480
	aac Asn				-		-	-		_	-	_			-	528
	ctc Leu															576

tca tagaataggc gtatccctt ttt 746
Ser

220

235

cgc gcg gcc cac acc tgg ttc gtg ctg aag tat ctg ctc ggt ttc aac

Arg Ala Ala His Thr Trp Phe Val Leu Lys Tyr Leu Leu Gly Phe Asn. 195 200 205

aac gtc cga aac tat gac gga tcg tgg gca gaa tgg ggc aat atg gtt

Asn Val Arg Asn Tyr Asp Gly Ser Trp Ala Glu Trp Gly Asn Met Val

cgc atg ccg atc gaa act ggc gaa aac acc aaa aat aac gtt tcg gtg Arg Met Pro Ile Glu Thr Gly Glu Asn Thr Lys Asn Asn Val Ser Val

215

230

624

672

720

<210> 356

<211> 241

<212> PRT

<213> Corynebacterium glutamicum

<400> 356

Val Lys Asp Leu Asn Asp Pro Leu Thr Arg Asp Phe Ile Asp Gly Glu
1 5 10 15

Ala Phe Ala Glu Leu Met Asn Arg Lys Gly Ile Ala Arg Asp Asp Thr 20 25 30

Val Val Val Tyr Gly Asp Lys Ser Asn Trp Trp Ala Ala Phe Thr Leu 35 40 45

Trp Val Phe Glu Leu Phe Gly His Ser Asp Val Arg Leu Leu Asn Gly 50 55 60

Gly Arg Asp Ala Trp Met Ala Glu Glu Arg Asp Thr Ser Tyr Val Val 65 70 75 80

Pro Glu Tyr Pro Ser Ala Asn Tyr Pro Val Val Glu Arg Val Asp Glu 85 90 95

Asn Gln Arg Ala Phe Val Ala Glu Val Leu Gly Ser Leu Thr Gln Ser 100 105 110

Gly Gly Met Thr Leu Val Asp Val Arg Thr Pro Ser Glu Phe Ser Gly 115 120 125 .

Leu Asp Glu His Gly Asn Pro Thr Ser Asn Thr Gly Val Leu Arg Gly 130 135 140

Gly His Ile Pro Gly Ala Ile Asn Leu Asp Trp Ser Asp Ala Val Leu 145 150 155 160

Pro Asn Gly Asn Phe Arg Thr Arg Ala Glu Leu Asp Lys Leu Tyr Ala 165 170 175

Asp Leu Asn Pro Ala Asp Asp Thr Val Val Tyr Cys Gln Val Gly Asp 180 185 190

Arg Ala Ala His Thr Trp Phe Val Leu Lys Tyr Leu Leu Gly Phe Asn 195 200 205

Asn Val Arg Asn Tyr Asp Gly Ser Trp Ala Glu Trp Gly Asn Met Val 210 215 220

Arg Met Pro Ile Glu Thr Gly Glu Asn Thr Lys Asn Asn Val Ser Val 225 230 235 240

Ser

<210> 357

<211> 377

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

PCT/IB00/00911

WO 01/00842 <222> (1)..(354) <223> FRXA02334 <400> 357 gga gtt ctc ccg gat tgg atg agc acg gca acc caa ccc tca aac acc 48 Gly Val Leu Pro Asp Trp Met Ser Thr Ala Thr Gln Pro Ser Asn Thr 10 ggc gtg ctt cgt ggt gaa cac atc cca ggc gcg atc aac ctg gat tgg 96 Gly Val Leu Arg Gly Glu His Ile Pro Gly Ala Ile Asn Leu Asp Trp 25 tog gac got gtt ott occ aac gga aac tto ogc acc ogt goa gag ttg 144 Ser Asp Ala Val Leu Pro Asn Gly Asn Phe Arg Thr Arg Ala Glu Leu 40 gac aag ctc tac gcc gat ctc aac cca gct gac gat acc gtt gtc tac 192 Asp Lys Leu Tyr Ala Asp Leu Asn Pro Ala Asp Asp Thr Val Val Tyr tgc cag gtt ggc gac cgc gcg gcc cac acc tgg ttc gtg ctq aag tat 240 Cys Gln Val Gly Asp Arg Ala Ala His Thr Trp Phe Val Leu Lys Tyr ctg ctc ggt ttc aac aac gtc cga aac tat gac gga tcg tgg gca gaa 288 Leu Leu Gly Phe Asn Asn Val Arg Asn Tyr Asp Gly Ser Trp Ala Glu tgg ggc aat atg gtt cgc atg ccg atc gaa act ggc gaa aac acc aaa 336 Trp Gly Asn Met Val Arg Met Pro Ile Glu Thr Gly Glu Asn Thr Lys 105 aat aac gtt tcg gtg tca tagaataggc gtatcccctt ttt 377 Asn Asn Val Ser Val Ser 115 <210> 358 <211> 118 <212> PRT <213> Corynebacterium glutamicum <400> 358 Gly Val Leu Pro Asp Trp Met Ser Thr Ala Thr Gln Pro Ser Asn Thr

Gly Val Leu Arg Gly Glu His Ile Pro Gly Ala Ile Asn Leu Asp Trp

Ser Asp Ala Val Leu Pro Asn Gly Asn Phe Arg Thr Arg Ala Glu Leu 40

Asp Lys Leu Tyr Ala Asp Leu Asn Pro Ala Asp Asp Thr Val Val Tyr

Cys Gln Val Gly Asp Arg Ala Ala His Thr Trp Phe Val Leu Lys Tyr 75

Leu Leu Gly Phe Asn Asn Val Arg Asn Tyr Asp Gly Ser Trp Ala Glu 90

115

163

211

259

307

355

403

451

100

115

Leu Trp Asp Val Leu

Trp Gly Asn Met Val Arg Met Pro Ile Glu Thr Gly Glu Asn Thr Lys

Asn Asn Val Ser Val Ser

70

115 <210> 359 <211> 3945 ' <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(3922) <223> RXN01499 <400> 359 qcaqcaatta tctccaccga agaggactaa atataacgtg gcattgagca gtgttccagc 60 acagttcctg agatccgccc aggcgccccc gaagcgtact ttg tgg gac gtc tta gaa too gto goo tot act tat cot gag goa got att gac gat ggo Glu Ser Val Ala Ser Thr Tyr Pro Glu Ala Ala Ile Asp Asp Gly 10 15 cag gtg ttg acc tac gca gag ttg atg gaa gaa gtc acc gcg ttg gct Gln Val Leu Thr Tyr Ala Glu Leu Met Glu Glu Val Thr Ala Leu Ala gat tcc att cat gca cag ggc att cgc cgt ggt gat cgc atc ggt att Asp Ser Ile His Ala Gln Gly Ile Arg Arg Gly Asp Arg Ile Gly Ile 40 45 cgc atg ccg tct ggt acg cgt gac ctt tac atc gct att ttg gcc act Arg Met Pro Ser Gly Thr Arg Asp Leu Tyr Ile Ala Ile Leu Ala Thr 55 etc get get get get tac gtg cea gtt gat gea gat gat ect gaa

75

90

105

cgt aga cca cgc ttg gat gat acg gcg tgg att atc ttt act tcc ggt 499 Arg Arg Pro Arg Leu Asp Asp Thr Ala Trp Ile Ile Phe Thr Ser Gly . 120 tcc acc ggc aag cct aag ggt gtg gct gtg tcc cac cgt.tca gct gcg 547 Ser Thr Gly Lys Pro Lys Gly Val Ala Val Ser His Arg Ser Ala Ala 135 140

95

Leu Ala Ala Gly Ala Ala Tyr Val Pro Val Asp Ala Asp Asp Pro Glu

gag cgc gcc gag atg gtg ttt ggt gaa gca aat att aat gcg ctt ttc

Glu Arg Ala Glu Met Val Phe Gly Glu Ala Asn Ile Asn Ala Leu Phe

gac gcc acc ggc ttc cat atg ctt cgc ccg acc gcg ggc ggc gat acc

Asp Ala Thr Gly Phe His Met Leu Arg Pro Thr Ala Gly Gly Asp Thr

110

gct ttc gtg gat gcc gaa gca caa atg ttc ctt gtc gat cac cct tcc

475

WO 01/00842	PCT/IB00/00911
WO 01/00042	PC1/1B00/00911

		WU	01/00	842												PCI	71B00/009
A 1	11a .50	Phe	Val	Asp	Ala	Glu 155	Ala	Gln	Met	Phe	Leu 160	Val	Asp	His	Pro	Ser 165	
g G	gc Sly	ccc Pro	ctt Leu	ggc Gly	cca Pro 170	gaa Glu	gac Asp	cga Arg	gtc Val	ctt Leu 175	gcg Ala	gga Gly	ttg Leu	tct Ser	gta Val 180	gcc Ala	643
t P	tt	gac Asp	gca Ala	tct Ser 185	tgt Cys	gag Glu	gaa Glu	atg Met	tgg Trp 190	ttg Leu	gcc Ala	tgg Trp	ggc	cac His 195	ggc Gly	gcc Ala	691
t C	gc	ttg Leu	gtg Val 200	cca Pro	gca Ala	cca Pro	cgc Arg	tcc Ser 205	cta Leu	gtc Val	cgt Arg	tcc Ser	ggt Gly 210	atg Met	gac Asp	ttg Leu	739
g G	gc ly	cca Pro 215	tgg Trp	ctg Leu	att Ile	cgc Arg	cgc Arg 220	gac Asp	atc Ile	agt Ser	gtc Val	gtc Val 225	tcc Ser	acc Thr	gtc Val	cca Pro	787
T	ct hr 30	ctg Leu	gct Ala	ggt Gly	ctg Leu	tgg Trp 235	cca Pro	gca Ala	gaa Glu	gca Ala	ttg Leu 240	tca Ser	cag Gln	gtc Val	cgc Arg	ttg Leu 245	835
L	tc eu	atc Ile	gtc Val	ggc Gly	ggc Gly 250	gag Glu	gct Ala	tgc Cys	tcg Ser	cag Gln 255	gag Glu	ctc Leu	gtt Val	gaa Glu	cgc Arg 260	tta Leu	883
Se	er	Thr	Pro	gac Asp 265	Arg	Glu	Val	Trp	Asn 270	Thr	Tyr	Gly	Pro	Thr 275	Glu	Ala	931
Tì	hr	Val	Val 280	gcc Ala	Cys	Gly	Thr	Gln 285	Leu	Tyr	Ala	Gly	Gln 290	Pro	Val	Gly	979
11	le	Gly 295	Leu	cca Pro	Leu	Ala	Gly 300	Trp	Asp	Leu	Val	Val 305	Val	Asp	Asp	Ala	1027
G]	1 y 10	Glu	Pro	gtc Val	Gly	11e 315	Gly	Glu	Val	Gly	Glu 320	Leu	Val	Ile	Gly	Gly 325	1075
Vá	a 1	Gly	Leu	gca Ala	Arg 330	Tyr	Leu	Asp	Pro	Glu 335	Lys	Asp	Arg	Glu	Lys 340	Tyr	1123
Al	la	Pro	Leu	aag Lys 345	Ser	Val	Gly	Trp	Thr 350	Arg	Ala	Tyr	Arg	Ser 355	Gly	Asp	1171
Hi	is '	Val	Arg 360	ctg Leu	Glu	Glu	Asp	Gly 365	Leu	Tyr	Phe	Val	Gly 370	Arg	Val	Asp	1219
As	sp (Gln 375	Val	aaa Lys	Ile	Gly	380	Arg	Arg	Ile	Glu	Leu 385	Gly	Glu	Val	Asp	1267
gc Al	a i	aat Asn	gtg Val	gca Ala	gcg Ala	ctt Leu	tcc Ser	aac Asn	gtt Val	cgt Arg	tcc Ser	tcc Ser	gca Ala	gtg Val	gtt Val	gtt Val	1315

	WU	11/000	42												PCI	1/ 1.6 00/009
390	ı				395					400					405	
	acc Thr															1363
gaa Glu	gat Asp	gct Ala	gca Ala 425	gct Ala	gga Gly	ttt Phe	gat Asp	cac His 430	aac Asn	gtc Val	gcg Ala	act Thr	gcc Ala 435	cga Arg	ctc Leu	1411
acc Thr	gaa Glu	acc Thr 440	atg Met	cct Pro	gct Ala	gct Ala	ttg Leu 445	gtt Val	ccg Pro	cgc Arg	att Ile	cac His 450	gtg Val	atg Met	gat Asp	1459
gat Asp	ctg Leu 455	cct Pro	gtc Val	acc Thr	acc Thr	tcc Ser 460	ggc Gly	aag Lys	ġtt Val	gat Asp	aag Lys 465	aag Lys	tct Ser	ttg Leu	ccg Pro	1507
tgg Trp 470	cct Pro	ctt Leu	cct Pro	ggc Gly	acc Thr 475	gtg Val	gtg Val	gaa Glu	gct Ala	aat Asn 480	gac Asp	ctc Leu	agc Ser	gca Ala	acg Thr 485	1555
gaa Glu	gcg Ala	tgg Trp	att Ile	gct Ala 490	cag Gln	gaa Glu	tgg Trp	gtc Val	gat Asp 495	atc Ile	ctc Leu	ggc Gly	act Thr	tct Ser 500	gtg Val	1603
	agc Ser															1651
	gcg Ala															1699
gtg Val	cgt Arg 535	gat Asp	ctt Leu	tac Tyr	gat Asp	cac His 540	cct Pro	cgc Arg	ttg Leu	gag Glu	aaa Lys 545	ttc Phe	gcc Ala	gag Glu	cgt Arg	1747
gtc Val 550	gag Glu	gct Ala	atc Ile	gcc Ala	gcc Ala 555	gac Asp	act Thr	ggc Gly	att Ile	tct Ser 560	ttg Leu	gag Glu	gcg Ala	cca Pro	aac Asn 565	1795
cag Gln	gtg Val	gag Glu	gag Glu	cgc Arg 570	gtc Val	gtc Val	aag Lys	cct Pro	gtt Val 575	tct Ser	ttt Phe	ggc Gly	act Thr	cgt Arg 580	gtg Val	1843
atg Met	cag Gln	acc Thr	ctc Leu 585	atc Ile	cag Gln	att Ile	ccg Pro	atc Ile 590	atg Met	acg Thr	ctg Leu	caa Gln	gca Ala 595	gca Ala	cag Gln	1891
tgg Trp	att Ile	gca Ala 600	tgg Trp	ttg Leu	ctg Leu	ttg Leu	ggc Gly 605	aac Asn	aac Asn	atc Ile	atg Met	gca Ala 610	gcg Ala	ctt Leu	gat Asp	1939
ttc Phe	gat Asp 615	tgg Trp	gct Ala	gtt Val	cat His	gtc Val 620	tcc Ser	tgg Trp	tgg Trp	ctt Leu	gtc Val 625	atc Ile	ggc Gly	atg Met	att Ile	1987
ttg Leu 630	gtg Val	ttc Phe	gct Ala	acc Thr	ccg Pro 635	att Ile	ggt Gly	cgc Arg	ttg Leu	ccg Pro 640	atc Ile	ggc Gly	ggt Gly	tgg Trp	ggc Gly 645	2035

						ggc Gly										2083
						att Ile										2131
						tct Ser										2179
						atg Met 700										` 2227
cca Pro 710	cca Pro	atc Ile	act Thr	ggc Gly	ctt Leu 715	ttg Leu	acc Thr	ttg Leu	ggc Gly	aac Asn 720	aat Asn	gtt Val	tcc Ser	atc Ile	gag Glu 725	2275
						ggc Gly										2323
						cat His										2371
acc Thr	ctg Leu	ctt Leu 760	ccc Pro	ggc Gly	acc Thr	gtg Val	gtg Val 765	ggc Gly	acc Thr	ggc Gly	gct Ala	cac His 770	ctg Leu	ctg Leu	cct Pro	2419
ggt Gly	tca Ser 775	aca Thr	gtg Val	act Thr	ggt Gly	gat Asp 780	aag Lys	acc Thr	atc Ile	aag Lys	cct Pro 785	ggt Gly	tct Ser	cgt Arg	tgg Trp	2467
gct Ala 790	ggc Gly	tcc Ser	cct Pro	gca Ala	caa Gln 795	aag Lys	gtg Val	ggt Gly	cgt Arg	gca Ala 800	aag Lys	cac His	cgg Arg	ttc Phe	cca Pro 805	2515
acc Thr	tcc Ser	cat His	cct Pro	cca Pro 810	cgc Arg	agg Arg	tcc Ser	cgg Arg	tgg Trp 815	gtt Val	ccg Pro	gtg Val	ttc Phe	ggc Gly 820	gcg Ala	2563
						ctg Leu										2611
gct Ala	gct Ala	atc Ile 840	acc Thr	ttg Leu	tgg Trp	ctg Leu	gcc Ala 845	acg Thr	att Ile	agc Ser	ccg Pro	ctt Leu 850	cca Pro	ctg Leu	atc Ile	2659
tgg Trp	ggt Gly 855	gtg Val	ctg Leu	gtt Val	ttt Phe	gct Ala 860	acc Thr	gtc Val	ggc Gly	gcg Ala	ttg Leu 865	gct Ala	gcg Ala	ttc Phe	ttt Phe	2707
gct Ala 870	tac Tyr	acc Thr	gtg Val	acc Thr	atc Ile 875	tgg Trp	gtg Val	ctt Leu	gtc Val	cgt Arg 880	ttg Leu	atc Ile	cag Gln	atc Ile	ggc Gly 885	2755

atc Ile	aag Lys	ggc Gly	ggc Gly	acc Thr 890	gca Ala	cca Pro	gtg Val	agg Arg	tcc Ser 895	cgt Arg	ctt Leu	ggt Gly	tgg Trp	cag Gln 900	gtc Val	2803
					ctc Leu											2851
ctc Leu	tac Tyr	gca Ala 920	tcc Ser	caa Gln	ctg Leu	acc Thr	cca Pro 925	ctg Leu	tgg Trp	ttc Phe	cgc Arg	agc Ser 930	ttg Leu	ggc Gly	gcg Ala	2899
aag Lys	atc Ile 935	ggc Gly	aag Lys	gat Asp	gtt Val	gag Glu 940	atc Ile	tcc Ser	acc Thr	gcg Ala	gtg Val 945	atg Met	gtt Val	cct Pro	aaa Lys	2947
ctg Leu 950	gct Ala	gat Asp	atc Ile	cgc Arg	gaa Glu 955	ggc Gly	gca Ala	ttc Phe	ctg Leu	gcc Ala 960	gat Asp	gac Asp	acc Thr	ctc Leu	atc Ile 965	2995
ggt Gly	ggc Gly	tat Tyr	gag Glu	ctg Leu 970	ggt Gly	aat Asn	ggt Gly	tgg Trp	ctg Leu 975	ctc Leu	agt Ser	ggt Gly	gaa Glu	acc Thr 980	cgc Arg	3043
gtg Val	ggt Gly	aag Lys	cgt Arg 985	tcc Ser	ttc Phe	att Ile	ggt Gly	aac Asn 990	tct Ser	ggc Gly	atc Ile	gca Ala	gga Gly 995	cct Pro	gag Glu	3091
cgc Arg	aag Lys	ctc Leu 1000	Ala	aag Lys	aac Asn	tcc Ser	ctg Leu 100	Val	gca Ala	gtg Val	ctc Leu	Ser	tcc Ser 010	acc Thr	ccg Pro	3139
aag Lys	aag Lys 1015	Ala	aag Lys	gcc Ala	aac Asn	tcc Ser 102	Asn	tgg Trp	tgg Trp	ggt Gly	Ser	cct Pro 25	cca Pro	gag Glu	cgc Arg	3187
atg Met 1030	Arg	cgt Arg	gtc Val	act Thr	gtc Val 103	Glu	gtt Val	gat Asp	gag Glu	Gly	gaa Glu)40	gca Ala	aag Lys	acc Thr	tac Tyr 10	3235 45
agc Ser	cct Pro	ggc Gly	ttt Phe	ggt Gly 1050	gtg Val)	aag Lys	ttt Phe	gca Ala	cgt Arg 105	Gly	gcg Ala	gtg Val	gaa Glu	Thr	gca Ala)60	3283
cgt Arg	ctg Leu	ctt Leu	gct Ala 1065	Pro	ata Ile	acc Thr	tct Ser	ggt Gly 107	Val	ttg Leu	gct Ala	gcg Ala	Leu	tca Ser)75	ctg Leu	3331
ctg Leu	ctc Leu	atg Met 1080	Gln	tac Tyr	ctg Leu	ctc Leu	act Thr 108	Glu	ttc Phe	aac Asn	atg Met	\mathtt{Trp}	atc Ile 90	acc Thr	tgg Trp	3379
ttg Leu	ctt Leu 1095	Gly	gga Gly	ctg Leu	atc Ile	ctc Leu 110	Met	acg Thr	gtt Val	ggt Gly	Val	ctc Leu 105	gcc Ala	atg Met	ggc Gly	3427
att Ile 1110	Thr	gtt Val	gtg Val	atg Met	aag Lys 111	Trp	gtt Val	tgc Cys	gtc Val	Gly	aag Lys .20	cat His	aag Lys	ccg Pro	tct Ser 11	3475 25
gag	cac	cct	ctc	ttc	agc	cgc	ttt	gtg	tgg	ctg	aat	gag	ctg	caa	gat	3523

Glu His Pro Leu Phe Ser Arg Phe Val Trp Leu Asn Glu Leu Gln Asp 1130 1135 gcg ttc gtg gaa tcc gtg gct ggc cca tgg ttc ctc gtg ccc aac ctg 3571 Ala Phe Val Glu Ser Val Ala Gly Pro Trp Phe Leu Val Pro Asn Leu 1145 1150 1155 ggc acc ggc gcg ctg aac gcc ggc atg agc gcg ctt ggc gca cac atc 3619 Gly Thr Gly Ala Leu Asn Ala Gly Met Ser Ala Leu Gly Ala His Ile 1160 1165 ggc cgt ggc gca tgg atc gaa tcc tac tgg ctg ccg gaa acc gac ctc 3667 Gly Arg Gly Ala Trp Ile Glu Ser Tyr Trp Leu Pro Glu Thr Asp Leu 1175 . 1180 tgc tac atc ggc aag ggc gca acc gtg ggc cct ggc gtg gtc gtg cag Cys Tyr Ile Gly Lys Gly Ala Thr Val Gly Pro Gly Val Val Gln 1190 1195 1200 1205 acc cac ctc ttc cag gac cgc gtg atg agc cta gat acg gtg acc gtc 3763 Thr His Leu Phe Gln Asp Arg Val Met Ser Leu Asp Thr Val Thr Val 1210 get gac gge gee ace eta geg gac eac tee gtt gee ett eet get teg 3811 Ala Asp Gly Ala Thr Leu Ala Asp His Ser Val Ala Leu Pro Ala Ser 1225 1230 1235 ctt atc gac gcc tcc gcc acc atc ggc cca ggc tcg ctg gtg atg cgc 3859 Leu Ile Asp Ala Ser Ala Thr Ile Gly Pro Gly Ser Leu Val Met Arg 1240 1245 1250 ggc gac aag gta cca gcg cat acc cgc tgg caa ggc aac cca att gag 3907 Gly Asp Lys Val Pro Ala His Thr Arg Trp Gln Gly Asn Pro Ile Glu 1260 ccg tgg agc aac tct taaataacaa caatcagccg gat 3945 Pro Trp Ser Asn Ser 1270 <210> 360 <211> 1274 <212> PRT <213> Corynebacterium glutamicum <400> 360 Leu Trp Asp Val Leu Glu Ser Val Ala Ser Thr Tyr Pro Glu Ala Ala Ala Ile Asp Asp Gly Gln Val Leu Thr Tyr Ala Glu Leu Met Glu Glu 20 25 30 Val Thr Ala Leu Ala Asp Ser Ile His Ala Gln Gly Ile Arg Arg Gly 40 Asp Arg Ile Gly Ile Arg Met Pro Ser Gly Thr Arg Asp Leu Tyr Ile Ala Ile Leu Ala Thr Leu Ala Ala Gly Ala Ala Tyr Val Pro Val Asp 70 75

Ala Asp Asp Pro Glu Glu Arg Ala Glu Met Val Phe Gly Glu Ala Asn 85 90 95

- Ile Asn Ala Leu Phe Asp Ala Thr Gly Phe His Met Leu Arg Pro Thr 100 105 110
- Ala Gly Gly Asp Thr Arg Arg Pro Arg Leu Asp Asp Thr Ala Trp Ile 115 120 125
- Ile Phe Thr Ser Gly Ser Thr Gly Lys Pro Lys Gly Val Ala Val Ser 130 · 135 140
- Val Asp His Pro Ser Gly Pro Leu Gly Pro Glu Asp Arg Val Leu Ala 165 170 175
- Gly Leu Ser Val Ala Phe Asp Ala Ser Cys Glu Glu Met Trp Leu Ala 180 $$185\$
- Trp Gly His Gly Ala Cys Leu Val Pro Ala Pro Arg Ser Leu Val Arg 195 200 205
- Ser Gly Met Asp Leu Gly Pro Trp Leu Ile Arg Arg Asp Ile Ser Val 210 215 220
- Val Ser Thr Val Pro Thr Leu Ala Gly Leu Trp Pro Ala Glu Ala Leu 225 230 235 240
- Ser Gln Val Arg Leu Leu Ile Val Gly Gly Glu Ala Cys Ser Gln Glu 245 250 255
- Leu Val Glu Arg Leu Ser Thr Pro Asp Arg Glu Val Trp Asn Thr Tyr 260 265 270
- Gly Pro Thr Glu Ala Thr Val Val Ala Cys Gly Thr Gln Leu Tyr Ala 275 280 285
- Gly Gln Pro Val Gly Ile Gly Leu Pro Leu Ala Gly Trp Asp Leu Val 290 295 300
- Val Val Asp Asp Ala Gly Glu Pro Val Gly Ile Gly Glu Val Gly Glu 305 310 320
- Leu Val Ile Gly Gly Val Gly Leu Ala Arg Tyr Leu Asp Pro Glu Lys 325 330 335
- Asp Arg Glu Lys Tyr Ala Pro Leu Lys Ser Val Gly Trp Thr Arg Ala 340 345 350
- Tyr Arg Ser Gly Asp His Val Arg Leu Glu Glu Asp Gly Leu Tyr Phe 355 360 365
- Val Gly Arg Val Asp Asp Gln Val Lys Ile Gly Gly Arg Arg Ile Glu 370 375 380
- Leu Gly Glu Val Asp Ala Asn Val Ala Ala Leu Ser Asn Val Arg Ser 385 390 395 400
- Ser Ala Val Val Gln Thr Thr Gly Ala Asp Gln Lys Val Leu Val

405 410 415

Ala Tyr Val Ser Leu Glu Asp Ala Ala Ala Gly Phe Asp His Asn Val 420 425 430

Ala Thr Ala Arg Leu Thr Glu Thr Met Pro Ala Ala Leu Val Pro Arg
435
440
445

Ile His Val Met Asp Asp Leu Pro Val Thr Thr Ser Gly Lys Val Asp 450 455 460

Lys Lys Ser Leu Pro Trp Pro Leu Pro Gly Thr Val Val Glu Ala Asn 465 470 475 480

Asp Leu Ser Ala Thr Glu Ala Trp Ile Ala Gln Glu Trp Val Asp Ile 485 490 495

Leu Gly Thr Ser Val Ser Ser Lys Asp Ala Asp Phe Phe Ser Leu Gly 500 505 510

Gly Thr Ser Leu Ala Ala Ala Thr Leu Val Gly Arg Val Arg Ala Lys 515 520 525

Val Pro Thr Ala Ala Val Arg Asp Leu Tyr Asp His Pro Arg Leu Glu 530 535 540

Lys Phe Ala Glu Arg Val Glu Ala Ile Ala Ala Asp Thr Gly Ile Ser 545 550 555 560

Leu Glu Ala Pro Asn Gln Val Glu Glu Arg Val Val Lys Pro Val Ser 565 570 575

Phe Gly Thr Arg Val Met Gln Thr Leu Ile Gln Ile Pro Ile Met Thr 580 585 590

Leu Gln Ala Ala Gln Trp Ile Ala Trp Leu Leu Gly Asn Asn Ile 595 600 605

Met Ala Ala Leu Asp Phe Asp Trp Ala Val His Val Ser Trp Trp Leu 610 615 620

Val Ile Gly Met Ile Leu Val Phe Ala Thr Pro Ile Gly Arg Leu Pro 625 630 635 640

Ile Gly Gly Trp Gly Ala Arg Ile Ile Thr Arg Gly Ile Thr Pro Gly
645 650 655

Ser Tyr Pro Arg Gly Gly Ser Thr His Leu Arg Ile Trp Ser Ala Glu 660 665 670

Arg Leu Ala Asp Ala Ser Gly Ser Arg Asn Ile Ser Gly Ala Thr Trp 675 680 685

Val Asn Tyr Phe Ala Arg Ser Leu Gly Val Lys Met Gly Lys Gly Val 690 695 700

Asp Leu His Ser Leu Pro Pro Ile Thr Gly Leu Leu Thr Leu Gly Asn 705 710 715 720

Asn Val Ser Ile Glu Gln Glu Val Asp Leu Arg Gly Tyr Trp Leu Asp 725 730 735

Gly Asp Ile Leu Arg Val Gly Thr Ile Glu Val His Asp Asn Ala Arg 740 745 750

- Ile Gly Ala Arg Ser Thr Leu Leu Pro Gly Thr Val Val Gly Thr Gly 755 760 765
- Ala His Leu Leu Pro Gly Ser Thr Val Thr Gly Asp Lys Thr Ile Lys 770 775 780
- Pro Gly Ser Arg Trp Ala Gly Ser Pro Ala Gln Lys Val Gly Arg Ala 785 790 795 800
- Lys His Arg Phe Pro Thr Ser His Pro Pro Arg Arg Ser Arg Trp Val 805 810 815
- Pro Val Phe Gly Ala Thr Ser Ile Val Leu Ser Leu Leu Pro Leu Gln 820 825 830
- Ala Leu Ala Ile Gly Ala Ala Ile Thr Leu Trp Leu Ala Thr Ile Ser 835 840 845
- Pro Leu Pro Leu Ile Trp Gly Val Leu Val Phe Ala Thr Val Gly Ala 850 855 860
- Leu Ala Ala Phe Phe Ala Tyr Thr Val Thr Ile Trp Val Leu Val Arg 865 870 875 880
- Leu Ile Gln Ile Gly Ile Lys Gly Gly Thr Ala Pro Val Arg Ser Arg 885 890 895
- Leu Gly Trp Gln Val Trp Ala Val Gln Arg Leu Met Asp Asp Ala Arg 900 905 910
- Thr Tyr Leu Phe Pro Leu Tyr Ala Ser Gln Leu Thr Pro Leu Trp Phe 915 920 925
- Arg Ser Leu Gly Ala Lys Ile Gly Lys Asp Val Glu Ile Ser Thr Ala 930 935 940
- Val Met Val Pro Lys Leu Ala Asp Ile Arg Glu Gly Ala Phe Leu Ala 945 950 955 960
- Asp Asp Thr Leu Ile Gly Gly Tyr Glu Leu Gly Asn Gly Trp Leu Leu 965 970 975
- Ser Gly Glu Thr Arg Val Gly Lys Arg Ser Phe Ile Gly Asn Ser Gly 980 985 990
- Ile Ala Gly Pro Glu Arg Lys Leu Ala Lys Asn Ser Leu Val Ala Val 995 1000 1005
- Leu Ser Ser Thr Pro Lys Lys Ala Lys Ala Asn Ser Asn Trp Trp Gly 1010 1015 1020
- Ser Pro Pro Glu Arg Met Arg Arg Val Thr Val Glu Val Asp Glu Gly 1025 1030 1035 1040
- Glu Ala Lys Thr Tyr Ser Pro Gly Phe Gly Val Lys Phe Ala Arg Gly 1045 1050 1055

Ala Val Glu Thr Ala Arg Leu Leu Ala Pro Ile Thr Ser Gly Val Leu 1060 1065 1070

Ala Ala Leu Ser Leu Leu Met Gln Tyr Leu Leu Thr Glu Phe Asn 1075 1080 1085

Met Trp Ile Thr Trp Leu Leu Gly Gly Leu Ile Leu Met Thr Val Gly 1090 1095 1100

Val Leu Ala Met Gly Ile Thr Val Val Met Lys Trp Val Cys Val Gly 1105 1110 1115 1120

Lys His Lys Pro Ser Glu His Pro Leu Phe Ser Arg Phe Val Trp Leu 1125 1130 1135

Asn Glu Leu Gln Asp Ala Phe Val Glu Ser Val Ala Gly Pro Trp Phe 1140 1145 1150

Leu Val Pro Asn Leu Gly Thr Gly Ala Leu Asn Ala Gly Met Ser Ala 1155 1160 1165

Leu Gly Ala His Ile Gly Arg Gly Ala Trp Ile Glu Ser Tyr Trp Leu 1170 1175 1180

Pro Glu Thr Asp Leu Cys Tyr Ile Gly Lys Gly Ala Thr Val Gly Pro 1185 1190 1195 1200

Gly Val Val Val Gln Thr His Leu Phe Gln Asp Arg Val Met Ser Leu 1205 1210 1215

Asp Thr Val Thr Val Ala Asp Gly Ala Thr Leu Ala Asp His Ser Val 1220 1225 1230

Ala Leu Pro Ala Ser Leu Ile Asp Ala Ser Ala Thr Ile Gly Pro Gly 1235 1240 1245

Ser Leu Val Met Arg Gly Asp Lys Val Pro Ala His Thr Arg Trp Gln 1250 1255 1260

Gly Asn Pro Ile Glu Pro Trp Ser Asn Ser 1265 1270

<210> 361

<211> 609

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(586)

<223> RXN01997

<400> 361

aaaaaggtgg gaaacttagc caatccaaag cccaaaaatg cgggttatgc tgcgctaacc 60

tatgctgaca gccttgcgga agttgtgtac gttaggggcc atg aca atc aac gag $\,$ 115 $\,$ Met Thr Ile Asn Glu $\,$ 1 . $\,$ 5

aag ato goa toa got tto aac aac caa gtg act goa gag ott gaa got 163

Lys	Ile	Ala	Ser	Ala 10	Phe	Asn	Asn	Gln	Val 15	Thr	Ala	Glu	Leu	Glu 20	Ala	
											gac Asp					211
											aaa Lys					259
											cgt Arg 65					307
-			-		-			_		_	gtc Val			-		355
-				-		-	_				aag Lys				_	403
	_			-	-		-		-		aag Lys	-		-		451
											atc Ile					499
	-					_	-		-		gct Ala 145		_			547
											tcc Ser		taaa	ttco	ccc	596
gcaq	gtttt	ta a	atg													609
<211 <212	0> 36 1> 16 2> PF 3> Co	52 RT	ebact	eriu	ım gl	Lutan	nicum	n								
	0> 36 Thr		Asn	Glu 5	Lys	Ile	Ala	Ser	Ala 10	Phe	Asn	Asn	Gln	Val 15	Thr	
Ala	Glu	Leu	Glu 20	Ala	Ser	Met	Val	Tyr 25	Leu	Gln	Leu	Ser	Туг 30	Val	Leu	
Asp	Asp	Leu 35	Gly	Leu	Thr	Gly	Met 40	Arg	Asp	Trp	Met	Lys 45	Ala	Gln	Ser	
Lys	Glu 50	Glu	Leu	Glu	His	Ala 55	Gln	Lys	Phe	Ala	Gln 60	His	Leu	Leu	Asp	
Ara	Asp	Tvr	Thr	Pro	Gln	Ile	Glv	Asp	Ile	Ala	Pro	Pro	Lvs	Leu	Asp	

65 70 75 80 Val Thr Ser Ala Ile Glu Ala Phe Glu Ala Ser Leu Ala His Glu Gln 85 90 Lys Ile Ser Gly Leu Ile Arg Glu Leu Ala Ala Ile Gln Asp Ala Glu 105 Lys Asp Tyr Asp Ser Arg Ala Leu Ile Asp Trp Phe Leu Asn Glu Gln 115 120 125 Ile Glu Glu Glu Ala Thr Val Gly Glu Ile Ile Asp Arg Leu Arg Ile 135 Ala Gly Asp Ser Gly Ser Gly Ile Leu Arg Ile Asp Gly Glu Leu Gly 155 Ser Arq <210> 363 <211> 867 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(844) <223> RXA01848 <400> 363 ctgcaaggaa ctgcgcaggc gaaggcgcag actactggaa aggtaggtac tgccggatcc 60 ggcgacccct ttcgctccta ggcatttgcg cctggcgtcc atg ggg gag gag gac 115 Met Gly Glu Glu Asp tee ace eea ggt agg egt tee aag geg tat teg ege eaq gge get gat 163 Ser Thr Pro Gly Arg Arg Ser Lys Ala Tyr Ser Arg Gln Gly Ala Asp 10 gtc cgc ccc atg aag ggt gga cac ggc atc aac tta gtg ggc acg ctc 211 Val Arg Pro Met Lys Gly Gly His Gly Ile Asn Leu Val Gly Thr Leu 30 atg gcg gct acg gaa cgc ggc gcc aac att gtt gaa ggc gtg gtc gat 259 Met Ala Ala Thr Glu Arg Gly Ala Asn Ile Val Glu Gly Val Val Asp 40 tte egg ecc aeg gae etg egg ggt teg etg ege egt ggg ege gaa gee 307 Phe Arg Pro Thr Asp Leu Arg Gly Ser Leu Arg Arg Gly Arg Glu Ala 55 60 aac etc ate gtg tte gte gte gae aca teg ggg teg atg get geg egt 355 Asn Leu Ile Val Phe Val Val Asp Thr Ser Gly Ser Met Ala Ala Arg 70 75 80 tee agg gtg egt geg gte ace ggg act att ace tet atg ett aac gae 403 Ser Arg Val Arg Ala Val Thr Gly Thr Ile Thr Ser Met Leu Asn Asp

							gtt Val									451
							cca Pro 125									499
Gln							atg Met									547
ggg Gly 150	ctg Leu	ctc Leu	atg Met	gcc Ala	aag Lys 155	gat Asp	ctc Leu	atg Met	gca Ala	agg Arg 160	gaa Glu	ctc Leu	cga Arg	aag Lys	gaa Glu 165	595
ccc Pro	ggc Gly	cga Arg	cgc Arg	gcg Ala 170	atc Ile	ctc Leu	atg Met	gtg Val	atg Met 175	acc Thr	gat Asp	ggc Gly	caa Gln	gac Asp 180	acc Thr	643
tcc Ser	gat Asp	gcc Ala	ggc Gly 185	gaa Glu	gca Ala	ggc Gly	att Ile	gcc Ala 190	acc Thr	gcg Ala	gcg Ala	gaa Glu	aca Thr 195	gtg Val	gtg Val	691
aaa Lys	tca Ser	cga Arg 200	ctg Leu	tcc Ser	ggc Gly	aac Asn	gtg Val 205	gtc Val	atc Ile	gac Asp	tgc Cys	gaa Glu 210	ggc Gly	cga Arg	ctc Leu	739
aaa Lys																787
gtg Val 230																835
att Ile			taga	caac	ca ç	gagto	gaggo	gt tt	c							867
<210 <211 <212 <213	> 24 > PF	8 T	ebact	eriu	ımg)	utan	nicum	n								
<400 Met			Glu	Asp 5	Ser	Thr	Pro	Gly	Arg 10	Arg	Ser	Lys	Ala	Tyr 15	Ser	
Arg	Gln	Gly	Ala 20	Asp	Val	Arg	Pro	Met 25	Lys	Gly	Gly	His	Gly 30	Ile	Asn	
Leu '	Val	Gly 35	Thr	Leu	Met	Ala	Ala 40	Thr	Glu	Arg	Gly	Ala 45	Asn	Ile	Val	
Glu	Gly 50	Val	Val	Asp	Phe	Arg 55	Pro	Thr	Asp	Leu	Arg 60	Gly	Ser	Leu	Arg	

Arg Gly Arg Glu Ala Asn Leu Ile Val Phe Val Val Asp Thr Ser Gly

65 70 75 80

Ser Met Ala Ala Arg Ser Arg Val Arg Ala Val Thr Gly Thr Ile Thr 85 90 95

Ser Met Leu Asn Asp Ala Tyr Gln Arg Arg Asp Lys Val Ala Val Ile 100 105 110

Ala Val Asn Gly Asn Lys Pro Thr Leu Val Leu Asn Pro Thr Asn Ser 115 120 125

Val Glu Gln Ala Gln Gln Lys Leu Lys Asp Met Pro Met Gly Gly Arg 130 135 140

Thr Pro Leu Ala Glu Gly Leu Leu Met Ala Lys Asp Leu Met Ala Arg 145 150 155 160

Glu Leu Arg Lys Glu Pro Gly Arg Arg Ala Ile Leu Met Val Met Thr 165 170 175

Asp Gly Gln Asp Thr Ser Asp Ala Gly Glu Ala Gly Ile Ala Thr Ala 180 185 190

Ala Glu Thr Val Val Lys Ser Arg Leu Ser Gly Asn Val Val Ile Asp 195 200 205

Cys Glu Gly Arg Leu Lys Val Arg Lys Glu Arg Ala Gly Val Leu Ala 210 215 220

Glu Met Leu Gly Gly Val Cys Val Arg Leu Arg Asp Leu Asn Ser Glu 225 230 235 240

His Ile Lys Met Val Ile Asn Ala 245

<210> 365

<211> 1224

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1201)

<223> RXN01849

<400> 365

aaaaccttaa gttgggtggt taaacccact aaggtctcac tttatggatg tgccaggtca 60

caccaaaaaa tctcaagaaa actcacatta aaggacagta atg gcg tca caa cag 115

Met Ala Ser Gln Gln

. 5

atc cgc tat cca ttc tcc gcg gtt gtg gga caa gac gag ctt cgg ctt $\,$ 163 Ile Arg Tyr Pro Phe Ser Ala Val Val Gly Gln Asp Glu Leu Arg Leu $\,$ 10 $\,$ 15 $\,$ 20

gcg ttg atc ctc act gcg att tcc cca cgc att ggt ggc gtg gtg att 211 Ala Leu Ile Leu Thr Ala Ile Ser Pro Arg Ile Gly Gly Val Val Ile 25 30 35

															- 0 - 1	1200,0
					aca Thr											259
ggt Gly	ctt Leu 55	tta Leu	ggt Gly	gat Asp	gcc Ala	cct Pro 60	ttg Leu	gtg Val	aac Asn	ttg Leu	cct Pro 65	ctc Leu	gga Gly	tcc Ser	acg Thr	307
gag Glu 70	gat Asp	cgt Arg	gtg Val	gtg Val	ggt Gly 75	tcc Ser	ctc Leu	aac Asn	atg Met	gaa Glu 80	act Thr	gtg Val	ttg Leu	acc Thr	acc Thr 85	355
					cag Gln											403
gtg Val	ctg Leu	tat Tyr	gtc Val 105	gat Asp	gag Glu	gtc Val	aac Asn	ctc Leu 110	ttg Leu	gcg Ala	gat Asp	cac His	ctg Leu 115	gtg Val	gat Asp	451
					gct Ala											499
					tca Ser											547
					gag Glu 155											595
					gct Ala											643
					ctt Leu											691
			Ala	Glu	caa Gln	Asp	Ala	Asp	Thr	Ser		Arg	Ile			739
gct Ala	aag Lys 215	gat Asp	ttg Leu	ctg Leu	cct Pro	ggt Gly 220	gtg Val	gag Glu	ctg Leu	ccg Pro	gat Asp 225	ctg Leu	atc Ile	ttg Leu	tcg Ser	787
cag Gln 230	att Ile	gcg Ala	tgg Trp	ttg Leu	tgt Cys 235	gca Ala	cgt Arg	att Ile	gaa Glu	gtc Val 240	gac Asp	ggt Gly	atg Met	cgc Arg	gct Ala 245	835
gac Asp	ctg Leu	gtg Val	atc Ile	acg Thr 250	cgt Arg	acc Thr	gca Ala	ctt Leu	gct Ala 255	cac His	gcc Ala	gcg Ala	tgg Trp	gct Ala 260	gga Gly	883
cgc Arg	act Thr	gtg Val	gtt Val 265	acg Thr	gaa Glu	gaa Glu	gac Asp	gtg Val 270	gag Glu	atc Ile	gca Ala	gct Ala	cgc Arg 275	cta Leu	gcg Ala	931
ttg	ccg	cac	cgc	cgt	cgc	cgt	aat	cct	ttc	gat	gct	сса	gaa	atg	gag	979

Leu Pro His Arg Arg Arg Asn Pro Phe Asp Ala Pro Glu Met Glu 285 gag cgc aag ctt cag gaa acc ctg cag gaa gct cgg gac ttc ttc aaa 1027 Glu Arg Lys Leu Gln Glu Thr Leu Gln Glu Ala Arg Asp Phe Phe Lys 295 300 305 gac aat gaa gat aaa gga cct gcc gcc aag atc acc gat gag gaa acc 1075 Asp Asn Glu Asp Lys Gly Pro Ala Ala Lys Ile Thr Asp Glu Glu Thr 310 315 ggt gca gag gcc ttt acc gat acc gac aat ccc acc gag gaa gac ggt 1123 Gly Ala Glu Ala Phe Thr Asp Thr Asp Asn Pro Thr Glu Glu Asp Gly 330 335 340 ctg caa gga act gcg cag gcg aag gcg cag act act gga aag gta ggt 1171 Leu Gln Gly Thr Ala Gln Ala Lys Ala Gln Thr Thr Gly Lys Val Gly 350 act gcc gga tcc ggc gac ccc ttt cgc tcc taggcatttg cgcctggcgt 1221 Thr Ala Gly Ser Gly Asp Pro Phe Arg Ser cca 1224 <210> 366 <211> 367 <212> PRT <213> Corynebacterium glutamicum Met Ala Ser Gln Gln Ile Arg Tyr Pro Phe Ser Ala Val Val Gly Gln 10 Asp Glu Leu Arg Leu Ala Leu Ile Leu Thr Ala Ile Ser Pro Arg Ile Gly Gly Val Val Ile Arg Gly Glu Lys Gly Thr Ala Lys Thr Thr Val Arg Ala Phe Ala Gly Leu Leu Gly Asp Ala Pro Leu Val Asn Leu Pro Leu Gly Ser Thr Glu Asp Arg Val Val Gly Ser Leu Asn Met Glu Thr Val Leu Thr Thr Gly Arg Ala Glu Tyr Gln Pro Gly Leu Leu Ala 85 Gln Ala Asp Gly Gly Val Leu Tyr Val Asp Glu Val Asn Leu Leu Ala 100 105 Asp His Leu Val Asp Ala Leu Leu Asp Ala Ala Ser Gly Arg Val 115 120 Ser Ile Glu Arg Asp Gly Ile Ser His Ser Ser Pro Ala Asn Phe Val 135 140 Leu Val Gly Thr Met Asn Pro Glu Glu Gly Glu Leu Arg Pro Gln Leu 155

Leu Asp Arg Phe Gly Leu Ala Val Asp Val Ala Ala Ser Thr Asn Pro 170 Glu Val Arg Val Glu Ile Ile Arg Arg Arg Leu Asp Phe Glu Asn Ala 185 Pro Glu Gln Phe Met Ala Lys Trp Ala Glu Gln Asp Ala Asp Thr Ser Asn Arg Ile Leu Ala Ala Lys Asp Leu Leu Pro Gly Val Glu Leu Pro 215 Asp Leu Ile Leu Ser Gln Ile Ala Trp Leu Cys Ala Arg Ile Glu Val 225 230 Asp Gly Met Arg Ala Asp Leu Val Ile Thr Arg Thr Ala Leu Ala His 245 250 Ala Ala Trp Ala Gly Arg Thr Val Val Thr Glu Glu Asp Val Glu Ile 265 Ala Ala Arg Leu Ala Leu Pro His Arg Arg Arg Arg Asn Pro Phe Asp Ala Pro Glu Met Glu Glu Arg Lys Leu Gln Glu Thr Leu Gln Glu Ala 295 Arg Asp Phe Phe Lys Asp Asn Glu Asp Lys Gly Pro Ala Ala Lys Ile 310 Thr Asp Glu Glu Thr Gly Ala Glu Ala Phe Thr Asp Thr Asp Asn Pro Thr Glu Glu Asp Gly Leu Gln Gly Thr Ala Gln Ala Lys Ala Gln Thr 340 345 Thr Gly Lys Val Gly Thr Ala Gly Ser Gly Asp Pro Phe Arg Ser 360 365 <210> 367 <211> 473 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(450) <223> FRXA01849 <400> 367 ctg cct ggt gtg gag ctg ccg gat ctg atc ttg tcg cag att gcg tqq 48 Leu Pro Gly Val Glu Leu Pro Asp Leu Ile Leu Ser Gln Ile Ala Trp ttg tgt gca cgt att gaa gtc gac ggt atg cgc gct gac ctg gtg atc 96 Leu Cys Ala Arg Ile Glu Val Asp Gly Met Arg Ala Asp Leu Val Ile 20 acg cgt acc gca ctt gct cac gcc gcg tgg gct gga cgc act gtg gtt 144

Thr Arg Thr Ala Leu Ala His Ala Ala Trp Ala Gly Arg Thr Val Val acg gaa gaa gac gtg gag atc gca gct cgc cta gcg ttg ccq cac cgc 192 Thr Glu Glu Asp Val Glu Ile Ala Ala Arg Leu Ala Leu Pro His Arg 50 cqt cgc cgt aat cct ttc gat gct cca gaa atg gag gag cgc aag ctt 240 Arg Arg Arg Asn Pro Phe Asp Ala Pro Glu Met Glu Glu Arg Lys Leu 70 cag gaa acc ctg cag gaa gct cgg gac ttc ttc aaa gac aat gaa gat 288 Gln Glu Thr Leu Gln Glu Ala Arg Asp Phe Phe Lys Asp Asn Glu Asp 85 aaa gga cct gcc gcc aag atc acc gat gag gaa acc ggt gca gag gcc Lys Gly Pro Ala Ala Lys Ile Thr Asp Glu Glu Thr Gly Ala Glu Ala 100 105 110 ttt acc gat acc gac aat ccc acc gag gaa gac ggt ctg caa gga act 384 Phe Thr Asp Thr Asp Asn Pro Thr Glu Glu Asp Gly Leu Gln Gly Thr 115 gcg cag gcg aag gcg cag act act gga aag gta ggt act gcc gga tcc 432 Ala Gln Ala Lys Ala Gln Thr Thr Gly Lys Val Gly Thr Ala Gly Ser 130 135 ggc gac ccc ttt cgc tcc taggcatttg cgcctggcgt cca 473 Gly Asp Pro Phe Arg Ser <210> 368 <211> 150 <212> PRT <213> Corynebacterium glutamicum Leu Pro Gly Val Glu Leu Pro Asp Leu Ile Leu Ser Gln Ile Ala Trp Leu Cys Ala Arg Ile Glu Val Asp Gly Met Arg Ala Asp Leu Val Ile Thr Arg Thr Ala Leu Ala His Ala Ala Trp Ala Gly Arg Thr Val Val Thr Glu Glu Asp Val Glu Ile Ala Ala Arg Leu Ala Leu Pro His Arg Arg Arg Arg Asn Pro Phe Asp Ala Pro Glu Met Glu Glu Arg Lys Leu Gln Glu Thr Leu Gln Glu Ala Arg Asp Phe Phe Lys Asp Asn Glu Asp Lys Gly Pro Ala Ala Lys Ile Thr Asp Glu Glu Thr Gly Ala Glu Ala Phe Thr Asp Thr Asp Asn Pro Thr Glu Glu Asp Gly Leu Gln Gly Thr 115 120

Ala Gln Ala Lys Ala Gln Thr Thr Gly Lys Val Gly Thr Ala Gly Ser Gly Asp Pro Phe Arg Ser <210> 369 <211> 667 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(667) <223> FRXA01691 <400> 369 aaaaccttaa gttgggtggt taaacccact aaggtctcac tttatggatg tgccaggtca 60 caccaaaaaa tctcaagaaa actcacatta aaggacagta atg gcg tca caa cag Met Ala Ser Gln Gln atc cgc tat cca ttc tcc gcg gtt gtg gga caa gac gag ctt cgg ctt Ile Arg Tyr Pro Phe Ser Ala Val Val Gly Gln Asp Glu Leu Arg Leu 10 15 gcg ttg atc ctc act gcg att tcc cca cgc att ggt ggc gtg gtg att 211 Ala Leu Ile Leu Thr Ala Ile Ser Pro Arg Ile Gly Gly Val Val Ile cga ggt gag aag ggt aca gcg aaa act acc act gtg cgt gct ttt gct 259 Arg Gly Glu Lys Gly Thr Ala Lys Thr Thr Thr Val Arg Ala Phe Ala ggt ctt tta ggt gat gcc cct ttg gtg aac ttg cct ctc gga tcc acq 307 Gly Leu Leu Gly Asp Ala Pro Leu Val Asn Leu Pro Leu Gly Ser Thr gag gat cgt gtg gtg ggt tcc ctc aac atg gaa act gtg ttg acc acc 355 Glu Asp Arg Val Val Gly Ser Leu Asn Met Glu Thr Val Leu Thr Thr 80 ggc cgt gcg gaa tat cag cca ggt ttg ctc gcg cag gct gat ggc ggt 403 Gly Arg Ala Glu Tyr Gln Pro Gly Leu Leu Ala Gln Ala Asp Gly Gly gtg ctg tat gtc gat gag gtc aac ctc ttg gcg gat cac ctg gtg gat 451 Val Leu Tyr Val Asp Glu Val Asn Leu Leu Ala Asp His Leu Val Asp 110 gct ctg ctc gat gca gct gca agc ggt cgc gtc agc att gag cgt gac 499 Ala Leu Leu Asp Ala Ala Ser Gly Arg Val Ser Ile Glu Arg Asp ggt att tcg cat tct tca cca gca aac ttt gtg ttg gtg ggc acc atg 547 Gly Ile Ser His Ser Ser Pro Ala Asn Phe Val Leu Val Gly Thr Met 135 140

PCT/IB00/00911 WO 01/00842

595

643

667

aat ccg gag gaa ggc gag ctg cgc ccg cag ctg ctg gac cgt ttc ggt Asn Pro Glu Glu Gly Glu Leu Arg Pro Gln Leu Leu Asp Arg Phe Gly 155 160 ttg gct gtg gac gtt gct gcg tct acg aac cct gag gtg cgc gtg gag Leu Ala Val Asp Val Ala Ala Ser Thr Asn Pro Glu Val Arg Val Glu 170 175 atc att cgc cgc cgg ctt gat ttt Ile Ile Arg Arg Leu Asp Phe 185 <210> 370 <211> 189 <212> PRT <213> Corynebacterium glutamicum <400> 370 Met Ala Ser Gln Gln Ile Arg Tyr Pro Phe Ser Ala Val Val Gly Gln Asp Glu Leu Arg Leu Ala Leu Ile Leu Thr Ala Ile Ser Pro Arg Ile Gly Gly Val Val Ile Arg Gly Glu Lys Gly Thr Ala Lys Thr Thr Thr Val Arg Ala Phe Ala Gly Leu Leu Gly Asp Ala Pro Leu Val Asn Leu Pro Leu Gly Ser Thr Glu Asp Arg Val Val Gly Ser Leu Asn Met Glu Thr Val Leu Thr Thr Gly Arg Ala Glu Tyr Gln Pro Gly Leu Leu Ala Gln Ala Asp Gly Gly Val Leu Tyr Val Asp Glu Val Asn Leu Leu Ala Asp His Leu Val Asp Ala Leu Leu Asp Ala Ala Ser Gly Arg Val Ser Ile Glu Arg Asp Gly Ile Ser His Ser Ser Pro Ala Asn Phe Val

Leu Val Gly Thr Met Asn Pro Glu Glu Gly Glu Leu Arg Pro Gln Leu

Leu Asp Arg Phe Gly Leu Ala Val Asp Val Ala Ala Ser Thr Asn Pro 165 170

Glu Val Arg Val Glu Ile Ile Arg Arg Arg Leu Asp Phe 180 185

<210> 371

<211> 601

<212> DNA

<213> Corynebacterium glutamicum

<221> CDS <222> (101)..(601) <223> RXN00665 <400> 371 accaaacact totgtgcgtg acacgcgcca cottatacto coacaagcaa cacagaacac 60 tcgggatctc aaagtttcga gaaacacaga aaqqqcaqca atq aqc aqc tca aca Met Ser Ser Ser Thr ctt ctc ctg gct tca gga caa gtc acg gca tta gcc gct gac tac acg 163 Leu Leu Ala Ser Gly Gln Val Thr Ala Leu Ala Ala Asp Tyr Thr 1.5 ctc agc cac acc ccc tca gat ggc atc ctg gta gtc ctt ggc ttc gcc 211 Leu Ser His Thr Pro Ser Asp Gly Ile Leu Val Val Leu Gly Phe Ala atg atc ctc acc ttc atg acc ctg atc atg ctg ggt cga ctc acc cca 259 Met Ile Leu Thr Phe Met Thr Leu Ile Met Leu Gly Arq Leu Thr Pro 45 atg gtg gcc atg ctg ttg gtc ccc acc atc ttc ggt ctc atc gcc ggc 307 Met Val Ala Met Leu Leu Val Pro Thr Ile Phe Gly Leu Ile Ala Gly 60 gca gga ctc ggc ctt ggt gac atg gcg ctt gac gcc atc aag gac atg 355 Ala Gly Leu Gly Leu Gly Asp Met Ala Leu Asp Ala Ile Lys Asp Met gcg cct acc gcg gca ctc ctg atg ttc gcg att atg ttc ttc gga atc 403 Ala Pro Thr Ala Ala Leu Leu Met Phe Ala Ile Met Phe Phe Gly Ile 95 atg atc gac gtc gga ctc ttc gac ccc ctg atc cqc gtg atc acc cqc 451 Met Ile Asp Val Gly Leu Phe Asp Pro Leu Ile Arg Val Ile Thr Arg 110 gtt ctt cac gat gac ccc gca aag gtc gtc atc ggc acc gca gta ctt 499 Val Leu His Asp Asp Pro Ala Lys Val Val Ile Gly Thr Ala Val Leu 120 gca ggt gtt gtc tcc ctc gac ggc gac ggc tcc acc acc ttc atc att 547 Ala Gly Val Val Ser Leu Asp Gly Asp Gly Ser Thr Thr Phe Ile Ile 135 ace ace tte ege gat get gee cat eta eet geg eet tgg cat gag eee 595 Thr Thr Phe Arg Asp Ala Ala His Leu Pro Ala Pro Trp His Glu Pro 150 tat gat 601 Cys Gly

<210> 372

<211> 167

<212> PRT

<213> Corynebacterium glutamicum

<400> 372 Met Ser Ser Ser Thr Leu Leu Leu Ala Ser Gly Gln Val Thr Ala Leu Ala Ala Asp Tyr Thr Leu Ser His Thr Pro Ser Asp Gly Ile Leu Val Val Leu Gly Phe Ala Met Ile Leu Thr Phe Met Thr Leu Ile Met Leu Gly Arg Leu Thr Pro Met Val Ala Met Leu Leu Val Pro Thr Ile Phe Gly Leu Ile Ala Gly Ala Gly Leu Gly Leu Gly Asp Met Ala Leu Asp 70 Ala Ile Lys Asp Met Ala Pro Thr Ala Ala Leu Leu Met Phe Ala Ile Met Phe Phe Gly Ile Met Ile Asp Val Gly Leu Phe Asp Pro Leu Ile 100 105 Arg Val Ile Thr Arg Val Leu His Asp Asp Pro Ala Lys Val Val Ile Gly Thr Ala Val Leu Ala Gly Val Val Ser Leu Asp Gly Asp Gly Ser 135 Thr Thr Phe Ile Ile Thr Thr Phe Arg Asp Ala Ala His Leu Pro Ala 155 Pro Trp His Glu Pro Cys Gly 165 <210> 373 <211> 390 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(367) <223> RXN03026 <400> 373 gttggcggcg cagtatcgtg aggtgcggga cctcgagcgg ggaatcccaa actagcatcc 60 cgaactagcc ccccaacaac aattagaaat ggaacctaaa atg cct gga aaa att Met Pro Gly Lys Ile ctc ctt ctc aac ggc cca aac ctg aac atg ctg ggc aaa cgc gag cct 163 Leu Leu Asn Gly Pro Asn Leu Asn Met Leu Gly Lys Arg Glu Pro 15 gac att tac gga cac gac acc ttg gaa gac gtc gtc gcg ctg gca acc 211 Asp Ile Tyr Gly His Asp Thr Leu Glu Asp Val Val Ala Leu Ala Thr 25 30

gct gag gct gcg aaa cac ggc ctt gag gtt gag gcg ctg cag agc aat 259 Ala Glu Ala Ala Lys His Gly Leu Glu Val Glu Ala Leu Gln Ser Asn cac caa ggt gag cta atc gat gcg ctg cac aac gct cgc ggg acc cac 307 His Gln Gly Glu Leu Ile Asp Ala Leu His Asn Ala Arg Gly Thr His 60 atc ggt tgc gtg att aac ccc ggc ggc ctg act aca ctt cgg tgg cgc 355 Ile Gly Cys Val Ile Asn Pro Gly Gly Leu Thr Thr Leu Arg Trp Arg 75 80 ttt tgg atg ctg tgaaggcgtc tgagcttcct acc 390 Phe Trp Met Leu <210> 374 <211> 89 <212> PRT <213> Corynebacterium glutamicum <400> 374 Met Pro Gly Lys Ile Leu Leu Leu Asn Gly Pro Asn Leu Asn Met Leu Gly Lys Arg Glu Pro Asp Ile Tyr Gly His Asp Thr Leu Glu Asp Val 20 25 Val Ala Leu Ala Thr Ala Glu Ala Ala Lys His Gly Leu Glu Val Glu Ala Leu Gln Ser Asn His Gln Gly Glu Leu Ile Asp Ala Leu His Asn 50 Ala Arg Gly Thr His Ile Gly Cys Val Ile Asn Pro Gly Gly Leu Thr 70 75 Thr Leu Arg Trp Arg Phe Trp Met Leu 85 <210> 375 <211> 384 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(361) <223> RXN02908 <400> 375 gccaacgagg gttggtttac cacctctgat tcaggtgaac tccacgacgg gattctcacc 60 gtgactggtc gcgtggatac ccgtcattga ttccggtgga ttg aag ttg cac cca 115 Leu Lys Leu His Pro gag gta ctg gaa cgt gcc atc gca qat att aaa qqt qtc acc qcq qcq 163 Glu Val Leu Glu Arg Ala Ile Ala Asp Ile Lys Gly Val Thr Ala Ala

10 15 20

tgt gtt gtg ggt att ccc gat ccc cga tta ggc caa gca att gtg gcc $\,$ 211 Cys Val Val Gly Ile Pro Asp Pro Arg Leu Gly Gln Ala Ile Val Ala $\,$ 25 $\,$ 30 $\,$ 35

gcg tac tcc gga tcg atc agt ccg tct gaa gtt att gaa ggc ctc gac 259
Ala Tyr Ser Gly Ser Ile Ser Pro Ser Glu Val Ile Glu Gly Leu Asp
40 45 50

gat cta cct cgt tgg cag ctt ccc aaa cgg ctg aag cat ctg gaa tct 307 Asp Leu Pro Arg Trp Gln Leu Pro Lys Arg Leu Lys His Leu Glu Ser 55 60 65

ttg ccc agc att ggt cct gga aaa gct gat cga cgt gct atc gcg aag 355 Leu Pro Ser Ile Gly Pro Gly Lys Ala Asp Arg Arg Ala Ile Ala Lys 70 75 80 85

ctg ttt tagtcttcat tcttgctggc tgc 384
Leu Phe

<210> 376

<211> 87

<212> PRT

<213> Corynebacterium glutamicum

<400> 376

Gly Val Thr Ala Ala Cys Val Val Gly Ile Pro Asp Pro Arg Leu Gly
20 25 30

Gln Ala Ile Val Ala Ala Tyr Ser Gly Ser Ile Ser Pro Ser Glu Val 35 40 45

Ile Glu Gly Leu Asp Asp Leu Pro Arg Trp Gln Leu Pro Lys Arg Leu 50 55 60

Lys His Leu Glu Ser Leu Pro Ser Ile Gly Pro Gly Lys Ala Asp Arg 65 70 75 80

Arg Ala Ile Ala Lys Leu Phe

<210> 377

<211> 667

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(667)

<223> RXN03000

<400> 377

cagcgtgttg ctgcgcctgc agaaaaccta cagcgtcacc cacaaagtcg aaatccaagg 60

ctaaccccct t	tttcaac	tc acagt	tagga	aac	ttca	ccc	_	Ser	ctt Leu		_	115
tct gat gaa Ser Asp Glu												163
ggt ggc gca Gly Gly Ala												211
act ttg tac Thr Leu Tyr 40	-				-		-		_			259
cag atc ggt Gln Ile Gly 55	_		-	-	-	-				-		307
gac caa att Asp Gln Ile 70												355
gac gct gtc Asp Ala Val	-	-		_		-	-		-	-	-	403
ttc cag cag Phe Gln Gln			Arg :									451
ctg ctc aac Leu Leu Asn 120	_	-		-	-	_				-		499
cac aat ggc His Asn Gly 135	-	•	_		-		-	-				547
gag gtg gac Glu Val Asp 150	_				_		_	-		_		595
ttg ctt gtc Leu Leu Val		Phe Leu	-	Phe	-				_	-	-	643
cgc aaa aag Arg Lys Lys	_	-	-									667
<210> 378 <211> 189 <212> PRT <213> Coryne	ebacteri	um gluta	micum									
<400> 378 Met Ser Leu	Pro His	Ser Asp	Glu	Leu	Arg	Gly	Gln	Lys	Ile	Ile	Ile	

Ser Gly Gly Gly Ile Gly Gly Ala Ala Gly Ala Leu Ala Leu Ala Leu Arg Gly Ala Asp Val Thr Leu Tyr Glu Arg Ala Ala Glu Phe Lys Glu Val Gly Ala Gly Leu Gln Ile Gly Pro His Gly Trp Arg Met Leu Glu Ser Trp Gly Leu Leu Asp Gln Ile Val Val Ala Gly Tyr Leu Pro Glu 70 Asp Met Gln Phe Arg Asp Ala Val Asn Arg Glu Thr Ile Leu Thr Met Arg Phe Asp Glu Glu Phe Gln Gln His Tyr Gly Gly Arg Tyr Leu Val Ile His Arg Ser Asp Leu Leu Asn Ile Leu Val Thr Asn Ala Glu Ala Ala Gly Ala Lys Leu His Asn Gly Val Leu Val Thr Asp Ser Arg Thr Val Asp Gly Gly Ile Glu Val Asp Ile Glu Ser Ser Ile Asn Lys Gly 150 155 Glu Asp Asn Lys Thr Leu Leu Val Asp Ala Phe Leu Ala Phe Asp Gly Ile His Ser Val Met Arg Lys Leu Val Asp Asp Ala 185 <210> 379 <211> 766 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(766) <223> RXN03036 <400> 379 tagaaaaatc tacccagtaa gcattcagga accattcaga atcttttctt agcatgtctc 60 tatcagcgta aacgtccgaa catgaaaggc tagaaaagcc atg gct gag cag ttg 115 Met Ala Glu Gln Leu cgt caa ttt gaa ggc agg gtc ctc cct aat caa tcc gag gac ttg gaa 163 Arg Gln Phe Glu Gly Arg Val Leu Pro Asn Gln Ser Glu Asp Leu Glu 10 211 gat cag ggt ttg gga ttt gac ctg gga acc gtt ttc tcc cgc agg aag Asp Gln Gly Leu Gly Phe Asp Leu Gly Thr Val Phe Ser Arg Arg Lys 25 30 35 gtt ttg gga ttc atc ggt gtt ggt gga gca ggt gtg gca ctt gct gct 259

Val Leu (Gly Phe 40	Ile Gly	Val	Gly 45	Gly	Ala	Gly	Val	Ala 50	Leu	Ala	Ala	
tgt tca c Cys Ser I 55													307
agc agc o Ser Ser A 70													355
atg aag t Met Lys S	tcg gag Ser Glu	act gct Thr Ala 90	ggt Gly	ccg Pro	tac Tyr	ccg Pro 95	ggc Gly	gat Asp	ggt Gly	tcg Ser	aat Asn 100	ggt Gly	403
ccg gat o													451
tcg att c Ser Ile 7	gat tct Asp Ser 120	gac acc Asp Thr	gtg Val	gca Ala 125	gag Glu	ggc Gly	gta Val	cct Pro	ctg Leu 130	acg Thr	ttg Leu	act Thr	499
atg acc a Met Thr I 135	att ttg [le Leu	gac atg Asp Met	aac Asn 140	aac Asn	aac Asn	aat Asn	cag Gln	cca Pro 145	atg Met	gag Glu	ggt Gly	gct Ala	547
gcg gtg t Ala Val T 150	Tyr Val	Trp His 155	Cys	Asp	Ala	Pro	Gly 160	Arg	Tyr	Ser	Met	Tyr 165	595
gac tot g Asp Ser G	Glu Leu	Glu Asp 170	Glu	Thr	Tyr	Leu 175	Arg	Gly	Val	Gln	Ile 180	Thr	643
gat aag t Asp Lys T	Tyr Gly 185	Gln Val	Thr	Phe	Asp 190	Thr	Ile	Phe	Pro	Gly 195	Cys	Tyr	691
gcg ggc c Ala Gly A 2	gt tgg Arg Trp 200	gtg cat Val His	att Ile	cat His 205	ttc Phe	gag Glu	gtg Val	ttc Phe	ccg Pro 210	gat Asp	cga Arg	gac Asp	739
agc atc a Ser Ile T 215													766
<210> 380 <211> 222 <212> PRT <213> Cor		erium g	Lutam	icum	ı								
<400> 380 Met Ala G		Leu Arg	Gln	Phe	Glu	Gly	Arq	Val	Leu	Pro	Asn	Gln	
1		5				10					15		
Ser Glu A	sp Leu 20	Glu Asp	Gln	Gly	Leu 25	Gly	Phe	Asp	Leu	Gly 30	Thr	Val	
Phe Ser A	rg Arg	Lys Val	Leu	Gly	Phe	Ile	Gly	Val	Gly	Gly	Ala	Gly	

35	40	4.5

Val Ala Leu Ala Ala Cys Ser Pro Ser Gly Ser Ser Ala Ala Ser Ser 50 55 60

Thr Ser Ser Ala Ser Ser Ser Ala Ala Ala Thr Thr Ser Ala Ala Ala 65 70 75 80

Glu Thr Leu Thr Glu Met Lys Ser Glu Thr Ala Gly Pro Tyr Pro Gly
85 90 95

Asp Gly Ser Asn Gly Pro Asp Val Leu Glu Val Ser Gly Val Glu Arg
100 105 110

Gln Asp Ile Thr Lys Ser Ile Asp Ser Asp Thr Val Ala Glu Gly Val 115 120 125

Pro Leu Thr Leu Thr Met Thr Ile Leu Asp Met Asn Asn Asn Gln 130 · 135 140

Pro Met Glu Gly Ala Ala Val Tyr Val Trp His Cys Asp Ala Pro Gly 145 150 155 160

Arg Tyr Ser Met Tyr Asp Ser Glu Leu Glu Asp Glu Thr Tyr Leu Arg 165 170 175

Gly Val Gln Ile Thr Asp Lys Tyr Gly Gln Val Thr Phe Asp Thr Ile 180 185 190

Phe Pro Gly Cys Tyr Ala Gly Arg Trp Val His Ile His Phe Glu Val 195 200 205

Phe Pro Asp Arg Asp Ser Ile Thr Asp Ser Thr Asn Asn Ile 210 215 220

<210> 381

<211> 318

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(295)

<223> RXN02974

<400> 381

gcaggcatgg acacattcca ggtcctgacc ggcgtcagcg gctactacga tttggtgcgc 60

gccattccca gagcagcgcc ccacctatat cgccacctcg atg cag gat ctc tac 115

Met Gln Asp Leu Tyr

1 5

agc gat ccg ggc gag ctc aag cca ggt gcc cag ggc ggt ttt tca gcg 163 Ser Asp Pro Gly Glu Leu Lys Pro Gly Ala Gln Gly Gly Phe Ser Ala 10 15 20

ctt atc gac ggc gac acc ctg gtc att tcc ggc ggc gat gcc ggc gca 211 Leu Ile Asp Gly Asp Thr Leu Val Ile Ser Gly Gly Asp Ala Gly Ala 25 30 . 35 .

act ccg gtt gca gca ctc cgc act gcg ttg gat gtg gcc tgg gcg gcc 259 Thr Pro Val Ala Ala Leu Arg Thr Ala Leu Asp Val Ala Trp Ala Ala 40 45 aca gag cag tca ccg agg tac gcg ctg att cag agg tagctqctac 305 Thr Glu Gln Ser Pro Arg Tyr Ala Leu Ile Gln Arg 60 tgcattgcag agc 318 <210>.382 <211> 65 <212> PRT <213> Corynebacterium glutamicum <400> 382 Met Gln Asp Leu Tyr Ser Asp Pro Gly Glu Leu Lys Pro Gly Ala Gln Gly Gly Phe Ser Ala Leu Ile Asp Gly Asp Thr Leu Val Ile Ser Gly 20 Gly Asp Ala Gly Ala Thr Pro Val Ala Ala Leu Arg Thr Ala Leu Asp 40 Val Ala Trp Ala Ala Thr Glu Gln Ser Pro Arg Tyr Ala Leu Ile Gln Arq 65 <210> 383 <211> 1017 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(994) <223> RXN00393 <400> 383 tctattcatt tcacaatage gtttcacact cccccatage ctgccgaacg tatttcaage 60 aattgcgcga tcgagtatgt gatggggaaa gatagaggtt atg tct cac acg gaa Met Ser His Thr Glu . 1 ccc cag ccg aat tot gta act ttg tcc gat tgg att caa ggc gca cgc 163 Pro Gln Pro Asn Ser Val Thr Leu Ser Asp Trp Ile Gln Gly Ala Arg 10 ccg cgt acc tgg gca aat gcg ttc gcg cct gtc att gcc ggt tca ggt 211 Pro Arg Thr Trp Ala Asn Ala Phe Ala Pro Val Ile Ala Gly Ser Gly 25 35 gtc gcc gct ttt cat gat ggt ttt gtg tgg tag aag gcc ttg ctg gcg 259 Val Ala Ala Phe His Asp Gly Phe Val Trp Trp Lys Ala Leu Leu Ala 40 45

		_	-	_	atc Ile			_	-	307
					acc Thr					355
					gct Ala					403
					gca Ala					451
					atc Ile 125					499
					ggt Gly					547
					atc Ile					595
					ggt Gly					643
					atg Met					691
					gat Asp 205					739
					ggt Gly					787
					tcc Ser					835
					gtt Val					883
					acc Thr					931
					gcg Ala 285					979

gca tta gcg ttt agc taaaacgctt ttcgacgctc ccc Ala Leu Ala Phe Ser 295

1017

<210> 384

<211> 298

<212> PRT

<213> Corynebacterium glutamicum

<400> 384

Met Ser His Thr Glu Pro Gln Pro Asn Ser Val Thr Leu Ser Asp Trp

1 10 15

Ile Gln Gly Ala Arg Pro Arg Thr Trp Ala Asn Ala Phe Ala Pro Val 20 25 30

Ile Ala Gly Ser Gly Val Ala Ala Phe His Asp Gly Phe Val Trp Trp 35 40 45

Lys Ala Leu Leu Ala Leu Val Val Ala Trp Ala Leu Ile Ile Gly Val 50 60

Asn Tyr Ala Asn Asp Tyr Ser Asp Gly Ile Arg Gly Thr Asp Glu Asp 65 70 75 80

Arg Thr Gly Pro Leu Arg Leu Thr Gly Ser Gly Leu Ala Glu Pro Lys 85 90 95

Lys Val Lys Ala Ala Ala Phe Ile Ser Phe Gly Ile Ala Gly Val Ala 100 105 110

Gly Thr Ala Leu Ser Leu Leu Ser Ala Trp Trp Leu Ile Leu Ile Gly
115 120 125

Ile Leu Cys Val Leu Gly Ala Trp Phe Tyr Thr Gly Gly Lys Asn Pro 130 135 140

Tyr Gly Tyr Arg Gly Leu Gly Glu Ile Ala Val Phe Ile Phe Phe Gly I45 150 155 160

Leu Val Ala Val Met Gly Thr Gln Phe Thr Gln Thr Gly Ser Val Ser 165 170 175

Trp Ala Gly Leu Ala Ala Ala Val Gly Val Gly Ser Met Ser Ala Gly 180 185 190

Val Asn Leu Ala Asn Asn Ile Arg Asp Ile Pro Thr Asp Ser Lys Thr 195 200 205

Gly Lys Ile Thr Leu Ala Val Arg Leu Gly Asp Ala Gly Ala Arg Lys 210 215 220

Leu Phe Leu Ala Leu Ile Ser Thr Pro Phe Ile Met Ser Ile Cys Leu 225 230 235 240

Ala Phe Val Ala Trp Pro Ala Leu Ile Ala Ile Ile Val Phe Pro Leu 245 . 250 . 255

Ala Leu Lys Ala Ala Gly Pro Ile Arg Asn Asn Ala Thr Gly Lys Asp 260 265 270

Leu Ile Pro Val Ile Gly Ser Thr Gly Arg Ala Met Ala Leu Trp Ala Val Leu Thr Gly Leu Ala Leu Ala Phe Ser <210> 385 <211> 1242 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1219) <223> RXN00948 <400> 385 acacceteca aatgateteg taaaacagta ttgaatttag gtacgactet aategtacet 60 tgccctcaag ccaagctagt tgtacgatca aactcgttgt atg gca aac gtc gta Met Ala Asn Val Val cta gtc gat cga atg gag cct ttg gtg tcc aag ctg ttt acc cca att 163 Leu Val Asp Arg Met Glu Pro Leu Val Ser Lys Leu Phe Thr Pro Ile 15 caa atc cgc gac atc acc atc ccc aac cgc gtg tgg atg tca ccg atg 211 Gln Ile Arg Asp Ile Thr Ile Pro Asn Arg Val Trp Met Ser Pro Met tgc acc tac tct gca gcc acc ggt tca ggt ctt ccc acc gat ttt cac 259 Cys Thr Tyr Ser Ala Ala Thr Gly Ser Gly Leu Pro Thr Asp Phe His cag gct cat tac gca gct cgc gca gca ggt ggt gtc gga tta gtc atg 307 Gln Ala His Tyr Ala Ala Arg Ala Ala Gly Gly Val Gly Leu Val Met gtt gaa gca act gga gtg aac ccc gta gct ccc atc tcc cca gtc gac 355 Val Glu Ala Thr Gly Val Asn Pro Val Ala Pro Ile Ser Pro Val Asp 7.5 80 ctt gga ctt tgg agc cat gac caa att gaa cca ttc tcc cga gtg aca 403 Leu Gly Leu Trp Ser His Asp Gln Ile Glu Pro Phe Ser Arg Val Thr 95 gca gct att cgc gcc ggt ggg gca gta ccg gcc gtt caa tta gcc cat 451 Ala Ala Ile Arg Ala Gly Gly Ala Val Pro Ala Val Gln Leu Ala His 110 gct ggc cgc aag gca tcc acc gat gct ccg tgg aat ggt ggc gga tat 499 Ala Gly Arg Lys Ala Ser Thr Asp Ala Pro Trp Asn Gly Gly Gly Tyr

547

gtt gga cca gaa acc aat gga tgg gag act gtc ggc ccc agc cct ctg

Val Gly Pro Glu Thr Asn Gly Trp Glu Thr Val Gly Pro Ser Pro Leu

140

	wo (1/008	42												PCT/	TB00/00911
gca Ala 150	ttc Phe	cca Pro	ggt Gly	ttg Leu	cct Pro 155	gct Ala	ccg Pro	cgc Arg	gag Glu	ctg Leu 160	acg Thr	gtt Val	tca Ser	gaa Glu	atc Ile 165	595
caa Gln	gag Glu	gtt Val	gtg Val	cag Gln 170	cag Gln	ttc Phe	gct Ala	ggc Gly	gcc Ala 175	gcc Ala	gtt Val	cgt Arg	gcc Ala	gat Asp 180	cag Gln	643
gct Ala	ggt Gly	ttt Phe	gat Asp 185	gtc Val	gtg Val	gaa Glu	att Ile	cac His 190	gca Ala	gca Ala	cac His	ggc Gly	tac Tyr 195	ctt Leu	ttg Leu	691
cat His	aac Asn	ttc Phe 200	ctt Leu	tct Ser	ccg Pro	atc Ile	tcc Ser 205	aac Asn	aag Lys	cgc Arg	acc Thr	gat Asp 210	tca Ser	tac Tyr	ggc Gly	739
gga Gly	tct Ser 215	tta Leu	gaa Glu	aac Asn	cgc Arg	gct Ala 220	cgc Arg	atc Ile	gtg Val	ctc Leu	gaa Glu 225	gtc Val	att Ile	gat Asp	gca Ala	787
atc Ile 230	cgc Arg	gca Ala	gtg Val	tgg Trp	cca Pro 235	gag Glu	gaa Glu	aag Lys	cct Pro	gta Val 240	ttc Phe	atg Met	cgc Arg	att Ile	tcc Ser 245	835
acc Thr	acc Thr	gac Asp	tgg Trp	gtg Val 250	gag Glu	gaa Glu	aac Asn	cca Pro	cag Gln 255	gat Asp	gat Asp	cgc Arg	gag Glu	tcc Ser 260	tgg Trp	883
acg Thr	ctg Leu	agc Ser	caa Gln 265	agc Ser	agg Arg	cag Gln	ctg Leu	gct Ala 270	ttg Leu	tgg Trp	gca Ala	tcc Ser	gag Glu 275	cac His	gga Gly	931
gtt Val	gat Asp	ttg Leu 280	atc Ile	gat Asp	gcc Ala	tct Ser	tct Ser 285	ggt Gly	ggc Gly	ctc Leu	gac Asp	atc Ile 290	gtc Val	ccc Pro	att Ile	979
ccg Pro	cat His 295	gac Asp	cgc Arg	gat Asp	tac Tyr	caa Gln 300	acc Thr	gcg Ala	aag Lys	gcc Ala	gca Ala 305	gat Asp	ctt Leu	cac His	gca Ala	1027
agt Ser 310	acc Thr	gga Gly	gtg Val	aca Thr	gtc Val 315	gct Ala	gct Ala	gtg Val	ggg Gly	cgc Arg 320	att Ile	gat Asp	gac Asp	gcc Ala	caa Gln 325	1075
act Thr	gcg Ala	cac His	aat Asn	ttg Leu 330	gtt Val	gat Asp	tct Ser	ggc Gly	gat Asp 335	gtc Val	aat Asn	gca Ala	gtt Val	ttc Phe 340	ctc Leu	1123
ggc	cgt Arg	cca Pro	ctg Leu 345	ctc Leu	aag Lys	gat Asp	cct Pro	tcc Ser 350	tgg Trp	gca Ala	aac Asn	caa Gln	gca Ala 355	gcc Ala	ctc Leu	1171
gca Ala	cta Leu	ggt Gly 360	gcg Ala	gaa Glu	ccc Pro	agg Arg	tat Tyr 365	gtt Val	cac His	caa Gln	tac Tyr	gac Asp 370	tac Tyr	gta Val	ctt Leu	1219
taaa	iggag	ag t	tgac	atga	a go	jt										1242

<210> 386 <211> 373

<212> PRT

<213> Corynebacterium glutamicum

<400> 386

Met Ala Asn Val Val Leu Val Asp Arg Met Glu Pro Leu Val Ser Lys $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Leu Phe Thr Pro Ile Gln Ile Arg Asp Ile Thr Ile Pro Asn Arg Val 20 25 30

Trp Met Ser Pro Met Cys Thr Tyr Ser Ala Ala Thr Gly Ser Gly Leu 35 40 45

Pro Thr Asp Phe His Gln Ala His Tyr Ala Ala Arg Ala Ala Gly Gly 50 55 60

Val Gly Leu Val Met Val Glu Ala Thr Gly Val Asn Pro Val Ala Pro 65 70 75 80

Ile Ser Pro Val Asp Leu Gly Leu Trp Ser His Asp Gln Ile Glu Pro 85 90 95

Phe Ser Arg Val Thr Ala Ala Ile Arg Ala Gly Gly Ala Val Pro Ala 100 105 110

Val Gln Leu Ala His Ala Gly Arg Lys Ala Ser Thr Asp Ala Pro Trp 115 120 125

Asn Gly Gly Gly Tyr Val Gly Pro Glu Thr Asn Gly Trp Glu Thr Val 130 135 140

Gly Pro Ser Pro Leu Ala Phe Pro Gly Leu Pro Ala Pro Arg Glu Leu 145 150 155 160

Thr Val Ser Glu Ile Gln Glu Val Val Gln Gln Phe Ala Gly Ala Ala 165 170 175

Val Arg Ala Asp Gln Ala Gly Phe Asp Val Val Glu Ile His Ala Ala 180 185 190

His Gly Tyr Leu Leu His Asn Phe Leu Ser Pro Ile Ser Asn Lys Arg 195 200 205

Thr Asp Ser Tyr Gly Gly Ser Leu Glu Asn Arg Ala Arg Ile Val Leu 210 215 220

Glu Val Ile Asp Ala Ile Arg Ala Val Trp Pro Glu Glu Lys Pro Val 225 230 235 240

Phe Met Arg Ile Ser Thr Thr Asp Trp Val Glu Glu Asn Pro Gln Asp 245 250 255

Asp Arg Glu Ser Trp Thr Leu Ser Gln Ser Arg Gln Leu Ala Leu Trp 260 265 270

Ala Ser Glu His Gly Val Asp Leu Ile Asp Ala Ser Ser Gly Gly Leu 275 280 285

Asp Ile Val Pro Ile Pro His Asp Arg Asp Tyr Gln Thr Ala Lys Ala 290 295 300

Ala Asp Leu His Ala Ser Thr Gly Val Thr Val Ala Ala Val Gly Arg 310 Ile Asp Asp Ala Gln Thr Ala His Asn Leu Val Asp Ser Gly Asp Val 325 330 Asn Ala Val Phe Leu Gly Arg Pro Leu Leu Lys Asp Pro Ser Trp Ala 345 Asn Gln Ala Ala Leu Ala Leu Gly Ala Glu Pro Arg Tyr Val His Gln 360 Tyr Asp Tyr Val Leu 370 <210> 387 <211> 873 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(850) <223> RXN01923 <400> 387 ccaaagtgaa taccccgact gcagcagcgc aaaagttcaa gtactttggg atgcaaatct 60 agtagcacgt cccatgtttc tcacactctc aggagctgac atg tct gca ctt att 115 Met Ser Ala Leu Ile aaa ggt tca gga cct cat cat gtg gtt gtc tta aat ggt tgg ttt ggt 163 Lys Gly Ser Gly Pro His His Val Val Leu Asn Gly Trp Phe Gly cat gct gcg ggc tgg gga gct ttc gct gac tat ctt gac ctc ggc aac 211 His Ala Ala Gly Trp Gly Ala Phe Ala Asp Tyr Leu Asp Leu Gly Asn 30 tac acc tgg cac ttt tgg gat tac cga ggt tac ggc aac aga aaa gac 259 Tyr Thr Trp His Phe Trp Asp Tyr Arg Gly Tyr Gly Asn Arg Lys Asp 45 gac gca gga gaa ttt act ctg gag gaa att tca gcg gat atc gtt gca 307 Asp Ala Gly Glu Phe Thr Leu Glu Glu Ile Ser Ala Asp Ile Val Ala tac atc gac tcg att gag gca gaa aag gtt tcc atc ctg ggc cat tcc 355 Tyr Ile Asp Ser Ile Glu Ala Glu Lys Val Ser Ile Leu Gly His Ser 75 atg ggt gga gtg ttc atg cag aaa gtc ctt gca gac agc gcc acc ccc 403 Met Gly Gly Val Phe Met Gln Lys Val Leu Ala Asp Ser Ala Thr Pro 90 95 ate get tea etg git gga att tet gee git get gea get gga aca eea 451 Ile Ala Ser Leu Val Gly Ile Ser Ala Val Ala Ala Ala Gly Thr Pro 105 110

 $WO\ 01/00842 \\$ ttc gat gag gat tct cgg aag ctt ttc acc tca gca ggg cac aac ccg 499

Phe Asp Glu Asp Ser Arg Lys Leu Phe Thr Ser Ala Gly His Asn Pro 120 125 130

gac tcg agg cga gcc atc atc gat ttc acc tca gga tct cgc caa cct 547 Asp Ser Arg Arg Ala Ile Ile Asp Phe Thr Ser Gly Ser Arg Gln Pro 135 140 145

gcc gcg tgg ttg gat gat ctc acc gac tcg gcg gtg cag aat tcc act 595 Ala Ala Trp Leu Asp Asp Leu Thr Asp Ser Ala Val Gln Asn Ser Thr 150 165

cca gag gcc gtt gaa aag tac ttt ttt gcg tgg gct gat tgt aat ttc 643 Pro Glu Ala Val Glu Lys Tyr Phe Phe Ala Trp Ala Asp Cys Asn Phe 170 180

gca gcg gat tta ggc acc caa gat ttg ccc gtg gac att ctc acc ggc 691 Ala Ala Asp Leu Gly Thr Gln Asp Leu Pro Val Asp Ile Leu Thr Gly 185 190 195

gat ctc gac ccc gcg gtc act aaa act gcc gtg gaa tcc gca ttc ggc 739
Asp Leu Asp Pro Ala Val Thr Lys Thr Ala Val Glu Ser Ala Phe Gly
200 205 210

ccg atc tat caa aat ctg acc gtt gaa gaa ctc cac gat gtc gga cac 787 Pro Ile Tyr Gln Asn Leu Thr Val Glu Glu Leu His Asp Val Gly His 215 220 225

tac gca att ttc gag cac ccc tta ggc ctt gcc gcc agg gtg ctt cga 835 Tyr Ala Ile Phe Glu His Pro Leu Gly Leu Ala Ala Arg Val Leu Arg 230 245

ttt ctc gac gcc gtc tagtacttcc gcaaattcac cgg 873 Phe Leu Asp Ala Val

<210> 388

<211> 250

<212> PRT

<213> Corynebacterium glutamicum

<400> 388

Met Ser Ala Leu Ile Lys Gly Ser Gly Pro His His Val Val Leu 1 5 10 15

Asn Gly Trp Phe Gly His Ala Ala Gly Trp Gly Ala Phe Ala Asp Tyr 20 . 25 30

Leu Asp Leu Gly Asn Tyr Thr Trp His Phe Trp Asp Tyr Arg Gly Tyr 35 40 45

Gly Asn Arg Lys Asp Asp Ala Gly Glu Phe Thr Leu Glu Glu Ile Ser 50 . 55

Ala Asp Ile Val Ala Tyr Ile Asp Ser Ile Glu Ala Glu Lys Val Ser 65 70 75 80

Ile Leu Gly His Ser Met Gly Gly Val Phe Met Gln Lys Val Leu Ala 85 90 95

Asp Ser Ala Thr Pro Ile Ala Ser Leu Val Gly Ile Ser Ala Val Ala Ala Ala Gly Thr Pro Phe Asp Glu Asp Ser Arg Lys Leu Phe Thr Ser 115 120 Ala Gly His Asn Pro Asp Ser Arg Arg Ala Ile Ile Asp Phe Thr Ser 135 Gly Ser Arg Gln Pro Ala Ala Trp Leu Asp Asp Leu Thr Asp Ser Ala 150 Val Gln Asn Ser Thr Pro Glu Ala Val Glu Lys Tyr Phe Phe Ala Trp 165 170 Ala Asp Cys Asn Phe Ala Ala Asp Leu Gly Thr Gln Asp Leu Pro Val 185 Asp Ile Leu Thr Gly Asp Leu Asp Pro Ala Val Thr Lys Thr Ala Val 200 Glu Ser Ala Phe Gly Pro Ile Tyr Gln Asn Leu Thr Val Glu Glu Leu 215 His Asp Val Gly His Tyr Ala Ile Phe Glu His Pro Leu Gly Leu Ala Ala Arg Val Leu Arg Phe Leu Asp Ala Val 245 <210> 389 <211> 873 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(850) <223> RXN00398 <400> 389 tgagttcgcc accatcagca ccggcaccca ccagcgcggt gtggttaacc gtgagaagtt 60 tgtctcccgt ctgcctgaag cacctaagga aaactaaatc atg gcc aag ttg ttt Met Ala Lys Leu Phe gat tee cat tte cat ate ate gat eee cag cac eea etg ate gaa aac Asp Ser His Phe His Ile Ile Asp Pro Gln His Pro Leu Ile Glu Asn 10 aac ggc tac ctc ccc gag cct ttc acc gtg gag gat tac act gcg cgt 211 Asn Gly Tyr Leu Pro Glu Pro Phe Thr Val Glu Asp Tyr Thr Ala Arg 25 gtt gaa ggc ctc gaa gtt gct gcc gga gcg att gtt tcc ggt tct ttc 259 Val Glu Gly Leu Glu Val Ala Ala Gly Ala Ile Val Ser Gly Ser Phe 40 cag gct ttc gac cag ggc tac ctc aaa gat gct ctc gca gtg ctt ggc 307 WO 01/00842

Gln Ala Phe Asp Gln Gly Tyr Leu Lys Asp Ala Leu Ala Val Leu Gly
55

cca ggc tat gtc ggt gtc act cag atc ccc gca gat acc tct gat cag 355

Pro Gly Tyr Val Gly Val Thr Gln Ile Pro Ala Asp Thr Ser Asp Gln
70

gag att ctt gat ctg gac aaa gct ggc gtg aag gct gtg cgt tta aac 403

ttg aag cgc ggt ggt tcg gca ggt ctt gac gat ctc gag acc ttg gca 451 Leu Lys Arg Gly Gly Ser Ala Gly Leu Asp Asp Leu Glu Thr Leu Ala 105 110 115

Glu Ile Leu Asp Leu Asp Lys Ala Gly Val Lys Ala Val Arg Leu Asn

cgc cga gtc cac gac cta gcc ggt tgg cac acc gaa ctc tat gtg gat 499 Arg Arg Val His Asp Leu Ala Gly Trp His Thr Glu Leu Tyr Val Asp 120 125 130

gct cgc gaa cta gac gag ttg gaa tca acc ttg gcc tcc ctc cct gct 547 Ala Arg Glu Leu Asp Glu Leu Glu Ser Thr Leu Ala Ser Leu Pro Ala 135 140 145

gtc agc att gat cac tta ggg ctc cac cgc gat gga ctt ccc gca ctt 595 Val Ser Ile Asp His Leu Gly Leu His Arg Asp Gly Leu Pro Ala Leu 150 165

ctt cgc ttg gta gaa aat ggc att aaa gtc aaa gca acc gga ttc gga 643 Leu Arg Leu Val Glu Asn Gly Ile Lys Val Lys Ala Thr Gly Phe Gly

cgg gta gaa cta gat cca act gaa gtc atc cag gca atc atg gct gtc 691 Arg Val Glu Leu Asp Pro Thr Glu Val Ile Gln Ala Ile Met Ala Val 185 190 195

gat ccc act gct ttg atg atc gga act gat ctt cca tcc acc cgc act
Asp Pro Thr Ala Leu Met Ile Gly Thr Asp Leu Pro Ser Thr Arg Thr
200 205 210

aag cga cct ttc gaa gac gct gac cta gat ttg atc gct gaa acg gtt 787 Lys Arg Pro Phe Glu Asp Ala Asp Leu Asp Leu Ile Ala Glu Thr Val 215 220 225

ggc gaa gat cat gtc gac aac gtc ttc tgg aac aac gct gca gcg ttc 835 Gly Glu Asp His Val Asp Asn Val Phe Trp Asn Asn Ala Ala Phe 230 245

tac ctc gga gac cag tagttttaag acccgaaatg tct 873
Tyr Leu Gly Asp Gln

250

<210> 390 <211> 250

<212> PRT

<213> Corynebacterium glutamicum

<400> 390

Met Ala Lys Leu Phe Asp Ser His Phe His Ile Ile Asp Pro Gln His 1 5 10 15

Pro Leu Ile Glu Asn Asn Gly Tyr Leu Pro Glu Pro Phe Thr Val Glu 20 25 30

- Asp Tyr Thr Ala Arg Val Glu Gly Leu Glu Val Ala Ala Gly Ala Ile 35 40 45
- Val Ser Gly Ser Phe Gln Ala Phe Asp Gln Gly Tyr Leu Lys Asp Ala 50 55 60
- Leu Ala Val Leu Gly Pro Gly Tyr Val Gly Val Thr Gln Ile Pro Ala 65 70 75 80
- Asp Thr Ser Asp Gln Glu Ile Leu Asp Leu Asp Lys Ala Gly Val Lys
 85 90 95
- Ala Val Arg Leu Asn Leu Lys Arg Gly Gly Ser Ala Gly Leu Asp Asp 100 105 110
- Leu Glu Thr Leu Ala Arg Arg Val His Asp Leu Ala Gly Trp His Thr 115 120 125
- Glu Leu Tyr Val Asp Ala Arg Glu Leu Asp Glu Leu Glu Ser Thr Leu 130 135 140
- Ala Ser Leu Pro Ala Val Ser Ile Asp His Leu Gly Leu His Arg Asp 145 150 155 160
- Gly Leu Pro Ala Leu Leu Arg Leu Val Glu Asn Gly Ile Lys Val Lys 165 170 175
- Ala Thr Gly Phe Gly Arg Val Glu Leu Asp Pro Thr Glu Val Ile Gln 180 185 190
- Ala Ile Met Ala Val Asp Pro Thr Ala Leu Met Ile Gly Thr Asp Leu 195 200 205
- Pro Ser Thr Arg Thr Lys Arg Pro Phe Glu Asp Ala Asp Leu Asp Leu 210 215 220
- Ile Ala Glu Thr Val Gly Glu Asp His Val Asp Asn Val Phe Trp Asn 225 230 235 240
- Asn Ala Ala Ala Phe Tyr Leu Gly Asp Gln 245
- <210> 391
- <211> 1108
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(1099)
- <223> RXN02813
- <400> 391
- ggactctaaa ttgacccgat ctttatactc cgaccttgct ggtagtggag aacacctcag 60
- cagootttoo gaogagaott tootaaagaa tottottgto gtg gag goo got ttg 115 Val Glu Ala Ala Leu

-	-	-	-	-	gag Glu		-	-	_	 _	_			163
					gtg Val									211
			_		ccg Pro	_	_		-	-	_			259
					ggc Gly 60									307
					aag Lys									355
					gat Asp									403
-		_			 cgc Arg	-	_		_		-	-	_	451
					ggc Gly									499
					ctg Leu 140									547
					gtg Val									595
					ggc Gly									643
					act Thr									691
					att Ile									739
					cgg Arg 220									787
					ccg Pro									835

Ala	-		-		ggc Gly			-	-			-	_		-	883
					ggc Gly											931
_	-		_	-	gct Ala	_				-		-		-	-	979
	-		-		atc Ile		-		-	-		-	-	-	-	1027
-					ggg Gly 315		-	-	_	_				_		1075
-					gga Gly	_	-	taat	ggat	c						1108
<211 <212	0> 39 1> 30 2> PI 3> Co	33 RT	ebact	ceriu	ım gl	Lutan	nicur	n								
	0> 39 Glu		Ala	Leu 5	Ala	Val	Ala	Ala	Ala 10	Pro	Glu	His	Ala	Ala 15	Met	
ח 1 ה	Lvs			_	Acn	Ser	Tyr	Gln							0	
ALG	-,-	Ата	Thr 20	Ile	тэр	501	•	25	Leu	Asp	val	Glu	Glu 30	Leu	ser	
	-		20		Gly			25		-			30			
Arg	Arg	Ala 35	20 Ala	Glu		Gly	Asn 40	25 Pro	Leu	Ile	Pro	Leu 45	30 Val	Thr	Asp	
Arg Leu	Arg Lys 50	Ala 35 Ala	20 Ala Ile	Glu Asn	Gly	Gly Ala 55	Asn 40 Gly	25 Pro Ile	Leu His	Ile	Pro Gly 60	Leu 45 Ala	30 Val Thr	Thr	Asp	
Arg Leu Asp 65	Arg Lys 50	Ala 35 Ala Ile	20 Ala Ile Asp	Glu Asn Ser	Gly Pro	Gly Ala '55 Leu	Asn 40 Gly Met	25 Pro Ile Leu	Leu His Cys	Ile Ile Met 75	Pro Gly 60 Lys	Leu 45 Ala Glu	30 Val Thr	Thr Ser Val	Asp Gln Gly 80	
Arg Leu Asp 65 Glu	Arg Lys 50 Ile	Ala 35 Ala Ile Val	20 Ala Ile Asp	Glu Asn Ser Lys 85	Gly Pro	Gly Ala 55 Leu Lys	Asn 40 Gly Met	25 Pro Ile Leu	Leu His Cys Ala 90	Ile Ile Met 75	Pro Gly 60 Lys Asp	Leu 45 Ala Glu Leu	30 Val Thr Gly Ala	Thr Ser Val Glu 95	Asp Gln Gly 80 Leu	
Arg Leu Asp 65 Glu Thr	Arg Lys 50 Ile Val	Ala 35 Ala Ile Val	20 Ala Ile Asp Asp His	Glu Asn Ser Lys 85 Lys	Gly Pro Ala 70 Leu	Gly Ala 55 Leu Lys Thr	Asn 40 Gly Met Lys	25 Pro Ile Leu Leu	Leu His Cys Ala 90 Met	Ile Ile Met 75 Arg	Pro Gly 60 Lys Asp	Leu 45 Ala Glu Leu	30 Val Thr Gly Ala Leu	Thr Ser Val Glu 95	Asp Gln Gly 80 Leu Gln	
Arg Leu Asp 65 Glu Thr	Arg Lys 50 Ile Val Ala	Ala 35 Ala Ile Val Glu Thr	20 Ala Ile Asp Asp His 100 Pro	Glu Asn Ser Lys 85 Lys	Gly Pro Ala 70 Leu	Gly Ala '55 Leu Lys Thr	Asn 40 Gly Met Lys Pro Gly 120	25 Pro Ile Leu Leu Ile 105 Ala	Leu His Cys Ala 90 Met	Ile Ile Met 75 Arg Gly	Pro Gly 60 Lys Asp Arg	Leu 45 Ala Glu Leu Thr	30 Val Thr Gly Ala Leu 110	Thr Ser Val Glu 95 Gly Leu	Asp Gln Gly 80 Leu Gln Val	

Phe Glu Ile Gln Ala Lys Leu Ala Glu Glu Leu Gly Leu Phe Asp Pro Gln Trp Val Trp His Ser Asp Arg Thr Pro Ile Thr Ala Ile Ala Ser 185 Ala Leu Ala Thr Ala Ala Gly Val Val Arg Lys Ile Ala Gly Asp Val 200 Val Phe Tyr Ser Gln Thr Glu Val Gly Glu Leu Arg Glu Lys Ser Pro Gly Gly Ser Ser Ala Met Pro His Lys Ala Asn Pro Ala Ala Ile 230 235 Ala Cys Asp Gly Tyr Ala Arg Arg Ala Pro Gly Leu Leu Ala Thr Leu Phe Asp Ala Leu Asp Cys Arg Leu Gln Arg Gly Thr Gly Ser Trp His Ala Glu Trp Ala Thr Leu Arg Glu Leu Ala Ala Val Thr His Ser Ala 275 280 Val Ser Arg Ala Ala Thr Ser Ile Asp Gly Ile Thr Val Asn Val Asp 295 Val Met Ala Ser Arg Val Asn Gly Pro Thr Gly His Ala Glu Asp Leu Ala Glu Arg Ala Leu Glu Ile Tyr Gly Lys Gly Arg Ser 325 <210> 393 <211> 1218 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1195) <223> RXN00136 <400> 393 cagtgttgca tcatctagaa atcgattaat taaaccgggc acctgattaa cattgggctg 60 cccggtttct tcctattaca agcgaaaggc aacgtgcccc atg agc gca gtg cag Met Ser Ala Val Gln 1 att ttc aac acc gtc cac gtc aat gga tct tcc ccc tat gat gtc cac 163 Ile Phe Asn Thr Val His Val Asn Gly Ser Ser Pro Tyr Asp Val His att ggt tcc ggc ctc aac gag ctc att gtt cag cqc qca qcq qaa tca Ile Gly Ser Gly Leu Asn Glu Leu Ile Val Gln Arg Ala Ala Glu Ser 25 ggc gcg gag cag gta gcg att ttg cac cag ccc agc atg gat gac att

	WU	11/000	42												PCI	1DUU/U
Gly	Ala	Glu 40	Gln	Val	Ala	Ile	Leu 45	His	Gln	Pro	Ser	Met 50	Asp	Asp	Ile	
Ala								gtc Val								307
								aac Asn								355
								ggc Gly								403
								gct Ala 110								451
								gtg Val								499
acc Thr	ttg Leu 135	ttg Leu	gcc Ala	atg Met	gtg Val	gac Asp 140	gct Ala	gcg Ala	gtg Val	ggc Gly	ggc Gly 145	aag Lys	act Thr	ggc Gly	atc Ile	547
aat Asn 150	acc Thr	gcc Ala	gca Ala	ggc Gly	aag Lys 155	aac Asn	ctt Leu	gtg Val	ggc Gly	gcg Ala 160	ttc Phe	cac His	gag Glu	cct Pro	gac Asp 165	595
								cta Leu								643
								atc Ile 190								691
cca Pro	gaa Glu	atc Ile 200	ctg Leu	cgc Arg	ctt Leu	tac Tyr	gaa Glu 205	act Thr	gat Asp	ccc Pro	gca Ala	gcc Ala 210	tgc Cys	ctg Leu	aag Lys	739
aaa Lys	gaa Glu 215	gtc Val	gaa Glu	ggc Gly	tcc Ser	cac His 220	cta Leu	cct Pro	gaa Glu	ctg Leu	att Ile 225	tgg Trp	cgc Arg	tcc Ser	gtc Val	787
								caa Gln								835
cgc Arg	gaa Glu	atc Ile	ctc Leu	aac Asn 250	tac Tyr	gga Gly	cac His	acc Thr	ttt Phe 255	gcc Ala	cac His	gcc Ala	gtc Val	gaa Glu 260	ctc Leu	883
cgc Arg	gaa Glu	aac Asn	ttc Phe 265	cgc Arg	tgg Trp	cgc Arg	cac His	ggc Gly 270	aat Asn	gcc Ala	gtt Val	gca Ala	gtg Val 275	ggc Gly	atg Met	931
atg Met	ttc Phe	atc Ile	gcc Ala	aac Asn	ctc Leu	tcc Ser	cac His	aag Lys	ctc Leu	Gly ggg	ctt Leu	atc Ile	gac Asp	gcg Ala	ccc Pro	979

280 285 290

ctc ctc gag cgc cac cgc tca atc ctg gcg gcc atc ggt ctg ccc act 1027 Leu Leu Glu Arg His Arg Ser Ile Leu Ala Ala Ile Gly Leu Pro Thr 295 300 305

tcc tac gaa ggc gga gcc ttc gac gag ctt tac gac ggt atg acc cgc $$ 1075 Ser Tyr Glu Gly Gly Ala Phe Asp Glu Leu Tyr Asp Gly Met Thr Arg $$ 315 $$ 325

gac aag aaa aac cgc gac ggc aac atc cgc ttc gtc gca ctg acc gcc 1123 Asp Lys Lys Asn Arg Asp Gly Asn Ile Arg Phe Val Ala Leu Thr Ala 330 335 340

gtg ggc gag gtt acc cgc att gag ggg ccc tca aaa caa gat tta cag 1171 Val Gly Glu Val Thr Arg Ile Glu Gly Pro Ser Lys Gln Asp Leu Gln 345 350 355

agt gct tat gag gca atc agc cac taagtgttga gtaatctact agt 1218 Ser Ala Tyr Glu Ala Ile Ser His 360 365

<210> 394

<211> 365

<212> PRT

<213> Corynebacterium glutamicum

<400> 394

Met Ser Ala Val Gln Ile Phe Asn Thr Val His Val Asn Gly Ser Ser $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Pro Tyr Asp Val His Ile Gly Ser Gly Leu Asn Glu Leu Ile Val Gln
20 25 30

Arg Ala Ala Glu Ser Gly Ala Glu Gln Val Ala Ile Leu His Gln Pro 35 40 45

Ser Met Asp Asp Ile Ala Ser Glu Leu Asp Ala Ala Leu Val Ala Ala 50 55 60

Gly Leu Lys Val Leu His Leu Asn Val Pro Asp Ala Glu Asn Gly Lys 65 70 75 80

Ser Leu Glu Val Ala Gly Gln Cys Trp Asp Glu Leu Gly Gly Ala Ala 85 90 95

Phe Gly Arg Arg Asp Ile Val Ile Gly Leu Gly Gly Gly Ala Ala Thr 100 105 110

Asp Leu Ala Gly Phe Val Ala Ala Ala Trp Met Arg Gly Val Arg Val 115 120 125

Ile Gln Val Pro Thr Thr Leu Leu Ala Met Val Asp Ala Ala Val Gly 130 135 140

Gly Lys Thr Gly Ile Asn Thr Ala Ala Gly Lys Asn Leu Val Gly Ala 145 150 155 160

Phe His Glu Pro Asp Ala Val Phe Ile Asp Thr Asp Arg Leu Ala Thr 165 170 175

Leu Pro Asp Ala Glu Ile Ile Ala Gly Ser Ala Glu Ile Ile Lys Thr 185 Gly Phe Ile Ala Asp Pro Glu Ile Leu Arg Leu Tyr Glu Thr Asp Pro Ala Ala Cys Leu Lys Lys Glu Val Glu Gly Ser His Leu Pro Glu Leu 215 Ile Trp Arg Ser Val Thr Val Lys Gly Ser Val Val Gly Gln Asp Leu Lys Glu Ser Ser Leu Arg Glu Ile Leu Asn Tyr Gly His Thr Phe Ala 250 His Ala Val Glu Leu Arg Glu Asn Phe Arg Trp Arg His Gly Asn Ala 260 265 Val Ala Val Gly Met Met Phe Ile Ala Asn Leu Ser His Lys Leu Gly 280 Leu Ile Asp Ala Pro Leu Leu Glu Arg His Arg Ser Ile Leu Ala Ala 295 Ile Gly Leu Pro Thr Ser Tyr Glu Gly Gly Ala Phe Asp Glu Leu Tyr 315 Asp Gly Met Thr Arg Asp Lys Lys Asn Arg Asp Gly Asn Ile Arg Phe 330 Val Ala Leu Thr Ala Val Gly Glu Val Thr Arg Ile Glu Gly Pro Ser 345 Lys Gln Asp Leu Gln Ser Ala Tyr Glu Ala Ile Ser His 355 360 <210> 395 <211> 1977 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1954) <223> RXN02508 <400> 395 tgcacactgc tggtggtgag gccgcagacc tggcagccgc aagcaaagcc tccgaggccc 60 aactcgcggc tcagtaaaac caaaaggaat ctttgaccac atg cgt aca tcc att Met Arg Thr Ser Ile gcc act gtt tgt ttg tcc gga act ctt gct gaa aag ctg cgc gca gct 163 Ala Thr Val Cys Leu Ser Gly Thr Leu Ala Glu Lys Leu Arq Ala Ala gca gat gct gga ttt gat ggt gtg gaa atc ttc gag cag gac ttg gtg 211 Ala Asp Ala Gly Phe Asp Gly Val Glu Ile Phe Glu Gln Asp Leu Val

25 30 35

							cag Gln 45									259
					_		cag Gln	_		_	-		-			307
							aat Asn									355
_	_	-					att Ile		_		_	_	-			403
							gat Asp	•	-					-	_	451
	-	-	•	-	-	-	gag Glu 125	_			_	_		_		499
-		_				_	ttt Phe	-		-		-				547
-				_			cac His	_		-			-	-	-	595
acg Thr	ttc Phe	cat His	att Ile	ctt Leu 170	tcc Ser	cgt Arg	ggt Gly	tgg Trp	gaa Glu 175	acc Thr	gac Asp	gag Glu	gtg Val	gag Glu 180	aac Asn	643
							ttt Phe									691
							tgg Trp 205									739
							gtg Val									787
_			-		_		tct Ser	-								835
-	_	_		_		-	acc Thr			_			-			883
							tgg Trp									931

					ctg Leu											979
					gag Glu											1027
cgg Arg 310	gtt Val	ctt Leu	cat His	caa Gln	ttg Leu 315	ggt Gly	ttc Phe	cgc Arg	ttg Leu	ggt Gly 320	ggt Gly	cat His	cac His	tgc Cys	agt Ser 325	1075
					gta Val											1123
					acc Thr											1171
					cca Pro											1219
					gat Asp											1267
					ccg Pro 395											1315
					ccc Pro											1363
		_			att Ile	-	-		_		-			-	_	1411
					gat Asp											1459
					cgt Arg											1507
					atg Met 475											1555
					gag Glu											1603
					att Ile											1651

gct gaa Ala Glu		1 Z													
															1699
aat tac Asn Tyr 535	tac Tyr	gac Asp	gat Asp	gtg Val	cag Gln 540	gcg Ala	cgt Arg	ttt Phe	gat Asp	ttg Leu 545	ccg Pro	cag Gln	gaa Glu	ttc Phe	1747
ttg gac Leu Asp 550															1795
ggc gaa Gly Glu															1843
gaa gtg Glu Val	gtg Val	gaa Glu 585	cgc Arg	cgc Arg	ggc Gly	ggt Gly	ttt Phe 590	gca Ala	ggt Gly	tgg Trp	ggc Gly	gaa Glu 595	aca Thr	aac Asn	1891
gct ccg Ala Pro	gtg Val 600	cgg Arg	ttg Leu	gcg Ala	gcg Ala	cag Gln 605	tat Tyr	cgt Arg	gag Glu	gtg Val	cgg Arg 610	gac Asp	ctc Leu	gag Glu	1939
cgg gga Arg Gly 615				tago	catco	ccg a	acta	gcc	ee ee	ca					1977
<210> 3 <211> 6 <212> P <213> C	18 RT	ebact	teri	um gl	lutar	nicur	n								
<400> 3 Met Arg		Ser	Ile	Ala	Thr										
			5		•	Val	Cys	Leu 10	Ser	Gly	Thr	Leu	Ala 15	Glu	
Lys Lèu	Arg	Ala 20	5					10 Phe					15		
Lys Lèu Glu Gln		20 Leu	5 Ala	Ala Val	Asp	Ala Pro	Gly 25	10 Phe	Asp	Gly	Val Gln	Glu 30	15 Ile	Phe	
	Asp 35 Gln	20 Leu	5 Ala Val	Ala Val	Asp	Ala Pro 40	Gly 25 His	Phe Ser	Asp Ala	Gly Glu	Val Gln 45	Glu 30 Ile	15 Ile Arg	Phe	
Glu Gln Arg Ala	Asp 35 Gln	20 Leu Asp	5 Ala Val Leu	Ala Val Gly	Asp Ser Leu 55	Ala Pro 40 Thr	Gly 25 His	10 Phe Ser Asp	Asp Ala Leu	Glu Glu Phe 60 Lys	Val Gln 45 Gln	Glu 30 Ile Pro	15 Ile Arg Phe	Phe Gln Arg	
Glu Gln Arg Ala 50 Asp Phe	Asp 35 Gln Glu	20 Leu Asp Gly	5 Ala Val Leu Val	Ala Val Gly Glu 70 Lys	Asp Ser Leu 55 Glu	Ala Pro 40 Thr	Gly 25 His Leu Gln	10 Phe Ser Asp	Asp Ala Leu Leu 75 Leu	Glu Glu Phe 60 Lys	Val Gln 45 Gln Asn	Glu 30 Ile Pro	15 Ile Arg Phe	Phe Gln Arg Arg 80 Ile	·
Glu Gln Arg Ala 50 Asp Phe 65	Asp 35 Gln Glu	20 Leu Asp Gly Lys	5 Ala Val Leu Val Phe 85 Asn	Ala Val Gly Glu 70 Lys	Asp Ser Leu 55 Glu Leu	Ala Pro 40 Thr Glu	Gly 25 His Leu Gln	10 Phe Ser Asp Phe Arg	Asp Ala Leu 75 Leu	Glu Phe 60 Lys	Val Gln 45 Gln Asn	Glu 30 Ile Pro Leu Glu	15 Ile Arg Phe His Met 95	Phe Gln Arg Arg 80 Ile	
Glu Gln Arg Ala 50 Asp Phe 65 Leu Glu	Asp 35 Gln Glu Glu Cys	20 Leu Asp Gly Lys Ser 100 Gln	5 Ala Val Leu Val Phe 85 Asn	Ala Val Gly Glu 70 Lys Val	Asp Ser Leu 55 Glu Leu Gly	Ala Pro 40 Thr Glu Met	Gly 25 His Leu Gln Asn Ala 105	10 Phe Ser Asp Phe Arg 90 Thr	Asp Ala Leu 75 Leu	Gly Glu Phe 60 Lys Gly Asn	Val Gln 45 Gln Asn Ile	Glu 30 Ile Pro Leu Glu Asp 110	15 Ile Arg Phe His Asp	Phe Gln Arg Arg 80 Ile	

Phe Glu His Ala His Ala Leu Val Glu Lys Val Asn His Lys Ala Leu 150 Gly Thr Cys Leu Asp Thr Phe His Ile Leu Ser Arg Gly Trp Glu Thr 170 Asp Glu Val Glu Asn Ile Pro Ala Glu Lys Ile Phe Phe Val Gln Leu 185 Ala Asp Ala Pro Lys Leu Ser Met Asp Ile Leu Ser Trp Ser Arg His 200 His Arg Val Phe Pro Gly Glu Gly Asp Phe Asp Leu Val Lys Phe Met Val His Leu Ala Lys Thr Gly Tyr Asp Gly Pro Ile Ser Leu Glu Ile Phe Asn Asp Ser Phe Arg Lys Ala Glu Val Gly Arg Thr Ala Ile Asp 245 Gly Leu Arg Ser Leu Arg Trp Leu Glu Asp Gln Thr Trp His Ala Leu Asn Ala Glu Asp Arg Pro Ser Ala Leu Glu Leu Arg Ala Leu Pro Glu Val Ala Glu Pro Glu Gly Val Asp Phe Ile Glu Ile Ala Thr Gly Arg Leu Gly Glu Thr Ile Arg Val Leu His Gln Leu Gly Phe Arg Leu Gly 310 Gly His His Cys Ser Lys Gln Asp Tyr Gln Val Trp Thr Gln Gly Asp Val Arg Ile Val Val Cys Asp Arg Gly Val Thr Gly Ala Pro Thr Thr Ile Ser Ala Met Gly Phe Asp Thr Pro Asp Pro Glu Ala Ala His Ala 360 Arg Ala Glu Leu Leu Arg Ala Gln Thr Ile Asp Arg Pro His Ile Glu Gly Glu Val Asp Leu Lys Gly Val Tyr Ala Pro Asp Gly Val Glu Leu Phe Phe Ala Gly Pro Ser Pro Asp Gly Met Pro Glu Trp Leu Pro Glu 405 Phe Gly Val Glu Lys Gln Glu Ala Gly Leu Ile Glu Ala Ile Asp His Val Asn Phe Ala Gln Pro Trp Gln His Phe Asp Glu Ala Val Leu Phe 435 Tyr Thr Ala Leu Met Ala Leu Glu Thr Val Arg Glu Asp Glu Phe Pro 455

Ser Pro Ile Gly Leu Val Arg Asn Gln Val Met Arg Ser Pro Asn Asp 475 Ala Val Arg Leu Leu Ser Val Ala Pro Glu Asp Gly Glu Gln Gly 490 Asp Phe Leu Asn Ala Ala Tyr Pro Glu His Ile Ala Leu Ala Thr Ala 505 Asp Ile Val Ala Val Ala Glu Arg Ala Arg Lys Arg Gly Leu Asp Phe Leu Pro Val Pro Glu Asn Tyr Tyr Asp Asp Val Gln Ala Arg Phe Asp Leu Pro Gln Glu Phe Leu Asp Thr Leu Lys Glu Asn His Leu Leu Tyr 550 Asp Arg Asp Glu Asn Gly Glu Phe Leu His Phe Tyr Thr Arg Thr Leu 565 570 Gly Thr Leu Phe Phe Glu Val Val Glu Arg Arg Gly Gly Phe Ala Gly 585 Trp Gly Glu Thr Asn Ala Pro Val Arg Leu Ala Ala Gln Tyr Arg Glu Val Arg Asp Leu Glu Arg Gly Ile Pro Asn 610 615 <210> 397 <211> 470 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(447) <223> RXN02839 <400> 397 tgt gtg gtg aat gat tat gct gac cgc aag ttt gat ggt cat gtt aag 48 Cys Val Val Asn Asp Tyr Ala Asp Arg Lys Phe Asp Gly His Val Lys cgc acg gcg aac cga cca ctt ccc agc ggc gcg gta aca gag aaa gag 96 Arg Thr Ala Asn Arg Pro Leu Pro Ser Gly Ala Val Thr Glu Lys Glu 20 gcg cgc gcg ctg ttt gtc gtg ctg gta ctg att tcg ttt tta ctq qtq 144 Ala Arg Ala Leu Phe Val Val Leu Val Leu Ile Ser Phe Leu Leu Val 35 ctg acg ctg aat acg atg acc att ctg ttg tcg att gcc gcg cta gcg Leu Thr Leu Asn Thr Met Thr Ile Leu Leu Ser Ile Ala Ala Leu Ala 50 ctg gcg tgg gtg tac ccg ttt atg aag cgg tat acc cat cta ccg caa 240 Leu Ala Trp Val Tyr Pro Phe Met Lys Arg Tyr Thr His Leu Pro Gln

70

gtg gtg ctg gcg gcg ttt ggc tgg tcg att cca atg gct ttt gcc 288 Val Val Leu Gly Ala Ala Phe Gly Trp Ser Ile Pro Met Ala Phe Ala 85 90 gct gtg agt gag tcg gtg cca ttg agt tgc tgg tta atg ttc ctc gcc 336 Ala Val Ser Glu Ser Val Pro Leu Ser Cys Trp Leu Met Phe Leu Ala 100 105 aat att etc tgg geg gtg get tae gae aeg eag tat geg atg gtt gae Asn Ile Leu Trp Ala Val Ala Tyr Asp Thr Gln Tyr Ala Met Val Asp 115 120 cgc gat gat gtg aag att ggc att aaa tcc acg gca atc ctg ttg 432 Arg Asp Asp Val Lys Ile Gly Ile Lys Ser Thr Ala Ile Leu Leu gcc aat acg ata aat tgatattggg attttgcaga ttg 470 Ala Asn Thr Ile Asn 145 <210> 398 <211> 149 <212> PRT <213> Corynebacterium glutamicum Cys Val Val Asn Asp Tyr Ala Asp Arg Lys Phe Asp Gly His Val Lys Arg Thr Ala Asn Arg Pro Leu Pro Ser Gly Ala Val Thr Glu Lys Glu Ala Arg Ala Leu Phe Val Val Leu Val Leu Ile Ser Phe Leu Leu Val Leu Thr Leu Asn Thr Met Thr Ile Leu Leu Ser Ile Ala Ala Leu Ala 50 Leu Ala Trp Val Tyr Pro Phe Met Lys Arg Tyr Thr His Leu Pro Gln 70 Val Val Leu Gly Ala Ala Phe Gly Trp Ser Ile Pro Met Ala Phe Ala 85 90 Ala Val Ser Glu Ser Val Pro Leu Ser Cys Trp Leu Met Phe Leu Ala 105 Asn Ile Leu Trp Ala Val Ala Tyr Asp Thr Gln Tyr Ala Met Val Asp 125 Arg Asp Asp Val Lys Ile Gly Ile Lys Ser Thr Ala Ile Leu Leu 135 140 Ala Asn Thr Ile Asn 145 <210> 399 <211> 978

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(955)

<223> RXN00639

<400> 399

agtgttgtta tcgagttcag ccgatcacaa agatttttcc gctaggcagt gatccgactc 60

gcaccccta cttcacccc aaagteteta ggagtatgac atg act tea get gaa 115
Met Thr Ser Ala Glu
1 5

cag atc gtt gat cca aca gcc cac gat tcg ggc aac aag gca act gac 163 Gln Ile Val Asp Pro Thr Ala His Asp Ser Gly Asn Lys Ala Thr Asp 10 15 20

aag ttc aag gca aac cgc gtt tcc tcc gat acc tcc aag gaa cgc gca 211 Lys Phe Lys Ala Asn Arg Val Ser Ser Asp Thr Ser Lys Glu Arg Ala 25 30 35

aac gcg atc tac gta gat ctg ctc gcg gcg atc gcc cag gtt gct cac 259 Asn Ala Ile Tyr Val Asp Leu Leu Ala Ala Ile Ala Gln Val Ala His 40 45

aag cac gaa gtc acc tac gaa gag tac gca gtg ctc aag cag tgg atg 307 Lys His Glu Val Thr Tyr Glu Glu Tyr Ala Val Leu Lys Gln Trp Met

atc gac gtt gga gaa tac ggc gag tgg cca ctg tgg ttg gac gtt ttc 355
Ile Asp Val Gly Glu Tyr Gly Glu Trp Pro Leu Trp Leu Asp Val Phe
70 80 85

gtt gag cat gag atc gaa gag atc aac tac aac cgc cac gac tac acc 403 Val Glu His Glu Ile Glu Glu Ile Asn Tyr Asn Arg His Asp Tyr Thr

gga acc aag ggt tcc atc gaa ggc cct tat tac gta gag aac tct ccg 451 Gly Thr Lys Gly Ser Ile Glu Gly Pro Tyr Tyr Val Glu Asn Ser Pro 105 110

aag ctc cct tgg gat gct gaa atg cca atg cgt gac aag gac cgc gca 499 Lys Leu Pro Trp Asp Ala Glu Met Pro Met Arg Asp Lys Asp Arg Ala 120 125 130

tgc acc cca ctg atc ttc gag ggg cag gtt act gac ctc gac ggc aac 547 Cys Thr Pro Leu Ile Phe Glu Gly Gln Val Thr Asp Leu Asp Gly Asn 135 140 145

ggt ctt gat gga gca gaa gtt gag ctc tgg cac gca gat gag gac gga 595 Gly Leu Asp Gly Ala Glu Val Glu Leu Trp His Ala Asp Glu Asp Gly 150 165

tac tac tcc cag ttc gcg cct gga atc cca gag tgg aac ctg cgt ggc 643
Tyr Tyr Ser Gln Phe Ala Pro Gly Ile Pro Glu Trp Asn Leu Arg Gly
170 175 180

acc atc gtt acc gat gag gaa ggc cgc tac aag atc aag acc ctg cag 691 Thr Ile Val Thr Asp Glu Glu Gly Arg Tyr Lys Ile Lys Thr Leu Gln

185 190 195

cct gcg cct tac cag atc cct cat gat ggc cca acc ggt tgg ttc att 739 Pro Ala Pro Tyr Gln Ile Pro His Asp Gly Pro Thr Gly Trp Phe Ile gag tot tac ggt ggg cac cca tgg cgc cca gcc cac ctc cac ttg cgc 787 Glu Ser Tyr Gly Gly His Pro Trp Arg Pro Ala His Leu His Leu Arg gtt tcc cac ccg ggc tac cgc acc atc acc acc cag ctt tac ttc gag 835 Val Ser His Pro Gly Tyr Arg Thr Ile Thr Thr Gln Leu Tyr Phe Glu ggt ggc gag tgg gtc gaa aac gac gtt gca acc gct gtg aag cca gaa 883 Gly Gly Glu Trp Val Glu Asn Asp Val Ala Thr Ala Val Lys Pro Glu 250 ctg gtc ctg cac cct gag act ggc gag gat ggt aac cac gtt cac tac 931 Leu Val Leu His Pro Glu Thr Gly Glu Asp Gly Asn His Val His Tyr 265 cca ttc gtc ctg gat aag gaa gac tagtttttct acctagctag cat 978 Pro Phe Val Leu Asp Lys Glu Asp 280

<210> 400

<211> 285

<212> PRT

<213> Corynebacterium glutamicum

<400> 400

Met Thr Ser Ala Glu Gln Ile Val Asp Pro Thr Ala His Asp Ser Gly

1 10 15

Asn Lys Ala Thr Asp Lys Phe Lys Ala Asn Arg Val Ser Ser Asp Thr 20 25 30

Ser Lys Glu Arg Ala Asn Ala Ile Tyr Val Asp Leu Leu Ala Ala Ile 35 40 45

Ala Gln Val Ala His Lys His Glu Val Thr Tyr Glu Glu Tyr Ala Val 50 55 60

Leu Lys Gln Trp Met Ile Asp Val Gly Glu Tyr Gly Glu Trp Pro Leu 65 70 75 80

Trp Leu Asp Val Phe Val Glu His Glu Ile Glu Glu Ile Asn Tyr Asn 85 90 95

Arg His Asp Tyr Thr Gly Thr Lys Gly Ser Ile Glu Gly Pro Tyr Tyr 100 105 110

Val Glu Asn Ser Pro Lys Leu Pro Trp Asp Ala Glu Met Pro Met Arg 115 120 125

Asp Lys Asp Arg Ala Cys Thr Pro Leu Ile Phe Glu Gly Gln Val Thr 130 135 140

Asp Leu Asp Gly Asn Gly Leu Asp Gly Ala Glu Val Glu Leu Trp His

145 150 155 160 Ala Asp Glu Asp Gly Tyr Tyr Ser Gln Phe Ala Pro Gly Ile Pro Glu 165 170 Trp Asn Leu Arg Gly Thr Ile Val Thr Asp Glu Glu Gly Arg Tyr Lys Ile Lys Thr Leu Gln Pro Ala Pro Tyr Gln Ile Pro His Asp Gly Pro Thr Gly Trp Phe Ile Glu Ser Tyr Gly Gly His Pro Trp Arg Pro Ala His Leu His Leu Arg Val Ser His Pro Gly Tyr Arg Thr Ile Thr Thr 230 Gln Leu Tyr Phe Glu Gly Gly Glu Trp Val Glu Asn Asp Val Ala Thr 245 Ala Val Lys Pro Glu Leu Val Leu His Pro Glu Thr Gly Glu Asp Gly 260 Asn His Val His Tyr Pro Phe Val Leu Asp Lys Glu Asp 280 <210> 401 <211> 780 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(757) <223> RXN02530 gaggetgage titeegteaa acaacatett eccaatgtgg atgaaatgae tgtgaecate 60 accectteca aaccttgagt eccgtgatac aattgttgat atg tea aca aat tat Met Ser Thr Asn Tyr gaa gca atc atc att gga gca ggt cag gct gga ctc gcg gcg gcg cat Glu Ala Ile Ile Gly Ala Gly Gln Ala Gly Leu Ala Ala Ala His 15 gaa off too ogo ogo ggt the act occ gga aaa gat the otc qto otc 211 Glu Leu Ser Arg Arg Gly Phe Thr Pro Gly Lys Asp Phe Leu Val Leu gat tee aac gae ggg eee ggt gge gee tgg egg eat agg tgg gat tea 259 Asp Ser Asn Asp Gly Pro Gly Gly Ala Trp Arg His Arg Trp Asp Ser ctc aca tta ggt aaa gcc cac gga atc gcc gat ctc cca ggg ctt ccc 307 Leu Thr Leu Gly Lys Ala His Gly Ile Ala Asp Leu Pro Gly Leu Pro 55 60 atg aat ege eee gat eeg aaa aet eeg get tee aca ttg gtt get ggt

Met Asn Arg Pro Asp Pro Lys Thr Pro Ala Ser Thr Leu Val Ala Gly tat tac ggc gct tac gag aac gag ttc tcc ttc gca gtt gtg cgc cca 403 Tyr Tyr Gly Ala Tyr Glu Asn Glu Phe Ser Phe Ala Val Val Arg Pro 90 95 gtc aaa gtc tca cga gtt gag ccc act tcc gag gat cct tcg agc cca 451 Val Lys Val Ser Arg Val Glu Pro Thr Ser Glu Asp Pro Ser Ser Pro 110 ttg cgc gtg agc agc gac gat ggt cga gag tgg att acc cgc atg gtt 499 Leu Arg Val Ser Ser Asp Asp Gly Arg Glu Trp Ile Thr Arg Met Val 125 ctt aat gca aca ggt acg tgg aca aac cct tat gtt ccg tac att cct 547 Leu Asn Ala Thr Gly Thr Trp Thr Asn Pro Tyr Val Pro Tyr Ile Pro 140 ggc atc gat aaa ttc cag ggc aag cag ctc cac acc gtt aat tac cgc Gly Ile Asp Lys Phe Gln Gly Lys Gln Leu His Thr Val Asn Tyr Arg 155 160 aag gcc gag gat ttc aaa ggt aag aaa gtc ctg gtc gtc ggc ggt ggt 643 Lys Ala Glu Asp Phe Lys Gly Lys Lys Val Leu Val Val Gly Gly Gly 170 ttg agt gct gtg caa ttt ctg ctg gag ttg gaa ggc ttg gcg gaa acc 691 Leu Ser Ala Val Gln Phe Leu Leu Glu Leu Glu Gly Leu Ala Glu Thr 185 190 acc tgg gcg acg cgt cgt ccg cga act tac gca gcg cga gtt cga cgc 739 Thr Trp Ala Thr Arg Arg Pro Arg Thr Tyr Ala Ala Arg Val Arg Arg 205 cgg ctg ggg cat tgc ggt tgagcgcgcc gtccgcgaac gca 780 Arg Leu Gly His Cys Gly 215 <210> 402 <211> 219 <212> PRT <213> Corynebacterium glutamicum Met Ser Thr Asn Tyr Glu Ala Ile Ile Ile Gly Ala Gly Gln Ala Gly Leu Ala Ala Ala His Glu Leu Ser Arg Arg Gly Phe Thr Pro Gly Lys 20 Asp Phe Leu Val Leu Asp Ser Asn Asp Gly Pro Gly Gly Ala Trp Arg 35 40 His Arg Trp Asp Ser Leu Thr Leu Gly Lys Ala His Gly Ile Ala Asp Leu Pro Gly Leu Pro Met Asn Arg Pro Asp Pro Lys Thr Pro Ala Ser

PCT/IB00/00911

WO 01/00842 Thr Leu Val Ala Gly Tyr Tyr Gly Ala Tyr Glu Asn Glu Phe Ser Phe Ala Val Val Arg Pro Val Lys Val Ser Arg Val Glu Pro Thr Ser Glu 105 Asp Pro Ser Ser Pro Leu Arg Val Ser Ser Asp Asp Gly Arg Glu Trp Ile Thr Arg Met Val Leu Asn Ala Thr Gly Thr Trp Thr Asn Pro Tyr Val Pro Tyr Ile Pro Gly Ile Asp Lys Phe Gln Gly Lys Gln Leu His Thr Val Asn Tyr Arg Lys Ala Glu Asp Phe Lys Gly Lys Lys Val Leu 170 Val Val Gly Gly Leu Ser Ala Val Gln Phe Leu Leu Glu Leu Glu 180 185 Gly Leu Ala Glu Thr Thr Trp Ala Thr Arg Arg Pro Arg Thr Tyr Ala 200 Ala Arg Val Arg Arg Leu Gly His Cys Gly <210> 403 <211> 990 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(967) <223> RXN00434 <400> 403 ccacgcgcca aaccatgcaa gccatcgtcc aaactgagga gaaggtcact gcttctctgg 60 aattacagga agtccccgtc ccgaccctga agccaggtag gtg ctg gtg aag gtg Val Leu Val Lys Val aag oot gog ggo gtt aac ogt gog gat ott tig caq acq cag gga aat 163 Lys Pro Ala Gly Val Asn Arg Ala Asp Leu Leu Gln Thr Gln Gly Asn tat cct gtg ccg gcg ggg gct tcg gag att ctc ggg ctg gaa tgt gcg 211 Tyr Pro Val Pro Ala Gly Ala Ser Glu Ile Leu Gly Leu Glu Cys Ala 30 ggt gtg atc gtg aat gcc ggc gac act ggg caa aca gtg ggt cag gaa 259 Gly Val Ile Val Asn Ala Gly Asp Thr Gly Gln Thr Val Gly Gln Glu

gtc gct tgc ctt ctc act ggc ggt gga tat gcg caa tat gtg gcg gtt Val Ala Cys Leu Leu Thr Gly Gly Gly Tyr Ala Gln Tyr Val Ala Val

WO 01/00842 PCT/IB00/00911 ccg gaa ggt cag ttg atg cca att cca gag ggt tac agc ttt gtg gaa 355 Pro Glu Gly Gln Leu Met Pro Ile Pro Glu Gly Tyr Ser Phe Val Glu 75 gcg gcc tcg atc gtg gag gtt gcg tgc acg gtg tgg tcg aat atc ggc 403 Ala Ala Ser Ile Val Glu Val Ala Cys Thr Val Trp Ser Asn Ile Gly 95 atg ctg gcg ggc ttg cag aag gag gat act ttc ctt att cat ggt ggc 451 Met Leu Ala Gly Leu Gln Lys Glu Asp Thr Phe Leu Ile His Gly Gly 110 gcg ggc ggt atc gga acg ttt gcc att cag atg ggc aag gct ctg ggt 499 Ala Gly Gly Ile Gly Thr Phe Ala Ile Gln Met Gly Lys Ala Leu Gly 125 gtg acg gtt gcg gtg act gcc ggt tca act gaa aag tta aaa acc tqt 547 Val Thr Val Ala Val Thr Ala Gly Ser Thr Glu Lys Leu Lys Thr Cys 135 140 aag aac tta ggg gcc gat atc ctc atc aat tac aag gag gaa gat ttc 595 Lys Asn Leu Gly Ala Asp Ile Leu Ile Asn Tyr Lys Glu Glu Asp Phe 155 160 gcc gag gtt ttg aag aac aag gcg gat gtc att ctc gat att att qqt 643 Ala Glu Val Leu Lys Asn Lys Ala Asp Val Ile Leu Asp Ile Ile Gly 170 175 gcg aag tat ttg tca cag aat gtg aag gcg atg gcc aag gac gcg cac 691 Ala Lys Tyr Leu Ser Gln Asn Val Lys Ala Met Ala Lys Asp Ala His 185 atg gta gtc atc ggg atg cag ggt ggc gtg aaa ggg gag ctg aat ttg 739 Met Val Val Ile Gly Met Gln Gly Gly Val Lys Gly Glu Leu Asn Leu ggt cat ctt ttg gcc aag cga ggc acg att tct gcc act gcg ctg cgt 787 Gly His Leu Leu Ala Lys Arg Gly Thr Ile Ser Ala Thr Ala Leu Arg 215 ggt cgc gat gag gcg gat aag gct cgg att qtc aqc act qtc qaa 835 Gly Arg Asp Glu Ala Asp Lys Ala Arg Ile Val Ser Ser Thr Val Glu 230 235 240 aat att tgg ccg ctg cta caa tcg aag gaa att acc cct cac atc gac Asn Ile Trp Pro Leu Leu Gln Ser Lys Glu Ile Thr Pro His Ile Asp 250 255 260 cac acc ttg ccg cta gcc gaa gca gcc gcc ttg cag aaa att caa 931 His Thr Leu Pro Leu Ala Glu Ala Ala Ala Ala Leu Gln Lys Ile Gln 265

<210> 404

<211> 289

atgccagcac cct

280

.977

990

gac ggc acc atc acc ggc aag ctc gtg ctt gcg gtt taggcaagcg

Asp Gly Thr Ile Thr Gly Lys Leu Val Leu Ala Val

<212> PRT

<213> Corynebacterium glutamicum

<400> 404

Val Leu Val Lys Val Lys Pro Ala Gly Val Asn Arg Ala Asp Leu Leu 1 5 10

Gln Thr Gln Gly Asn Tyr Pro Val Pro Ala Gly Ala Ser Glu Ile Leu 20 25 30

Gly Leu Glu Cys Ala Gly Val Ile Val Asn Ala Gly Asp Thr Gly Gln 35 40 45

Thr Val Gly Gln Glu Val Ala Cys Leu Leu Thr Gly Gly Gly Tyr Ala
50 55 60

Gln Tyr Val Ala Val Pro Glu Gly Gln Leu Met Pro Ile Pro Glu Gly 65 70 75 80

Tyr Ser Phe Val Glu Ala Ala Ser Ile Val Glu Val Ala Cys Thr Val 85 90 95

Trp Ser Asn Ile Gly Met Leu Ala Gly Leu Gln Lys Glu Asp Thr Phe 100 105 110

Leu Ile His Gly Gly Ala Gly Gly Ile Gly Thr Phe Ala Ile Gln Met
115 120 125

Gly Lys Ala Leu Gly Val Thr Val Ala Val Thr Ala Gly Ser Thr Glu 130 135 140

Lys Leu Lys Thr Cys Lys Asn Leu Gly Ala Asp Ile Leu Ile Asn Tyr 145 150 155 160

Lys Glu Glu Asp Phe Ala Glu Val Leu Lys Asn Lys Ala Asp Val Ile 165 170 175

Leu Asp Ile Ile Gly Ala Lys Tyr Leu Ser Gln Asn Val Lys Ala Met 180 185 190

Ala Lys Asp Ala His Met Val Val Ile Gly Met Gln Gly Gly Val Lys 195 200 205

Gly Glu Leu Asn Leu Gly His Leu Leu Ala Lys Arg Gly Thr Ile Ser 210 215 220

Ala Thr Ala Leu Arg Gly Arg Asp Glu Ala Asp Lys Ala Arg Ile Val 225 230 235 240

Ser Ser Thr Val Glu Asn Ile Trp Pro Leu Leu Gln Ser Lys Glu Ile 245 250 255

Thr Pro His Ile Asp His Thr Leu Pro Leu Ala Glu Ala Ala Ala Ala 260 265 270

Leu Gln Lys Ile Gln Asp Gly Thr Ile Thr Gly Lys Leu Val Leu Ala 275 280 285

Val

<210> 405 <211> 1098 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1075) <223> RXN01619 <400> 405 cctgcaagtt tactgctcgg ccgtcacggg ggaatggaaa aagtacgctt ggtgttcata 60 tagcgaaccc attttctatt gcgatgagag gaacaccacc atg cgc gca atc act Met Arg Ala Ile Thr cac aac act ttc ggc gac ccc gcc gac gtc cta cag att acc gag aag 163 His Asn Thr Phe Gly Asp Pro Ala Asp Val Leu Gln Ile Thr Glu Lys 10 15 gaa att ccc act ccc ggc cca ggt cag gtt cgt att caa gtq acg ctq 211 Glu Ile Pro Thr Pro Gly Pro Gly Gln Val Arg Ile Gln Val Thr Leu 30 gca acc atc cac aac cat gat ttg tgg acc gtg aag ggc tct tac ggc 259 Ala Thr Ile His Asn His Asp Leu Trp Thr Val Lys Gly Ser Tyr Gly 40 45 ttc gtc cca gat ctg ccg gcc gcc gca ggc acc gag gca gtc ggc atc 307 Phe Val Pro Asp Leu Pro Ala Ala Gly Thr Glu Ala Val Gly Ile 55 gtc gac gcc ctg ggc gag ggc gtc gaa ggt ttg cag gtc ggt cag cgt 355 Val Asp Ala Leu Gly Glu Gly Val Glu Gly Leu Gln Val Gly Gln Arg 70 75 gtt gcg tcc ggc acc agc ttt ggc atc tgg gcg gag tac gcg ctt gtc 403 Val Ala Ser Gly Thr Ser Phe Gly Ile Trp Ala Glu Tyr Ala Leu Val 95 100 gac gcc tcc ggc ctc att ccc gta cca gaa cag ctc tcc gac gaa agc 451 Asp Ala Ser Gly Leu Ile Pro Val Pro Glu Gln Leu Ser Asp Glu Ser 105 115 gca gct cag ctc gtc gca atg cct ttc agc gcc atc agc ctt ctt gat 499 Ala Ala Gln Leu Val Ala Met Pro Phe Ser Ala Ile Ser Leu Leu Asp 120 ttc ctg gat atg aaa cca ggg gag tgg ctg atc caa aac tcc gca aac 547 Phe Leu Asp Met Lys Pro Gly Glu Trp Leu Ile Gln Asn Ser Ala Asn 135 140 ggt gcc gtc ggc cgc atg ctc gca cag ctg gca gaa tcc cgc qqc atc 595 Gly Ala Val Gly Arg Met Leu Ala Gln Leu Ala Glu Ser Arg Gly Ile 150 cat gtc gtt ggt ctc gtc cgc cgt gac gcc ggt gtc caa gaa ctc gct His Val Val Gly Leu Val Arg Arg Asp Ala Gly Val Gln Glu Leu Ala 170 180

gct caa aac Ala Gln Asn		/ Val Val						691
aag cag gtc Lys Gln Val 200								739
gat tcc gtc Asp Ser Val 215	· · -	_	-		-			787
gaa ggc ggc Glu Gly Gly 230		Ser Phe	Gly Ala			Ile		835
gaa atc cca Glu Ile Pro								883
ttc tgg gga Phe Trp Gly		Ser Arg (931
cag ttg ttc Gln Leu Phe 280								979
ctt cca gtt Leu Pro Val 295								1027
cgc gcc tcc Arg Ala Ser 310	agc gag cct Ser Glu Pro 315	Gly Arg	gcc gga Ala Gly	aaa gtg Lys Val 320	ctc att Leu Ile	cgt Arg	ttc Phe 325	1075
taaacgttta a	iggcccatta ç	ac						1098
<210> 406 <211> 325 <212> PRT <213> Coryne	ebacterium ç	lutamicum						
<400> 406 Met Arg Ala	Ile Thr His	Asn Thr	Phe Glv	Asp Pro	Ala Asp	Val	Leu	
1	5		10			15	200	
Gln Ile Thr	Glu Lys Glu 20	lle Pro'	Thr Pro 25	Gly Pro	Gly Gln 30	Val	Arg	
Ile Gln Val 35	Thr Leu Ala	Thr Ile 1	His Asn	His Asp	Leu Trp 45	Thr	Val	
Lys Gly Ser 50	Tyr Gly Phe	Val Pro 1	Asp Leu	Pro Ala 60	Ala Ala	Gly	Thr	
Glu Ala Val 65	Gly Ile Val		Leu Gly	Glu Gly 75	Val Glu	Gly	Leu 80	

Gln Val Gly Gln Arg Val Ala Ser Gly Thr Ser Phe Gly Ile Trp Ala 85 90 95

- Glu Tyr Ala Leu Val Asp Ala Ser Gly Leu Ile Pro Val Pro Glu Gln 100 105 110
- Leu Ser Asp Glu Ser Ala Ala Gln Leu Val Ala Met Pro Phe Ser Ala 115 120 125
- Ile Ser Leu Leu Asp Phe Leu Asp Met Lys Pro Gly Glu Trp Leu Ile 130 135 140
- Gln Asn Ser Ala Asn Gly Ala Val Gly Arg Met Leu Ala Gln Leu Ala 145 150 155 160
- Glu Ser Arg Gly Ile His Val Val Gly Leu Val Arg Arg Asp Ala Gly
 165 170 175
- Val Gln Glu Leu Ala Ala Gln Asn Ile Ser Gly Val Val Ser Thr Glu 180 185 190
- Thr Pro Gly Trp Glu Lys Gln Val Glu Asp Ile Thr Gly Gly Ala Ser 195 200 205
- Ile Ala Val Ala Leu Asp Ser Val Gly Gly Ser Ser Ala Ala Asp Leu 210 215 220
- Val Lys Leu Leu Gly Glu Gly Gly Thr Leu Val Ser Phe Gly Ala Met 225 230 235 240
- Gly Asn Pro Ile Met Glu Ile Pro Ser Gly Pro Val Ile Phe Lys His
 245 250 255
- Ile Thr Val Lys Gly Phe Trp Gly Ser Lys Val Ser Arg Glu Met Pro 260 265 270
- Ala Glu Lys Lys Thr Gln Leu Phe Gly Glu Leu Ile Ala Arg Ile Leu 275 280 285
- Asp Gly Thr Leu Thr Leu Pro Val Asp Ser Thr Phe Asp Ala Ala Asp 290 295 300
- Ile Val Ser Ala Val Arg Ala Ser Ser Glu Pro Gly Arg Ala Gly Lys 305 310 315 320
- Val Leu Ile Arg Phe 325
- <210> 407
- <211> 1041
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(1018)
- <223> RXN01842
- <400> 407
- cacgicatgg tctcgcggtg atcatcitc taccgtgaca ggcaaggccq caaacggccq 60

tgaccacagg aaagaa	attc acgaggagag ga		tcg aag gt Ser Lys Va	
Val Ser Asn Glu T	ac ggc ggc ccg gaa yr Gly Gly Pro Glu 10		Leu Ile Th	
-	ca ggc ccg gga gaa ro Gly Pro Gly Glu 30	Leu Gly Val		
	cg ctt gat tgg aac ro Leu Asp Trp Lys 45	•		
	tt ccg gca ccc ctg eu Pro Ala Pro Leu 60			
	ga gac ggt gtg gag ly Asp Gly Val Glu 75			
Val Leu Gly Leu Va	tg gcc ccc ggc gtc al Ala Pro Gly Val 90			sp Thr
	ag agt acc gtg cta lu Ser Thr Val Leu 110	Lys Pro Glu		
	cg atc ccg gtc gct la Ile Pro Val Ala 125			
	ag ctt gaa cca ggo lu Leu Glu Pro Gly 140		Leu Ile As	
	tc ggg ctg atg gco al Gly Leu Met Ala 155			
Lys Phe Gln Val V	tc ggc gtt gac cad al Gly Val Asp His 70		Arg Glu Le	
	ct atc ttc gtc gcc la Ile Phe Val Ala 190	Thr Gly Asp		
	tg ctc cct gac ggt eu Leu Pro Asp Gly 205			
	cg ttg cgg gtg gt! la Leu Arg Val Val 220		Ala Lys A	

gcg Ala 230	cac His	gtg Val	atc Ile	tcg Ser	gcg Ala 235	gct Ala	gat Asp	gct Ala	gcc Ala	acc Thr 240	gtg Val	gga Gly	gaa Glu	ctc Leu	ggt Gly 245	835
				cgc Arg 250												883
				ggg Gly												931
_	-	-	-	ggt Gly	_	_	-	-		_		-			-	979
				gtc Val									taad	ccaga	aca	1028
acg	cggt	gac o	ctc													1041
<21 <21	0> 40 1> 30 2> PI 3> Co)6 RT	ebact	eri	ım gl	lutan	nicum	n								
	0> 40 Ser		Val	Tyr 5	Val	Ser	Asn	Glu	Tyr 10	Gly	Gly	Pro	Glu	Asn 15	Gln	
Glu	Leu	Ile	Thr 20	Arg	Asn	Thr	Pro	Gln 25	Pro	Gly	Pro	Gly	Glu 30	Leu	Gly	
Val	Lys	Val 35	His	Ala	Ala	Gly	Val 40	Asn	Pro	Leu	Asp	Trp 45	Lys	Val	Arg	
Ser	Gly 50	Val	Ala	Gly	Thr	Pro 55	Arg	Glu	Leu	Pro	Ala 60	Pro	Leu	Gly	Glu	
Glu 65	Ala	Ser	Gly	Ile	Val 70	Thr	Ala	Val	Gly	Asp 75	Gly	Val	Glu	Gly	Phe 80	
Ala	Val	Gly	Asp	Pro 85	Val	Leu	Gly	Leu	Val 90	Ala	Pro	Gly	Val	Gly 95	Gly	
Tyr	Ala	Glu	Asp 100	Thr	Leu	Leu	Val	Ala 105	Glu	Ser	Thr	Val	Leu 110	Lys	Pro	
Glu	Glu	Ile 115	Ser	Phe	Thr	Asp	Ala 120	Ala	Ala	Ile	Pro	Val 125	Ala	Gly	Ala	
Ser	Ala 130	Tyr	Ala	Gly	Thr	His 135	Gln	Val	Glu	Leu	Glu 140	Pro	Gly	Gln	Ser	
Leu 145	Leu	Ile	Asn	Gly	Ala 150	Gly	Gly	Gly	Val	Gly 155		Met	Ala	Ala	Gln 160	
Ile	Gly	Arg	Val	His 165	Lys	Phe	Gln	Val	Val 170	Gly	Val	Asp	His	Glu 175	Asp	

Lys Arg Glu Leu Ile Glu Ser Thr Gly Ala Ile Phe Val Ala Thr Gly 185 Asp Ala Val Ala Glu Gln Val Arg Ala Leu Leu Pro Asp Gly Val Asp 200 Val Val Phe Asp Leu Val Gly Gly Glu Ala Leu Arg Val Val Ala Pro 215 Leu Ala Lys Asn Pro Ala His Val Ile Ser Ala Ala Asp Ala Ala Thr Val Gly Glu Leu Gly Gly Gln Val Leu Arg Arg Thr Pro Glu Met Val Gly Gln Ile Thr Gly Val Val Gln Tyr Gly Leu Val Asp Pro Lys Val Asp Thr Thr Tyr Pro Leu Glu Gln Ala Gly Lys Ala Leu Ala His Val Glu Gln Gly His Ala Arg Gly Lys Ile Val Leu Glu Leu Ile Thr Ser Gln Asp 305 <210> 409 <211> 1614 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1591) <223> RXN00641 . <400> 409 tgcggaattg ctcgcaaatg tcacacaccg cttcaaagca aaaacgaaaa cgacatcgcg 60 gtggcaatac caacttettt teactetett ggaggtteac atg tee aca eea gtt Met Ser Thr Pro Val tca aat ttg gca agc gtt cag aaa act ctg gac cat gcg ctt gag gac 163 Ser Asn Leu Ala Ser Val Gln Lys Thr Leu Asp His Ala Leu Glu Asp 10 cgc cct gaa gag gga atc gtc cgc gtc aac cgc aac atc ttc act gac 211 Arg Pro Glu Glu Gly Ile Val Arg Val Asn Arg Asn Ile Phe Thr Asp 25 30 cct gag atc ttc gag ctg gag atg cgc cac atc ttc gaa ggc atc tgg 259 Pro Glu Ile Phe Glu Leu Glu Met Arg His Ile Phe Glu Gly Ile Trp 40 45 atg gac atg gct cac gag tcc cag atc cct aac ggt gga gac tac ttc 307 Met Asp Met Ala His Glu Ser Gln Ile Pro Asn Gly Gly Asp Tyr Phe 55 60

	acc Thr															355
	aca Thr															403
	tgc Cys															451
cac His	ggc Gly	tgg Trp 120	cca Pro	ttc Phe	tgc Cys	aac Asn	ggc Gly 125	ggc Gly	gca Ala	ctg Leu	ctc Leu	aag Lys 130	gtc Val	aag Lys	ggc Gly	499
gaa Glu	aaa Lys 135	gaa Glu	ggc Gly	gcc Ala	tac Tyr	cca Pro 140	gag Glu	aat Asn	ttc Phe	cgc Arg	acc Thr 145	gac Asp	ggc Gly	tcc Ser	cac His	547
	gtg Val															595
ggc Gly	tcc Ser	ctc Leu	aac Asn	gat Asp 170	gat Asp	gtc Val	gtt Val	tct Ser	ttg Leu 175	gaa Glu	gag Glu	cac His	ctc Leu	ggc Gly 180	Asp	643
acc Thr	cgt Arg	acc Thr	gtc Val 185	att Ile	gac Asp	atg Met	ctg Leu	gtt Val 190	gac Asp	caa Gln	tcc Ser	cca Pro	gaa Glu 195	ggc Gly	ctc Leu	691
gaa Glu	gta Val	ctg Leu 200	cgc Arg	gga Gly	tcc Ser	tcc Ser	acc Thr 205	tac Tyr	acc Thr	tac Tyr	gac Asp	ggc Gly 210	aac Asn	tgg Trp	aag Lys	739
	cag Gln 215															787
tgg Trp 230	aac Asn	tac Tyr	gct Ala	gca Ala	acc Thr 235	acc Thr	tcc Ser	cgc Arg	cgt Arg	ggc Gly 240	act Thr	ggt Gly	gaa Glu	tcc Ser	gcg Ala 245	835
aac Asn	gaa Glu	acc Thr	aag Lys	gca Ala 250	atg Met	gac Asp	gct Ala	ggt Gly	acc Thr 255	tgg Trp	ggc Gly	aag Lys	cag Gln	ggt Gly 260	ggc Gly	883
gga Gly	tac Tyr	ttc Phe	tcc Ser 265	tac Tyr	cct Pro	tac Tyr	ggc Gly	cac His 270	atg Met	ctg Leu	ctg Leu	tgg Trp	atg Met 275	tgg Trp	tgg Trp	931
ggc Gly	aac Asn	cca Pro 280	gaa Glu	gac Asp	cgc Arg	cca Pro	ctg Leu 285	ttc Phe	gag Glu	cgc Arg	cgc Arg	gac Asp 290	gag Glu	ttc Phe	aag Lys	979
aag Lys	gaa Glu 295	ttc Phe	ggc Gly	gaa Glu	gaa Glu	aag Lys 300	ggc	gag Glu	ttc Phe	atg Met	gtt Val 305	ggt Gly	gct Ala	tcc Ser	cgc Arg	1027

aat ctg tgc ctc Asn Leu Cys Leu 310	tac ccc aa Tyr Pro As: 315	gtt tac ctg n Val Tyr Leu	atg gat cag ttc to Met Asp Gln Phe Se 320	c tca 1075 er Ser 325
cag atc cgc cac Gln Ile Arg His	atc cgc cc Ile Arg Pro 330	a atc tca gtt o Ile Ser Val 335	gat cag acc gaa gt Asp Gln Thr Glu Va	l Thr
			gcg gaa gca cgt gc Ala Glu Ala Arg Al 355	
			gca acg ggc atg gc Ala Thr Gly Met Al 370	
		Arg Ser Cys	cag aag acc tac ca Gln Lys Thr Tyr Gl 385	
			ggt ttg ggc cac ca Gly Leu Gly His Gl 400	
			ggc atg aac gaa gt Gly Met Asn Glu Va 42	l Leu
			ctc tac cca atc ca Leu Tyr Pro Ile Gl 435	
ggc ttc tgg cat Gly Phe Trp His 440	gaa ctc ato Glu Leu Me	g cag gag gct : Gln Glu Ala 445	gtg aat aag cag ag Val Asn Lys Gln Se 450	c atc 1459 r Ile
		Asp Thr Ala	tct tcc ctt gcc ac Ser Ser Leu Ala Th 465	
			gca gcc gcg aag to Ala Ala Ala Lys Se 480	-
gct gga gag cct Ala Gly Glu Pro	cgc cgc cg Arg Arg Ard 490	cgt cgc acc Arg Arg Thr 495	cgc ggt tagtcgtcga Arg Gly	1601
aaagcaaaaa atc				1614
<210> 410 <211> 497 <212> PRT <213> Corynebac	terium gluta	amicum		
<400> 410 Met Ser Thr Pro	Val Ser Ass	n Leu Ala Ser	Val Gln Lys Thr Le	eu Asp
1	5	10		.5

His Ala Leu Glu Asp Arg Pro Glu Glu Gly Ile Val Arg Val Asn Arg

20 25 30

Asn Ile Phe Thr Asp Pro Glu Ile Phe Glu Leu Glu Met Arg His Ile 35 40 45

Phe Glu Gly Ile Trp Met Asp Met Ala His Glu Ser Gln Ile Pro Asn 50 55 60

Gly Gly Asp Tyr Phe Thr Thr Tyr Ile Gly Cys Gln Arg Ile Met Ile 65 70 75 80

Thr Arg Ser Lys Glu Gly Thr Leu Asn Gly Leu Ile Asn Ala Cys Ser 85 90 95

His Arg Gly Ala Met Leu Cys Arg Gly Lys Ser Asp Asn Arg Thr Ser 100 105 110

Leu Thr Cys Pro Phe His Gly Trp Pro Phe Cys Asn Gly Gly Ala Leu 115 120 125

Leu Lys Val Lys Gly Glu Lys Glu Gly Ala Tyr Pro Glu Asn Phe Arg 130 135 140

Thr Asp Gly Ser His Asp Val Arg Arg Val Pro Lys Leu Glu Ser Tyr 145 150 155 160

Arg Gly Phe Leu Phe Gly Ser Leu Asn Asp Asp Val Val Ser Leu Glu 165 170 175

Glu His Leu Gly Asp Thr Arg Thr Val Ile Asp Met Leu Val Asp Gln 180 185 190

Ser Pro Glu Gly Leu Glu Val Leu Arg Gly Ser Ser Thr Tyr Thr Tyr 195 200 205

Asp Gly Asn Trp Lys Leu Gln Thr Glu Asn Gly Ala Asp Gly Tyr His 210 215 220

Val Ser Ser Thr His Trp Asn Tyr Ala Ala Thr Thr Ser Arg Gly
225 230 235 240

Thr Gly Glu Ser Ala Asn Glu Thr Lys Ala Met Asp Ala Gly Thr Trp 245 250 255

Gly Lys Gln Gly Gly Gly Tyr Phe Ser Tyr Pro Tyr Gly His Met Leu 260 265 270

Leu Trp Met Trp Trp Gly Asn Pro Glu Asp Arg Pro Leu Phe Glu Arg 275 280 285

Arg Asp Glu Phe Lys Lys Glu Phe Gly Glu Glu Lys Gly Glu Phe Met 290 295 300

Val Gly Ala Ser Arg Asn Leu Cys Leu Tyr Pro Asn Val Tyr Leu Met 305 310 315 320

Asp Gln Phe Ser Ser Gln Ile Arg His Ile Arg Pro Ile Ser Val Asp 325 330 335

Gln Thr Glu Val Thr Ile Tyr Cys Ile Ala Pro Lys Gly Glu Ser Ala 340 345 350

Glu Ala Arg Ala Asn Arg Ile Arg Gln Tyr Glu Asp Phe Phe Asn Ala Thr Gly Met Ala Thr Pro Asp Asp Leu Glu Glu Phe Arg Ser Cys Gln 375 Lys Thr Tyr Gln Ala Ser Ala Phe Pro Trp Asn Asp Met Thr Arg Gly 390 Leu Gly His Gln Val Gln Gly Pro Asn Glu Val Ala Lys Gly Leu Gly 410 Met Asn Glu Val Leu Ser Ser Gly Ala Arg Thr Glu Asp Glu Gly Leu Tyr Pro Ile Gln His Gly Phe Trp His Glu Leu Met Gln Glu Ala Val Asn Lys Gln Ser Ile Lys Glu Lys Glu Leu Ala Asp Asp Thr Ala Ser 450 Ser Leu Ala Thr Val Ala Ala Ala Lys Ile Arg Glu Glu Ala Lys Ala 470 Ala Ala Lys Ser Asp Ala Gly Glu Pro Arg Arg Arg Arg Thr Arg 485 490 Gly <210> 411 <211> 1166 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (16)..(1143) <223> RXN01993 <400> 411 ctttaggagt tcaccatg aca ctg tcc gaa cgc aag ctc acc acc acc gcc Met Thr Leu Ser Glu Arg Lys Leu Thr Thr Ala aag att ctt ccc cac cca ctc aac gcc tgg tac gtc gcc gct tgg gat 99 Lys Ile Leu Pro His Pro Leu Asn Ala Trp Tyr Val Ala Ala Trp Asp 20 tat gaa gtc aca tct aaa aag ccc atg gcc agg aca atc gcc aac aaa 147 Tyr Glu Val Thr Ser Lys Lys Pro Met Ala Arg Thr Ile Ala Asn Lys 35 cca ctc gct ttg tac cgc acc aaa gat ggc cga gcc gtt gcc ctt gca 195 Pro Leu Ala Leu Tyr Arg Thr Lys Asp Gly Arg Ala Val Ala Leu Ala gac gcc tgc tgg cac cgc ctc gca ccg cta tcc aag gga aaa ctc gtg Asp Ala Cys Trp His Arg Leu Ala Pro Leu Ser Lys Gly Lys Leu Val

65 70 75

ggc Gly	aca Thr	gac Asp	gga Gly 80	atc Ile	caa Gln	tgc Cys	cct Pro	tat Tyr 85	cac His	ggc Gly	ttg Leu	gag Glu	tac Tyr 90	aac Asn	tcc Ser	291
gcg Ala	ggc Gly	cgc Arg 95	tgc Cys	atg Met	aaa Lys	atg Met	ccc Pro 100	gcg Ala	cag Gln	gaa Glu	acc Thr	ctc Leu 105	aac Asn	ccg Pro	tca Ser	339
gca Ala	gcc Ala 110	gtc Val	aac Asn	tcc Ser	tac Tyr	ccc Pro 115	gtg Val	gtg Val	gaa Glu	gcc Ala	cac His 120	cgc Arg	ttt Phe	gtg Val	tgg Trp	387
										ccc Pro 135						435
atg Met	cac His	cag Gln	atg Met	agc Ser 145	cac His	ccc Pro	gaa Glu	tgg Trp	gca Ala 150	ggc Gly	gat Asp	gga Gly	cgc Arg	acc Thr 155	atc Ile	483
										gac Asp						531
										atc Ile						579
agt Ser	gaa Glu 190	tca Ser	gag Glu	ttc Phe	gtg Val	gtc Val 195	acc Thr	cac His	act Thr	gaa Glu	gat Asp 200	tcc Ser	gtg Val	acg Thr	gtc Val	627
										ccg Pro 215						675
atg Met	aat Asn	gat Asp	aag Lys	ttc Phe 225	cca Pro	gga Gly	ttt Phe	gaa Glu	ggc Gly 230	aag Lys	gtg Val	gat Asp	cgt Arg	tgg Trp 235	cag Gln	723
atc Ile	atc Ile	His	Tyr	Tyr	Tyr	Pro	Ser	Thr	Ile	tgc Cys	Ile	Asp	gtt Val 250	ggt Gly	gta Val	771
gca Ala	aag Lys	gct Ala 255	gga Gly	act Thr	ggc Gly	gcg Ala	cag Gln 260	gaa Glu	ggc Gly	gac Asp	cgc Arg	agc Ser 265	cag Gln	ggc Gly	gtt Val	819
										gat Asp						867
cat His 285	tac Tyr	ttc Phe	tgg Trp	gca Ala	ttc Phe 290	atg Met	cgc Arg	aac Asn	tac Tyr	cgc Arg 295	ctg Leu	gaa Glu	agc Ser	caa Gln	acc Thr 300	915
atc Ile	acc Thr	acc Thr	cag Gln	ctg Leu 305	cgc Arg	gac Asp	ggt Gly	gta Val	tcc Ser 310	ggt Gly	gta Val	ttc Phe	aaa Lys	gaa Glu 315	gac Asp	963

									•							
	gac Asp															1011
	gag Glu															1059
	atc Ile 350															1107
	aca Thr											taaa	accat	ga		1153
acto	cgcaa	atg (gca													1166
<212	0> 41 1> 37 2> PE 3> Co	76 RT	ebact	eriu	ım gl	lutar	nicum	n								
<400)> 4]	2														
-	Thr		Ser	Glu 5	Arg	Lys	Leu	Thr	Thr 10	Thr	Ala	Lys	Ile	Leu 15	Pro	
His	Pro	Leu	Asn 20	Ala	Trp	Tyr	Val	Ala 25	Ala	Trp	Asp	Tyr	Glu 30	Val	Thr	
Ser	Lys	Lys 35	Pro	Met	Ala	Arg	Thr 40	Ile	Ala	Asn	Lys	Pro 45	Leu	Ala	Leu	
Tyr	Arg 50	Thr	Lys	Asp	Gly	Arg 55	Ala	Val	Ala	Leu	Ala 60	Asp	Ala	Cys	Trp	
His 65	Arg	Leu	Ala	Pro	Leu 70	Ser	Lys	Gly	Lys	Leu 75	Val	Gly	Thr	Asp	Gly 80	
Ile	Gln	Cys	Pro	Tyr 85	His	Gly	Leu	Glu	Tyr 90	Asn	Ser	Ala	Gly	Arg 95	Cys	
Met	Lys	Met	Pro 100	Ala	Gln	Glu	Thr	Leu 105		Pro	Ser	Ala	Ala 110	Val	Asn	
Ser	Tyr	Pro 115	Val	Val	Glu	Ala	His 120	Arg	Phe	Val	Trp	Val 125	Trp	Leu	Gly	
Asp	Pro 130	Thr	Leu	Ala	Asp	Pro 135	Thr	Gln	Val	Pro	Asp 140	Met	His	Gln	Met	
Ser 145	His	Pro	Glu	Trp	Ala 150	Gly	Asp	Gly	Arg	Thr 155	Ile	Ser	Ala	Asp	Cys 160	
Asn	Tyr	Gln	Leu	Val 165	Leu	Asp	Asn	Leu	Met 170	Asp	Leu	Thr	His	Glu 175	Glu	
Phe	Val	His	Ser 180	Ser	Ser	Ile	Gly	Gln 185	Asp	Glu	Leu	Ser	Glu 190	Ser	Glu	

Phe Val Val Thr His Thr Glu Asp Ser Val Thr Val Thr Arg Trp Met His Asp Ile Asp Ala Pro Pro Phe Trp Gln Lys Asn Met Asn Asp Lys 215 Phe Pro Gly Phe Glu Gly Lys Val Asp Arg Trp Gln Ile Ile His Tyr 235 Tyr Tyr Pro Ser Thr Ile Cys Ile Asp Val Gly Val Ala Lys Ala Gly Thr Gly Ala Gln Glu Gly Asp Arg Ser Gln Gly Val Asn Gly Tyr Val 265 Met Asn Thr Ile Thr Pro Asp Ser Asp Arg Ser Ser His Tyr Phe Trp Ala Phe Met Arg Asn Tyr Arg Leu Glu Ser Gln Thr Ile Thr Thr Gln 295 300 Leu Arg Asp Gly Val Ser Gly Val Phe Lys Glu Asp Glu Asp Met Leu 315 Thr Ala Gln Gln Asp Ala Ile Asp Ala Asn Thr Asp Tyr Glu Phe Tyr Ser Leu Asn Ile Asp Ala Gly Gly Met Trp Val Arg Arg Ile Leu Glu Glu Ala Leu Ser Lys Glu Gly Arg Leu Asp Ile Pro Thr Thr Phe Pro . 365 355 360 Arg Ala Thr Pro Lys Pro Glu Ala <210> 413 <211> 816 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(793) <223> RXN00658 <400> 413 cattgacacc cacaggitta ccagcatcac ggaaagittg gatggattit tactccggcc 60 acaacgtotg gotggaagot cagocacgtg otttotggto gtg ogc cao gad gag Val Arg His Asp Glu cac tac cca gct gcg gca aac ctc att gct ttc gat aag gga tgg tcc 163 His Tyr Pro Ala Ala Ala Asn Leu Ile Ala Phe Asp Lys Gly Trp Ser acc ctc atc gcc cct cag ctg gaa gat cca gag gcg gag gag ttc acc $^{\circ}$ 211 Thr Leu Ile Ala Pro Gln Leu Glu Asp Pro Glu Ala Glu Glu Phe Thr

25 30 35

							cag Gln 45									259
							ggc Gly									307
tcc Ser 70	gat Asp	att Ile	gct Ala	tta Leu	cga Arg 75	cgc Arg	tgc Cys	gat Asp	gcg Ala	gtg Val 80	acc Thr	acc Thr	cac His	atc Ile	ggc Gly 85	355
							cac His									403
		Thr					gag Glu		-	_		_		Ala	-	451
							tca Ser 125									499
							ttc Phe									547
							ttc Phe									595
	-				_	-	caa Gln			-		-			-	643
							gag Glu									691
							gac Asp 205									739
							gct Ala									787
gag Glu 230		taaa	accct	aa a	attct	agga	aa co	ga								816

<210> 414

<211> 231

<212> PRT

<213> Corynebacterium glutamicum

<400> 414

Val Arg His Asp Glu His Tyr Pro Ala Ala Ala Asn Leu Ile Ala Phe 1 5 10 15

- Asp Lys Gly Trp Ser Thr Leu Ile Ala Pro Gln Leu Glu Asp Pro Glu 20 25 30
- Ala Glu Glu Phe Thr Ala Gly Phe Leu Thr Glu Tyr Gln Asp Asn Leu
 35 40 45
- Ile Thr Ala Gly Met Glu His Gln Ala Leu Ala Ser Gly Phe Pro Val 50 55 60
- Gly Arg Arg Phe Lys Ser Asp Ile Ala Leu Arg Arg Cys Asp Ala Val 65 70 75 80
- Thr Thr His Ile Gly His Glu His Ser Ala Asp Gly His Trp Arg Ile 85 90 95
- Tyr Val Phe Ala Gly Gln Ala Thr Pro Gln Asp Ser Glu Ser Ala Leu 100 105 110
- Asn Lys Trp Ala Gln Trp Met Glu Glu Ser Glu Asp Ser Pro Leu Asn 115 120 125
- Arg Phe Thr Pro Glu Ala Gly Asp Arg Asn Ala Val Phe Asp Ile Lys 130 135 140
- Ala Thr Tyr Gln Gln His Tyr His Ser Phe Asp Leu Phe Asp Ala Pro 145 150 155 160
- Glu Val Phe Phe Pro Arg Val Gly Pro Tyr Lys Leu Gln Asn Leu Glu 165 170 175
- Asn Val Trp Thr Ala Leu Asp Ser Gln Asp Ile Phe Glu Ser Arg Gly 180 185 190
- Ile Ser Arg Asp Gly Ala Ile Val Val Val Arg Pro Asp Gln Tyr Val 195 200 205
- Ala Ala Val Leu Pro Leu Glu Asp Thr Ala Ala Leu Ala Glu Phe Phe 210 215 220
- Asn Gly Asn Leu Leu Glu Pro 225 230
- <210> 415
- <211> 1008
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (101)..(985)
- <223> RXN00178
- <400> 415
- gcgaataatc cacggacggt cacagaagaa aacctcactg cqctqcttac cacagcqctc 60
- aacggcgacg atccagcaac tttgaattaa ggagaccaac atg act att tca gca 115 Met Thr Ile Ser Ala

				gaa Glu									163
				aac Asn						_		-	211
				gat Asp									259
				att Ile								acc Thr	307
				gaa Glu 75									355
				gct Ala									403
				ggc Gly									451
				att Ile	Ala								499
				aaa Lys									547
				gaa Glu 155									595
_	_	Glu	_	agt Ser	-	 Arg	_	His	_		-	_	643
				ttc Phe									691
	_			gta Val		-			-	-	 _		739
				cac His									787
				cat His 235									835

atc ggc gat tcc gtg ttt ggc gtg aag gac tca ctg att aag aaa ttc Ile Gly Asp Ser Val Phe Gly Val Lys Asp Ser Leu Ile Lys Lys Phe 250 255 gtt gag caa cct gca gga acc gca act cca gat ggt cgc gat gtg ggt Val Glu Gln Pro Ala Gly Thr Ala Thr Pro Asp Gly Arg Asp Val Gly 270 gat caa acc tgg gca cgc aca cgt ttt gat att gtg ctc gcc ccc ggc 979 Asp Gln Thr Trp Ala Arg Thr Arg Phe Asp Ile Val Leu Ala Pro Gly 285 aat gtc taagtagaag cagcaaaaaa cca 1008 Asn Val 295 <210> 416 <211> 295 <212> PRT <213> Corynebacterium glutamicum <400> 416 Met Thr Ile Ser Ala Gln Gln Gln Ala Val Glu Glu Asp Leu Val Glu Arg Val Leu Ala Ser Phe Asp Ser Cys Glu Asn Pro Arg Leu Lys Leu Val Met Lys Ser Leu Thr Val His Leu His Asp Phe Ile Arg Asp Val Arg Leu Thr Glu Glu Glu Trp Asn Tyr Ala Ile Asp Phe Leu Thr Lys Val Gly His Ile Thr Asp Asp Lys Arg Gln Glu Phe Val Leu Leu Ser Asp Thr Leu Gly Ala Ser Met Gln Thr Ile Ala Val Asn Asn Glu Ala 85 90 Tyr Glu Asp Ala Thr Glu Ala Thr Val Phe Gly Pro Phe Phe Val Asp 105 Asp Ala Pro Leu Val Gln Asn Gly Asp Asp Ile Ala Phe Gly Ala Val Gly Gln Pro Ala Trp Val Glu Gly Thr Val Lys Asp Thr Glu Gly Asn Pro Ile Pro Asn Ala Arg Ile Glu Val Trp Glu Cys Asp Glu Asp Gly 145 160 Leu Tyr Asp Val Gln Tyr Ala Asp Glu Arg Ser Ala Gly Arg Ala His . Leu Tyr Ser Asp Glu Asn Gly Glu Tyr His Phe Trp Gly Leu Thr Pro 180 Val Pro Tyr Pro Ile Pro His Asp Gly Pro Val Gly Gln Met Leu Gln

195 200 205

Ala Val Gly Arg Ser Pro Val Arg Cys Ala His Leu His Phe Met Val 210 215 220

Thr Ala Pro Glu Lys Arg Thr Leu Val Thr His Ile Phe Val Glu Gly 225 230 235 240

Asp Pro Gln Leu Glu Ile Gly Asp Ser Val Phe Gly Val Lys Asp Ser 245 250 255

Leu Ile Lys Lys Phe Val Glu Gln Pro Ala Gly Thr Ala Thr Pro Asp 260 265 270

Gly Arg Asp Val Gly Asp Gln Thr Trp Ala Arg Thr Arg Phe Asp Ile 275 280 285

Val Leu Ala Pro Gly Asn Val 290 295

<210> 417

<211> 735

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(712)

<223> RXN01461

<400> 417

togactatga cgagacccgt gaaaacttcg cgcttggtta caagttcgac atcqtccttc 60

gtggccgcaa cgccacccca tttgagtaaa gggttttgca atg att gat aca ggg 115 Met Ile Asp Thr Gly 1 5

aag aac ggc gag ttc cgc tac gag cag tcg aat atc atc gat cag aac 163 Lys Asn Gly Glu Phe Arg Tyr Glu Gln Ser Asn Ile Ile Asp Gln Asn 10 15 20

gaa gcc gag ttc ggc atc act cct tca cag acc gtg ggc cct tac gtc 211 Glu Ala Glu Phe Gly Ile Thr Pro Ser Gln Thr Val Gly Pro Tyr Val 25 30 35

cac atc ggt ttg acc ctt gaa ggt gcg gag cat ctc gtg gag cca ggt 259
His Ile Gly Leu Thr Leu Glu Gly Ala Glu His Leu Val Glu Pro Gly
40 45 50

tcg gaa ggc gcg gtg tcc ttt act gtt tcc gca act gat ggc aac ggc 307 Ser Glu Gly Ala Val Ser Phe Thr Val Ser Ala Thr Asp Gly Asn Gly 55 60 65

gac ccc atc gcg gat gcc atg ttt gaa ctg tgg cag gcc gat cca gag 355
Asp Pro Ile Ala Asp Ala Met Phe Glu Leu Trp Gln Ala Asp Pro Glu
70 75 80 85

ggc atc cac aac tct gat ttg gat cca aac cgc aca gca cca gca acc 403 Gly Ile His Asn Ser Asp Leu Asp Pro Asn Arg Thr Ala Pro Ala Thr 90 95 100

							ggt Gly									451
							gtt Val 125									499
cca Pro	cac His 135	ttc Phe	aag Lys	gtt Val	ggt Gly	gtg Val 140	ttc Phe	gcc Ala	cgt Arg	ggc Gly	atg Met 145	ctg Leu	gag Glu	cgt Arg	ctg Leu	547
							gac Asp									595
_	-		-		_	-	cga Arg	-	-		-		-		_	643
	-	_			-		gac Asp			-	-	-	-	-		691
-				ttt Phe			taaa	attga		egato	ettta	at ad	ct			735
<210)> 4]	18					-									
<212	l> 20 2> PE 3> Co	RT	ebact	ceriu	ım gl	lutar	nicum	n				-				
<212 <213 <400	2> PF 3> Co 0> 43	RT oryne 18			-		nicum Gly		Phe 10	Arg	Tyr	Glu	Gln	Ser 15	Asn	
<212 <213 <400 Met	2> PF 3> Co 0> 41 Ile	RT pryne 18 Asp	Thr	Gly 5	Lys	Asn		Glu	10					15		
<212 <213 <400 Met 1	2> PF 3> Co 0> 41 Ile	RT oryne 18 Asp Asp	Thr Gln 20	Gly 5 Asn	Lys Glu	Asn Ala	Gly	Glu Phe 25	10 Gly	Ile	Thr	Pro	Ser 30	15 Gln	Thr	
<212 <213 <400 Met 1 Ile	2> PF 3> Co)> 41 Ile Ile	RT oryne L8 Asp Asp Pro 35	Thr Gln 20 Tyr	Gly 5 Asn Val	Lys Glu His	Asn Ala Ile	Gly Glu Gly	Glu Phe 25 Leu	10 Gly Thr	Ile	Thr	Pro Gly 45	Ser 30 Ala	15 Gln Glu	Thr His	
<212 <213 <400 Met 1 Ile Val	2> PF 3> Cd 0> 41 Ile Ile Gly Val 50	Asp Pro 35	Thr Gln 20 Tyr	Gly 5 Asn Val	Lys Glu His Ser	Asn Ala Ile Glu 55	Gly Glu Gly 40	Glu Phe 25 Leu Ala	10 Gly Thr Val	Ile Leu Ser	Thr Glu Phe 60	Pro Gly 45 Thr	Ser 30 Ala Val	15 Gln Glu Ser	Thr His	
<212 <213 <400 Met 1 Ile Val Leu Thr 65	2> PE 3> Co 0> 41 1le Ile Gly Val 50	Asp Pro 35 Glu Gly	Thr Gln 20 Tyr Pro	Gly 5 Asn Val Gly	Lys Glu His Ser Asp 70	Asn Ala Ile Glu 55 Pro	Gly Glu Gly 40 Gly	Glu Phe 25 Leu Ala	10 Gly Thr Val	Ile Leu Ser Ala 75	Thr Glu Phe 60 Met	Pro Gly 45 Thr	Ser 30 Ala Val Glu	15 Gln Glu Ser Leu	Thr His Ala Trp 80	
<212 <213 <400 Met 1 Ile Val Leu Thr 65 Gln	2> PE 3> Co 0> 41 1le Ile Gly Val 50 Asp	Asp Pro 35 Glu Gly Asp	Thr Gln 20 Tyr Pro Asn Pro	Gly 5 Asn Val Gly Gly Glu 85	Lys Glu His Ser Asp 70 Gly	Asn Ala Ile Glu 55 Pro Ile	Gly Gly 40 Gly Ile His	Glu Phe 25 Leu Ala Ala Asn	10 Gly Thr Val Asp Ser 90	Ile Leu Ser Ala 75 Asp	Thr Glu Phe 60 Met	Pro Gly 45 Thr Phe	Ser 30 Ala Val Glu	Glu Ser Leu Asn 95	Thr His Ala Trp 80 Arg	
<212 <213 <400 Met 1 Ile Val Leu Thr 65 Gln Thr	2> PE 3> Co 0> 41 1le 1le Gly Val 50 Asp Ala	Asp Pro 35 Glu Gly Asp	Thr Gln 20 Tyr Pro Asn Pro Ala 100	Gly 5 Asn Val Gly Gly Glu 85 Thr	Lys Glu His Ser Asp 70 Gly Ala	Asn Ala Ile Glu 55 Pro Ile Asp	Gly Gly 40 Gly Ile	Glu Phe 25 Leu Ala Ala Asn Phe 105	10 Gly Thr Val Asp Ser 90 Arg	Ile Leu Ser Ala 75 Asp	Thr Glu Phe 60 Met Leu Leu	Pro Gly 45 Thr Phe Asp	Ser 30 Ala Val Glu Pro	Glu Ser Leu Asn 95 Ala	Thr His Ala Trp 80 Arg	

130 135 140

Met Leu Glu Arg Leu Tyr Thr Arg Ala Tyr Leu Pro Asp Ala Asp Leu 145 150 155 160

Ser Thr Asp Pro Val Leu Ala Val Val Pro Ala Asp Arg Arg Asp Leu 165 170 175

Leu Val Ala Gln Lys Thr Asp Asp Gly Phe Arg Phe Asp Ile Thr Val

Gln Ala Glu Asp Asn Glu Thr Pro Phe Phe Gly Leu 195 200

<210> 419

<211> 1584

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1561)

<223> RXN01653

<400> 419

ttcattcagg gtgaatgctc tccttgtttc agatgttcaa cgctccataa agtagaccgc 60

aatctagaca aagatgtcta ttttaattaa ggagcagaac atg gcc acg gcc gag 115

Met Ala Thr Ala Glu

1 5

aac aca aca cag gag aat cgg aaa atc ctg ttc aac gca ttt gat atg 163 Asn Thr Thr Gln Glu Asn Arg Lys Ile Leu Phe Asn Ala Phe Asp Met 10 15 20

aac tgc gtt gcg cat cag tcc cca gga ctg tgg aca cac ccg aag gat 211 Asn Cys Val Ala His Gln Ser Pro Gly Leu Trp Thr His Pro Lys Asp 25 30 35

aag gcg cga gac tac aac act ctt gat tac tgg gtg cac ctt gcc aag 259 Lys Ala Arg Asp Tyr Asn Thr Leu Asp Tyr Trp Val His Leu Ala Lys 40 45 50

act ttg gag aag ggc ctt ttc gac ggc ctt ttc atc gca gat gtg ctt 307 Thr Leu Glu Lys Gly Leu Phe Asp Gly Leu Phe Ile Ala Asp Val Leu 55 60 65

gga act tac gat gtt tat ggt tct agt aat gaa gcg gcg ttg agc agt 355 Gly Thr Tyr Asp Val Tyr Gly Ser Ser Asn Glu Ala Ala Leu Ser Ser 70 75 80

ggt gcg cag gtg cct gtc aat gat ccg atc ctt ctt gtt tct gcg atg 403 Gly Ala Gln Val Pro Val Asn Asp Pro Ile Leu Val Ser Ala Met 90 95 100

gcc tat gcc aca aag aac ctc ggg ttt ggc att act gca ggt act gcc 451
Ala Tyr Ala Thr Lys Asn Leu Gly Phe Gly Ile Thr Ala Gly Thr Ala
105 110 115

tat gag cac eeg tat eet tit geg egg egt etg gee aca ett gat eac 499

Tyr	Glu	His 120	Pro	Tyr	Pro	Phe	Ala 125	Arg	Arg	Leu	Ala	Thr 130	Leu	Asp	His	
ctg Leu	act Thr 135	Asn	Gly	cgt Arg	gtg Val	ggg Gly 140	tgg Trp	aat Asn	gtg Val	gtt Val	act Thr 145	ggc Gly	tat Tyr	ctt Leu	ccc Pro	547
tct Ser 150	Ala	gct Ala	caa Gln	aac Asn	atg Met 155	ggt Gly	gac Asp	acc Thr	gat Asp	cag Gln 160	ctg Leu	cca Pro	cat His	gat Asp	gag Glu 165	595
cgc Arg	tat Tyr	gac Asp	aaa Lys	gca Ala 170	gat Asp	gaa Glu	tac Tyr	ctg Leu	gaa Glu 175	gtg Val	atc Ile	tac Tyr	aag Lys	ctt Leu 180	ctc Leu	643
gag Glu	ggc Gly	tcc Ser	tgg Trp 185	gaa Glu	gac Asp	gat Asp	gct Ala	gtt Val 190	caa Gln	aac Asn	aat Asn	acg Thr	gag Glu 195	acg Thr	agt Ser	691
gtc Val	ttt Phe	acg Thr 200	gac Asp	tcc Ser	tcc Ser	aaa Lys	gtg Val 205	cac His	gcc Ala	att Ile	aat Asn	cat His 210	cat His	ggc Gly	aag Lys	739
tac Tyr	ttt Phe 215	gat Asp	gtg Val	ccg Pro	ggc Gly	att Ile 220	gcc Ala	atc Ile	act Thr	gag Glu	ccg Pro 225	agt Ser	gtg Val	cag Gln	cgt Arg	787
acg Thr 230	ccg Pro	gtg Val	atc Ile	tac Tyr	cag Gln 235	gcg Ala	ggt Gly	gca Ala	tcg Ser	ccg Pro 240	cgc Arg	gga Gly	ttg Leu	aaa Lys	ttc Phe 245	835
Ala	Gly	Glu	aat Asn	Ala 250	Glu	Ala	Val	Phe	11e 255	Asn	Ser	Ser	Thr	Val 260	Glu	883
gca Ala	atc Ile	acc Thr	aag Lys 265	act Thr	gtc Val	gca Ala	aaa Lys	att Ile 270	cgc Arg	gct Ala	gct Ala	gcg Ala	gtc Val 275	gct Ala	gcg Ala	93 <u>j</u>
gga Gly	cgt Arg	gat Asp 280	cca Pro	cat His	gcg Ala	gtg Val	aag Lys 285	atc Ile	ttt Phe	gcg Ala	atg Met	caa Gln 290	acc Thr	atc Ile	atc Ile	979
act Thr	ggt Gly 295	gaa Glu	aca Thr	gaa Glu	gca Ala	gat Asp 300	gcg Ala	cag Gln	gca Ala	aag Lys	ctg Leu 305	gag Glu	gaa Glu	tac Tyr	agt Ser	1027
cgc Arg 310	tat Tyr	atc Ile	gat Asp	cct Pro	gtc Val 315	ggt Gly	ggt Gly	ctg Leu	acc Thr	ttg Leu 320	atg Met	tct Ser	gga Gly	tgg Trp	acc Thr 325	1075
ggc Gly	gcg Ala	gat Asp	ctg Leu	tcg Ser 330	cag Gln	tat Tyr	gac Asp	ctg Leu	gat Asp 335	gaa Glu	ccg Pro	atc Ile	acc Thr	aat Asn 340	att Ile	1123
gag Glu	tca Ser	aac Asn	gct Ala 345	att Ile	cag Gln	tcc Ser	act Thr	gca Ala 350	gcc Ala	acc Thr	att Ile	agc Ser	aac Asn 355	ggc Gly	acc Thr	1171
ggt Gly	gaa Glu	ggt Gly	gcg Ala	tgg Trp	acg Thr	gta Val	cgc Arg	aaa Lys	ctg Leu	ggt Gly	gag Glu	gca Ala	acc Thr	ggc Gly	atc Ile	1219

WO 01/00842			PCT/IB00/00911
360	365	370	
and the and one		at and got 220 att	1267

		gga Gly											1267
-	-	cgc Arg			-		-	-	-	-			1315
		atc Ile											1363
		ctg Leu 425											1411
		cgc Arg											1459
		ggc Gly											1507
		ctc Leu											1555
cac His	tgat	ctca	cc d	gcaaa	caat	c at	c						1584

<210> 420

<211> 487

<212> PRT

<213> Corynebacterium glutamicum

<400> 420

Met Ala Thr Ala Glu Asn Thr Thr Gln Glu Asn Arg Lys Ile Leu Phe $1 \hspace{1cm} 5 \hspace{1cm} 15$

Asn Ala Phe Asp Met Asn Cys Val Ala His Gln Ser Pro Gly Leu Trp

Thr His Pro Lys Asp Lys Ala Arg Asp Tyr Asn Thr Leu Asp Tyr Trp 35 40

Val His Leu Ala Lys Thr Leu Glu Lys Gly Leu Phe Asp Gly Leu Phe 50 60

Ile Ala Asp Val Leu Gly Thr Tyr Asp Val Tyr Gly Ser Ser Asn Glu 65 70 75 80

Ala Ala Leu Ser Ser Gly Ala Gln Val Pro Val Asn Asp Pro Ile Leu $85 \hspace{1cm} 90 \hspace{1cm} 95$

Leu Val Ser Ala Met Ala Tyr Ala Thr Lys Asn Leu Gly Phe Gly Ile $100 \hspace{1.5cm} 105 \hspace{1.5cm} 110$

Thr Ala Gly Thr Ala Tyr Glu His Pro Tyr Pro Phe Ala Arg Arg Leu Ala Thr Leu Asp His Leu Thr Asn Gly Arg Val Gly Trp Asn Val Val 135 Thr Gly Tyr Leu Pro Ser Ala Ala Gln Asn Met Gly Asp Thr Asp Gln 150 155 Leu Pro His Asp Glu Arg Tyr Asp Lys Ala Asp Glu Tyr Leu Glu Val 170 Ile Tyr Lys Leu Leu Glu Gly Ser Trp Glu Asp Asp Ala Val Gln Asn 185 Asn Thr Glu Thr Ser Val Phe Thr Asp Ser Ser Lys Val His Ala Ile Asn His His Gly Lys Tyr Phe Asp Val Pro Gly Ile Ala Ile Thr Glu 215 Pro Ser Val Gln Arg Thr Pro Val Ile Tyr Gln Ala Gly Ala Ser Pro Arg Gly Leu Lys Phe Ala Gly Glu Asn Ala Glu Ala Val Phe Ile Asn Ser Ser Thr Val Glu Ala Ile Thr Lys Thr Val Ala Lys Ile Arg Ala Ala Ala Val Ala Ala Gly Arg Asp Pro His Ala Val Lys Ile Phe Ala 280 Met Gln Thr Ile Ile Thr Gly Glu Thr Glu Ala Asp Ala Gln Ala Lys Leu Glu Glu Tyr Ser Arg Tyr Ile Asp Pro Val Gly Gly Leu Thr Leu Met Ser Gly Trp Thr Gly Ala Asp Leu Ser Gln Tyr Asp Leu Asp Glu 330 Pro Ile Thr Asn Ile Glu Ser Asn Ala Ile Gln Ser Thr Ala Ala Thr Ile Ser Asn Gly Thr Gly Glu Gly Ala Trp Thr Val Arg Lys Leu Gly Glu Ala Thr Gly Ile Gly Gly Phe Gly Pro Val Leu Val Gly Ser Gly Ala Asn Val Ala Ala Glu Leu Ala Arg Ile Gln Asp Leu Ser Asp Val 395 Asp Gly Phe Asn Leu Ala Tyr Ala Ile Thr Pro Gly Thr Phe Glu Asp 405 Val Val Asp Phe Val Val Pro Glu Leu Gln Lys Leu Ser Arg Tyr Lys 420 425

Thr Glu Tyr Ala Pro Gly Ser Leu Arg Asn Lys Leu Leu Gly Lys Gly Asp Arg Leu Asp Asp Thr His Arg Gly Ala Ser Tyr Arg Leu Gly Ala 455 Arg Asn Ser Thr Ala Thr Ile Asp Leu Ser Ser Ile Ser Ala Gln Leu 470 Val Ser Gln Gly Ala His Ser 485 <210> 421 <211> 702 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(679) <223> RXN02053 <400> 421 aaccagccag aaactatctc caaaagctaa taaaaccctt gcactgacaa ataaggcgac 60 ctaccatgac tetgttteca acacataaaa aggataaaaa atg tea ett tea gte Met Ser Leu Ser Val 1 gtc gag gcg att acc aac cgc cgc gcc acc cgc aaa tac acc gat gaa 163 Val Glu Ala Ile Thr Asn Arg Arg Ala Thr Arg Lys Tyr Thr Asp Glu get cet acc cet gag etg atc gac aaa atc gtt gac ett gee etg gag 211 Ala Pro Thr Pro Glu Leu Ile Asp Lys Ile Val Asp Leu Ala Leu Glu 25 30 259 gca ccc agt gcg ttc aat gcg cag caa cgt gaa att gtt gtg att act Ala Pro Ser Ala Phe Asn Ala Gln Gln Arg Glu Ile Val Val Ile Thr 40 gat ccc gca cag aag cag aag ctt tac gag gcc tcc cat cag aaa caa 307 Asp Pro Ala Gln Lys Gln Lys Leu Tyr Glu Ala Ser His Gln Lys Gln 55 ttc ctc acc gca cct gta act ttc att gcg gtt gcc cgc gtg gaa aac Phe Leu Thr Ala Pro Val Thr Phe Ile Ala Val Ala Arg Val Glu Asn 70 75 gag cot gag gat ttg gaa gag att ott ggt acg gaa agg got gaa ogt 403 Glu Pro Glu Asp Leu Glu Glu Ile Leu Gly Thr Glu Arg Ala Glu Arg 90 100 gtc gcg gga ttc atc aac ggt cgc agc att cag cag gca cgc gaa gca 451 Val Ala Gly Phe Ile Asn Gly Arg Ser Ile Gln Gln Ala Arg Glu Ala 105 110 acg ttg agg gat gcc agc ctc gcg gcg gct ttt cta att ctg gct gcc Thr Leu Arg Asp Ala Ser Leu Ala Ala Ala Phe Leu Ile Leu Ala Ala

547

595

643

689

702

cag gcg gag ggt ttg agt acc agc ccg act act ggt tgg gat gag gaa Gln Ala Glu Gly Leu Ser Thr Ser Pro Thr Thr Gly Trp Asp Glu Glu 140 aaa gtg aag gaa gca atc ggt ctc ggc ggg cgt gag gat cgt gca atc Lys Val Lys Glu Ala Ile Gly Leu Gly Gly Arg Glu Asp Arg Ala Ile 150 155 gcc ctt gtt att gct acc gga ttc cct aat gaa cag ccg gag cac cct Ala Leu Val Ile Ala Thr Gly Phe Pro Asn Glu Gln Pro Glu His Pro 170 175 ggt cgt ttg cag aat agg cgc atc gac aac agc tac taactctgcc Gly Arg Leu Gln Asn Arg Arg Ile Asp Asn Ser Tyr 190 agctcgcccg gac <210> 422 <211> 193 <212> PRT <213> Corynebacterium glutamicum <400> 422 Met Ser Leu Ser Val Val Glu Ala Ile Thr Asn Arg Arg Ala Thr Arg Lys Tyr Thr Asp Glu Ala Pro Thr Pro Glu Leu Ile Asp Lys Ile Val Asp Leu Ala Leu Glu Ala Pro Ser Ala Phe Asn Ala Gln Gln Arg Glu 40 Ile Val Val Ile Thr Asp Pro Ala Gln Lys Gln Lys Leu Tyr Glu Ala 55 Ser His Gln Lys Gln Phe Leu Thr Ala Pro Val Thr Phe Ile Ala Val 75 · Ala Arg Val Glu Asn Glu Pro Glu Asp Leu Glu Glu Ile Leu Gly Thr Glu Arg Ala Glu Arg Val Ala Gly Phe Ile Asn Gly Arg Ser Ile Gln 105 Gln Ala Arg Glu Ala Thr Leu Arg Asp Ala Ser Leu Ala Ala Ala Phe Leu Ile Leu Ala Ala Gln Ala Glu Gly Leu Ser Thr Ser Pro Thr Thr Gly Trp Asp Glu Glu Lys Val Lys Glu Ala Ile Gly Leu Gly Gly Arg Glu Asp Arg Ala Ile Ala Leu Val Ile Ala Thr Gly Phe Pro Asn Glu Gln Pro Glu His Pro Gly Arg Leu Gln Asn Arg Arg Ile Asp Asn Ser 180 185

Tyr

<210> 423 <211> 1191 <212> DNA <213> Corynebac	terium gluta	micum		
<220> <221> CDS <222> (101)(1) <223> RXN00177	168)			
<400> 423	tagaca ctaaa	caact tcaaacacag	attaagcago t	atoggatet 60
		gcata ggagctaaaa		cag ttc 115
gat cat gaa acc Asp His Glu Thr	ctc ggt caa Leu Gly Gln 10	cga gtt ctg ttc Arg Val Leu Phe 15	ggt tca ggt (Gly Ser Gly (gag gcg 163 Glu Ala 20
		att agc cga ctc Ile Ser Arg Leu 30		
atg gtg gtt gcc Met Val Val Ala 40	ggt gat ttc Gly Asp Phe	gag ctt ccc atg Glu Leu Pro Met 45	gca cgg caa Ala Arg Gln 50	gta gca 259 Val Ala
		tgg cat tca aat Trp His Ser Asn		
ccc atc gaa aca Pro Ile Glu Thr 70	gca gaa gaa Ala Glu Glu 75	gca cgc agt gtt Ala Arg Ser Val 80	Ala Lys Glu	aac gac 355 Asn Asp 85
att gat gtt gtg Ile Asp Val Val	gtg tgt gtg Val Cys Val 90	ggc ggt gga tcc Gly Gly Gly Ser 95	Thr Thr Gly	cta gct 403 Leu Ala 100
		gca ttg ccg atc Ala Leu Pro Ile 110		
act tat gca ggt Thr Tyr Ala Gly 120	tct gaa gca Ser Glu Ala	aca aat gtg tgg Thr Asn Val Trp 125	gga ttg acc Gly Leu Thr 130	gaa gcc 499 Glu Ala
gcg cgc aaa aca Ala Arg Lys Thr 135	act ggt gtt Thr Gly Val 140	gat aac aaa gtg Asp Asn Lys Val	ctg cca gtg Leu Pro Val	aca gtt 547 Thr Val
		atg tct ttg ccg Met Ser Leu Pro 160	Val Glu Met	

gct tct ggt ctc aat ggt ttg gct cac tgc att gat tct ttg tgg gga Ala Ser Gly Leu Asn Gly Leu Ala His Cys Ile Asp Ser Leu Trp Gly 170 175 180	643
ccg aag gcg gat ccc atc aat gcg gct atg gct gct gag gga att cga Pro Lys Ala Asp Pro Ile Asn Ala Ala Met Ala Ala Glu Gly Ile Arg 185 190 195	691
gca ctt tct gct ggc ctt ccc aag att gtg gca gat gct cag gac gta Ala Leu Ser Ala Gly Leu Pro Lys Ile Val Ala Asp Ala Gln Asp Val 200 205 210	739
gat ggt cgc gat gaa gcg ctc tac ggt gcc tac ctg gct gcg gtg tct Asp Gly Arg Asp Glu Ala Leu Tyr Gly Ala Tyr Leu Ala Ala Val Ser 215 220 225	787
ttt gcc tct gct ggc tct ggt ctc cac cac aag atc tgc cac gtg ttg Phe Ala Ser Ala Gly Ser Gly Leu His His Lys Ile Cys His Val Leu 230 235 240 245	835
ggt gga act ttt aac ctt cca cac gcg caa acc cat gca aca gta ctg Gly Gly Thr Phe Asn Leu Pro His Ala Gln Thr His Ala Thr Val Leu 250 255 260	883
cct tat gtt ctt gcc ttc aac gcg cca tat gcg cca cag gca gaa caa Pro Tyr Val Leu Ala Phe Asn Ala Pro Tyr Ala Pro Gln Ala Glu Gln 265 270 275	931
cgc gca gcg gca gct ttc ggt tct gcg aca gca ctt gaa gga ttg caa Arg Ala Ala Ala Phe Gly Ser Ala Thr Ala Leu Glu Gly Leu Gln 280 285 290	979
cag ctg cgt gcc caa gtg gga gca cca cag cga cta tcc gat tac gga Gln Leu Arg Ala Gln Val Gly Ala Pro Gln Arg Leu Ser Asp Tyr Gly 295 300 305	1027
ttc acc gca gca gga atc cca gag gca gtg gaa atc atc ttg gag aaa Phe Thr Ala Ala Gly Ile Pro Glu Ala Val Glu Ile Ile Leu Glu Lys 310 315 320 325	1075
gta ccg gcg aat aat cca cgg acg gtc aca gaa gaa aac ctc act gcg Val Pro Ala Asn Asn Pro Arg Thr Val Thr Glu Glu Asn Leu Thr Ala 330 335 340	1123
ctg ctt acc aca gcg ctc aac ggc gac gat cca gca act ttg aat Leu Leu Thr Thr Ala Leu Asn Gly Asp Asp Pro Ala Thr Leu Asn 345 350 355	1168
taaggagacc aacatgacta ttt	1191
<210> 424 <211> 356 <212> PRT <213> Corynebacterium glutamicum	
<400> 424 Met Ser Leu Gln Phe Asp His Glu Thr Leu Gly Gln Arg Val Leu Phe 1 5 10 15	

559

Gly Ser Gly Glu Ala Ala Gln Asn Leu Ala Ala Glu Ile Ser Arg Leu 20 25 30

- Asp Ala Lys Asn Val Met Val Val Ala Gly Asp Phe Glu Leu Pro Met $35 \hspace{1cm} 40 \hspace{1cm} 45$
- Ala Arg Gln Val Ala Ala Asp Ile Asp Val Lys Val Trp His Ser Asn 50 55 60
- Val Val Met His Val Pro Ile Glu Thr Ala Glu Glu Ala Arg Ser Val 65 70 75 80
- Ala Lys Glu Asn Asp Ile Asp Val Val Cys Val Gly Gly Gly Ser 85 90 95
- Thr Thr Gly Leu Ala Lys Ala Ile Ala Met Thr Thr Ala Leu Pro Ile 100 105 110
- Ile Ala Val Pro Thr Thr Tyr Ala Gly Ser Glu Ala Thr Asn Val Trp
 115 120 125
- Gly Leu Thr Glu Ala Ala Arg Lys Thr Thr Gly Val Asp Asn Lys Val 130 140
- Leu Pro Val Thr Val Ile Tyr Asp Ser Ala Leu Thr Met Ser Leu Pro 145 150 155 160
- Val Glu Met Ser Val Ala Ser Gly Leu Asn Gly Leu Ala His Cys Ile 165 170 175
- Asp Ser Leu Trp Gly Pro Lys Ala Asp Pro Ile Asn Ala Ala Met Ala 180 185 190
- Ala Glu Gly Ile Arg Ala Leu Ser Ala Gly Leu Pro Lys Ile Val Ala 195 200 205
- Asp Ala Gln Asp Val Asp Gly Arg Asp Glu Ala Leu Tyr Gly Ala Tyr 210 215 220
- Leu Ala Ala Val Ser Phe Ala Ser Ala Gly Ser Gly Leu His His Lys 225 230 235 240
- Ile Cys His Val Leu Gly Gly Thr Phe Asn Leu Pro His Ala Gln Thr 245 250 255
- His Ala Thr Val Leu Pro Tyr Val Leu Ala Phe Asn Ala Pro Tyr Ala 260 265 270
- Pro Gln Ala Glu Gln Arg Ala Ala Ala Ala Phe Gly Ser Ala Thr Ala 275 280 285
- Leu Glu Gly Leu Gln Gln Leu Arg Ala Gln Val Gly Ala Pro Gln Arg 290 295 300
- Leu Ser Asp Tyr Gly Phe Thr Ala Ala Gly Ile Pro Glu Ala Val Glu 305 310 315 320
- Ile Ile Leu Glu Lys Val Pro Ala Asn Asn Pro Arg Thr Val Thr Glu 325 330 335
- Glu Asn Leu Thr Ala Leu Leu Thr Thr Ala Leu Asn Gly Asp Asp Pro

560

340 345 350

Ala Thr Leu Asn 355

<210> 425 <211> 960 <212> DNA <213> Corynebacterium glutamicum

<220> <221> CDS

<222> (101)..(937) <223> RXC00963

<400> 425

ctggctctga cggcgtcgac ttgttctgct tctctgatac accaattttc gaggccctta 60

acctcgcacg tacttttact ccggaaggaa tctagaactt atg cgt ctt gca aca 115 Met Arg Leu Ala Thr 1 5

atc cgc acc aac ggc acc acc att gct gct cgt gtt gaa tct gaa aac 163 Ile Arg Thr Asn Gly Thr Thr Ile Ala Ala Arg Val Glu Ser Glu Asn 10 15 20

acc gct acc acc atc gag ggc ttt gcc aac gtc ggt gaa tta ctc cag $\,$ 211 Thr Ala Thr Thr Ile Glu Gly Phe Ala Asn Val Gly Glu Leu Leu Gln $\,$ 25 $\,$ 30 $\,$ 35

gaa too aac tgg cgc gag ctg gca gaa aac gct gct ggt gag gct gtg 259 Glu Ser Asn Trp Arg Glu Leu Ala Glu Asn Ala Ala Gly Glu Ala Val 40 45

acc ttt gaa aac aag gag cta gat gca gta gtt cca gca cct aag aag 307 Thr Phe Glu Asn Lys Glu Leu Asp Ala Val Val Pro Ala Pro Lys Lys 55 60 65

att gtg tgc gtc ggc ctt aac tac gcc aac cac att aaa gaa atg ggc 355 Ile Val Cys Val Gly Leu Asn Tyr Ala Asn His Ile Lys Glu Met Gly 70 75 80 85

cgc gac ctc cct gat acc cca acc ctt ttt gtt aag ttc cct gac gcg 403 Arg Asp Leu Pro Asp Thr Pro Thr Leu Phe Val Lys Phe Pro Asp Ala

ctc atc gga cct ttc gat gat gtt gtc gtt cca gag tgg gct aac aag 451 Leu Ile Gly Pro Phe Asp Asp Val Val Val Pro Glu Trp Ala Asn Lys 105 110 115

gct ctc gac tgg gaa ggc gag atg gca gtt atc att ggc aag cgc gca 499 Ala Leu Asp Trp Glu Gly Glu Met Ala Val Ile Ile Gly Lys Arg Ala

cgc cgt gtc aag cag gcc gat gct gct gag tac atc gct ggc tac gca 547 Arg Arg Val Lys Gln Ala Asp Ala Ala Glu Tyr Ile Ala Gly Tyr Ala 135 140 145

gtg atg aac gat tac acc acc cgc gat ttc cag tac gca gca cct gca 595 Val Met Asn Asp Tyr Thr Thr Arg Asp Phe Gln Tyr Ala Ala Pro Ala

	WO (1/008	42												PCT	C/ IB 00/00
150					155					160					165	
								aag Lys								643
								gat Asp 190								691
								aag Lys								739
								ctc Leu								787
			-	-		-	-	att Ile	_							835
								cgc Arg								883
								ggc Gly 270								931
ttt Phe		taaa	atgad	caa o	ettte	cacç	ga to	et								960
<211 <212)> 42 .> 27 ?> PF B> Co	79 RT	ebact	eri	ım gl	Lutan	nicun	n								
)> 42 Arg	-	Ala	Thr 5	Ile	Arg	Thr	Asn	Gly 10	Thr	Thr	Ile	Ala	Ala 15	Arg	
Val	Glu	Ser	Glu 20.		Thr	Ala	Thr	Thr 25	Ile	Glu	Gly	Phe	Ala 30	Asn	Val	
Gly	Glu	Leu 35	Leu	Gln	Glu	Ser	Asn 40	Trp	Arg	Glu	Leu	Ala 45	Glu	Asn	Ala	
Ala	Gly 50	Glu	Ala	Val	Thr	Phe 55	Glu	Asn	Lys	Glu	Leu 60	Asp	Ala	Val	Val	
Pro 65	Ala	Pro	Lys	Lys	Ile 70	Val	Cys	Val	Gly	Leu 75	Asn	Туг	Ala	Asn	His 80	
Ile	Lys	Glu	Met	Gly 85		Asp	Leu	Pro	Asp 90	Thr	Pro	Thr	Leu	Phe 95	Val	
Lys	Phe	Pro	Asp	Ala	Leu	Ile	Gly	Pro		Asp	Asp	Val	Val		Pro	

Glu Trp Ala Asn Lys Ala Leu Asp Trp Glu Gly Glu Met Ala Val Ile Ile Gly Lys Arg Ala Arg Arg Val Lys Gln Ala Asp Ala Ala Glu Tyr 135 Ile Ala Gly Tyr Ala Val Met Asn Asp Tyr Thr Thr Arg Asp Phe Gln 150 Tyr Ala Ala Pro Ala Lys Thr Pro Gln Trp His Gln Gly Lys Ser Leu . 165 Glu Lys Ser Ala Gly Phe Gly Pro Trp Met Thr Thr Pro Asp Ser Phe 185 Glu Phe Gly Glu Leu Ala Thr Tyr Leu Glu Gly Glu Lys Val Gln Ser Thr Pro Thr Asn Asp Leu Val Phe Ser Pro Glu Lys Leu Ile Glu 215 Tyr Ile Thr His Ile Tyr Pro Leu Asp Ala Gly Asp Val Ile Val Thr 230 Gly Thr Pro Gly Gly Val Gly His Ala Arg Asn Pro Gln Arg Tyr Ile 250 Gly Asp Gly Glu Thr Val Lys Val Glu Ile Ala Gly Leu Gly Phe Ile Glu Asn Lys Thr Val Phe Glu 275 <210> 427 <211> 1101 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1078) <223> RXN00299 <400> 427 tgccatcggt ttggctattg attggaacaa gaaaggtgcc cagtctgttg caaagaagga 60 atccatttcc gtctaatcgc taattgcgag gagtctttgc atg tct atc cca ctt Met Ser Ile Pro Leu tca ctg att gat ttt gcc acc att ttt gag ggc gaa agg cct ggt gac 163 Ser Leu Ile Asp Phe Ala Thr Ile Phe Glu Gly Glu Arg Pro Gly Asp 10 age tte aaa ega tea gtg gea ttg geg eaa aaa get gaa ggt tta gge 211 Ser Phe Lys Arg Ser Val Ala Leu Ala Gln Lys Ala Glu Gly Leu Gly 35 ttc aag cgc att tgg tac gca gag cat cac aac atg gag agc att tct

Phe	Lys	Arg 40	Ile	Trp	Tyr	Ala	Glu 45	His	His	Asn	Met	Glu 50	Ser	Ile	Ser	
	gct Ala 55															307
	att Ile															355
	gtc Val		-		_				-			-			-	403
-	atc Ile	-			_		-	-			_	_	_			451
_	cgc Arg	-		-	_	-				-	-			_		499
-	gtt Val 135	-		_							_		_			547
	gtt Val		_				_				-	-	-			595
	ggt Gly															643
	tat Tyr															691
	caa Gln				-			_				•				739
	tat Tyr 215															787
	gcc Ala															835
-	gca Ala	-	-		_		_		-				-	-		883
	gat Asp															931
-	ata Ile					-	-		-			-			-	979

280 285 290

aag acg gca cag gct gat gaa ctg atg atc tcc ctg caa tcc ccc aac 1027 Lys Thr Ala Gln Ala Asp Glu Leu Met Ile Ser Leu Gln Ser Pro Asn 295 300 305

act gaa gca acc acg cgc aat atg gaa att ctt gcg gat gcg tgg att 1075 Thr Glu Ala Thr Thr Arg Asn Met Glu Ile Leu Ala Asp Ala Trp Ile 310 315 320 325

aat tagtaccgat gggccggtag aca 1101

<210> 428

<211> 326

<212> PRT

<213> Corynebacterium glutamicum

<400> 428

Met Ser Ile Pro Leu Ser Leu Ile Asp Phe Ala Thr Ile Phe Glu Gly 1 5 10 15

Glu Arg Pro Gly Asp Ser Phe Lys Arg Ser Val Ala Leu Ala Gln Lys 20 25 30

Ala Glu Gly Leu Gly Phe Lys Arg Ile Trp Tyr Ala Glu His His Asn 35 40 45

Met Glu Ser Ile Ser Ser Ala Ala Pro Ala Val Leu Ile Ser His Ile 50 60

Gly Ala Asn Thr Lys Thr Ile Arg Leu Gly Ala Gly Gly Val Met Leu 65 70 75 80

Pro Asn His Ser Pro Tyr Val Ile Ala Glu Gln Phe Gly Thr Leu Ala 85 90 95

Glu Leu Tyr Pro Asp Arg Ile Asp Leu Gly Leu Gly Arg Ala Pro Gly 100 105 110

Thr Asp Met Asn Thr Leu Arg Ala Leu Arg Arg Asp Pro Gln Ser Ala 115 120 125

Glu Asn Phe Pro Ser Asp Val Val Glu Leu Asn Ser Tyr Leu Thr Gly 130 135 140

Arg Ser Arg Leu Pro Gly Val Asn Ala Ile Pro Gly Lys Gly Thr Asn 145 150 155 160

Val Pro Leu Tyr Ile Leu Gly Ser Ser Leu Phe Gly Ala Gln Leu Ala 165 170 175

Ala Gln Leu Gly Met Pro Tyr Ser Phe Ala Ser His Phe Ala Pro Thr 180 185 190

His Leu Glu His Ala Val Gln Thr Tyr Arg Asp Asn Tyr Gln Pro Ser 195 200 205

Glu Gln His Pro Glu Pro Tyr Val Ile Ala Ala Val Asn Val Thr Ala

210 215 220

Ser Asp Ser Thr Glu Gln Ala His Asp Asp Phe Tyr Lys Val Ala Arg 225 230 235 240

Ala Arg Val Lys Asn Met Ala Leu Arg Gly Arg Gln Val Thr Asp Glu 245 250 255

Gln Leu Asp Glu Leu Met Asp Ser Pro Ala Ala Arg Gln Ile Val Asp 260 265 270

Met Leu His Tyr Thr Ala Ile Gly Thr Gly Ser Glu Val Lys Glu Tyr 275 280 285

Leu Asp Gly Phe Val Lys Thr Ala Gln Ala Asp Glu Leu Met Ile Ser 290 295 300

Leu Gln Ser Pro Asn Thr Glu Ala Thr Thr Arg Asn Met Glu Ile Leu 305 310 315 320

Ala Asp Ala Trp Ile Asn 325

<210> 429

<211> 784

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (18)..(761)

<223> FRXA00299

<400> 429

gggtgccggc ggcggtcatg ctg ccc aac cac tcc cca tat gtc atc gct gag 53

Met Leu Pro Asn His Ser Pro Tyr Val Ile Ala Glu

1 5 10

cag ttc ggc acc ttg gcg gag ttg tac cca gac cgc atc gac ctc ggc 101 Gln Phe Gly Thr Leu Ala Glu Leu Tyr Pro Asp Arg Ile Asp Leu Gly 15 20 25

atg ggc cgt gcc cct ggc acg gac atg aat acc ttg cgc gct tta cga 149 Met Gly Arg Ala Pro Gly Thr Asp Met Asn Thr Leu Arg Ala Leu Arg 30 35 40

cgc gac cct cag tcc gcc gag aac ttc ccg tcc gac gtt gtc gag ctg 197 Arg Asp Pro Gln Ser Ala Glu Asn Phe Pro Ser Asp Val Val Glu Leu 45 50 55

aac tot tac otc acc ggc cgt toc cgt otc cca ggg gtt aac gca att 245 Asn Ser Tyr Leu Thr Gly Arg Ser Arg Leu Pro Gly Val Asn Ala Ile

cca ggc aag ggc acc aac gta ccg ctg tac atc ttg ggt tca tcc ctc 293
Pro Gly Lys Gly Thr Asn Val Pro Leu Tyr Ile Leu Gly Ser Ser Leu
80 85

ttt ggt gca caa ttg gca gca cag ttg ggt atg cct tat tcc ttc gca 341 Phe Gly Ala Gln Leu Ala Ala Gln Leu Gly Met Pro Tyr Ser Phe Ala

95 100 105

					act Thr											389
					tca Ser 130											437
					gca Ala											485
					cgt Arg											533
					gag Glu											581
					gac Asp											629
tcc Ser 205	gaa Glu	gtt Val	aaa Lys	gaa Glu	tac Tyr 210	cta Leu	gac Asp	ggt Gly	ttt Phe	gta Val 215	aag Lys	acg Thr	gca Ala	cag Gln	gct Ala 220	677
					tcc Ser											725
		_	_		ctt Leu		-					tagt	acc	gat		771
gggd	cggt	ag a	ica													784
<210)> 43	30														

<211> 248

<212> PRT

<213> Corynebacterium glutamicum

<400> 430

Met Leu Pro Asn His Ser Pro Tyr Val Ile Ala Glu Gln Phe Gly Thr 15

Leu Ala Glu Leu Tyr Pro Asp Arg Ile Asp Leu Gly Met Gly Arg Ala

Pro Gly Thr Asp Met Asn Thr Leu Arg Ala Leu Arg Arg Asp Pro Gln 35 40

Ser Ala Glu Asn Phe Pro Ser Asp Val Val Glu Leu Asn Ser Tyr Leu

Thr Gly Arg Ser Arg Leu Pro Gly Val Asn Ala Ile Pro Gly Lys Gly

Thr Asn Val Pro Leu Tyr Ile Leu Gly Ser Ser Leu Phe Gly Ala Gln Leu Ala Ala Gln Leu Gly Met Pro Tyr Ser Phe Ala Ser His Phe Ala 105 Pro Thr His Leu Glu His Ala Val Gln Thr Tyr Arg Asp Asn Tyr Gln 120 Pro Ser Glu Gln His Pro Glu Pro Tyr Val Ile Ala Ala Val Asn Val Thr Ala Ser Asp Ser Thr Glu Gln Ala His Asp Asp Phe Tyr Lys Val Ala Arg Ala Arg Val Lys Asn Met Ala Leu Arg Gly Arg Gln Val Thr Asp Glu Gln Leu Asp Glu Leu Met Asp Ser Pro Ala Ala Arg Gln Ile 185 Val Asp Met Leu His Tyr Thr Ala Ile Gly Thr Gly Ser Glu Val Lys 200 Glu Tyr Leu Asp Gly Phe Val Lys Thr Ala Gln Ala Asp Glu Leu Met 215 Ile Ser Leu Gln Ser Pro Asn Thr Glu Ala Thr Thr Arq Asn Met Glu Ile Leu Ala Asp Ala Trp Ile Asn 245 <210> 431 <211> 825 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(802) <223> RXA00332 <400> 431 aatgaactct ggaaccgcca tgcagcaaaa cctctccaat tqqtaatctt tqactcccaq 60 gttacgccag ccctgcgaca ccaccatcta gggttagagt atg gcc ttc aac aaa Met Ala Phe Asn Lys 1 gcg tac gat gca ctt cgc gcc cct caa atc acc ctc gga ctc atg aca Ala Tyr Asp Ala Leu Arg Ala Pro Gln Ile Thr Leu Gly Leu Met Thr 10 cca aac ggc cct gaa cta ggg cgc agt gaa atg gtt cca acc gaa aat 211 Pro Asn Gly Pro Glu Leu Gly Arg Ser Glu Met Val Pro Thr Glu Asn 25 agc atc gaa cta gcc ata caa gca gaa gct caa gga ttc aga ggc atg

361	116	40	Leu	нта	TIE	GIN	45	GIU	Ala	GIN	GIÀ	50	Arg	Gly	Met	
								gtt Val								307
								gat Asp								355
								gcg Ala								403
ctt Leu	cca Pro	ctc Leu	aga Arg 105	cat His	ccg Pro	cta Leu	cat His	gtg Val 110	gcg Ala	aaa Lys	tcc Ser	gcg Ala	ctc Leu 115	acc Thr	ctt Leu	451
								gtt Val								499
agg Arg	cct Pro 135	gaa Glu	gaa Glu	ttc Phe	gag Glu	att Ile 140	ttt Phe	ggc Gly	aaa Lys	agc Ser	tta Leu 145	gac Asp	aat Asn	cga Arg	cgc Arg	547
gct Ala 150	gat Asp	att Ile	cag Gln	tct Ser	ggg Gly 155	tgg Trp	gca Ala	att Ile	ttg Leu	cgt Arg 160	gca Ala	gct Ala	ttg Leu	tcg Ser	ccg Pro 165	595
gat Asp	cct Pro	gcg Ala	atg Met	cgg Arg 170	gcc Ala	gac Asp	ctt Leu	gaa Glu	ttt Phe 175	gcg Ala	cca Pro	acc Thr	acg Thr	cca Pro 180	cct Pro	643
								gta Val 190								691
caa Gln	tgg Trp	atc Ile 200	gcc Ala	cga Arg	aac Asn	gcc Ala	gac Asp 205	gga Gly	tgg Trp	gca Ala	acc Thr	tac Tyr 210	tac Tyr	cgc Arg	ccc Pro	739
Ala	gaa Glu 215	gct Ala	caa Gln	gtc Val	gga Gly	cgc Arg 220	ctc Leu	gat Asp	ctc Leu	tgg Trp	gac Asp 225	aaa Lys	gcc Ala	cgt Arg	ggt Gly	787
			cct Pro		tgat	ttcc	etc o	catgo	ggçt	c aa	ac					825
<210 <211 <212 <213	> 23 > PR	34 CT	ebact	eriu	ım al	utan	ui cun	n								
<400					y -			•								
			Asn	Lys 5	Ala	Tyr	Asp	Ala	Leu 10	Arg	Ala	Pro	Gln	Ile 15	Thr	

Leu Gly Leu Met Thr Pro Asn Gly Pro Glu Leu Gly Arg Ser Glu Met
20 25 30

- Val Pro Thr Glu Asn Ser Ile Glu Leu Ala Ile Gln Ala Glu Ala Gln 35 40 45
- Gly Phe Arg Gly Met Trp Val Arg Asp Val Pro Leu Ala Val Pro Gln 50 55 60
- Gly Ile Thr Val Thr Asp Lys Gln Ala Thr Tyr Leu Asp Asp Pro Phe 65 70 75 80
- Leu Met Leu Gly Ala Met Ala Ser Val Thr Ser Thr Ile Ala Leu Gly
 85 90 95
- Thr Ala Ala Thr Val Leu Pro Leu Arg His Pro Leu His Val Ala Lys 100 105 110
- Ser Ala Leu Thr Leu Asp Arg Leu Ser His Gly Arg Phe Val Leu Gly 115 120 125
- Ile Gly Ser Gly Asp Arg Pro Glu Glu Phe Glu Ile Phe Gly Lys Ser
 130 135 140
- Leu Asp Asn Arg Arg Ala Asp Ile Gln Ser Gly Trp Ala Ile Leu Arg 145 150 155 160
- Ala Ala Leu Ser Pro Asp Pro Ala Met Arg Ala Asp Leu Glu Phe Ala 165 170 175
- Pro Thr Thr Pro Pro Glu Ala Gln Ile Pro Met Ile Ala Val Gly Ser 180 185 190
- Ala Arg Gln Thr Val Gln Trp Ile Ala Arg Asn Ala Asp Gly Trp Ala 195 200 205
- Thr Tyr Tyr Arg Pro Ala Glu Ala Gln Val Gly Arg Leu Asp Leu Trp 210 215 220
- Asp Lys Ala Arg Gly Gly Thr Arg Pro Cys 225 230
- <210> 433
- <211> 842
- <212> DNA
- <213> Corynebacterium glutamicum
- <220>
- <221> CDS
- <222> (1)..(819)
- <223> RXA01838
- <400> 433
- cag cac ctc tcc ggc ggc cgt gtt gac ctt atg atg ggc cgt ggc aac 48
 Gln His Leu Ser Gly Gly Arg Val Asp Leu Met Met Gly Arg Gly Asn
- acc gga ccc gtt tac cca tgg ttt ggc aaa gac atc cac caa ggc atc 96
 Thr Gly Pro Val Tyr Pro Trp Phe Gly Lys Asp Ile His Gln Gly Ile
 20 25 30

				-					-	cgc Arg	-			_	-	144
										aca Thr						192
				-			_		-	gca Ala 75			-			240
										caa Gln						288
-										aac Asn					-	336
	_	-				-	_			gaa Glu						384
	_	_	_	-						ggc Gly		-				432
_		_	_	-	-	-	_			cgc Arg 155				_		480
-		-								gaa Glu	-			-	-	528
				_			_			gtt Val			-		_	576
		-							-	cgc Arg	-					624
_		-		-			-	_	_	ctt Leu	-	-		-	-	672
			-	-	-			_	_	cgc Arg 235	-	_			_	720
-		-		-						acc Thr		-	_	_	_	768
_		-		-				_		aac Asn			_			816

gag tagtttttct gaaactaagg aga

842

<210> 434

<211> 273

<212> PRT

<213> Corynebacterium glutamicum

<400> 434

Gln His Leu Ser Gly Gly Arg Val Asp Leu Met Met Gly Arg Gly Asn

Thr Gly Pro Val Tyr Pro Trp Phe Gly Lys Asp Ile His Gln Gly Ile

Pro Leu Ala Ile Glu Asn Tyr His Leu Leu Arg Arg Leu Trp Arg Glu

Asp Val Val Asn Trp Gln Gly Lys Phe Arg Thr Pro Leu Gln Gly Tyr

Thr Ser Thr Pro Ala Pro Leu Asp Gly Val Ala Pro Phe Val Trp His

Gly Ser Ile Arg Ser Thr Glu Ile Ala Glu Gln Ala Ala Phe Tyr Gly

Asp Gly Phe Phe His Asn Asn Ile Phe Trp Asn Lys Glu His Thr Ala

Gln Met Val Asn Leu Tyr Arg Gln Arg Phe Glu His Tyr Gly His Gly

Gln Ala Asp Gln Ala Ile Val Gly Leu Gly Gly Gln Val Phe Ile Gly 135

Asp Ser Glu Glu Glu Ala Lys Lys Thr Phe Arg Pro Tyr Phe Asp Asn

Ala Pro Val Tyr Gly His Gly Pro Ser Leu Glu Asp Phe Ser Arg Leu

Thr Pro Leu Thr Val Gly Thr Ala Glu Gln Val Ile Glu Arg Thr Met 185

Glu Phe Ala Asp Trp Val Gly Asp Tyr Gln Arg Gln Leu Phe Leu Ile

Asp His Ala Gly Leu Pro Leu Glu Met Val Leu Asp Gln Ile Glu Arg 215

Leu Gly His Asp Val Val Pro Glu Val Arg Arg Arg Met Glu Glu Arg

Arg Pro Asp His Val Pro Ser Asn Pro Pro Thr His Gln Ser Leu Lys 250

Ala Asn Arg Asn Ser Pro Tyr Phe Gln Ile Asn Pro Gly Gln Pro Thr 260

572

Glu

<21 <21	0> 4 1> 1 2> D 3> C	167 NA	ebac	teri	um g	luta	micu	m								
<22	1> C 2> ((1 643	144)												
	0> 4 gaac		taaa	aacc	tt g	cggg	aata	c ca	ccaa	cccc	ata	ttgt	tga 1	tata	tctaca	60
aac	tctt	tta	ataa	gtct	ga t	caac	aacgi	t ga	ggaa	agca		aaa Lys				115
ttc Phe	ggc Gly	ctc Leu	gac Asp	acc Thr 10	ttc Phe	ggc Gly	gac Asp	aac Asn	gcc Ala 15	atc Ile	gac Asp	ctg Leu	cag Gln	ggc Gly 20	aac Asn	163
ccg Pro	gtc Val	tcc Ser	cct Pro 25	gca Ala	caa Gln	aca Thr	ctt Leu	cga Arg 30	aac Asn	atc Ile	att Ile	gat Asp	gaa Glu 35	gcc Ala	aag Lys	211
atg Met	gca Ala	gac Asp 40	aaa Lys	gtc Val	Gly	gtg Val	gat Asp 45	atc Ile	atc Ile	ggc Gly	atc Ile	gga Gly 50	gag Glu	cac His	cac His	259
cgt Arg	gag Glu 55	gaa Glu	tac Tyr	tca Ser	gtt Val	tct Ser 60	gca Ala	cct Pro	gac Asp	atc Ile	gtc Val 65	atg Met	aca Thr	gct Ala	atc Ile	307
ctc Leu 70	gca Ala	tcc Ser	act Thr	gag Glu	cga Arg 75	ctc Leu	aaa Lys	gtc Val	acc Thr	tct Ser 80	tcc Ser	gtg Val	act Thr	gtg Val	ctg Leu 85	355
tcc Ser	tct Ser	gat Asp	gat Asp	cct Pro 90	gtt Val	cgc Arg	ctg Leu	ttt Phe	gag Glu 95	cgt Arg	tat Tyr	tcc Ser	acc Thr	atg Met 100	aat Asn	403
gca Ala	ctg Leu	tcc Ser	aac Asn 105	ggt Gly	cgc Arg	gcc Ala	gaa Glu	atc Ile 110	acc Thr	ttg Leu	gga Gly	cgc Arg	ggt Gly 115	tcc Ser	ttc Phe	451
att Ile	gag Glu	tct Ser 120	ttc Phe	cca Pro	ttg Leu	ttt Phe	ggt Gly 125	ttt Phe	gat Asp	ctt Leu	cag Gln	gac Asp 130	tac Tyr	gag Glu	cag Gln	499
ctg Leu	ttt Phe 135	agt Ser	gaa Glu	cgc Arg	ctt Leu	gat Asp 140	ttg Leu	ttc Phe	gcg Ala	aag Lys	att Ile 145	ctt Leu	gag Glu	gcc Ala	gac Asp	547
agc Ser 150	cgt Arg	ggt Gly	cag Gln	ggc Gly	gtg Val 155	acc Thr	tgg Trp	cat Hịs	ggt Gly	gag Glu 160	acc Thr	cgc Arg	tcg Ser	gcg Ala	ttg Leu 165	595

gaa aac Glu Asn	-										-		643
gtt gca Val Ala													691
cgt ttc Arg Phe			Ala										739
cgc ccg Arg Pro 215				_	_	_		-	-			_	787
cct caa Pro Gln 230	-										-		835
gat gag Asp Glu				-			-		_	-			883
cgc aag Arg Lys													931
ttt gaa Phe Glu		-	His										979
acg gtc Thr Val 295		-	-							-		-	1027
cgc ttt Arg Phe 310			-	_		_						_	1075
ctg aag Leu Lys							_		-	_		-	1123
gac atc Asp Ile	-		-	taag	raago	gtc t	tago	gacat	it c	cc			1167

<210> 436

<211> 348

<212> PRT

<213> Corynebacterium glutamicum

<400> 436

Met Lys Asn Val Ser Phe Gly Leu Asp Thr Phe Gly Asp Asn Ala Ile $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Asp Leu Gln Gly Asn Pro Val Ser Pro Ala Gln Thr Leu Arg Asn Ile 20 25 30

Ile Asp Glu Ala Lys Met Ala Asp Lys Val Gly Val Asp Ile Ile Gly 35 40 45

- Ile Gly Glu His His Arg Glu Glu Tyr Ser Val Ser Ala Pro Asp Ile 50 55 60
- Val Met Thr Ala Ile Leu Ala Ser Thr Glu Arg Leu Lys Val Thr Ser 65 70 75 80
- Ser Val Thr Val Leu Ser Ser Asp Asp Pro Val Arg Leu Phe Glu Arg 85 90 95
- Tyr Ser Thr Met Asn Ala Leu Ser Asn Gly Arg Ala Glu Ile Thr Leu 100 105 110
- Gly Arg Gly Ser Phe Ile Glu Ser Phe Pro Leu Phe Gly Phe Asp Leu 115 120 125
- Gln Asp Tyr Glu Gln Leu Phe Ser Glu Arg Leu Asp Leu Phe Ala Lys 130 135 140
- Ile Leu Glu Ala Asp Ser Arg Gly Gln Gly Val Thr Trp His Gly Glu 145 150 155 160
- Thr Arg Ser Ala Leu Glu Asn Gln Met Leu Tyr Pro Pro Thr Glu Asn 165 170 175
- Gly Ile His Ala Trp Val Ala Val Gly Gly Ser Pro Glu Ser Val Val 180 185 190
- Arg Ala Ala Lys Tyr Arg Phe Pro Leu Met Leu Ala Ile Ile Gly Gly 195 200 205
- Ala Pro Glu Arg Phe Arg Pro Tyr Val Asp Leu Tyr Lys Arg Ala Asn 210 215 220
- Glu Gln Phe Gly Gln Pro Gln Lys Pro Ile Gly Val His Ser Pro Gly 225 230 235
- Leu Ile Ala Ala Thr Asp Glu Glu Ala Arg Glu Leu Ala Leu Asn Asp 245 250 255
- Trp Leu Glu Leu Gln Arg Lys Ile Gly Ala Glu Arg Gly Trp Ala Pro 260 265 270
- Ala Asp Ala Met Gln Phe Glu Arg Glu Ile Asp His Gly Ser Leu Tyr 275 280 285
- Ile Gly Ser Pro Glu Thr Val Ala Lys Lys Ile Ala Lys Thr Ile Ser 290 295 300
- Val Leu Asp Leu Asp Arg Phe Thr Leu Lys Tyr Ala Ser Gly Gln Thr 305 310 315 320
- Pro His Glu Tyr Leu Leu Lys Ser Ile Glu Leu Tyr Gly Thr Glu Val 325 330 335
- Ile Pro Leu Val Lys Asp Ile Leu Thr Lys Gln Ala 340 345

<21 <21	0> 4 1> 7 2> D 3> C	26 NA	ebaci	teri	um gi	lutar	micur	n								
<22	1> C 2> (DS 101) XA01:		03)												
	0> 4. gaag		taggo	caaga	aa at	ttg	gttga	a gtt	ttc	gatc	tcta	acga	ege q	gtcat	ctcaa	60
ttc	cacc	tag (gctt	ggat	gc aq	ggtta	agaaa	a gga	agcct	ttcg	-		aag Lys		_	115
					ctt Leu										gcg Ala	163
					gtt Val											211
					gtt Val											259
					gtg Val											307
ggt Gly 70	ttg Leu	gag Glu	ttt Phe	ttg Leu	gat Asp 75	atc Ile	cag Gln	gag Glu	gtc Val	atc Ile 80	gcg Ala	gct Ala	gac Asp	tac Tyr	agg Arg ·85	355
					gat Asp											403
					cgc Arg											451
ttg Leu	gcc Ala	aag Lys 120	ctg Leu	ttg Leu	aag Lys	gag Glu	cac His 125	aat Asn	tcg Ser	gag Glu	tgg Trp	ctt Leu 130	gat Asp	cag Gln	ctt Leu	499
gat Asp	gcg Ala 135	gtg Val	act Thr	ttg Leu	tcg Ser	tgc Cys 140	gat Asp	att Ile	ggc Gly	gcg Ala	gcg Ala 145	aag Lys	ccg Pro	gag Glu	ccg Pro	547
aag Lys 150	tct Ser	ttc Phe	cat His	gtg Val	gca Ala 155	ctt Leu	gag Glu	gcc Ala	ctt Leu	ggt Gly 160	gaa Glu	aaa Lys	gct Ala	gag Glu	gat Asp 165	595
gtg Val	acc Thr	ttt Phe	att Ile	gat Asp 170	gat Asp	cgc Arg	gtg Val	cgt Arg	aac Asn 175	att Ile	gag Glu	gca Ala	gcg Ala	cgc Arg 180	gaa Glu	643

gaa ggt ctc agc aca att cac ttc act ggc tta gat tcc tta aaa gaa 693 Glu Gly Leu Ser Thr Ile His Phe Thr Gly Leu Asp Ser Leu Lys Glu 185 190 195

agc att cag gaa tgacacctca accactgatt ttg 726 Ser Ile Gln Glu 200

<210> 438

<211> 201

<212> PRT

<213> Corynebacterium glutamicum

<400> 438

Met Ser Lys Thr Arg Thr Phe Leu Phe Asp Leu Tyr Gly Val Leu Ile 1 5 10 15

Lys Glu His Gly Ala Ala Gln Phe Glu Arg Val Ala Arg Ala Val Gly
20 25 30

Glu Pro Ser Lys Asn Asp Lys Leu His Glu Val Tyr Glu Ser Leu Arg 35 40 45

Leu Asp Leu Asp Ala Gly Arg Val Ser Glu Val Asn Tyr Trp Asn Gln 50 60

Ile Lys Leu Leu Val Gly Leu Glu Phe Leu Asp Ile Gln Glu Val Ile 65 70 75 80

Ala Ala Asp Tyr Arg Gly Leu Tyr Glu Arg Asp Gln Asp Met Val Asp 85 90 95

Tyr Val Leu Ser Leu Lys Ala Lys Gly His Arg Ile Gly Ile Leu Ser 100 105 110

Asn Ile Pro Glu Gly Leu Ala Lys Leu Leu Lys Glu His Asn Ser Glu 115 120 125

Trp Leu Asp Gln Leu Asp Ala Val Thr Leu Ser Cys Asp Ile Gly Ala 130 135 140

Ala Lys Pro Glu Pro Lys Ser Phe His Val Ala Leu Glu Ala Leu Gly 145 150 155 160

Glu Lys Ala Glu Asp Val Thr Phe Ile Asp Asp Arg Val Arg Asn Ile 165 170 175

Glu Ala Ala Arg Glu Glu Gly Leu Ser Thr Ile His Phe Thr Gly Leu 180 185 190

Asp Ser Leu Lys Glu Ser Ile Gln Glu 195 200

<210> 439

<211> 1039

<212> DNA

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(1039) <223> RXA02351 <400> 439 tgacacttta cagactggtt ttcaactaat gacaccgaaa gaaatacacc tcaacctttt 60 tgctttcggt gccgggcacc acgcggcggc gtggcgagcg gtg gag gga agc gtc Val Glu Gly Ser Val 1 gaa aag ctg ggt tta att tcc tgg tgg gaq qaa ctc gcg cqc acc qct 163 Glu Lys Leu Gly Leu Ile Ser Trp Trp Glu Glu Leu Ala Arg Thr Ala 15 gag cgg ggc aag ctg gat gcg gtc ttt ttg gcc gat ggg cag gcg att 211 Glu Arg Gly Lys Leu Asp Ala Val Phe Leu Ala Asp Gly Gln Ala Ile 25 aat ccg gtc ggt ctg gag aat ggg ccg ggc tgg ttt ttg gag ccg gtg 259 Asn Pro Val Gly Leu Glu Asn Gly Pro Gly Trp Phe Leu Glu Pro Val 40 45 acc gcg ttg act gcg atg gcg cgg gcg acg aac aat att ggg ttg atc 307 Thr Ala Leu Thr Ala Met Ala Arg Ala Thr Asn Asn Ile Gly Leu Ile 55 age aca att tee agt acg ttt tgg cag eeg ttt cat geg geg egg atg 355 Ser Thr Ile Ser Ser Thr Phe Trp Gln Pro Phe His Ala Ala Arg Met 70 75 atc gcc agc ttg gat cat att tcg ggt ggg cgt gct gga atc aat gtg 403 Ile Ala Ser Leu Asp His Ile Ser Gly Gly Arg Ala Gly Ile Asn Val 90 95 gtg aca tcg atg acc gat gcg gag gcg cgt aac cac ggg atg gat gcg 451 Val Thr Ser Met Thr Asp Ala Glu Ala Arg Asn His Gly Met Asp Ala 105 ttg ccg ggt cac gat gtt cgc tat gcg cgc gct gcg gaa ttt att gaa 499 Leu Pro Gly His Asp Val Arg Tyr Ala Arg Ala Ala Glu Phe Ile Glu 120 acc atc act gcg ctg tgg gat tct tgg cct gcg gaa agt ttg gtg atg 547 Thr Ile Thr Ala Leu Trp Asp Ser Trp Pro Ala Glu Ser Leu Val Met 135 gat cgt gct gga aaa ttt gcg gac tcc tcg ctc att aaa tct atc gat 595 Asp Arg Ala Gly Lys Phe Ala Asp Ser Ser Leu Ile Lys Ser Ile Asp 150 cat gat ggt gag ttc ttc caa gtc gct ggt ccg ctg aat atc ccc agt 643 His Asp Gly Glu Phe Phe Gln Val Ala Gly Pro Leu Asn Ile Pro Ser 170 cct ccg cag ggt cga ccc gta ctt ttt cag gct gga tcc tca ccg caa 691 Pro Pro Gln Gly Arg Pro Val Leu Phe Gln Ala Gly Ser Ser Pro Gln 185 190 gga cgg gaa atc gct gcg aaa tac gcc gag gca att tac tct gtg gcg 739

578

Gly Arg Glu Ile Ala Ala Lys Tyr Ala Glu Ala Ile Tyr Ser Val Ala 205 tgg gat ttg gag caa gcg caa gat tat cgc tct gat att cat gct cgt 787 Trp Asp Leu Glu Gln Ala Gln Asp Tyr Arg Ser Asp Ile His Ala Arg 220 gcc act gcc cag ggt cgc gag ccc atg ccg gtg ctt cct ggt ttg gtg Ala Thr Ala Gln Gly Arg Glu Pro Met Pro Val Leu Pro Gly Leu Val 235 act ttt gtt ggc acg acc gtg gaa gaa gcg cgt gca aaa cag cag gct 883 Thr Phe Val Gly Thr Thr Val Glu Glu Ala Arg Ala Lys Gln Gln Ala 250 255 ctt aat gcg ttg ctg ccg gtc aaa gac tca cta aat cag ttg agt ttc 931 Leu Asn Ala Leu Leu Pro Val Lys Asp Ser Leu Asn Gln Leu Ser Phe 265 270 ttt gtg ggt caa gat tgc tcg acg tgg gat ttg gat gca cct ccc cca 979 Phe Val Gly Gln Asp Cys Ser Thr Trp Asp Leu Asp Ala Pro Pro Pro 280 cca ctg cca ccg cta gaa gag ttt tcc ggt cct aaa ggc agg tac gaa 1027 Pro Leu Pro Pro Leu Glu Glu Phe Ser Gly Pro Lys Gly Arg Tyr Glu 300 acg gtc ctg cgg 1039 Thr Val Leu Arg 310 <210> 440 <211> 313 <212> PRT <213> Corynebacterium glutamicum <400> 440 Val Glu Gly Ser Val Glu Lys Leu Gly Leu Ile Ser Trp Trp Glu Glu Leu Ala Arg Thr Ala Glu Arg Gly Lys Leu Asp Ala Val Phe Leu Ala Asp Gly Gln Ala Ile Asn Pro Val Gly Leu Glu Asn Gly Pro Gly Trp Phe Leu Glu Pro Val Thr Ala Leu Thr Ala Met Ala Arg Ala Thr Asn 50 55 Asn Ile Gly Leu Ile Ser Thr Ile Ser Ser Thr Phe Trp Gln Pro Phe His Ala Ala Arg Met Ile Ala Ser Leu Asp His Ile Ser Gly Gly Arg Ala Gly Ile Asn Val Val Thr Ser Met Thr Asp Ala Glu Ala Arg Asn 105 His Gly Met Asp Ala Leu Pro Gly His Asp Val Arg Tyr Ala Arg Ala 115 120

Ala Glu Phe Ile Glu Thr Ile Thr Ala Leu Trp Asp Ser Trp Pro Ala Glu Ser Leu Val Met Asp Arg Ala Gly Lys Phe Ala Asp Ser Ser Leu 150 Ile Lys Ser Ile Asp His Asp Gly Glu Phe Phe Gln Val Ala Gly Pro 165 170 Leu Asn Ile Pro Ser Pro Pro Gln Gly Arg Pro Val Leu Phe Gln Ala 185 Gly Ser Ser Pro Gln Gly Arg Glu Ile Ala Ala Lys Tyr Ala Glu Ala 200 Fiel-Pyr Ser Val Ala Trp Asp Leu Glü⁵Gln Ala Gln Asp Tyr Arg Ser 215 Asp Ile His Ala Arg Ala Thr Ala Gln Gly Arg Glu Pro Met Pro Val Leu Pro Gly Leu Val Thr Phe Val Gly Thr Thr Val Glu Glu Ala Arg Ala Lys Gln Gln Ala Leu Asn Ala Leu Leu Pro Val Lys Asp Ser Leu Ser 260 265: 11 01 (a), 270: 01 276: : 19 Asn Gln Leu Ser Phe Phe Val Gly Gln Asp Cys Ser Thr Trp Asp Leu n 27.5: Page 28.0: The Val 285: The Gln Ala 100 Asp Ala Pro Pro Pro Pro Leu Pro Pro Leu Glu Glu Phe Ser Gly Pro (y 29.0: See that Old Oly 295; The second of 300 the second of Ala . . Lys Gly Arg Tyr Glu Thr Val Leu Arg 305 a 310 ?

.....

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 4 January 2001 (04.01.2001)

PCT

199 42 088.2

(10) International Publication Number WO 01/00842 A3

DE

(51)	International Patent C 15/52, 9/00, C07K 14/3-		C12N 15/31,
(21)	International Application	on Number:	PCT/IB00/00911
(22)	International Filing Da	ite: 23 June	2000 (23.06.2000)
(25)	Filing Language:		English
(26)	Publication Language:		English
(30)	Priority Data:		
` ,	60/141,031	25 June 1999 (25.06.1999) US
	199 31 636.8	8 July 1999 (08.07.1999) DE
	199 32 125.6	9 July 1999 (09.07.1999) DE
	199 32 126.4	9 July 1999 (09.07.1999) DE
	199 32 127.2	9 July 1999 (09.07.1999) DE
	199 32 128.0	9 July 1999 (09.07.1999) DE
	199 32 129.9	9 July 1999 (09.07.1999) DE
	199 32 226.0	9 July 1999 (09.07.1999) DE
	199 32 920.6	14 July 1999 (14.07.1999) DE

3 September 1999 (03.09.1999)

(71) Applicant: BASF **AKTIENGESELLSCHAFT** [DE/DE]; D-67056 Ludwigshafen (DE).

(72) Inventors: POMPEJUS, Markus; Wenjenstrasse 21, D-67251 Freinsheim (DE). KRÖGER, Burkhard; Im Waldhof 1, D-67117 Limburgerhof (DE). SCHRÖDER, Hartwig; Goethestrasse 5, D-69226 Nussloch (DE). ZELDER, Oskar; Rossmarktstrasse 27, D-67346 Speyer (DE). HABERHAUER, Gregor; Moselstrasse 42, D-67117 Limburgerhof (DE).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

(88) Date of publication of the international search report: 23 August 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

14 July 1999 (14.07.1999) 199 32 922.2 DE 199 32 924.9 14 July 1999 (14.07.1999) DE 199 32 928.1 14 July 1999 (14.07.1999) DE 14 July 1999 (14.07.1999) 199 32 930.3 DE 199 32 933.8 14 July 1999 (14.07.1999) DE 14 July 1999 (14.07.1999) 199 32 935.4 DE 199 32 973.7 14 July 1999 (14.07.1999) DE 199 33 002.6 14 July 1999 (14.07.1999) DF. 14 July 1999 (14.07.1999) 199 33 003.4 DE 14 July 1999 (14.07.1999) 199 33 005.0 DE 199 33 006.9 14 July 1999 (14.07.1999) DE 199 41 378.9 31 August 1999 (31.08.1999) DE 199 41 379.7 31 August 1999 (31.08.1999) DE 199 41 390.8 31 August 1999 (31.08.1999) DE 199 41 391.6 31 August 1999 (31.08.1999)

(54) Title: CORYNEBACTERIUM GLUTAMICUM GENES ENCODING PROTEINS INVOLVED IN HOMEOSTASIS AND **ADAPTATION**

(57) Abstract: Isolated nucleic acid molecules, designated HA nucleic acid molecules, which encode novel HA proteins from Corynebacterium glutamicum are described. The invention also provides antisense nucleic acid molecules, recombinant expression vectors containing HA nucleic acid molecules, and host cells into which the expression vectors have been introduced. The invention still further provides isolated HA proteins, mutated HA proteins, fusion proteins, antigenic peptides and methods for the improvement of production of a desired compound from C. glutamicum based on genetic engineering of HA genes in this organism.

Inters nal Application No PCT/IB 00/00911

		PC1/1B 00	0/00911
A. CLASS IPC 7	FICATION OF SUBJECT MATTER C12N15/31 C12N15/52 C12N9/6	00 C07K14/34	
	o International Patent Classification (IPC) or to both national classific	cation and IPC	
	ocumentation searched (classification system followed by classification)	ion symbols)	
	C12N C07K	ion symbols)	
Documenta	tion searched other than minimum documentation to the extent that	such documents are included in the fields se	arched
Electronic d	ata base consulted during the international search (name of data ba	ase and, where practical, search terms used	
EPO-In	ternal, WPI Data, PAJ		
C. DOCUM	NTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the re	levant passages	Relevant to claim No.
X	WO 93 09225 A (MASSACHUSETTS INS TECHNOLOGY) 13 May 1993 (1993-05	T -13)	1,2, 8-19,22, 25-34,37
	page 8		
X	EIKMANNS ET AL: "The phosphenol carboxylase gene of Corynebacter glutamicum: molecular cloning, n sequence, and expression"	ium	1,2, 8-19,22, 25-34,37
	MOL. GEN. GENET,XX,XX, vol. 218, 1989, pages 330-339, X page 333, column 1, paragraph 2 page 330, column 2, paragraph 2	P002138580	
X	EP 0 401 735 A (KYOWA HAKKO KOGY 12 December 1990 (1990-12-12)	0 KK)	1,2, 8-19,22, 25-34
	claims 1-4		25-34
		-/	
X Furth	er documents are listed in the continuation of box C.	X Patent family members are listed in	n annex.
° Special car	egories of cited documents :	"T" later document published after the inter	national filing date
consid	nt defining the general state of the art which is not ered to be of particular relevance ocument but published on or after the international	or priority date and not in conflict with to cited to understand the principle or the invention	he application but ory underlying the
which i	ate nt which may throw doubts on priority claim(s) or s cited to establish the publication date of another or other special reason (as specified)	"X" document of particular relevance; the classification of particular relevance relavance rela	be considered to ument is taken alone aimed invention
	nt referring to an oral disclosure, use, exhibition or	cannot be considered to involve an involve an involve document is combined with one or mor ments, such combination being obvious	e other such docu-
"P" docume	nt published prior to the international filing date but an the priority date claimed	in the art. "&" document member of the same patent for	
Date of the a	ctual completion of the international search	Date of mailing of the international sear	ch report
1	December 2000	2 3, 03, 01	
Name and m	ailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Mata-Vicente, M	

1

Intel Intel

		PCI/IB 0	U/UU911
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
X	LEE J -K ET AL: "NUCLEOTIDE SEQUENCE OF THE GENE ENCODING THE CORYNEBACTERIUM GLUTAMICUM MANNOSE ENZYME II AND ANALYSES OF THE DEDUCED PROTEIN SEQUENCE" FEMS MICROBIOLOGY LETTERS, AMSTERDAM, NL, vol. 119, no. 1-2, 1994, pages 137-146, XP000960685 ISSN: 0378-1097 abstract		1,2, 8-13, 15-19, 22, 25-27, 30,31, 34,37
X	DATABASE EMBL/GENBANK/DDBJ [Online] EBI; 17 May 1996 (1996-05-17) "M. tuberculosis H37Rv complete genome; segment 57/162" XP002155887 Acc. No. Z73419		6-13,17, 23, 25-27, 30,31, 34,37
		•	
:			
}			:
	•		
			·

tional application No. PCT/IB 00/00911

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This Inte	ernational Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
	Although as far as an "in vivo" method is concerned, claim 35 is directed to a diagnostic method practised on the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2.	Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
з. 🗌	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Inter	rnational Searching Authority found multiple inventions in this international application, as follows:
	see additional sheet
1.	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3	As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. X	No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
	restricted to the invention first mentioned in the claims; it is covered by claims Nos.: Claims 1-38 (partially)
Remark o	on Protest The additional search fees were accompanied by the applicant's protest.
-	No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: Invention 1: Claims (1-38) - partially

Isolated nucleic acid molecule from Corynebacterium glutamicum of SEQ ID NO:1; the polypeptide thereby encoded (SEQ ID NO:2); fragments, variants and fusions thereof; expresion vectors comprising the polynucleotide of the invention or its derivatives, host cells transfected with said vectors and methods for the production of fine chemicals involving the culture of said host cells; use of the above-mentioned polynucleotide/polypeptide for diagnosis of Corynebacterium diphteriae infections.

2. Claims: Inventions 2-174: Claims (1-38) - partially

Idem as subject 1, but limited to the rest of the sequence pairs (polynucleotide-polypeptide) listed in Table 1, with the exception of the F-designated ones (disclaimed).

PCT/18 00/00911

Patent document cited in search repor	t	Publication date	Patent family member(s)	Publication date
WO 9309225	Α	13-05-1993	NONE	
EP 0401735	А	12-12-1990	JP 2967996 B JP 3007591 A DE 69022631 D DE 69022631 T DE 401735 T KR 9701238 B US 5447857 A US 5407824 A	25-10-1999 14-01-1991 02-11-1995 21-03-1996 13-06-1991 04-02-1997 05-09-1995 18-04-1995

Form PCT/ISA/210 (patent family annex) (July 1992)